
Maurilio Ponzoni

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2420948/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Monocyte-derived IL-1 and IL-6 are differentially required for cytokine-release syndrome and neurotoxicity due to CAR T cells. Nature Medicine, 2018, 24, 739-748. | 30.7 | 947 |
| 2 | MYC/BCL2 protein coexpression contributes to the inferior survival of activated B-cell subtype of diffuse large B-cell lymphoma and demonstrates high-risk gene expression signatures: a report from The International DLBCL Rituximab-CHOP Consortium Program. Blood, 2013, 121, 4021-4031. | 1.4 | 596 |
| 3 | Chemoimmunotherapy with methotrexate, cytarabine, thiotepa, and rituximab (MATRix regimen) in patients with primary CNS lymphoma: results of the first randomisation of the International Extranodal Lymphoma Study Group-32 (IELSG32) phase 2 trial. Lancet Haematology,the, 2016, 3, e217-e227. | 4.6 | 442 |
| 4 | Mutational profile and prognostic significance of TP53 in diffuse large B-cell lymphoma patients treated with R-CHOP: report from an International DLBCL Rituximab-CHOP Consortium Program Study. Blood, 2012, 120, 3986-3996. | 1.4 | 301 |
| 5 | Whole-brain radiotherapy or autologous stem-cell transplantation as consolidation strategies after high-dose methotrexate-based chemoimmunotherapy in patients with primary CNS lymphoma: results of the second randomisation of the International Extranodal Lymphoma Study Group-32 phase 2 trial. Lancet Haematology.the, 2017. 4, e510-e523. | 4.6 | 258 |
| 6 | Intravascular large B-cell lymphoma: a chameleon with multiple faces and many masks. Blood, 2018, 132, 1561-1567. | 1.4 | 161 |
| 7 | Final Results of the IELSG-19 Randomized Trial of Mucosa-Associated Lymphoid Tissue Lymphoma: Improved Event-Free and Progression-Free Survival With Rituximab Plus Chlorambucil Versus Either Chlorambucil or Rituximab Monotherapy. Journal of Clinical Oncology, 2017, 35, 1905-1912. | 1.6 | 143 |
| 8 | Rearrangements of MYC gene facilitate risk stratification in diffuse large B-cell lymphoma patients treated with rituximab-CHOP. Modern Pathology, 2014, 27, 958-971. | 5.5 | 112 |
| 9 | Immune Profiling and Quantitative Analysis Decipher the Clinical Role of Immune-Checkpoint Expression in the Tumor Immune Microenvironment of DLBCL. Cancer Immunology Research, 2019, 7, 644-657. | 3.4 | 106 |
| 10 | Riskâ€ŧailored <scp>CNS</scp> prophylaxis in a monoâ€institutional series of 200 patients with diffuse large Bâ€cell lymphoma treated in the rituximab era. British Journal of Haematology, 2015, 168, 654-662. | 2.5 | 90 |
| 11 | Targeting Macrophages Sensitizes Chronic Lymphocytic Leukemia to Apoptosis and Inhibits Disease Progression. Cell Reports, 2016, 14, 1748-1760. | 6.4 | 90 |
| 12 | B lymphocytes directly contribute to tissue fibrosis in patients with IgG4-related disease. Journal of Allergy and Clinical Immunology, 2020, 145, 968-981.e14. | 2.9 | 85 |
| 13 | Lectin binding to surface Ig variable regions provides a universal persistent activating signal for follicular lymphoma cells. Blood, 2015, 126, 1902-1910. | 1.4 | 79 |
| 14 | Bone marrow endothelial cells sustain a tumor-specific CD8 ⁺ T cell subset with suppressive function in myeloma patients. Oncolmmunology, 2019, 8, e1486949. | 4.6 | 58 |
| 15 | MYD88 L265P MUTATION DETECTION IN THE AQUEOUS HUMOR OF PATIENTS WITH VITREORETINAL LYMPHOMA. Retina, 2019, 39, 679-684. | 1.7 | 50 |
| 16 | Excessive antigen reactivity may underlie the clinical aggressiveness of chronic lymphocytic leukemia stereotyped subset #8. Blood, 2015, 125, 3580-3587. | 1.4 | 49 |
| 17 | Clinical features, tumor biology, and prognosis associated with MYC rearrangement and Myc overexpression in diffuse large B-cell lymphoma patients treated with rituximab-CHOP. Modern Pathology, 2015, 28, 1555-1573. | 5.5 | 48 |
| 18 | Long-term efficacy, safety and neurotolerability of MATRix regimen followed by autologous transplant in primary CNS lymphoma: 7-year results of the IELSC32 randomized trial. Leukemia, 2022, 36, 1870-1878. | 7.2 | 47 |

MAURILIO PONZONI

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | MDM2 phenotypic and genotypic profiling, respective to TP53 genetic status, in diffuse large B-cell lymphoma patients treated with rituximab-CHOP immunochemotherapy: a report from the International DLBCL Rituximab-CHOP Consortium Program. Blood, 2013, 122, 2630-2640. | 1.4 | 46 |
| 20 | <i>MYD88</i> L265P mutation and interleukinâ€10 detection in cerebrospinal fluid are highly specific discriminating markers in patients with primary central nervous system lymphoma: results from a prospective study. British Journal of Haematology, 2021, 193, 497-505. | 2.5 | 41 |
| 21 | Synergistic Leukemia Eradication by Combined Treatment with Retinoic Acid and HIF Inhibition by EZN-2208 (PEC-SN38) in Preclinical Models of PML-RARα and PLZF-RARα–Driven Leukemia. Clinical Cancer Research, 2015, 21, 3685-3694. | 7.0 | 40 |
| 22 | AKT Hyperactivation and the Potential of AKT-Targeted Therapy in Diffuse Large B-Cell Lymphoma. American Journal of Pathology, 2017, 187, 1700-1716. | 3.8 | 39 |
| 23 | Cellular Senescence Markers p16INK4a and p21CIP1/WAF Are Predictors of Hodgkin Lymphoma Outcome. Clinical Cancer Research, 2015, 21, 5164-5172. | 7.0 | 33 |
| 24 | Marginal zone B-cell lymphoma: lessons from Western and Eastern diagnostic approaches. Pathology, 2020, 52, 15-29. | 0.6 | 33 |
| 25 | Lenalidomide maintenance in patients with relapsed diffuse large B-cell lymphoma who are not eligible for autologous stem cell transplantation: an open label, single-arm, multicentre phase 2 trial. Lancet Haematology,the, 2017, 4, e137-e146. | 4.6 | 28 |
| 26 | A Spatially Resolved Dark- versus Light-Zone Microenvironment Signature Subdivides Germinal Center-Related Aggressive B Cell Lymphomas. IScience, 2020, 23, 101562. | 4.1 | 27 |
| 27 | Clarithromycin as a "repurposing drug―against MALT lymphoma. British Journal of Haematology, 2018, 182, 913-915. | 2.5 | 23 |
| 28 | A refined cell-of-origin classifier with targeted NGS and artificial intelligence shows robust predictive value in DLBCL. Blood Advances, 2020, 4, 3391-3404. | 5.2 | 22 |
| 29 | Genetic Subtyping and Phenotypic Characterization of the Immune Microenvironment and MYC/BCL2 Double Expression Reveal Heterogeneity in Diffuse Large B-cell Lymphoma. Clinical Cancer Research, 2022, 28, 972-983. | 7.0 | 22 |
| 30 | Intra-tumour heterogeneity of diffuse large B-cell lymphoma involves the induction of diversified stroma-tumour interfaces. EBioMedicine, 2020, 61, 103055. | 6.1 | 21 |
| 31 | Aggressive B-cell Lymphoma with MYC/TP53 Dual Alterations Displays Distinct Clinicopathobiological Features and Response to Novel Targeted Agents. Molecular Cancer Research, 2021, 19, 249-260. | 3.4 | 20 |
| 32 | Toll-like receptor stimulation in splenic marginal zone lymphoma can modulate cell signaling, activation and proliferation. Haematologica, 2015, 100, 1460-1468. | 3.5 | 19 |
| 33 | Cutaneous localization in multiple myeloma in the context of bortezomib-based treatment: how do myeloma cells escape from the bone marrow to the skin?. International Journal of Hematology, 2017, 105, 104-108. | 1.6 | 14 |
| 34 | Inhibition of chronic lymphocytic leukemia progression by full-length chromogranin A and its N-terminal fragment in mouse models. Oncotarget, 0, 7, 41725-41736. | 1.8 | 9 |
| 35 | Follicular helper T cell signature of replicative exhaustion, apoptosis, and senescence in common variable immunodeficiency. European Journal of Immunology, 2022, 52, 1171-1189. | 2.9 | 9 |
| 36 | Genomic complexity is associated with epigenetic regulator mutations and poor prognosis in diffuse large B-cell lymphoma. Oncolmmunology, 2021, 10, 1928365. | 4.6 | 6 |

Maurilio Ponzoni

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | A Bitter Effect: Thrombocytopenia Induced by a Quinidine-containing Beverage. American Journal of Medicine, 2014, 127, e1-e2. | 1.5 | 4 |
| 38 | Treating life-threatening TAFRO syndrome with interleukin-1 inhibition. European Journal of Internal Medicine, 2021, 87, 121-123. | 2.2 | 3 |
| 39 | Off-Tumor Target Expression Levels Do Not Predict CAR-T Cell Killing: A Foundation For The Safety Of CD44v6-Targeted T Cells. Blood, 2013, 122, 142-142. | 1.4 | 2 |
| 40 | Implications of recent molecular achievements in early diagnosis and precision treatments for primary CNS lymphoma. Expert Opinion on Therapeutic Targets, 2021, 25, 749-760. | 3.4 | 1 |
| 41 | Modeling the Genotoxicity of Viral Vector Integration in a Tumor Prone Hematopoietic Stem Cell Transplantation Model Blood, 2006, 108, 451-451. | 1.4 | 0 |
| 42 | Risk-Tailored CNS Prophylaxis In 194 Patients With Diffuse Large B-CELL Lymphoma (DLBCL) Treated In The Rituximab ERA: Risk Definition By Clinical Variables and Ontogenic Stratification. Blood, 2013, 122, 4365-4365. | 1.4 | 0 |
| 43 | Myc and the Warburg Effect. Blood, 2018, 132, SCI-12-SCI-12. | 1.4 | 0 |