

Tong J Gan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/242152/tong-j-gan-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98
papers

8,913
citations

36
h-index

94
g-index

104
ext. papers

10,656
ext. citations

3.7
avg, IF

6.49
L-index

#	Paper	IF	Citations
98	Postoperative pain experience: results from a national survey suggest postoperative pain continues to be undermanaged. <i>Anesthesia and Analgesia</i> , 2003 , 97, 534-540	3.9	1373
97	Goal-directed intraoperative fluid administration reduces length of hospital stay after major surgery. <i>Anesthesiology</i> , 2002 , 97, 820-6	4.3	1322
96	Consensus guidelines for the management of postoperative nausea and vomiting. <i>Anesthesia and Analgesia</i> , 2014 , 118, 85-113	3.9	930
95	Consensus guidelines for managing postoperative nausea and vomiting. <i>Anesthesia and Analgesia</i> , 2003 , 97, 62-71, table of contents	3.9	653
94	Society for Ambulatory Anesthesia guidelines for the management of postoperative nausea and vomiting. <i>Anesthesia and Analgesia</i> , 2007 , 105, 1615-28, table of contents	3.9	478
93	Risk factors for postoperative nausea and vomiting. <i>Anesthesia and Analgesia</i> , 2006 , 102, 1884-98	3.9	434
92	Incidence, patient satisfaction, and perceptions of post-surgical pain: results from a US national survey. <i>Current Medical Research and Opinion</i> , 2014 , 30, 149-60	2.5	416
91	Poorly controlled postoperative pain: prevalence, consequences, and prevention. <i>Journal of Pain Research</i> , 2017 , 10, 2287-2298	2.9	338
90	Diclofenac: an update on its mechanism of action and safety profile. <i>Current Medical Research and Opinion</i> , 2010 , 26, 1715-31	2.5	294
89	Postoperative nausea and vomiting--can it be eliminated?. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 287, 1233-6	27.4	221
88	American Society for Enhanced Recovery and Perioperative Quality Initiative Joint Consensus Statement on Nutrition Screening and Therapy Within a Surgical Enhanced Recovery Pathway. <i>Anesthesia and Analgesia</i> , 2018 , 126, 1883-1895	3.9	149
87	Fourth Consensus Guidelines for the Management of Postoperative Nausea and Vomiting. <i>Anesthesia and Analgesia</i> , 2020 , 131, 411-448	3.9	146
86	A randomized, double-blind comparison of the NK1 antagonist, aprepitant, versus ondansetron for the prevention of postoperative nausea and vomiting. <i>Anesthesia and Analgesia</i> , 2007 , 104, 1082-9, tables of contents	3.9	140
85	Perioperative Quality Initiative consensus statement on intraoperative blood pressure, risk and outcomes for elective surgery. <i>British Journal of Anaesthesia</i> , 2019 , 122, 563-574	5.4	132
84	A randomized controlled comparison of electro-acupoint stimulation or ondansetron versus placebo for the prevention of postoperative nausea and vomiting. <i>Anesthesia and Analgesia</i> , 2004 , 99, 1070-1075	3.9	92
83	Pharmacokinetic and pharmacodynamic characteristics of medications used for moderate sedation. <i>Clinical Pharmacokinetics</i> , 2006 , 45, 855-69	6.2	81
82	Selective serotonin 5-HT ₃ receptor antagonists for postoperative nausea and vomiting: are they all the same?. <i>CNS Drugs</i> , 2005 , 19, 225-38	6.7	78

81	American Society for Enhanced Recovery and Perioperative Quality Initiative Joint Consensus Statement on Postoperative Delirium Prevention. <i>Anesthesia and Analgesia</i> , 2020 , 130, 1572-1590	3.9	74
80	Preoperative parenteral parecoxib and follow-up oral valdecoxib reduce length of stay and improve quality of patient recovery after laparoscopic cholecystectomy surgery. <i>Anesthesia and Analgesia</i> , 2004 , 98, 1665-1673	3.9	64
79	Impact of postsurgical opioid use and ileus on economic outcomes in gastrointestinal surgeries. <i>Current Medical Research and Opinion</i> , 2015 , 31, 677-86	2.5	62
78	Effect of perioperative goal-directed hemodynamic therapy on postoperative recovery following major abdominal surgery-a systematic review and meta-analysis of randomized controlled trials. <i>Critical Care</i> , 2017 , 21, 141	10.8	61
77	A randomized, double-blind, multicenter trial comparing transdermal scopolamine plus ondansetron to ondansetron alone for the prevention of postoperative nausea and vomiting in the outpatient setting. <i>Anesthesia and Analgesia</i> , 2009 , 108, 1498-504	3.9	61
76	Mechanisms underlying postoperative nausea and vomiting and neurotransmitter receptor antagonist-based pharmacotherapy. <i>CNS Drugs</i> , 2007 , 21, 813-33	6.7	61
75	The effectiveness of rescue antiemetics after failure of prophylaxis with ondansetron or droperidol: a preliminary report. <i>Journal of Clinical Anesthesia</i> , 2005 , 17, 62-5	1.9	61
74	Enhanced recovery after surgery pathway for patients undergoing cardiac surgery: a randomized clinical trial. <i>European Journal of Cardio-thoracic Surgery</i> , 2018 , 54, 491-497	3	60
73	American Society for Enhanced Recovery (ASER) and Perioperative Quality Initiative (POQI) joint consensus statement on optimal analgesia within an enhanced recovery pathway for colorectal surgery: part 1-from the preoperative period to PACU. <i>Perioperative Medicine (London, England)</i> , 2017 , 6, 8	2.8	55
72	Rolapitant for the prevention of postoperative nausea and vomiting: a prospective, double-blinded, placebo-controlled randomized trial. <i>Anesthesia and Analgesia</i> , 2011 , 112, 804-12	3.9	54
71	Association of Opioids and Sedatives with Increased Risk of In-Hospital Cardiopulmonary Arrest from an Administrative Database. <i>PLoS ONE</i> , 2016 , 11, e0150214	3.7	53
70	The additive interactions between ondansetron and droperidol for preventing postoperative nausea and vomiting. <i>Anesthesia and Analgesia</i> , 2006 , 103, 1155-62	3.9	51
69	Ondansetron orally disintegrating tablet versus placebo for the prevention of postdischarge nausea and vomiting after ambulatory surgery. <i>Anesthesia and Analgesia</i> , 2002 , 94, 1199-200, table of contents	3.9	51
68	American Society for Enhanced Recovery (ASER) and Perioperative Quality Initiative (POQI) joint consensus statement on prevention of postoperative infection within an enhanced recovery pathway for elective colorectal surgery. <i>Perioperative Medicine (London, England)</i> , 2017 , 6, 4	2.8	49
67	American Society for Enhanced Recovery and Perioperative Quality Initiative Joint Consensus Statement on Perioperative Opioid Minimization in Opioid-Naïve Patients. <i>Anesthesia and Analgesia</i> , 2019 , 129, 567-577	3.9	45
66	Adenosine as a non-opioid analgesic in the perioperative setting. <i>Anesthesia and Analgesia</i> , 2007 , 105, 487-94	3.9	44
65	American Society for Enhanced Recovery and Perioperative Quality Initiative Joint Consensus Statement on the Role of Neuromonitoring in Perioperative Outcomes: Electroencephalography. <i>Anesthesia and Analgesia</i> , 2020 , 130, 1278-1291	3.9	42
64	American Society for Enhanced Recovery and Perioperative Quality Initiative-4 Joint Consensus Statement on Persistent Postoperative Opioid Use: Definition, Incidence, Risk Factors, and Health Care System Initiatives. <i>Anesthesia and Analgesia</i> , 2019 , 129, 543-552	3.9	41

63	Preoperative Nutrition and Prehabilitation. <i>Anesthesiology Clinics</i> , 2016 , 34, 143-53	2.3	40
62	American Society for Enhanced Recovery and Perioperative Quality Initiative Joint Consensus Statement on Perioperative Management of Patients on Preoperative Opioid Therapy. <i>Anesthesia and Analgesia</i> , 2019 , 129, 553-566	3.9	35
61	Extended release bupivacaine formulations for postoperative analgesia: an update. <i>Current Opinion in Anaesthesiology</i> , 2018 , 31, 636-642	2.9	35
60	American Society for Enhanced Recovery (ASER) and Perioperative Quality Initiative (POQI) Joint Consensus Statement on Optimal Analgesia within an Enhanced Recovery Pathway for Colorectal Surgery: Part 2-From PACU to the Transition Home. <i>Perioperative Medicine (London, England)</i> , 2017 ,	2.8	34
59	A novel injectable formulation of diclofenac compared with intravenous ketorolac or placebo for acute moderate-to-severe pain after abdominal or pelvic surgery: a multicenter, double-blind, randomized, multiple-dose study. <i>Anesthesia and Analgesia</i> , 2012 , 115, 1212-20	3.9	34
58	State-of-the-art fluid management in the operating room. <i>Baillieres Best Practice and Research in Clinical Anaesthesiology</i> , 2014 , 28, 261-73	4	32
57	Airway management education: simulation based training versus non-simulation based training-A systematic review and meta-analyses. <i>BMC Anesthesiology</i> , 2017 , 17, 17	2.4	30
56	Risk factors for cardiopulmonary and respiratory arrest in medical and surgical hospital patients on opioid analgesics and sedatives. <i>PLoS ONE</i> , 2018 , 13, e0194553	3.7	30
55	Single injection Quadratus Lumborum block for postoperative analgesia in adult surgical population: A systematic review and meta-analysis. <i>Journal of Clinical Anesthesia</i> , 2020 , 62, 109715	1.9	26
54	Double-blind comparison of granisetron, promethazine, or a combination of both for the prevention of postoperative nausea and vomiting in females undergoing outpatient laparoscopies. <i>Canadian Journal of Anaesthesia</i> , 2009 , 56, 829-36	3	21
53	How much are patients willing to pay to avoid intraoperative awareness?. <i>Journal of Clinical Anesthesia</i> , 2003 , 15, 108-12	1.9	21
52	American Society for Enhanced Recovery (ASER) and Perioperative Quality Initiative (POQI) joint consensus statement on measurement to maintain and improve quality of enhanced recovery pathways for elective colorectal surgery. <i>Perioperative Medicine (London, England)</i> , 2017 , 6, 6	2.8	20
51	Safety evaluation of fospropofol for sedation during minor surgical procedures. <i>Journal of Clinical Anesthesia</i> , 2010 , 22, 260-7	1.9	20
50	Total intravenous anesthesia and anesthetic outcomes. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2015 , 29 Suppl 1, S11-5	2.1	17
49	Resource use and costs associated with opioid-induced constipation following total hip or total knee replacement surgery. <i>Journal of Pain Research</i> , 2018 , 11, 1017-1025	2.9	15
48	American Society for Enhanced Recovery: Advancing Enhanced Recovery and Perioperative Medicine. <i>Anesthesia and Analgesia</i> , 2018 , 126, 1870-1873	3.9	14
47	Randomized placebo-controlled study of intravenous methylnaltrexone in postoperative ileus. <i>Journal of Drug Assessment</i> , 2013 , 2, 127-34	1.5	14
46	The shortened infusion time of intravenous ibuprofen part 1: a multicenter, open-label, surveillance trial to evaluate safety and efficacy. <i>Clinical Therapeutics</i> , 2015 , 37, 360-7	3.5	13

45	Cardiovascular safety of hydroxypropyl-β-cyclodextrin-diclofenac in the management of acute postsurgical pain: a pooled analysis of 2 randomized, double-blind, placebo- and active comparator-controlled phase III clinical trials. <i>Journal of Clinical Anesthesia</i> , 2016 , 31, 249-58	1.9	13
44	Practice Patterns and Treatment Challenges in Acute Postoperative Pain Management: A Survey of Practicing Physicians. <i>Pain and Therapy</i> , 2018 , 7, 205-216	3.6	13
43	Perioperative goal-directed therapy. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2014 , 28, 1635-41	1.1	12
42	Evaluating Patient-Centered Outcomes in Clinical Trials of Procedural Sedation, Part 2 Safety: Sedation Consortium on Endpoints and Procedures for Treatment, Education, and Research Recommendations. <i>Anesthesia and Analgesia</i> , 2018 , 127, 1146-1154	3.9	11
41	The shortened infusion time of intravenous ibuprofen, part 2: a multicenter, open-label, surgical surveillance trial to evaluate safety. <i>Clinical Therapeutics</i> , 2015 , 37, 368-75	3.5	9
40	Antiemetic Prophylaxis and Anesthetic Approaches to Reduce Postoperative Nausea and Vomiting in Bariatric Surgery Patients: a Systematic Review. <i>Obesity Surgery</i> , 2020 , 30, 3188-3200	3.7	9
39	Perioperative Quality Initiative (POQI) consensus statement on fundamental concepts in perioperative fluid management: fluid responsiveness and venous capacitance. <i>Perioperative Medicine (London, England)</i> , 2020 , 9, 12	2.8	8
38	Pectoral Nerve (PECs) block for postoperative analgesia-a systematic review and meta-analysis with trial sequential analysis. <i>International Journal of Physiology, Pathophysiology and Pharmacology</i> , 2020 , 12, 40-50	3.4	7
37	Postoperative opioid sparing with injectable hydroxypropyl-β-cyclodextrin-diclofenac: pooled analysis of data from two Phase III clinical trials. <i>Journal of Pain Research</i> , 2017 , 10, 15-29	2.9	7
36	Review of the enhanced recovery pathway for children: perioperative anesthetic considerations. <i>Canadian Journal of Anaesthesia</i> , 2018 , 65, 569-577	3	6
35	Consistent Definitions of Clinical Practice Guidelines, Consensus Statements, Position Statements, and Practice Alerts. <i>Anesthesia and Analgesia</i> , 2019 , 129, 1767-1770	3.9	6
34	New medications and techniques in ambulatory anesthesia. <i>Anesthesiology Clinics</i> , 2014 , 32, 463-85	2.3	5
33	Development, Reporting, and Evaluation of Clinical Practice Guidelines. <i>Anesthesia and Analgesia</i> , 2019 , 129, 1771-1777	3.9	5
32	In Response. <i>Anesthesia and Analgesia</i> , 2018 , 127, e105	3.9	5
31	Intravenous meloxicam for the treatment of moderate to severe acute pain: a pooled analysis of safety and opioid-reducing effects. <i>Regional Anesthesia and Pain Medicine</i> , 2019 , 44, 360-368	3.4	4
30	Evidence-based management of postoperative nausea and vomiting. <i>Canadian Journal of Anaesthesia</i> , 2003 , 50, R23-R26	3	4
29	Obstructive Sleep Apnea and Ambulatory Surgery: Who Is Truly at Risk?. <i>Anesthesia and Analgesia</i> , 2019 , 129, 327-329	3.9	4
28	Nitrous oxide added at the end of isoflurane anesthesia hastens early recovery without increasing the risk for postoperative nausea and vomiting: a randomized clinical trial. <i>Canadian Journal of Anaesthesia</i> , 2018 , 65, 162-169	3	4

27	Long-acting serotonin antagonist (Palonosetron) and the NK-1 receptor antagonists: does extended duration of action improve efficacy?. <i>Anesthesiology Clinics</i> , 2014 , 32, 505-16	2.3	3
26	Intra-operative hydroxyethyl starch is not associated with post-craniotomy hemorrhage. <i>SpringerPlus</i> , 2015 , 4, 350		3
25	In reply. <i>Anesthesiology</i> , 2015 , 122, 471	4.3	3
24	Patient-controlled analgesia: patient and nurse satisfaction with intravenous delivery systems and expected satisfaction with transdermal delivery systems. <i>Current Medical Research and Opinion</i> , 2007 , 23, 2507-16	2.5	3
23	A Comprehensive Approach for the Prevention of Nausea and Vomiting Following Sleeve Gastrectomy: a Randomized Controlled Trial. <i>Obesity Surgery</i> , 2020 , 30, 4250-4257	3.7	3
22	Management of postoperative nausea and vomiting in the context of an Enhanced Recovery after Surgery program. <i>Baillieres Best Practice and Research in Clinical Anaesthesiology</i> , 2020 , 34, 687-700	4	3
21	Research approaches for evaluating opioid sparing in clinical trials of acute and chronic pain treatments: Initiative on Methods, Measurement, and Pain Assessment in Clinical Trials recommendations. <i>Pain</i> , 2021 , 162, 2669-2681	8	3
20	Silent Hypoxemia in Patients with COVID-19 Pneumonia: A Review. <i>Medical Science Monitor</i> , 2021 , 27, e930776	3.2	3
19	Safety of treatment options available for postoperative pain. <i>Expert Opinion on Drug Safety</i> , 2021 , 20, 549-559	4.1	2
18	Predicting Postoperative Pain: A Complex Interplay of Multiple Factors. <i>Anesthesia and Analgesia</i> , 2021 , 132, 652-655	3.9	2
17	Evaluating oliceridine as a treatment option for moderate to severe acute post-operative pain in adults. <i>Expert Opinion on Pharmacotherapy</i> , 2021 , 1-9	4	2
16	Perioperative clinical and economic outcomes associated with replacing first-generation high molecular weight hydroxyethyl starch (Hextend [®]) with low molecular weight hydroxyethyl starch (Voluven [®]) at a large medical center. <i>Perioperative Medicine (London, England)</i> , 2015 , 4, 2	2.8	1
15	In Response. <i>Anesthesia and Analgesia</i> , 2017 , 125, 1421	3.9	1
14	Assessment of the Relative Clinical Utility of Sufentanil and Morphine Administered by Patient Controlled Analgesia Pumps Following Abdominal Hysterectomy. <i>Journal of Pain and Palliative Care Pharmacotherapy</i> , 2000 , 8, 5-17		1
13	Prevention and Treatment of Postoperative Nausea and Vomiting (PONV): A Review of Current Recommendations and Emerging Therapies. <i>Therapeutics and Clinical Risk Management</i> , 2020 , 16, 1305-1317	2.9	1
12	Efficacy of palonosetron-dexamethasone combination compared to palonosetron alone for prophylaxis against postoperative nausea and vomiting. <i>Current Medical Research and Opinion</i> , 2021 , 37, 711-718	2.5	1
11	Neurokinin-1 Antagonists for Postoperative Nausea and Vomiting. <i>Drugs</i> , 2021 , 81, 1171-1179	12.1	1
10	Comprehensive Quality Improvement Program for Intraoperative Transesophageal Echocardiography: Development, Implementation, and Initial Experience. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2021 , 35, 199-205	2.1	1

9	Myocardial Injury After Noncardiac Surgery-Slightly Heavier May Be Better. <i>Anesthesia and Analgesia</i> , 2021 , 132, 957-959	3.9	○
8	The problem of postoperative respiratory depression. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2021 , 46, 1220-1225	2.2	○
7	Postoperative pain: a review of emerging therapeutic options. <i>Expert Review of Neurotherapeutics</i> , 2021 , 21, 1085-1100	4.3	○
6	Process evaluation of a medical improvisation program for healthcare communication training. <i>Journal of Communication in Healthcare</i> , 1-7	0.9	○
5	Dynamic and Static Parameters of Fluid Responsiveness, Volume 48, Number 1.. <i>Anesthesiology</i> , 2011 , 114, 226-226	4.3	
4	Postoperative Nausea and Vomiting 425-437		
3	Retrospective Comparison of Intramuscular Admixtures of Ketamine and Dexmedetomidine Versus Ketamine and Midazolam for Preoperative Sedation. <i>Anesthesia Progress</i> , 2021 , 68, 3-9	0.8	
2	In Response. <i>Anesthesia and Analgesia</i> , 2021 , 132, e31-e33	3.9	
1	The Relationship Between Postoperative Nausea and Vomiting and Early Self-Rated Quality of Life Following Laparoscopic Sleeve Gastrectomy. <i>Journal of Gastrointestinal Surgery</i> , 2021 , 25, 2107-2109	3.3	