
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/242152/publications.pdf Version: 2024-02-01



TONCLOAN

#	Article	IF	CITATIONS
1	Framework, component, and implementation of enhanced recovery pathways. Journal of Anesthesia, 2022, 36, 648-660.	0.7	2
2	Comprehensive Quality Improvement Program for Intraoperative Transesophageal Echocardiography: Development, Implementation, and Initial Experience. Journal of Cardiothoracic and Vascular Anesthesia, 2021, 35, 199-205.	0.6	5
3	In Response. Anesthesia and Analgesia, 2021, 132, e31-e33.	1.1	0
4	Predicting Postoperative Pain: A Complex Interplay of Multiple Factors. Anesthesia and Analgesia, 2021, 132, 652-655.	1.1	5
5	The Relationship Between Postoperative Nausea and Vomiting and Early Self-Rated Quality of Life Following Laparoscopic Sleeve Gastrectomy. Journal of Gastrointestinal Surgery, 2021, 25, 2107-2109.	0.9	1
6	Safety of treatment options available for postoperative pain. Expert Opinion on Drug Safety, 2021, 20, 549-559.	1.0	7
7	Myocardial Injury After Noncardiac Surgery—Slightly Heavier May Be Better. Anesthesia and Analgesia, 2021, 132, 957-959.	1.1	2
8	Efficacy of palonosetron-dexamethasone combination compared to palonosetron alone for prophylaxis against postoperative nausea and vomiting. Current Medical Research and Opinion, 2021, 37, 711-718.	0.9	2
9	Retrospective Comparison of Intramuscular Admixtures of Ketamine and Dexmedetomidine Versus Ketamine and Midazolam for Preoperative Sedation. Anesthesia Progress, 2021, 68, 3-9.	0.2	0
10	The problem of postoperative respiratory depression. Journal of Clinical Pharmacy and Therapeutics, 2021, 46, 1220-1225.	0.7	1
11	Research approaches for evaluating opioid sparing in clinical trials of acute and chronic pain treatments: Initiative on Methods, Measurement, and Pain Assessment in Clinical Trials recommendations. Pain, 2021, 162, 2669-2681.	2.0	20
12	Neurokinin-1 Antagonists for Postoperative Nausea and Vomiting. Drugs, 2021, 81, 1171-1179.	4.9	5
13	Silent Hypoxemia in Patients with COVID-19 Pneumonia: A Review. Medical Science Monitor, 2021, 27, e930776.	0.5	11
14	Evaluating oliceridine as a treatment option for moderate to severe acute post-operative pain in adults. Expert Opinion on Pharmacotherapy, 2021, , 1-9.	0.9	2
15	Postoperative pain: a review of emerging therapeutic options. Expert Review of Neurotherapeutics, 2021, 21, 1085-1100.	1.4	4
16	Awareness and Perspectives among Asian Anesthesiologists on Postoperative Delirium: A Multinational Survey. Journal of Clinical Medicine, 2021, 10, 5769.	1.0	0
17	American Society for Enhanced Recovery and Perioperative Quality Initiative Joint Consensus Statement on the Role of Neuromonitoring in Perioperative Outcomes: Electroencephalography. Anesthesia and Analgesia, 2020, 130, 1278-1291.	1.1	83
18	Fourth Consensus Guidelines for the Management of Postoperative Nausea and Vomiting. Anesthesia and Analgesia, 2020, 131, 411-448.	1.1	485

#	Article	IF	CITATIONS
19	A Comprehensive Approach for the Prevention of Nausea and Vomiting Following Sleeve Gastrectomy: a Randomized Controlled Trial. Obesity Surgery, 2020, 30, 4250-4257.	1.1	8
20	Management of postoperative nausea and vomiting in the context of an Enhanced Recovery after Surgery program. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2020, 34, 687-700.	1.7	21
21	Antiemetic Prophylaxis and Anesthetic Approaches to Reduce Postoperative Nausea and Vomiting in Bariatric Surgery Patients: a Systematic Review. Obesity Surgery, 2020, 30, 3188-3200.	1.1	18
22	Single injection Quadratus Lumborum block for postoperative analgesia in adult surgical population: A systematic review and meta-analysis. Journal of Clinical Anesthesia, 2020, 62, 109715.	0.7	46
23	Perioperative Quality Initiative (POQI) consensus statement on fundamental concepts in perioperative fluid management: fluid responsiveness and venous capacitance. Perioperative Medicine (London,) Tj ETQq1 1	0.78 9.3 14 ı	gB⊉¢Overlo⊂
24	American Society for Enhanced Recovery and Perioperative Quality Initiative Joint Consensus Statement on Postoperative Delirium Prevention. Anesthesia and Analgesia, 2020, 130, 1572-1590.	1.1	158
25	Prevention and Treatment of Postoperative Nausea and Vomiting (PONV): A Review of Current Recommendations and Emerging Therapies. Therapeutics and Clinical Risk Management, 2020, Volume 16, 1305-1317.	0.9	19
26	Pectoral Nerve (PECs) block for postoperative analgesia-a systematic review and meta-analysis with trial sequential analysis. International Journal of Physiology, Pathophysiology and Pharmacology, 2020, 12, 40-50.	0.8	8
27	Intravenous meloxicam for the treatment of moderate to severe acute pain: a pooled analysis of safety and opioid-reducing effects. Regional Anesthesia and Pain Medicine, 2019, 44, 360-368.	1.1	7
28	Perioperative Quality Initiative consensus statement on intraoperative blood pressure, risk and outcomes for elective surgery. British Journal of Anaesthesia, 2019, 122, 563-574.	1.5	342
29	Patient Satisfaction. Anesthesia and Analgesia, 2019, 129, 918-920.	1.1	4
30	Obstructive Sleep Apnea and Ambulatory Surgery. Anesthesia and Analgesia, 2019, 129, 327-329.	1.1	5
31	American Society for Enhanced Recovery and Perioperative Quality Initiative Joint Consensus Statement on Perioperative Management of Patients on Preoperative Opioid Therapy. Anesthesia and Analgesia, 2019, 129, 553-566.	1.1	64
32	American Society for Enhanced Recovery and Perioperative Quality Initiative-4 Joint Consensus Statement on Persistent Postoperative Opioid Use: Definition, Incidence, Risk Factors, and Health Care System Initiatives. Anesthesia and Analgesia, 2019, 129, 543-552.	1.1	91
33	American Society for Enhanced Recovery and Perioperative Quality Initiative Joint Consensus Statement on Perioperative Opioid Minimization in Opioid-NaÃ⁻ve Patients. Anesthesia and Analgesia, 2019, 129, 567-577.	1.1	89
34	Consistent Definitions of Clinical Practice Guidelines, Consensus Statements, Position Statements, and Practice Alerts. Anesthesia and Analgesia, 2019, 129, 1767-1770.	1.1	22
35	Development, Reporting, and Evaluation of Clinical Practice Guidelines. Anesthesia and Analgesia, 2019, 129, 1771-1777.	1.1	15
36	Enhanced recovery after surgery pathway for patients undergoing cardiac surgery: a randomized clinical trial. European Journal of Cardio-thoracic Surgery, 2018, 54, 491-497.	0.6	118

#	Article	IF	CITATIONS
37	American Society for Enhanced Recovery: Advancing Enhanced Recovery and Perioperative Medicine. Anesthesia and Analgesia, 2018, 126, 1870-1873.	1.1	18
38	American Society for Enhanced Recovery and Perioperative Quality Initiative Joint Consensus Statement on Nutrition Screening and Therapy Within a Surgical Enhanced Recovery Pathway. Anesthesia and Analgesia, 2018, 126, 1883-1895.	1.1	270
39	Review of the enhanced recovery pathway for children: perioperative anesthetic considerations. Canadian Journal of Anaesthesia, 2018, 65, 569-577.	0.7	13
40	Nitrous oxide added at the end of isoflurane anesthesia hastens early recovery without increasing the risk for postoperative nausea and vomiting: a randomized clinical trial. Canadian Journal of Anaesthesia, 2018, 65, 162-169.	0.7	11
41	In Response. Anesthesia and Analgesia, 2018, 127, e105.	1.1	5
42	Extended release bupivacaine formulations for postoperative analgesia. Current Opinion in Anaesthesiology, 2018, 31, 636-642.	0.9	51
43	Practice Patterns and Treatment Challenges in Acute Postoperative Pain Management: A Survey of Practicing Physicians. Pain and Therapy, 2018, 7, 205-216.	1.5	18
44	Evaluating Patient-Centered Outcomes in Clinical Trials of Procedural Sedation, Part 2 Safety: Sedation Consortium on Endpoints and Procedures for Treatment, Education, and Research Recommendations. Anesthesia and Analgesia, 2018, 127, 1146-1154.	1.1	16
45	Resource use and costs associated with opioid-induced constipation following total hip or total knee replacement surgery. Journal of Pain Research, 2018, Volume 11, 1017-1025.	0.8	22
46	Risk factors for cardiopulmonary and respiratory arrest in medical and surgical hospital patients on opioid analgesics and sedatives. PLoS ONE, 2018, 13, e0194553.	1.1	45
47	Postoperative opioid sparing with injectable hydroxypropyl-β-cyclodextrin-diclofenac: pooled analysis of data from two Phase III clinical trials. Journal of Pain Research, 2017, Volume 10, 15-29.	0.8	9
48	Airway management education: simulation based training versus non-simulation based training-A systematic review and meta-analyses. BMC Anesthesiology, 2017, 17, 17.	0.7	47
49	American Society for Enhanced Recovery (ASER) and Perioperative Quality Initiative (POQI) Joint Consensus Statement on Optimal Analgesia within an Enhanced Recovery Pathway for Colorectal Surgery: Part 2—From PACU to the Transition Home. Perioperative Medicine (London, England), 2017, 6, 7	0.6	42
50	American Society for Enhanced Recovery (ASER) and Perioperative Quality Initiative (POQI) joint consensus statement on optimal analgesia within an enhanced recovery pathway for colorectal surgery: part 1—from the preoperative period to PACU. Perioperative Medicine (London, England), 2017, 6, 8.	0.6	81
51	American Society for Enhanced Recovery (ASER) and Perioperative Quality Initiative (POQI) joint consensus statement on prevention of postoperative infection within an enhanced recovery pathway for elective colorectal surgery. Perioperative Medicine (London, England), 2017, 6, 4.	0.6	65
52	Another quest for the holy grail of abolishing post operative nausea and vomiting. Journal of Clinical Anesthesia, 2017, 41, 58-59.	0.7	10
53	Effect of perioperative goal-directed hemodynamic therapy on postoperative recovery following major abdominal surgery—a systematic review and meta-analysis of randomized controlled trials. Critical Care, 2017, 21, 141.	2.5	80
54	American Society for Enhanced Recovery (ASER) and Perioperative Quality Initiative (POQI) joint consensus statement on measurement to maintain and improve quality of enhanced recovery pathways for elective colorectal surgery. Perioperative Medicine (London, England), 2017, 6, 6.	0.6	29

#	Article	IF	CITATIONS
55	In Response. Anesthesia and Analgesia, 2017, 125, 1421.	1.1	1
56	Poorly controlled postoperative pain: prevalence, consequences, and prevention. Journal of Pain Research, 2017, Volume 10, 2287-2298.	0.8	718
57	Association of Opioids and Sedatives with Increased Risk of In-Hospital Cardiopulmonary Arrest from an Administrative Database. PLoS ONE, 2016, 11, e0150214.	1.1	64
58	Evidence-Based Perioperative Medicine comes of age: the Perioperative Quality Initiative (POQI). Perioperative Medicine (London, England), 2016, 5, 26.	0.6	24
59	Cardiovascular safety of hydroxypropyl·l̂²-cyclodextrin–diclofenac in the management of acute postsurgical pain: a pooled analysis of 2 randomized, double-blind, placebo- and active comparator–controlled phase III clinical trials. Journal of Clinical Anesthesia, 2016, 31, 249-258.	0.7	17
60	Preoperative Nutrition and Prehabilitation. Anesthesiology Clinics, 2016, 34, 143-153.	0.6	44
61	Intra-operative hydroxyethyl starch is not associated with post-craniotomy hemorrhage. SpringerPlus, 2015, 4, 350.	1.2	4
62	In Reply. Anesthesiology, 2015, 122, 471-471.	1.3	3
63	Impact of postsurgical opioid use and ileus on economic outcomes in gastrointestinal surgeries. Current Medical Research and Opinion, 2015, 31, 677-686.	0.9	86
64	The Shortened Infusion Time of Intravenous Ibuprofen, Part 2: A Multicenter, Open-label, Surgical Surveillance Trial to Evaluate Safety. Clinical Therapeutics, 2015, 37, 368-375.	1.1	15
65	The Shortened Infusion Time of Intravenous Ibuprofen Part 1: A Multicenter, Open-label, Surveillance Trial to Evaluate Safety and Efficacy. Clinical Therapeutics, 2015, 37, 360-367.	1.1	18
66	Perioperative clinical and economic outcomes associated with replacing first-generation high molecular weight hydroxyethyl starch (Hextend®) with low molecular weight hydroxyethyl starch (Voluven®) at a large medical center. Perioperative Medicine (London, England), 2015, 4, 2.	0.6	1
67	Total Intravenous Anesthesia and Anesthetic Outcomes. Journal of Cardiothoracic and Vascular Anesthesia, 2015, 29, S11-S15.	0.6	27
68	Perioperative Goal-Directed Therapy. Journal of Cardiothoracic and Vascular Anesthesia, 2014, 28, 1635-1641.	0.6	16
69	Consensus Guidelines for the Management of Postoperative Nausea and Vomiting. Anesthesia and Analgesia, 2014, 118, 85-113.	1.1	1,200
70	Incidence, patient satisfaction, and perceptions of post-surgical pain: results from a US national survey. Current Medical Research and Opinion, 2014, 30, 149-160.	0.9	587
71	State-of-the-art fluid management in the operating room. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2014, 28, 261-273.	1.7	37
72	Long-Acting Serotonin Antagonist (Palonosetron) and the NK-1 Receptor Antagonists. Anesthesiology Clinics, 2014, 32, 505-516.	0.6	4

#	Article	IF	CITATIONS
73	New Medications and Techniques in Ambulatory Anesthesia. Anesthesiology Clinics, 2014, 32, 463-485.	0.6	5
74	Randomized placebo-controlled study of intravenous methylnaltrexone in postoperative ileus. Journal of Drug Assessment, 2013, 2, 127-134.	1.1	18
75	A Novel Injectable Formulation of Diclofenac Compared with Intravenous Ketorolac or Placebo for Acute Moderate-to-Severe Pain After Abdominal or Pelvic Surgery. Anesthesia and Analgesia, 2012, 115, 1212-1220.	1.1	37
76	Dynamic and Static Parameters of Fluid Responsiveness, Volume 48, Number 1 Anesthesiology, 2011, 114, 226-226.	1.3	0
77	Rolapitant for the Prevention of Postoperative Nausea and Vomiting. Anesthesia and Analgesia, 2011, 112, 804-812.	1.1	59
78	Safety evaluation of fospropofol for sedation during minor surgical procedures. Journal of Clinical Anesthesia, 2010, 22, 260-267.	0.7	24
79	Diclofenac: an update on its mechanism of action and safety profile. Current Medical Research and Opinion, 2010, 26, 1715-1731.	0.9	411
80	Double-blind comparison of granisetron, promethazine, or a combination of both for the prevention of postoperative nausea and vomiting in females undergoing outpatient laparoscopies. Canadian Journal of Anaesthesia, 2009, 56, 829-836.	0.7	28
81	A Randomized, Double-Blind, Multicenter Trial Comparing Transdermal Scopolamine Plus Ondansetron to Ondansetron Alone for the Prevention of Postoperative Nausea and Vomiting in the Outpatient Setting. Anesthesia and Analgesia, 2009, 108, 1498-1504.	1.1	65
82	A Randomized, Double-Blind Comparison of the NK1 Antagonist, Aprepitant, Versus Ondansetron for the Prevention of Postoperative Nausea and Vomiting. Anesthesia and Analgesia, 2007, 104, 1082-1089.	1.1	170
83	Society for Ambulatory Anesthesia Guidelines for the Management of Postoperative Nausea and Vomiting. Anesthesia and Analgesia, 2007, 105, 1615-1628.	1.1	600
84	Adenosine as a Non-Opioid Analgesic in the Perioperative Setting. Anesthesia and Analgesia, 2007, 105, 487-494.	1.1	52
85	Patient-controlled analgesia:patient and nurse satisfaction with intravenous delivery systems and expected satisfaction with transdermal delivery systems. Current Medical Research and Opinion, 2007, 23, 2507-2516.	0.9	3
86	Mechanisms Underlying Postoperative Nausea and Vomiting and Neurotransmitter Receptor Antagonist-Based Pharmacotherapy. CNS Drugs, 2007, 21, 813-833.	2.7	75
87	Pharmacokinetic and Pharmacodynamic Characteristics of??Medications Used for Moderate Sedation. Clinical Pharmacokinetics, 2006, 45, 855-869.	1.6	101
88	Risk Factors for Postoperative Nausea and Vomiting. Anesthesia and Analgesia, 2006, 102, 1884-1898.	1.1	557
89	The Additive Interactions Between Ondansetron and Droperidol for Preventing Postoperative Nausea and Vomiting. Anesthesia and Analgesia, 2006, 103, 1155-1162.	1.1	60
90	Selective Serotonin 5-HT 3 Receptor Antagonists for Postoperative Nausea and Vomiting. CNS Drugs, 2005, 19, 225-238.	2.7	94

#	Article	IF	CITATIONS
91	The effectiveness of rescue antiemetics after failure of prophylaxis with ondansetron or droperidol: a preliminary report. Journal of Clinical Anesthesia, 2005, 17, 62-65.	0.7	77
92	A Randomized Controlled Comparison of Electro-Acupoint Stimulation or Ondansetron Versus Placebo for the Prevention of Postoperative Nausea and Vomiting. Anesthesia and Analgesia, 2004, 99, 1070-1075.	1.1	112
93	Preoperative Parenteral Parecoxib and Follow-Up Oral Valdecoxib Reduce Length of Stay and Improve Quality of Patient Recovery After Laparoscopic Cholecystectomy Surgery. Anesthesia and Analgesia, 2004, 98, 1665-1673.	1.1	73
94	Evidence-based management of postoperative nausea and vomiting. Canadian Journal of Anaesthesia, 2003, 50, R23-R26.	0.7	10
95	How much are patients willing to pay to avoid intraoperative awareness?. Journal of Clinical Anesthesia, 2003, 15, 108-112.	0.7	25
96	Postoperative Pain Experience: Results from a National Survey Suggest Postoperative Pain Continues to Be Undermanaged. Anesthesia and Analgesia, 2003, 97, 534-540.	1.1	1,734
97	Consensus Guidelines for Managing Postoperative Nausea and Vomiting. Anesthesia and Analgesia, 2003, 97, 62-71.	1.1	808
98	Postoperative Nausea and Vomiting—Can It Be Eliminated?. JAMA - Journal of the American Medical Association, 2002, 287, 1233.	3.8	276
99	Ondansetron Orally Disintegrating Tablet Versus Placebo for the Prevention of Postdischarge Nausea and Vomiting After Ambulatory Surgery. Anesthesia and Analgesia, 2002, 94, 1199-1200.	1.1	59
100	Coal-directed Intraoperative Fluid Administration Reduces Length of Hospital Stay after Major Surgery. Anesthesiology, 2002, 97, 820-826.	1.3	1,435
101	Assessment of the Relative Clinical Utility of Sufentanil and Morphine Administered by Patient Controlled Analgesia Pumps Following Abdominal Hysterectomy. Journal of Pain and Palliative Care Pharmacotherapy, 2000, 8, 5-17.	0.2	1
102	Process evaluation of a medical improvisation program for healthcare communication training. Journal of Communication in Healthcare, 0, , 1-7.	0.8	1