

Rui Liao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2421892/publications.pdf>

Version: 2024-02-01

39
papers

885
citations

471061

17
h-index

500791

28
g-index

42
all docs

42
docs citations

42
times ranked

1527
citing authors

#	ARTICLE	IF	CITATIONS
1	High expression of IL-17 and IL-17RE associate with poor prognosis of hepatocellular carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2013, 32, 3.	3.5	138
2	Expression of <i>TREM1</i> in hepatic stellate cells and prognostic value in hepatitis B-related hepatocellular carcinoma. <i>Cancer Science</i> , 2012, 103, 984-992.	1.7	72
3	Monoacylglycerol Lipase: A Novel Potential Therapeutic Target and Prognostic Indicator for Hepatocellular Carcinoma. <i>Scientific Reports</i> , 2016, 6, 35784.	1.6	54
4	Overexpression of galectin-1 is associated with poor prognosis in human hepatocellular carcinoma following resection. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012, 27, 1312-1319.	1.4	52
5	Combined effects of jarosite and visible light on chalcopyrite dissolution mediated by <i>Acidithiobacillus ferrooxidans</i> . <i>Science of the Total Environment</i> , 2020, 698, 134175.	3.9	47
6	Catalytic effect of silver on copper release from chalcopyrite mediated by <i>Acidithiobacillus ferrooxidans</i> . <i>Journal of Hazardous Materials</i> , 2020, 392, 122290.	6.5	44
7	Fatty acid binding protein 5 promotes tumor angiogenesis and activates the IL6/STAT3/VEGFA pathway in hepatocellular carcinoma. <i>Biomedicine and Pharmacotherapy</i> , 2018, 106, 68-76.	2.5	39
8	Dual Shp2 and Pten Deficiencies Promote Non-alcoholic Steatohepatitis and Genesis of Liver Tumor-Initiating Cells. <i>Cell Reports</i> , 2016, 17, 2979-2993.	2.9	35
9	Clinical significance and gene expression study of human hepatic stellate cells in HBV related-hepatocellular carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2013, 32, 22.	3.5	30
10	Preoperative neutrophil-to-lymphocyte ratio predicts recurrence of patients with single-nodule small hepatocellular carcinoma following curative resection: a retrospective report. <i>World Journal of Surgical Oncology</i> , 2015, 13, 265.	0.8	29
11	Systemic and intratumoral balances between monocytes/macrophages and lymphocytes predict prognosis in hepatocellular carcinoma patients after surgery. <i>Oncotarget</i> , 2016, 7, 30951-30961.	0.8	29
12	Decreased Expression of GATA2 Promoted Proliferation, Migration and Invasion of HepG2 In Vitro and Correlated with Poor Prognosis of Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2014, 9, e87505.	1.1	26
13	Intratumoral regulatory T cells with higher prevalence and more suppressive activity in hepatocellular carcinoma patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013, 28, 1555-1564.	1.4	25
14	Preventive Inhibition of Liver Tumorigenesis by Systemic Activation of Innate Immune Functions. <i>Cell Reports</i> , 2017, 21, 1870-1882.	2.9	22
15	Combined Preoperative ALBI and FIB-4 Is Associated with Recurrence of Hepatocellular Carcinoma After Curative Hepatectomy. <i>Journal of Gastrointestinal Surgery</i> , 2018, 22, 1679-1687.	0.9	22
16	An imbalance between stellate cells and T cells contributes to hepatocellular carcinoma aggressiveness and recurrence. <i>Hepatology International</i> , 2019, 13, 631-640.	1.9	20
17	ERK pathway activation contributes to the tumor-promoting effects of hepatic stellate cells in hepatocellular carcinoma. <i>Immunology Letters</i> , 2017, 188, 116-123.	1.1	19
18	Metavir and FIB-4 scores are associated with patient prognosis after curative hepatectomy in hepatitis B virus-related hepatocellular carcinoma: a retrospective cohort study at two centers in China. <i>Oncotarget</i> , 2017, 8, 1774-1787.	0.8	17

#	ARTICLE	IF	CITATIONS
19	Triggering Receptor in Myeloid Cells (TREM-1) Specific Expression in Peripheral Blood Mononuclear Cells of Sepsis Patients with Acute Cholangitis. <i>Inflammation</i> , 2009, 32, 182-190.	1.7	16
20	Endotoxin Tolerance Inhibits Degradation of Tumor Necrosis Factor Receptor-associated Factor 3 by Suppressing Pellino 1 Expression and the K48 Ubiquitin Ligase Activity of Cellular Inhibitor of Apoptosis Protein 2. <i>Journal of Infectious Diseases</i> , 2016, 214, 906-915.	1.9	16
21	Comparison and validation of the prognostic value of preoperative systemic immune cells in hepatocellular carcinoma after curative hepatectomy. <i>Cancer Medicine</i> , 2018, 7, 1170-1182.	1.3	16
22	A Nomogram Predicting Microvascular Invasion Risk in BCLC 0/A Hepatocellular Carcinoma after Curative Resection. <i>BioMed Research International</i> , 2019, 2019, 1-8.	0.9	14
23	The SMAC mimetic birinapant attenuates lipopolysaccharide-induced liver injury by inhibiting the tumor necrosis factor receptor-associated factor 3 degradation in Kupffer cells. <i>Immunology Letters</i> , 2017, 185, 79-83.	1.1	11
24	HBV-DNA Load-Related Peritumoral Inflammation and ALBI Scores Predict HBV Associated Hepatocellular Carcinoma Prognosis after Curative Resection. <i>Journal of Oncology</i> , 2018, 2018, 1-12.	0.6	11
25	Current Molecular Biology and Therapeutic Strategy Status and Prospects for circRNAs in HBV-Associated Hepatocellular Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 697747.	1.3	11
26	Comparison of transcatheter arterial chemoembolization with raltitrexed plus liposomal doxorubicin vs. tegafur plus pirarubicin for unresectable hepatocellular carcinoma. <i>Journal of Gastrointestinal Oncology</i> , 2020, 11, 747-759.	0.6	9
27	PIAS4, upregulated in hepatocellular carcinoma, promotes tumorigenicity and metastasis. <i>Journal of Cellular Biochemistry</i> , 2020, 121, 3372-3381.	1.2	9
28	Outcomes of simple saline-coupled bipolar electrocautery for hepatic resection. <i>World Journal of Gastroenterology</i> , 2014, 20, 8638.	1.4	8
29	Nomograms Incorporating the CNLC Staging System Predict the Outcome of Hepatocellular Carcinoma After Curative Resection. <i>Frontiers in Oncology</i> , 2021, 11, 755920.	1.3	7
30	Conditional survival of pancreatic ductal adenocarcinoma in surgical and nonsurgical patients: a retrospective analysis report from a single institution in China. <i>World Journal of Surgical Oncology</i> , 2015, 13, 196.	0.8	6
31	Platelet count on preoperative day 1 predicts the long-term responses to laparoscopic splenectomy for Chinese patients with medically refractory idiopathic thrombocytopenic purpura. <i>BMC Surgery</i> , 2018, 18, 108.	0.6	6
32	Haploinsufficiency of Insm1 Impairs Postnatal Baseline β^2 -Cell Mass. <i>Diabetes</i> , 2018, 67, 2615-2625.	0.3	6
33	Inhibition of B7-H4 promotes hepatocellular carcinoma cell apoptosis and autophagy through the PI3K signaling pathway. <i>International Immunopharmacology</i> , 2020, 88, 106889.	1.7	5
34	Second endoscopic retrograde cholangiopancreatography after failure of initial biliary cannulation: A single institution retrospective experience. <i>Experimental and Therapeutic Medicine</i> , 2022, 23, 297.	0.8	4
35	Association between Aspirin and Hepatocellular Carcinoma. <i>New England Journal of Medicine</i> , 2020, 382, 2480-2482.	13.9	3
36	Letter to the Editor: Hepatectomy for Hepatocellular Carcinoma Patients With Portal Vein Tumor Thrombus: Benefit or Not. <i>Hepatology</i> , 2019, 70, 1877-1878.	3.6	2

#	ARTICLE	IF	CITATIONS
37	Effectiveness of anti-PD-1 for hepatocellular carcinoma. <i>Lancet Oncology</i> , The, 2020, 21, e293.	5.1	2
38	Editorial: Gastrointestinal Tumor Heterogeneity and Related Anti-Cancer Strategies. <i>Frontiers in Oncology</i> , 2022, 12, 873240.	1.3	1
39	A reinforced suture method for stapled gastrointestinal anastomosis to reduce gastrointestinal hemorrhage during Whipple operation in laparoscopy. <i>Annals of Surgical Treatment and Research</i> , 2022, 102, 110.	0.4	0