

# Rudolf Bauer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2422016/publications.pdf>

Version: 2024-02-01

251  
papers

12,854  
citations

31902

53  
h-index

31759

101  
g-index

271  
all docs

271  
docs citations

271  
times ranked

14482  
citing authors

#	ARTICLE	IF	CITATIONS
1	SARS-CoV-2 neutralizing activity of polyphenols in a special green tea extract preparation. <i>Phytomedicine</i> , 2022, 98, 153970.	2.3	23
2	Shikonin Derivatives Inhibit Inflammation Processes and Modulate MAPK Signaling in Human Healthy and Osteoarthritis Chondrocytes. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3396.	1.8	5
3	Characterization of Constituents with Potential Anti-Inflammatory Activity in Chinese Lonicera Species by UHPLC-HRMS Based Metabolite Profiling. <i>Metabolites</i> , 2022, 12, 288.	1.3	3
4	Antiviral activity of plant juices and green tea against SARS-CoV-2 and influenza virus. <i>Phytotherapy Research</i> , 2022, 36, 2109-2115.	2.8	17
5	A tribute to Prof. em. Dr. Dr. h.c. mult. Hildebert Wagner. <i>Pharmaceutical Biology</i> , 2022, 60, (i)-(iii).	1.3	0
6	In vitro, in vivo and in silico evaluation of the anti-inflammatory potential of <i>Hyssopus officinalis</i> L. subsp. <i>aristatus</i> (Godr.) Nyman (Lamiaceae). <i>Journal of Ethnopharmacology</i> , 2022, 293, 115201.	2.0	10
7	SK119, a Novel Shikonin Derivative, Leads to Apoptosis in Melanoma Cell Lines and Exhibits Synergistic Effects with Vemurafenib and Cobimetinib. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5684.	1.8	1
8	Medicinal Plants and Their Impact on the Gut Microbiome in Mental Health: A Systematic Review. <i>Nutrients</i> , 2022, 14, 2111.	1.7	14
9	Shikonin derivatives cause apoptosis and cell cycle arrest in human chondrosarcoma cells via death receptors and MAPK regulation. <i>BMC Cancer</i> , 2022, 22, .	1.1	7
10	Preparation of new 1,3-dibenzyl tetrahydropyridinylidene ammonium salts and their antimicrobial and anticellular activities. <i>European Journal of Medicinal Chemistry</i> , 2021, 210, 112969.	2.6	6
11	Comprehensive metabolic profiling of modified gegen qinlian decoction by ultra-high-performance liquid chromatography-diode array detection-Q-exactive-orbitrap-electrospray ionization-mass spectrometry/mass spectrometry and application of high-performance thin-layer chromatography for its fingerprint analysis. <i>World Journal of Traditional Chinese Medicine</i> . 2021, 7, 11.	0.9	14
12	HPLC-UV/HRMS methods for the unambiguous detection of adulterations of <i>Ginkgo biloba</i> leaves with <i>Sophora japonica</i> fruits on an extract level. <i>Pharmaceutical Biology</i> , 2021, 59, 436-441.	1.3	9
13	Synthesis and Pharmacological In Vitro Investigations of Novel Shikonin Derivatives with a Special Focus on Cyclopropane Bearing Derivatives. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2774.	1.8	9
14	Natural products in drug discovery: advances and opportunities. <i>Nature Reviews Drug Discovery</i> , 2021, 20, 200-216.	21.5	1,990
15	Botanical drugs and supplements affecting the immune response in the time of COVID-19: Implications for research and clinical practice. <i>Phytotherapy Research</i> , 2021, 35, 3013-3031.	2.8	81
16	Unexpected ring-opening of 2,3-dihydropyridines. <i>Monatshefte für Chemie</i> , 2021, 152, 1377-1387.	0.9	0
17	Cytotoxic and Anti-Inflammatory Activities of Dihydroisocoumarin and Xanthone Derivatives from <i>Garcinia picrorhiza</i> . <i>Molecules</i> , 2021, 26, 6626.	1.7	5
18	<i>Blackstonia perfoliata</i> (L.) Huds. (Gentianaceae): A promising source of useful bioactive compounds. <i>Industrial Crops and Products</i> , 2020, 145, 111974.	2.5	2

#	ARTICLE	IF	CITATIONS
19	Antimicrobial and Efflux Pump Inhibitory Activity of Carvotacetones from <i>Sphaeranthus africanus</i> Against <i>Mycobacteria</i> . <i>Antibiotics</i> , 2020, 9, 390.	1.5	13
20	Challenges at the Time of COVID-19: Opportunities and Innovations in Antivirals from Nature. <i>Planta Medica</i> , 2020, 86, 659-664.	0.7	72
21	Application of an in vitro digestion model to study the metabolic profile changes of an herbal extract combination by UHPLC-MS/MS. <i>Phytomedicine</i> , 2020, 71, 153221.	2.3	9
22	Periplocin mediates TRAIL-induced apoptosis and cell cycle arrest in human myxofibrosarcoma cells via the ERK/p38/JNK pathway. <i>Phytomedicine</i> , 2020, 76, 153262.	2.3	13
23	Polyacetylenes from <i>Oplopanax horridus</i> and <i>Panax ginseng</i> : Relationship between Structure and PPAR $\alpha$ Activation. <i>Journal of Natural Products</i> , 2020, 83, 918-926.	1.5	18
24	Picrorhizones A-H, Polyprenylated Benzoylphloroglucinols from the Stem Bark of <i>Garcinia picrorhiza</i> . <i>Journal of Natural Products</i> , 2020, 83, 2102-2111.	1.5	10
25	$\beta$ , $\beta$ -Dimethylacrylshikonin Induces Apoptosis in Melanoma Cell Lines by NOXA Upregulation. <i>Journal of Natural Products</i> , 2020, 83, 305-315.	1.5	10
26	BIOLOGICAL ACTIVITIES OF SANGUISORBA MINOR L. EXTRACTS - IN VITRO AND IN VIVO EVALUATIONS. <i>Acta Poloniae Pharmaceutica</i> , 2020, 77, 745-758.	0.3	3
27	The role of gut microbiota for the activity of medicinal plants traditionally used in the European Union for gastrointestinal disorders. <i>Journal of Ethnopharmacology</i> , 2019, 245, 112153.	2.0	60
28	Biological activities of extract from <i>Coleonema album</i> in vitro. <i>South African Journal of Botany</i> , 2019, 126, 176-181.	1.2	0
29	Deeper Chemical Perceptions for Better Traditional Chinese Medicine Standards. <i>Engineering</i> , 2019, 5, 83-97.	3.2	27
30	Identification of Constituents Affecting the Secretion of Pro-Inflammatory Cytokines in LPS-Induced U937 Cells by UHPLC-MS/MS-Based Metabolic Profiling of the Traditional Chinese Medicine Formulation Huangqi Jianzhong Tang. <i>Molecules</i> , 2019, 24, 3116.	1.7	17
31	Current research in biotechnology: Exploring the biotech forefront. <i>Current Research in Biotechnology</i> , 2019, 1, 34-40.	1.9	17
32	Anti-inflammatory and antiproliferative compounds from <i>Sphaeranthus africanus</i> . <i>Phytomedicine</i> , 2019, 62, 152951.	2.3	13
33	Triterpenoidal and Phenolic Compounds Isolated from the Aerial Parts of <i>Helicteres hirsuta</i> and their Cytotoxicity on Several Cancer Cell Lines. <i>Natural Product Communications</i> , 2019, 14, 1934578X1901400.	0.2	2
34	C13 Megastigmane Derivatives From <i>Epipremnum pinnatum</i> : $\beta$ -Damascenone Inhibits the Expression of Pro-Inflammatory Cytokines and Leukocyte Adhesion Molecules as Well as NF- $\kappa$ B Signaling. <i>Frontiers in Pharmacology</i> , 2019, 10, 1351.	1.6	8
35	Winter wild fennel leaves as a source of anti-inflammatory and antioxidant polyphenols. <i>Arabian Journal of Chemistry</i> , 2018, 11, 513-524.	2.3	35
36	The biological activities of roots and aerial parts of <i>Alchemilla vulgaris</i> L.. <i>South African Journal of Botany</i> , 2018, 116, 175-184.	1.2	32

#	ARTICLE	IF	CITATIONS
37	Characterization and optimization of phenolics extracts from Acacia species in relevance to their anti-inflammatory activity. <i>Biochemical Systematics and Ecology</i> , 2018, 78, 21-30.	0.6	27
38	Modifications on tetrahydropyridin-4-ylidene ammonium salts and their antiprotozoal activities. <i>Monatshefte für Chemie</i> , 2018, 149, 801-812.	0.9	3
39	Synthesis of new 1-benzyl tetrahydropyridinylidene ammonium salts and their antimicrobial and anticellular activities. <i>European Journal of Medicinal Chemistry</i> , 2018, 143, 97-106.	2.6	13
40	Synthesis of Novel Shikonin Derivatives and Pharmacological Effects of Cyclopropylacetylshikonin on Melanoma Cells. <i>Molecules</i> , 2018, 23, 2820.	1.7	15
41	Phytochemical analysis and anti-inflammatory effects of <i>Filipendula vulgaris</i> Moench extracts. <i>Food and Chemical Toxicology</i> , 2018, 122, 151-162.	1.8	15
42	Stereoselective Synthesis of the Isomers of Notoincisol A: Assignment of the Absolute Configuration of this Natural Product and Biological Evaluation. <i>Journal of Natural Products</i> , 2018, 81, 2419-2428.	1.5	1
43	Comparative Gene Expression Analysis in WM164 Melanoma Cells Revealed That $\hat{1}^2$ - $\hat{1}^2$ -Dimethylacrylshikonin Leads to ROS Generation, Loss of Mitochondrial Membrane Potential, and Autophagy Induction. <i>Molecules</i> , 2018, 23, 2823.	1.7	17
44	Periplocin, the most anti-proliferative constituent of <i>Periploca sepium</i> , specifically kills liposarcoma cells by death receptor mediated apoptosis. <i>Phytomedicine</i> , 2018, 51, 162-170.	2.3	19
45	Organoleptic Evaluation of Amomi Fructus and Its Further Background Verified via Morphological Measurement and GC Coupled with E-Nose. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018, 2018, 1-9.	0.5	8
46	Antiproliferative Carvotacetones from <i>Sphaeranthus africanus</i> . <i>Journal of Natural Products</i> , 2018, 81, 1829-1834.	1.5	13
47	Influence of silibinin and $\hat{1}^2$ - $\hat{1}^2$ -dimethylacrylshikonin on chordoma cells. <i>Phytomedicine</i> , 2018, 49, 32-40.	2.3	7
48	Anti-tumor effects of shikonin derivatives on human medullary thyroid carcinoma cells. <i>Endocrine Connections</i> , 2017, 6, 53-62.	0.8	23
49	Interaction between the Herbal Preparation STW 5 and Human Intestinal Bacteria in Vitro. <i>Gastroenterology</i> , 2017, 152, S206.	0.6	1
50	<i>Bupleurum chinense</i> Roots: a Bioactivity-Guided Approach toward Saponin-Type NF- $\hat{1}^{\text{B}}$ Inhibitors. <i>Planta Medica</i> , 2017, 83, 1242-1250.	0.7	15
51	Assessment of anti-inflammatory properties of extracts from Honeysuckle ( <i>Lonicera</i> sp. L.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5	2.9	25
52	Metabolic profiling of the traditional Chinese medicine formulation Yu Ping Feng San for the identification of constituents relevant for effects on expression of TNF- $\hat{1}^{\text{a}}$ , IFN- $\hat{1}^{\text{b}}$ , IL- $\hat{1}^{\text{c}}$ and IL-4 in U937 cells. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017, 145, 219-229.	1.4	27
53	<i>Filipendula ulmaria</i> extracts attenuate cisplatin-induced liver and kidney oxidative stress in rats: InVivo investigation and LC-MS analysis. <i>Food and Chemical Toxicology</i> , 2017, 99, 86-102.	1.8	38
54	Efficient identification of flavones, flavanones and their glycosides in routine analysis via off-line combination of sensitive NMR and HPLC experiments. <i>Food Chemistry</i> , 2017, 218, 600-609.	4.2	47

#	ARTICLE	IF	CITATIONS
55	Phytotherapy in Functional Gastrointestinal Disorders. <i>Digestive Diseases</i> , 2017, 35, 36-42.	0.8	39
56	The Dietary Constituent Falcarindiol Promotes Cholesterol Efflux from THP-1 Macrophages by Increasing ABCA1 Gene Transcription and Protein Stability. <i>Frontiers in Pharmacology</i> , 2017, 8, 596.	1.6	8
57	A Combined LC-MS Metabolomics- and 16S rRNA Sequencing Platform to Assess Interactions between Herbal Medicinal Products and Human Gut Bacteria in Vitro: a Pilot Study on Willow Bark Extract. <i>Frontiers in Pharmacology</i> , 2017, 8, 893.	1.6	20
58	Use of Botanicals in Children and Adults. , 2017, , 192-198.		0
59	In Vitro Antileishmanial Activity of Sterols from <i>Trametes versicolor</i> (Bres. Rivarden). <i>Molecules</i> , 2016, 21, 1045.	1.7	27
60	Phloroglucinol and Terpenoid Derivatives from <i>Hypericum cistifolium</i> and <i>H. galioides</i> (Hypericaceae). <i>Frontiers in Plant Science</i> , 2016, 7, 961.	1.7	8
61	Drugs from nature targeting inflammation (DNTI): a successful Austrian interdisciplinary network project. <i>Monatshefte für Chemie</i> , 2016, 147, 479-491.	0.9	22
62	In vitro and in vivo assessment of meadowsweet ( <i>Filipendula ulmaria</i> ) as anti-inflammatory agent. <i>Journal of Ethnopharmacology</i> , 2016, 193, 627-636.	2.0	35
63	Herba Ephedrae "Mahuang. , 2016, , 107-114.		1
64	Herba Artemisiae annuae "Qinghao Folium Artemisiae argyi "Aiye. , 2016, , 91-105.		0
65	Review and Assessment of Medicinal Safety Data of Orally Used Echinacea Preparations. <i>Planta Medica</i> , 2016, 82, 17-31.	0.7	27
66	Influence of harvest season on chemical composition and bioactivity of wild rue plant hydroalcoholic extracts. <i>Food and Chemical Toxicology</i> , 2016, 90, 102-111.	1.8	25
67	Herba Viola "Zihuadiding. , 2016, , 115-123.		1
68	Expanding the Therapeutic Spectrum of Artemisinin: Activity Against Infectious Diseases Beyond Malaria and Novel Pharmaceutical Developments. <i>World Journal of Traditional Chinese Medicine</i> , 2016, 2, 1-23.	0.9	19
69	Semen Sinapis "Jiezi. , 2016, , 191-201.		0
70	Semen Nigrum Sesami "Heizhima. , 2016, , 181-189.		0
71	Cortex Albiziae "Hehuanpi. , 2016, , 1-9.		0
72	Radix Gentianae macrophyllae "Qinjiao. , 2016, , 137-146.		0

#	ARTICLE	IF	CITATIONS
73	Fructus Xanthii "Cang'erzi", 2016, , 79-90.		0
74	Radix Trichosanthis "Tianhuafen", 2016, , 147-156.		0
75	Ramulus Mori "Sangzhi", 2016, , 157-168.		0
76	Fructus Viticis "Manjingzi", 2016, , 71-78.		0
77	Semen Vaccariae "Wangbuliuxing", 2016, , 203-212.		0
78	Identification and characterization of [6]-shogaol from ginger as inhibitor of vascular smooth muscle cell proliferation. <i>Molecular Nutrition and Food Research</i> , 2015, 59, 843-852.	1.5	27
79	The relevance of pharmacognosy in pharmacological research on herbal medicinal products. <i>Epilepsy and Behavior</i> , 2015, 52, 344-362.	0.9	76
80	Synthesis of new 4-phenylpyrimidine-2(1H)-thiones and their potency to inhibit COX-1 and COX-2. <i>European Journal of Medicinal Chemistry</i> , 2015, 101, 552-559.	2.6	9
81	Aldose reductase inhibition of a saponin-rich fraction and new furostanol saponin derivatives from <i>Balanites aegyptiaca</i> . <i>Phytomedicine</i> , 2015, 22, 829-836.	2.3	27
82	Shikonin and its derivatives inhibit the epidermal growth factor receptor signaling and synergistically kill glioblastoma cells in combination with erlotinib. <i>International Journal of Cancer</i> , 2015, 137, 1446-1456.	2.3	73
83	25-O-acetyl-23,24-dihydro-cucurbitacin F induces cell cycle G2/M arrest and apoptosis in human soft tissue sarcoma cells. <i>Journal of Ethnopharmacology</i> , 2015, 164, 265-272.	2.0	9
84	Influence of Processing on the Content of Toxic Carboxyatractyloside and Atractyloside and the Microbiological Status of <i>Xanthium sibiricum</i> Fruits (Cang'erzi). <i>Planta Medica</i> , 2015, 81, 1213-1220.	0.7	11
85	Inhibition of COX-2 and NF- $\kappa$ B1 Gene Expression, NO Production, 5-LOX, and COX-1 and COX-2 Enzymes by Extracts and Constituents of <i>Onopordum acanthium</i> . <i>Planta Medica</i> , 2015, 81, 1270-1276.	0.7	35
86	Discovery and resupply of pharmacologically active plant-derived natural products: A review. <i>Biotechnology Advances</i> , 2015, 33, 1582-1614.	6.0	1,871
87	Seasonal variation in phenolic composition and antioxidant and anti-inflammatory activities of <i>Calamintha nepeta</i> (L.) Savi. <i>Food Research International</i> , 2015, 69, 121-132.	2.9	59
88	Inhibition of c-MYC with involvement of ERK/JNK/MAPK and AKT pathways as a novel mechanism for shikonin and its derivatives in killing leukemia cells. <i>Oncotarget</i> , 2015, 6, 38934-38951.	0.8	70
89	Identification of Chinese Herbal Medicines from <i>Zingiberaceae</i> Family Using Feature Extraction and Cascade Classifier Based on Response Signals from E-Nose. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014, 2014, 1-7.	0.5	6
90	Synthesis of Tetrahydroonokiol Derivates and Their Evaluation for Cytotoxic Activity against CCRF-CEM Leukemia, U251 Glioblastoma and HCT-116 Colon Cancer Cells. <i>Molecules</i> , 2014, 19, 1223-1237.	1.7	11

#	ARTICLE	IF	CITATIONS
91	Polyacetylenes from Radix et Rhizoma <i>Notopterygii Incisi</i> with an Inhibitory Effect on Nitric Oxide Production In Vitro. <i>Planta Medica</i> , 2014, 80, 415-418.	0.7	18
92	Accelerated sample preparation and formation of astragaloside IV in <i>Astragali Radix</i> . <i>Pharmaceutical Biology</i> , 2014, 52, 403-409.	1.3	16
93	Rapid Identification of <i>Asteraceae</i> Plants with Improved RBF-ANN Classification Models Based on MOS Sensor E-Nose. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014, 2014, 1-6.	0.5	14
94	Anti-Inflammatory Effects of the Chinese Herbal Formula Sini Tang in Myocardial Infarction Rats. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014, 2014, 1-10.	0.5	22
95	Application of Complementary and Alternative Medicine on Neurodegenerative Disorders 2013. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014, 2014, 1-2.	0.5	2
96	Effects of bacterial inoculants on the indigenous microbiome and secondary metabolites of chamomile plants. <i>Frontiers in Microbiology</i> , 2014, 5, 64.	1.5	123
97	<i>In vitro</i> Growth Inhibition by <i>Hypericum</i> Extracts and Isolated Pure Compounds of <i>Paenibacillus larvae</i> , a Lethal Disease Affecting Honeybees Worldwide. <i>Chemistry and Biodiversity</i> , 2014, 11, 695-708.	1.0	17
98	Plant extracts in cell-based anti-inflammatory assays – Pitfalls and considerations related to removal of activity masking bulk components. <i>Phytochemistry Letters</i> , 2014, 10, xli-xlvii.	0.6	6
99	Inhibition of NO Production by <i>Grindelia argentina</i> and Isolation of Three New Cytotoxic Saponins. <i>Chemistry and Biodiversity</i> , 2014, 11, 311-322.	1.0	8
100	Identification of Isosilybin A from Milk Thistle Seeds as an Agonist of Peroxisome Proliferator-Activated Receptor Gamma. <i>Journal of Natural Products</i> , 2014, 77, 842-847.	1.5	48
101	Polyne Hybrid Compounds from <i>Notopterygium incisum</i> with Peroxisome Proliferator-Activated Receptor Gamma Agonistic Effects. <i>Journal of Natural Products</i> , 2014, 77, 2513-2521.	1.5	29
102	Echinacea for preventing and treating the common cold. <i>The Cochrane Library</i> , 2014, 2014, CD000530.	1.5	163
103	Influence of seasonal variation on <i>Thymus longicaulis</i> C. Presl chemical composition and its antioxidant and anti-inflammatory properties. <i>Phytochemistry</i> , 2014, 107, 80-90.	1.4	60
104	Natural product agonists of peroxisome proliferator-activated receptor gamma (PPAR $\gamma$ ): a review. <i>Biochemical Pharmacology</i> , 2014, 92, 73-89.	2.0	492
105	Cytotoxic Constituents from <i>Lobaria scrobiculata</i> and a Comparison of Two Bioassays for Their Evaluation. <i>Journal of Natural Products</i> , 2014, 77, 1069-1073.	1.5	15
106	Cytotoxicity and inhibition of P-glycoprotein by selected medicinal plants from Thailand. <i>Journal of Ethnopharmacology</i> , 2014, 155, 633-641.	2.0	25
107	1,2-Substituted 4-(1H)-Quinolones: Synthesis, Antimalarial and Antitrypanosomal Activities in Vitro. <i>Molecules</i> , 2014, 19, 14204-14220.	1.7	14
108	Anti-inflammatory Activities of Eleven <i>Centaurea</i> Species Occurring in the Carpathian Basin. <i>Phytotherapy Research</i> , 2013, 27, 540-544.	2.8	20

#	ARTICLE	IF	CITATIONS
109	A novel concept for detoxification: Complexation between aconitine and liquiritin in a Chinese herbal formula (â€ˆSini Tangâ€™). <i>Journal of Ethnopharmacology</i> , 2013, 149, 562-569.	2.0	43
110	The quest for modernisation of traditional Chinese medicine. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 132.	3.7	145
111	Extraction of rotundifuran and casticin from chaste tree fruits by near critical liquid carbon dioxide. <i>Journal of Supercritical Fluids</i> , 2013, 79, 123-126.	1.6	2
112	Alkamides from <i>Echinacea angustifolia</i> Interact with P-Glycoprotein of Primary Brain Capillary Endothelial Cells Isolated from Porcine Brain Blood Vessels. <i>Planta Medica</i> , 2013, 79, 214-218.	0.7	7
113	<i>In vitro</i> Anti-inflammatory Activity of <i>Ligustrum vulgare</i> Extracts and Their Analytical Characterization. <i>Natural Product Communications</i> , 2013, 8, 1934578X1300801.	0.2	4
114	Inhibition of <i>In Vitro</i> Leukotriene B <sub>4</sub> Biosynthesis in Human Neutrophil Granulocytes and Docking Studies of Natural Quinones. <i>Natural Product Communications</i> , 2013, 8, 1934578X1300800.	0.2	9
115	Polyacetylenes from <i>Notopterygium incisum</i> â€ˆNew Selective Partial Agonists of Peroxisome Proliferator-Activated Receptor-Gamma. <i>PLoS ONE</i> , 2013, 8, e61755.	1.1	53
116	Sesquiterpene Lactones Downregulate G2/M Cell Cycle Regulator Proteins and Affect the Invasive Potential of Human Soft Tissue Sarcoma Cells. <i>PLoS ONE</i> , 2013, 8, e66300.	1.1	21
117	The microbiome of medicinal plants: diversity and importance for plant growth, quality and health. <i>Frontiers in Microbiology</i> , 2013, 4, 400.	1.5	224
118	The Role of the GP-TCM Research Association to Modernization and Globalization of Traditional Chinese Medicine. , 2013, , 377-385.		0
119	Application of Complementary and Alternative Medicine on Neurodegenerative Disorders: Current Status and Future Prospects. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012, 2012, 1-2.	0.5	15
120	Synthesis and Antibacterial Evaluation of a New Series of N-Alkyl-2-alkynyl/(E)-alkenyl-4-(1H)-quinolones. <i>Molecules</i> , 2012, 17, 8217-8240.	1.7	17
121	Effect of Costunolide and Dehydrocostus Lactone on Cell Cycle, Apoptosis, and ABC Transporter Expression in Human Soft Tissue Sarcoma Cells. <i>Planta Medica</i> , 2012, 78, 1749-1756.	0.7	32
122	Traditional Chinese medicine research in the post-genomic era: Good practice, priorities, challenges and opportunities. <i>Journal of Ethnopharmacology</i> , 2012, 140, 458-468.	2.0	71
123	Naphthoquinones from <i>Onosma paniculata</i> Induce Cell-Cycle Arrest and Apoptosis in Melanoma Cells. <i>Journal of Natural Products</i> , 2012, 75, 865-869.	1.5	83
124	Antimicrobial and Cytotoxic Isohexenylnaphthazarins from <i>Arnebia euchroma</i> (Royle) Jonst. (Boraginaceae) Callus and Cell Suspension Culture. <i>Molecules</i> , 2012, 17, 14310-14322.	1.7	64
125	Influence of Olive Oil Press Cakes on Shiitake Culinary-Medicinal Mushroom, <i>Lentinus edodes</i> (Berk.) Singer (Higher Basidiomycetes) Fruiting Bodies Production and Effect of their Crude Polysaccharides on CCRF-CEM Cell Proliferation. <i>International Journal of Medicinal Mushrooms</i> , 2012, 14, 419-424.	0.9	4
126	Comparison of a specific HPLC determination of toxic aconite alkaloids in processed <i>Radix aconiti</i> with a titration method of total alkaloids. <i>Pharmaceutical Biology</i> , 2011, 49, 1097-1101.	1.3	15



#	ARTICLE	IF	CITATIONS
127	Differential and Stereoselective In Vitro Cytotoxicity of Eremophilane Sesquiterpenes of <i>Petasites hybridus</i> Rhizomes in Rat Hepatocytes. <i>Planta Medica</i> , 2011, 77, 32-39.	0.7	3
128	Absolute/Relative Bioavailability and Metabolism of Dodeca-2 <i>E</i> ,4 <i>E</i> ,8 <i>Z</i> ,10 <i>E</i> / <i>Z</i> -Tetraenoic Acid Isobutylamides (Tetraenes) after Intravenous and Oral Single Doses to Rats. <i>Planta Medica</i> , 2011, 77, 1794-1799.	0.7	8
129	Cytotoxic Furanogermacranolides from the Flowers of <i>Helianthus angustifolius</i> . <i>Planta Medica</i> , 2011, 77, 1912-1915.	0.7	4
130	Lignan Derivatives from <i>Krameria lappacea</i> Roots Inhibit Acute Inflammation in Vivo and Pro-inflammatory Mediators in Vitro. <i>Journal of Natural Products</i> , 2011, 74, 1779-1786.	1.5	56
131	Antiparasitic Compounds from <i>Cupania cinerea</i> with Activities against <i>Plasmodium falciparum</i> and <i>Trypanosoma brucei rhodesiense</i> . <i>Journal of Natural Products</i> , 2011, 74, 559-566.	1.5	39
132	<i>Aconitum</i> lipo-alkaloids – Semisynthetic Products of the Traditional Medicine. <i>Natural Product Communications</i> , 2011, 6, 1934-578X1100600.	0.2	8
133	Anti-oxidative and TNF- $\alpha$ suppressive activities of puerarin derivative (4AC) in RAW264.7 cells and collagen-induced arthritic rats. <i>European Journal of Pharmacology</i> , 2011, 666, 242-250.	1.7	61
134	Semisynthesis and pharmacological investigation of lipo-alkaloids prepared from aconitine. <i>FÄ-toterapÄ-Äç</i> , 2011, 82, 365-368.	1.1	24
135	Development and validation of a LC-MS/MS method based on a new 96-well Hybrid-SPE, c-precipitation technique for quantification of CYP450 substrates/metabolites in rat plasma. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 400, 2371-2381.	1.9	26
136	Design, synthesis and antimycobacterial activities of 1-methyl-2-alkenyl-4(1H)-quinolones. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 567-579.	1.4	64
137	Synthesis of N-substituted 2-[(1E)-alkenyl]-4-(1H)-quinolone derivatives as antimycobacterial agents against non-tubercular mycobacteria. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 2091-2101.	2.6	22
138	Characterization and identification of mycosporines-like compounds in cyanolichens. Isolation of mycosporine hydroxyglutamicol from <i>Nephroma laevigatum</i> Ach.. <i>Phytochemistry</i> , 2011, 72, 1348-1357.	1.4	32
139	Interaction of N-methyl-2-alkenyl-4-quinolones with ATP-dependent MurE ligase of <i>Mycobacterium tuberculosis</i> : antibacterial activity, molecular docking and inhibition kinetics. <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, 1766-1772.	1.3	37
140	Radix <i>Angelicae pubescentis</i> – Duhuo. , 2011, , 99-111.		1
141	Rhizoma <i>Atractylodis lanceae</i> Cangzhu. , 2011, , 691-706.		0
142	Fructus <i>Lycii</i> Gouqizi. , 2011, , 521-534.		0
143	Fructus <i>Piperis longi</i> – Bibo. , 2011, , 729-741.		0
144	Absolute configuration of eremophilane sesquiterpenes from <i>Petasites hybridus</i> : Comparison of experimental and calculated circular dichroism spectra. <i>Chirality</i> , 2010, 22, 308-319.	1.3	28

#	ARTICLE	IF	CITATIONS
145	Derivatives of schisandrin with increased inhibitory potential on prostaglandin E2 and leukotriene B4 formation in vitro. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 2809-2815.	1.4	12
146	Inhibition of inducible nitric oxide synthase by bis(helenalinyl)glutarate in RAW264.7 macrophages. <i>Biochemical Pharmacology</i> , 2010, 79, 1573-1580.	2.0	10
147	Pharmacokinetics of bilobalide, ginkgolide A and B after administration of three different <i>Ginkgo biloba</i> L. preparations in humans. <i>Phytotherapy Research</i> , 2010, 24, 445-450.	2.8	54
148	Modern European Monographs for Quality Control of Chinese Herbs. <i>Planta Medica</i> , 2010, 76, 2004-2011.	0.7	31
149	Cultivation and Breeding of Chinese Medicinal Plants in Germany. <i>Planta Medica</i> , 2010, 76, 1956-1962.	0.7	45
150	A petrol ether extract of the roots of <i>Onosma paniculatum</i> induces cell death in a caspase dependent manner. <i>Journal of Ethnopharmacology</i> , 2010, 129, 182-188.	2.0	38
151	Assessment of anti-protozoal activity of plants traditionally used in Ecuador in the treatment of leishmaniasis. <i>Journal of Ethnopharmacology</i> , 2010, 128, 184-197.	2.0	81
152	Jacaranone-Derived Glucosidic Esters from <i>Jacaranda glabra</i> and Their Activity against <i>Plasmodium falciparum</i> . <i>Journal of Natural Products</i> , 2010, 73, 553-556.	1.5	24
153	<i>Echinacea</i> Species. , 2010, , 226-234.		0
154	Antiinflammatory Potential and Fatty Acid Content of Lipophilic Leaf Extracts of Four <i>Staphylea</i> L. Species. <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.	0.2	2
155	Pharmacokinetics and Tissue Distribution of Dodeca-2 <i>E</i> ,4 <i>E</i> ,8 <i>E</i> ,10 <i>E</i> / <i>Z</i> -tetraenoic Acid Isobutylamides after Oral Administration in Rats. <i>Planta Medica</i> , 2009, 75, 1306-1313.	0.7	20
156	Absolute and relative bioavailabilities of dodeca-2 <i>E</i> ,4 <i>E</i> ,8 <i>E</i> ,10 <i>E</i> / <i>Z</i> -tetraenoic acid isobutylamides after intravenous and oral single doses in rats. <i>BMC Pharmacology</i> , 2009, 9, A36.	0.4	0
157	Determination of faltarinol in carrot ( <i>Daucus carota</i> L.) genotypes using liquid chromatography/mass spectrometry. <i>Food Chemistry</i> , 2009, 114, 1083-1090.	4.2	50
158	Qualitative and quantitative analysis of aconitine-type and lipo-alkaloids of <i>Aconitum carmichaelii</i> roots. <i>Journal of Chromatography A</i> , 2009, 1216, 2079-2086.	1.8	73
159	Design and synthesis of ten biphenyl-neolignan derivatives and their in vitro inhibitory potency against cyclooxygenase-1/2 activity and 5-lipoxygenase-mediated LTB4-formation. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 4459-4465.	1.4	41
160	E-Notopterol. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o545-o545.	0.2	2
161	Anti-inflammatory 5-(11 <i>E</i> -heptadecenyl)- and 5-(8 <i>E</i> ,11 <i>E</i> -heptadecadienyl)-resorcinols from mango ( <i>Mangifera indica</i> L.) peels. <i>Phytochemistry</i> , 2008, 69, 988-993.	1.4	82
162	Constituents of the stem bark of <i>Discopodium penninervium</i> and their LTB4 and COX-1 and -2 inhibitory activities. <i>Phytochemistry</i> , 2008, 69, 982-987.	1.4	44

#	ARTICLE	IF	CITATIONS
163	Anti-inflammatory phloroglucinol derivatives from <i>Hypericum empetrifolium</i> . <i>Phytochemistry Letters</i> , 2008, 1, 37-43.	0.6	53
164	Pharmacokinetics and immunomodulatory effects of phytotherapeutic lozenges (bonbons) with <i>Echinacea purpurea</i> extract. <i>Phytomedicine</i> , 2008, 15, 547-554.	2.3	42
165	Phytochemical composition and in vitro pharmacological activity of two rose hip ( <i>Rosa canina</i> L.) preparations. <i>Phytomedicine</i> , 2008, 15, 826-835.	2.3	153
166	Effect of artemisinins and other endoperoxides on nitric oxide-related signaling pathway in RAW 264.7 mouse macrophage cells. <i>Nitric Oxide - Biology and Chemistry</i> , 2008, 19, 184-191.	1.2	84
167	Bisnorditerpene, Norditerpene, and Lipo-alkaloids from <i>Aconitum toxicum</i> . <i>Journal of Natural Products</i> , 2008, 71, 1779-1782.	1.5	16
168	In Vitro Anti-inflammatory Activity of Larch ( <i>Larix decidua</i> L.) Sawdust. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 11688-11693.	2.4	35
169	Phytochemistry and pharmacogenomics of natural products derived from traditional chinese medicine and chinese materia medica with activity against tumor cells. <i>Molecular Cancer Therapeutics</i> , 2008, 7, 152-161.	1.9	115
170	Influence of Phenolic Constituents from <i>Yucca schidigera</i> Bark on Arachidonate Metabolism in Vitro. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 8885-8890.	2.4	18
171	CB Receptor Ligands from Plants. <i>Current Topics in Medicinal Chemistry</i> , 2008, 8, 173-186.	1.0	45
172	<i>Echinacea</i> for Preventing and Treating the Common Cold. <i>Planta Medica</i> , 2008, 74, 633-637.	0.7	84
173	Pharmacokinetics of the Main Alkamides after Administration of three Different <i>Echinacea purpurea</i> Preparations in Humans. <i>Planta Medica</i> , 2008, 74, 651-656.	0.7	27
174	Inhibition of Leukotriene Biosynthesis by Secondary Plant Metabolites. <i>Current Organic Chemistry</i> , 2008, 12, 602-618.	0.9	7
175	Inhibition of PGHS-1 and PGHS-2 by Triterpenoid Acids from <i>Chaenomelis Fructus</i> . <i>Natural Product Communications</i> , 2008, 3, 1934578X0800301.	0.2	0
176	In vitro Cytotoxicity and P-Glycoprotein Modulating Effects of Geranylated Furocoumarins from <i>Tetradium daniellii</i> . <i>Planta Medica</i> , 2007, 73, 1475-1478.	0.7	21
177	Cytotoxicity and P-Glycoprotein Modulating Effects of Quinolones and Indoloquinazolines from the Chinese Herb <i>Evodia rutaecarpa</i> . <i>Planta Medica</i> , 2007, 73, 1554-1557.	0.7	53
178	The Role of Alkamides as an Active Principle of <i>Echinacea</i> . <i>Planta Medica</i> , 2007, 73, 615-623.	0.7	102
179	Alkamides from <i>Echinacea</i> inhibit cyclooxygenase-2 activity in human neuroglioma cells. <i>Biochemical and Biophysical Research Communications</i> , 2007, 360, 441-446.	1.0	49
180	Ursolic acid from the Chinese herb <i>Danshen</i> ( <i>Salvia miltiorrhiza</i> L.) upregulates eNOS and downregulates Nox4 expression in human endothelial cells. <i>Atherosclerosis</i> , 2007, 195, e104-e111.	0.4	67

#	ARTICLE	IF	CITATIONS
181	Cultivating Chinese Medicinal Plants in Germany: A Pilot Project. <i>Journal of Alternative and Complementary Medicine</i> , 2007, 13, 597-601.	2.1	6
182	New Eremophilane Sesquiterpenes from a Rhizome Extract of <i>Petasites hybridus</i> . <i>Helvetica Chimica Acta</i> , 2007, 90, 183-195.	1.0	20
183	Molecular biology of cantharidin in cancer cells. <i>Chinese Medicine</i> , 2007, 2, 8.	1.6	79
184	Echinacea for preventing and treating the common cold. , 2006, , CD000530.		107
185	Chamazulene Carboxylic Acid and Matricin: A Natural Profen and Its Natural Prodrug, Identified through Similarity to Synthetic Drug Substances. <i>Journal of Natural Products</i> , 2006, 69, 1041-1045.	1.5	70
186	HPLC-MS trace analysis of atropine in <i>Lycium barbarum</i> berries. <i>Phytochemical Analysis</i> , 2006, 17, 279-283.	1.2	45
187	Knipholone, a selective inhibitor of leukotriene metabolism. <i>Phytomedicine</i> , 2006, 13, 452-456.	2.3	34
188	Prostaglandin-H-synthase (PGHS)-1 and -2 microtiter assays for the testing of herbal drugs and in vitro inhibition of PGHS-isoenzymes by polyunsaturated fatty acids from <i>Platycodi radix</i> . <i>Phytomedicine</i> , 2006, 13, 164-169.	2.3	44
189	Activity-Guided Isolation of Scopoletin and Isoscopoletin, the Inhibitory Active Principles towards CCRF-CEM Leukaemia Cells and Multi-Drug Resistant CEM/ADR5000 Cells, from <i>Artemisia argyi</i> . <i>Planta Medica</i> , 2006, 72, 862-864.	0.7	47
190	In Vitro 12(S)-HETE and Leukotriene Metabolism Inhibitory Activity of Sesquiterpenes of <i>Warburgia ugandensis</i> . <i>Planta Medica</i> , 2006, 72, 754-756.	0.7	9
191	Antimycobacterial Activity of Geranylated Furocoumarins from <i>Tetradium daniellii</i> . <i>Planta Medica</i> , 2006, 72, 1132-1135.	0.7	25
192	Molecular modes of action of cantharidin in tumor cells. <i>Biochemical Pharmacology</i> , 2005, 69, 811-818.	2.0	94
193	Synthesis and biological evaluation of new phenidone analogues as potential dual cyclooxygenase (COX-1 and COX-2) and human lipoxygenase (5-LOX) inhibitors. <i>Il Farmaco</i> , 2005, 60, 7-13.	0.9	9
194	Synthesis and biological evaluation of a new class of acyl derivatives of 3-amino-1-phenyl-4,5-dihydro-1H-pyrazol-5-one as potential dual cyclooxygenase (COX-1 and COX-2) and human lipoxygenase (5-LOX) inhibitors. <i>Il Farmaco</i> , 2005, 60, 327-332.	0.9	17
195	Marine Polyprenylated Hydroquinones, Quinones, and Chromenols with Inhibitory Effects on Leukotriene Formation. <i>Chemistry and Biodiversity</i> , 2005, 2, 901-909.	1.0	29
196	Synthesis and Biological Evaluation of New Phenidone Analogues as Potential Dual Cyclooxygenase (COX-1 and COX-2) and Human Lipoxygenase (5-LOX) Inhibitors.. <i>ChemInform</i> , 2005, 36, no.	0.1	0
197	HPLC-coupled spectroscopic techniques (UV, MS, NMR) for the structure elucidation of phthalides in <i>Ligusticum chuanxiong</i> . <i>Molecular Diversity</i> , 2005, 9, 33-39.	2.1	22
198	<i>Petasites hybridus</i> Extracts in vitro Inhibit COX-2 and PGE <sub>2</sub> Release by Direct Interaction with the Enzyme and by Preventing p42/44 MAP Kinase Activation in Rat Primary Microglial Cells. <i>Planta Medica</i> , 2005, 71, 12-19.	0.7	84

#	ARTICLE	IF	CITATIONS
199	The Endocannabinoid System as a Target for Alkamides from Echinacea angustifolia Roots. <i>Planta Medica</i> , 2005, 71, 701-705.	0.7	88
200	Discovering COX-Inhibiting Constituents of Morus Root Bark: Activity-Guided versus Computer-Aided Methods. <i>Planta Medica</i> , 2005, 71, 399-405.	0.7	52
201	Bioavailability and Pharmacokinetics of Alkamides From the Roots of Echinacea angustifolia in Humans. <i>Journal of Clinical Pharmacology</i> , 2005, 45, 683-689.	1.0	57
202	Inhibition of Leukotriene Biosynthesis by Stilbenoids from Stemona Species. <i>Journal of Natural Products</i> , 2005, 68, 83-85.	1.5	46
203	Is there clinical evidence supporting the use of botanical dietary supplements in children?. <i>Journal of Pediatrics</i> , 2005, 146, 311-317.	0.9	20
204	Are national quality standards for traditional Chinese herbal medicine sufficient?. <i>Complementary Therapies in Medicine</i> , 2005, 13, 183-190.	1.3	42
205	An Evaluation of Echinacea angustifolia in Experimental Rhinovirus Infections. <i>New England Journal of Medicine</i> , 2005, 353, 341-348.	13.9	212
206	Quinolone alkaloids from : a potent new group of antimycobacterial compounds. <i>International Journal of Antimicrobial Agents</i> , 2005, 26, 262-264.	1.1	38
207	Flavonolignans from Avena sativa. <i>Journal of Natural Products</i> , 2005, 68, 289-292.	1.5	64
208	New Constituents of Leontopodium alpinum and their in vitro Leukotriene Biosynthesis Inhibitory Activity. <i>Planta Medica</i> , 2004, 70, 978-985.	0.7	40
209	Inhibition of Leukotriene Biosynthesis by Quinolone Alkaloids from the Fruits of Evodia rutaecarpa. <i>Planta Medica</i> , 2004, 70, 904-908.	0.7	59
210	Efficacy of a standardized echinacea preparation (Echinilin™) for the treatment of the common cold: a randomized, double-blind, placebo-controlled trial. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2004, 29, 75-83.	0.7	101
211	Enzymatic Degradation of Echinacoside and Cynarine in Echinacea angustifolia Root Preparations. <i>Pharmaceutical Biology</i> , 2004, 42, 443-448.	1.3	8
212	Transport of Alkamides from Echinacea Species through Caco-2 Monolayers <sup>1</sup> . <i>Planta Medica</i> , 2002, 68, 469-471.	0.7	31
213	Alkylamides of Echinacea purpurea stimulate alveolar macrophage function in normal rats. <i>International Immunopharmacology</i> , 2002, 2, 381-387.	1.7	104
214	Anti-inflammatory activity of two different extracts of Uncaria tomentosa (Rubiaceae). <i>Journal of Ethnopharmacology</i> , 2002, 81, 271-276.	2.0	99
215	mRNA expression profiles for the response of human tumor cell lines to the antimalarial drugs artesunate, arteether, and artemether. <i>Biochemical Pharmacology</i> , 2002, 64, 617-623.	2.0	115
216	Echinacea stimulates macrophage function in the lung and spleen of normal rats. <i>Journal of Nutritional Biochemistry</i> , 2002, 13, 487-492.	1.9	91

#	ARTICLE	IF	CITATIONS
217	Constituents of Chinese Piper species and their inhibitory activity on prostaglandin and leukotriene biosynthesis in vitro. <i>Journal of Ethnopharmacology</i> , 2001, 75, 133-139.	2.0	119
218	Absorption of Dodeca-2E,4E,8Z,10E/Z-tetraenoic Acid Isobutylamides after Oral Application of <i>Echinacea purpurea</i> Tincture. <i>Planta Medica</i> , 2001, 67, 863-864.	0.7	33
219	Further Phenols and Polyacetylenes from the Rhizomes of <i>Atractylodes lancea</i> and their Anti-Inflammatory Activity. <i>Planta Medica</i> , 2001, 67, 437-442.	0.7	85
220	Inhibitory Effects of Maesinin and Analogs on Arachidonic Acid Metabolizing Enzymes. <i>Planta Medica</i> , 2001, 67, 360-361.	0.7	11
221	The Constituents of <i>Echinacea atropubens</i> Roots and Aerial Parts. <i>Pharmaceutical Biology</i> , 2001, 39, 11-15.	1.3	11
222	Stereostructure and anti-inflammatory activity of three diastereomers of ocobullenone from <i>Ocotea bullata</i> . <i>Phytochemistry</i> , 2000, 54, 591-595.	1.4	27
223	Analytical and pharmacological investigation of <i>Ocotea bullata</i> (black stinkwood) bark and leaves. <i>Journal of Ethnopharmacology</i> , 2000, 71, 219-230.	2.0	42
224	A New Major Triterpene Saponin from the Roots of <i>Cucurbita foetidissima</i> . <i>Journal of Natural Products</i> , 2000, 63, 122-124.	1.5	12
225	Two New Prenylated 3-Benzoxepin Derivatives as Cyclooxygenase Inhibitors from <i>Perilla frutescens</i> var. <i>acuta</i> . <i>Journal of Natural Products</i> , 2000, 63, 403-405.	1.5	52
226	Enzymatic Degradation of Cichoric Acid in <i>Echinacea purpurea</i> Preparations. <i>Journal of Natural Products</i> , 2000, 63, 1615-1618.	1.5	67
227	Standardization of <i>Echinacea purpurea</i> Expressed Juice with Reference to Cichoric Acid and Alkamides. <i>Journal of Herbs, Spices and Medicinal Plants</i> , 1999, 6, 51-62.	0.5	30
228	Use of traditional drugs in a hospital of Chinese medicine in Germany. , 1999, 8, 115-120.		19
229	Liver Enzyme Elevations in Patients Treated With Traditional Chinese Medicine. <i>JAMA - Journal of the American Medical Association</i> , 1999, 282, 28-29.	3.8	78
230	Chemistry, analysis and immunological investigations of <i>Echinacea</i> phytopharmaceuticals. , 1999, , 41-88.		61
231	A Polyacetylenic acetate and a coumarin from <i>Angelica pubescens</i> f. <i>biserrata</i> . <i>Phytochemistry</i> , 1998, 49, 211-213.	1.4	41
232	Phenylpropanoids and flavonoid glycosides from <i>Lysionotus pauciflorus</i> . <i>Phytochemistry</i> , 1998, 48, 339-343.	1.4	35
233	5-Lipoxygenase and Cyclooxygenase-1 Inhibitory Active Compounds from <i>Atractylodes lancea</i> . <i>Journal of Natural Products</i> , 1998, 61, 347-350.	1.5	98
234	Quality Criteria and Standardization of Phytopharmaceuticals: Can Acceptable Drug Standards Be Achieved?. <i>Drug Information Journal</i> , 1998, 32, 101-110.	0.5	94

#	ARTICLE	IF	CITATIONS
235	MEKC Analysis of Different Echinacea Species. <i>Planta Medica</i> , 1998, 64, 649-652.	0.7	36
236	5-Lipoxygenase and Cyclooxygenase Inhibitory Active Constituents from Qianghuo ( <i>Notopterygium</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.7	42
237	Diacetoxy-substituted polyacetylenes from <i>Atractylodes lancea</i> . <i>Phytochemistry</i> , 1997, 46, 1023-1028.	1.4	21
238	Nevadensin glycosides from <i>Lysionotus pauciflorus</i> . <i>Phytochemistry</i> , 1996, 42, 1203-1205.	1.4	25
239	Paucifloside, A New Phenylpropanoid Glycoside from <i>Lysionotus pauciflorus</i> . <i>Natural Product Research</i> , 1995, 7, 23-28.	0.4	11
240	In Vitro Inhibition of Cyclooxygenase and 5-Lipoxygenase by Alkamides from Echinacea and Achillea Species. <i>Planta Medica</i> , 1994, 60, 37-40.	0.7	119
241	Enantiomeric separation of racemic isoflavanones and related compounds on (+)-poly(triphenylmethyl) Tj ETQq1 1 0,784314 rgBT /Over	1.8	10
242	Chalcone glycosides from <i>Bidens campylothea</i> . <i>Phytochemistry</i> , 1992, 32, 218-220.	1.4	25
243	Four polyacetylene glucosides from <i>Bidens campylothea</i> . <i>Phytochemistry</i> , 1992, 31, 2035-2037.	1.4	24
244	Enantiomeric separation of racemic thiosulphinates by high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1991, 541, 464-468.	1.8	11
245	Analysis of Alkamides and Caffeic Acid Derivatives from <i>Echinacea simulata</i> and <i>E. paradoxa</i> Roots. <i>Planta Medica</i> , 1991, 57, 447-449.	0.7	46
246	Enantiomeric separation of racemic pterocarpanes by high-performance liquid chromatography on (+)-poly(triphenylmethyl methacrylate)-coated silica gel. <i>Journal of Chromatography A</i> , 1990, 508, 212-216.	1.8	10
247	Alkamides from the roots of <i>Echinacea angustifolia</i> . <i>Phytochemistry</i> , 1989, 28, 505-508.	1.4	98
248	Alkamides from the roots of <i>Echinacea purpurea</i> . <i>Phytochemistry</i> , 1988, 27, 2339-2342.	1.4	106
249	Foetidissimoside A, a new 3,28-bidesmosidic triterpenoid saponin, and cucurbitacins from <i>Cucurbita foetidissima</i> . <i>Phytochemistry</i> , 1988, 27, 881-885.	1.4	31
250	Two acetylenic compounds from <i>Echinacea pallida</i> roots. <i>Phytochemistry</i> , 1987, 26, 1199-1200.	1.4	14
251	Natural Products as Antibacterial Agents – Antibacterial Potential and Safety of Post-distillation and Waste Material from <i>Thymus vulgaris</i> L., Lamiaceae. , 0, ,		5