

Mei Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2424371/publications.pdf>

Version: 2024-02-01

59
papers

1,928
citations

236925

25
h-index

265206

42
g-index

59
all docs

59
docs citations

59
times ranked

2271
citing authors

#	ARTICLE	IF	CITATIONS
1	Thermo-responsive triple-function nanotransporter for efficient chemo-photothermal therapy of multidrug-resistant bacterial infection. <i>Nature Communications</i> , 2019, 10, 4336.	12.8	231
2	Rolling Circular Amplification (RCA)-Assisted CRISPR/Cas9 Cleavage (RACE) for Highly Specific Detection of Multiple Extracellular Vesicle MicroRNAs. <i>Analytical Chemistry</i> , 2020, 92, 2176-2185.	6.5	177
3	An efficient fluorescent probe for fluazinam using N, S co-doped carbon dots from l-cysteine. <i>Sensors and Actuators B: Chemical</i> , 2017, 239, 1033-1041.	7.8	103
4	3D Graphene hydrogel @ gold nanoparticles nanocomposite modified glassy carbon electrode for the simultaneous determination of ascorbic acid, dopamine and uric acid. <i>Sensors and Actuators B: Chemical</i> , 2017, 238, 1316-1323.	7.8	103
5	Colorimetric detection of Cr (VI) based on the leaching of gold nanoparticles using a paper-based sensor. <i>Talanta</i> , 2016, 161, 819-825.	5.5	93
6	Aptamer-Cholesterol-Mediated Proximity Ligation Assay for Accurate Identification of Exosomes. <i>Analytical Chemistry</i> , 2020, 92, 5411-5418.	6.5	90
7	Dual-signal aptamer sensor based on polydopamine-gold nanoparticles and exonuclease I for ultrasensitive malathion detection. <i>Sensors and Actuators B: Chemical</i> , 2019, 287, 428-436.	7.8	83
8	Allosteric Probe-Initiated Wash-Free Method for Sensitive Extracellular Vesicle Detection through Dual Cycle-Assisted CRISPR-Cas12a. <i>ACS Sensors</i> , 2020, 5, 2239-2246.	7.8	62
9	Dual Methylation-Sensitive Restriction Endonucleases Coupling with an RPA-Assisted CRISPR/Cas13a System (DESCS) for Highly Sensitive Analysis of DNA Methylation and Its Application for Point-of-Care Detection. <i>ACS Sensors</i> , 2021, 6, 2419-2428.	7.8	55
10	Photoluminescence properties of N-doped carbon dots prepared in different solvents and applications in pH sensing. <i>Journal of Materials Science</i> , 2018, 53, 2424-2433.	3.7	53
11	An Ultrasensitive Electrochemical Sensor Based on Multiwalled Carbon Nanotube@Reduced Graphene Oxide Nanoribbon Composite for Simultaneous Determination of Hydroquinone, Catechol and Resorcinol. <i>Journal of the Electrochemical Society</i> , 2019, 166, B547-B553.	2.9	53
12	Synthesis of yttrium(III)-based rare-earth metal-organic framework nanoplates and its applications for sensing of fluoride ions and pH. <i>Sensors and Actuators B: Chemical</i> , 2020, 321, 128455.	7.8	45
13	A zeolitic imidazolate framework/carbon nanofiber nanocomposite based electrochemical sensor for simultaneous detection of co-existing dihydroxybenzene isomers. <i>Sensors and Actuators B: Chemical</i> , 2020, 320, 128294.	7.8	45
14	Spatiotemporally Controllable MicroRNA Imaging in Living Cells via a Near-Infrared Light-Activated Nanoprobe. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 35958-35966.	8.0	42
15	3DGH-Fc based electrochemical sensor for the simultaneous determination of ascorbic acid, dopamine and uric acid. <i>Journal of Electroanalytical Chemistry</i> , 2017, 799, 459-467.	3.8	41
16	A novel electrochemical aptasensor for the sensitive detection of kanamycin based on UiO-66-NH ₂ /MCA/MWCNT@rGONR nanocomposites. <i>Analytical Methods</i> , 2020, 12, 4967-4976.	2.7	41
17	MXene-MoS ₂ heterostructure collaborated with catalyzed hairpin assembly for label-free electrochemical detection of microRNA-21. <i>Talanta</i> , 2022, 237, 122927.	5.5	33
18	Bimetallic organic framework Cu/UiO-66 mediated fluorescence turn-on method for ultrasensitive and rapid detection of carcinoembryonic antigen (CEA). <i>Analytica Chimica Acta</i> , 2021, 1183, 339000.	5.4	30

#	ARTICLE	IF	CITATIONS
19	Copper-based metal-organic framework nanoparticles for sensitive fluorescence detection of ferric ions. <i>Analytical Methods</i> , 2019, 11, 4382-4389.	2.7	29
20	Four-stage signal amplification for trace ATP detection using allosteric probe-conjugated strand displacement and CRISPR/Cpf1 trans-cleavage (ASD-Cpf1). <i>Sensors and Actuators B: Chemical</i> , 2020, 323, 128653.	7.8	29
21	A Sensitive and Selective Non-Enzymatic Glucose Sensor based on AuNPs/CuO NWs-MoS ₂ -Modified Electrode. <i>Journal of the Electrochemical Society</i> , 2019, 166, B1179-B1185.	2.9	28
22	The construction of a CND/Cu ²⁺ fluorescence sensing system for the ultrasensitive detection of glyphosate. <i>Analytical Methods</i> , 2020, 12, 520-527.	2.7	28
23	Green emitting carbon dots for sensitive fluorometric determination of cartap based on its aggregation effect on gold nanoparticles. <i>Mikrochimica Acta</i> , 2019, 186, 259.	5.0	27
24	A novel optical chemical sensor based AuNR-MTPP and dyes for lung cancer biomarkers in exhaled breath identification. <i>Sensors and Actuators B: Chemical</i> , 2014, 199, 446-456.	7.8	26
25	A core-shell MWCNT@rGONR heterostructure modified glassy carbon electrode for ultrasensitive electrochemical detection of glutathione. <i>Sensors and Actuators B: Chemical</i> , 2018, 274, 433-440.	7.8	26
26	Target-induced transcription amplification to trigger the trans-cleavage activity of CRISPR/Cas13a (TITAC-Cas) for detection of alkaline phosphatase. <i>Biosensors and Bioelectronics</i> , 2021, 185, 113281.	10.1	26
27	High-Fidelity Determination and Tracing of Small Extracellular Vesicle Cargoes. <i>Small</i> , 2020, 16, e2002800.	10.0	21
28	Electrochemical Sensor for the Simultaneous Detection of Guanine and Adenine Based on a PPyox/MWNTs-MoS ₂ -Modified Electrode. <i>Journal of the Electrochemical Society</i> , 2019, 166, B498-B504.	2.9	20
29	Flexible nickel-cobalt double hydroxides micro-nano arrays for cellular secreted hydrogen peroxide in-situ electrochemical detection. <i>Analytica Chimica Acta</i> , 2021, 1143, 135-143.	5.4	20
30	An ultrasensitive and point-of-care strategy for enzymes activity detection based on enzyme extends activators to unlock the ssDNase activity of CRISPR/Cas12a (EdU-CRISPR/Cas12a). <i>Sensors and Actuators B: Chemical</i> , 2021, 333, 129553.	7.8	20
31	Fast recognition of trace volatile compounds with a nanoporous dyes-based colorimetric sensor array. <i>Talanta</i> , 2019, 192, 407-417.	5.5	19
32	Discrimination of Lung Cancer Related Volatile Organic Compounds with a Colorimetric Sensor Array. <i>Analytical Letters</i> , 2013, 46, 2048-2059.	1.8	14
33	Synthesis of dopamine-derived N-doped carbon nanotubes/Fe ₃ O ₄ composites as enhanced electrochemical sensing platforms for hydrogen peroxide detection. <i>Mikrochimica Acta</i> , 2020, 187, 605.	5.0	14
34	Carbon Nanomaze for Biomolecular Detection with Zeptomolar Sensitivity. <i>Advanced Functional Materials</i> , 2021, 31, 2006521.	14.9	14
35	3D MoS ₂ -AuNPs carbon paper probe for ultrasensitive detection and discrimination of p53 gene. <i>Sensors and Actuators B: Chemical</i> , 2021, 332, 129480.	7.8	14
36	A Prussian blue-doped RGO/MXene composite aerogel with peroxidase-like activity for real-time monitoring of H ₂ O ₂ secretion from living cells. <i>Chemical Communications</i> , 2021, 57, 9870-9873.	4.1	13

#	ARTICLE	IF	CITATIONS
37	Flipped Quick-Response Code Enables Reliable Blood Grouping. <i>ACS Nano</i> , 2021, 15, 7649-7658.	14.6	12
38	Association between Semen Microcystin Levels and Reproductive Quality: A Cross-Sectional Study in Jiangsu and Anhui Provinces, China. <i>Environmental Health Perspectives</i> , 2021, 129, 127702.	6.0	12
39	A visual sensor array based on an indicator displacement assay for the detection of carboxylic acids. <i>Mikrochimica Acta</i> , 2019, 186, 496.	5.0	11
40	Simultaneous measurement of Cr(III) and Cu(II) based on indicator-displacement assay using a colorimetric nanoprobe. <i>Analytica Chimica Acta</i> , 2020, 1129, 108-117.	5.4	11
41	Naked-eye detection of site-specific ssRNA and ssDNA using PAMmer-assisted CRISPR/Cas9 coupling with exponential amplification reaction. <i>Talanta</i> , 2021, 233, 122554.	5.5	11
42	A novel methyl-dependent DNA endonuclease Glal coupling with double cascaded strand displacement amplification and CRISPR/Cas12a for ultra-sensitive detection of DNA methylation. <i>Analytica Chimica Acta</i> , 2022, 1212, 339914.	5.4	11
43	Ultracentrifugation-Free Enrichment and Quantification of Small Extracellular Vesicles. <i>Analytical Chemistry</i> , 2022, 94, 10337-10345.	6.5	11
44	The fluorescent biosensor for detecting N6 methyladenine FzD5 mRNA and MazF activity. <i>Analytica Chimica Acta</i> , 2021, 1188, 339185.	5.4	9
45	Biomolecules in cell-derived extracellular vesicle chariots as warriors to repair damaged tissues. <i>Nanoscale</i> , 2021, 13, 16017-16033.	5.6	8
46	Male reproductive toxicity induced by Microcystin-leucine-arginine (MC-LR). <i>Toxicon</i> , 2022, 210, 78-88.	1.6	8
47	A one-step synthesis of novel high pH-sensitive nitrogen-doped yellow fluorescent carbon dots and their detection application in living cells. <i>Analytical Methods</i> , 2019, 11, 5711-5717.	2.7	7
48	A redox route for the fluorescence detection of lead ions in sorghum, river water and tap water and a desk study of a paper-based probe. <i>Analytical Methods</i> , 2018, 10, 3256-3262.	2.7	6
49	Effect of Al ₂ O ₃ Passive Layer on Stability and Doping of MoS ₂ Field-Effect Transistor (FET) Biosensors. <i>Biosensors</i> , 2021, 11, 514.	4.7	6
50	CATCH: high specific transcriptome-focused fusion gene variants discrimination. <i>Chemical Communications</i> , 2022, 58, 7618-7621.	4.1	6
51	Palindromic-assisted self-annealing transcription amplification for reliable genotyping of epidermal growth factor receptor exon mutations. <i>Biosensors and Bioelectronics</i> , 2021, 194, 113633.	10.1	5
52	Novel nitrogen-doped carbon dots for "turn-on" sensing of ATP based on aggregation induced emission enhancement effect. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2022, 273, 121044.	3.9	5
53	Probing Low Abundant DNA Methylation by CRISPR-Cas12a-assisted Cascade Exponential Amplification. <i>Analyst</i> , The, 2022, , .	3.5	5
54	Prostatic fluid exosome-mediated microRNA-155 promotes the pathogenesis of type IIIA chronic prostatitis. <i>Translational Andrology and Urology</i> , 2021, 10, 1976-1987.	1.4	4

#	ARTICLE	IF	CITATIONS
55	Preparation of bimetallic polydopamine organic frameworks with core-shell structure and their application in HER2 detection. <i>Analyst</i> , 2022, 147, 862-869.	3.5	4
56	Development of Simple and Effective Dual-Readout Sensor Based on Gold Nanoparticles and Cadmium Telluride Quantum Dots for Cartap Analysis. <i>Nano</i> , 2016, 11, 1650072.	1.0	3
57	Simultaneous Electrochemical Detection of Co-Existing Dihydroxybenzene Isomers Using Porphyrin Zr Metal-Organic Frameworks/ β -cyclodextrin/Pencil Graphite Electrode. <i>IEEE Sensors Journal</i> , 2022, 22, 2993-3000.	4.7	3
58	Co-Doped Fe-Co@C/Nx Nano-Arrays Grown on Carbon Cloth as a Novel Flexible Electrode for In Situ Detection of Extracellular Hydrogen Peroxide. <i>Journal of the Electrochemical Society</i> , 2021, 168, 087501.	2.9	2
59	Carbon Nanomazes: Carbon Nanomaze for Biomolecular Detection with Zeptomolar Sensitivity (Adv.) <i>Tj ETQq1 1 0,784314 rgBT /Over</i>	14.9	8