

Filipe Vaz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/242454/publications.pdf>

Version: 2024-02-01

230
papers

5,833
citations

70961

41
h-index

128067

60
g-index

234
all docs

234
docs citations

234
times ranked

4499
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterisation of Ti _{1-x} Si _x Ny nanocomposite films. Surface and Coatings Technology, 2000, 133-134, 307-313.	2.2	190
2	Structural, optical and mechanical properties of coloured TiN _x O _y thin films. Thin Solid Films, 2004, 447-448, 449-454.	0.8	169
3	Influence of nitrogen content on the structural, mechanical and electrical properties of TiN thin films. Surface and Coatings Technology, 2005, 191, 317-323.	2.2	146
4	Electromechanical performance of poly(vinylidene fluoride)/carbon nanotube composites for strain sensor applications. Sensors and Actuators A: Physical, 2012, 178, 10-16.	2.0	124
5	Thermal oxidation of Ti _{1-x} Al _x N coatings in air. Journal of the European Ceramic Society, 1997, 17, 1971-1977.	2.8	123
6	Structural analysis of Ti _{1-x} Si _x Ny nanocomposite films prepared by reactive magnetron sputtering. Surface and Coatings Technology, 1999, 120-121, 166-172.	2.2	100
7	Novel Multipin Electrode Cap System for Dry Electroencephalography. Brain Topography, 2015, 28, 647-656.	0.8	91
8	Structural, electrical, optical, and mechanical characterizations of decorative ZrO _x Ny thin films. Journal of Applied Physics, 2005, 98, 023715.	1.1	87
9	Structural transitions in hard Si-based TiN coatings: the effect of bias voltage and temperature. Surface and Coatings Technology, 2001, 146-147, 274-279.	2.2	86
10	TiC _x O _y thin films for decorative applications: Tribocorrosion mechanisms and synergism. Tribology International, 2008, 41, 603-615.	3.0	85
11	Development of a quasi-dry electrode for EEG recording. Sensors and Actuators A: Physical, 2013, 199, 310-317.	2.0	82
12	Physical, structural and mechanical characterization of Ti _{1-x} Si _x Ny films. Surface and Coatings Technology, 1998, 108-109, 236-240.	2.2	81
13	Oxidation resistance of (Ti, Al, Si)N coatings in air. Surface and Coatings Technology, 1998, 98, 912-917.	2.2	76
14	Preparation of magnetron sputtered TiN _x O _y thin films. Surface and Coatings Technology, 2003, 174-175, 197-203.	2.2	74
15	Tuning of the surface plasmon resonance in TiO ₂ /Au thin films grown by magnetron sputtering: The effect of thermal annealing. Journal of Applied Physics, 2011, 109, .	1.1	74
16	Tribocorrosion behaviour of plasma nitrided and plasma nitrided+oxidised Ti6Al4V alloy. Surface and Coatings Technology, 2006, 200, 6218-6224.	2.2	68
17	Multifunctional Flax Fibres Based on the Combined Effect of Silver and Zinc Oxide (Ag/ZnO) Nanostructures. Nanomaterials, 2018, 8, 1069.	1.9	67
18	Residual stress states in sputtered Ti _{1-x} Si _x Ny films. Thin Solid Films, 2002, 402, 195-202.	0.8	66

#	ARTICLE	IF	CITATIONS
19	Influence of the chemical and electronic structure on the electrical behavior of zirconium oxynitride films. <i>Journal of Applied Physics</i> , 2008, 103, .	1.1	66
20	Property change in ZrN _x O _y thin films: effect of the oxygen fraction and bias voltage. <i>Thin Solid Films</i> , 2004, 469-470, 11-17.	0.8	65
21	Oxidation resistance of (Ti,Al,Zr,Si)N coatings in air. <i>Surface and Coatings Technology</i> , 1995, 76-77, 70-74.	2.2	60
22	Tribocorrosion behaviour of TiC O thin films in bio-fluids. <i>Electrochimica Acta</i> , 2010, 56, 929-937.	2.6	55
23	Contact Pressure and Flexibility of Multipin Dry EEG Electrodes. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2018, 26, 750-757.	2.7	54
24	Optimization of nanocomposite Au/TiO ₂ thin films towards LSPR optical-sensing. <i>Applied Surface Science</i> , 2018, 438, 74-83.	3.1	54
25	Relationship between electromechanical response and percolation threshold in carbon nanotube/poly(vinylidene fluoride) composites. <i>Carbon</i> , 2013, 61, 568-576.	5.4	53
26	Corrosion resistance of ZrN _x O _y thin films obtained by rf reactive magnetron sputtering. <i>Thin Solid Films</i> , 2004, 469-470, 274-281.	0.8	52
27	Microstructure of (Ti,Si,Al)N nanocomposite coatings. <i>Surface and Coatings Technology</i> , 2004, 177-178, 369-375.	2.2	52
28	Surface wettability modification of poly(vinylidene fluoride) and copolymer films and membranes by plasma treatment. <i>Polymer</i> , 2019, 169, 138-147.	1.8	51
29	Multichannel EEG with novel Ti/TiN dry electrodes. <i>Sensors and Actuators A: Physical</i> , 2015, 221, 139-147.	2.0	50
30	Mechanical evaluation of unbiased W _{100-x} N coatings deposited by d.c. reactive magnetron sputtering. <i>Surface and Coatings Technology</i> , 2006, 200, 6511-6516.	2.2	49
31	The influence of annealing treatments on the properties of Ag:TiO ₂ nanocomposite films prepared by magnetron sputtering. <i>Applied Surface Science</i> , 2012, 258, 4028-4034.	3.1	49
32	Surface modification of starch based biomaterials by oxygen plasma or UV-irradiation. <i>Journal of Materials Science: Materials in Medicine</i> , 2010, 21, 21-32.	1.7	48
33	Structural evolution in ZrN _x O _y thin films as a function of temperature. <i>Surface and Coatings Technology</i> , 2006, 200, 2917-2922.	2.2	46
34	Elastic properties of (Ti,Al,Si)N nanocomposite films. <i>Surface and Coatings Technology</i> , 2001, 142-144, 110-116.	2.2	45
35	Property change in multifunctional TiC _x O _y thin films: Effect of the O/Ti ratio. <i>Thin Solid Films</i> , 2006, 515, 866-871.	0.8	45
36	Nanoscale color control of TiO ₂ films with embedded Au nanoparticles. <i>Materials Letters</i> , 2010, 64, 2624-2626.	1.3	45

#	ARTICLE	IF	CITATIONS
37	Mechanical characterization of reactively magnetron-sputtered TiN films. <i>Surface and Coatings Technology</i> , 2003, 174-175, 375-382.	2.2	44
38	Surface modification of starch based blends using potassium permanganate-nitric acid system and its effect on the adhesion and proliferation of osteoblast-like cells. <i>Journal of Materials Science: Materials in Medicine</i> , 2005, 16, 81-92.	1.7	44
39	Development of new decorative coatings based on gold nanoparticles dispersed in an amorphous TiO ₂ dielectric matrix. <i>Surface and Coatings Technology</i> , 2010, 204, 1569-1575.	2.2	44
40	Superhydrophilic poly(L-lactic acid) electrospun membranes for biomedical applications obtained by argon and oxygen plasma treatment. <i>Applied Surface Science</i> , 2016, 371, 74-82.	3.1	44
41	Magnetron sputtered Ti-Si-C thin films prepared at low temperatures. <i>Surface and Coatings Technology</i> , 2007, 201, 7180-7186.	2.2	43
42	Functional and optical properties of Au:TiO ₂ nanocomposite films: The influence of thermal annealing. <i>Applied Surface Science</i> , 2010, 256, 6536-6542.	3.1	43
43	Effect of filler dispersion on the electromechanical response of epoxy/vapor-grown carbon nanofiber composites. <i>Smart Materials and Structures</i> , 2012, 21, 075008.	1.8	43
44	Microstructural evolution of Au/TiO ₂ nanocomposite films: The influence of Au concentration and thermal annealing. <i>Thin Solid Films</i> , 2015, 580, 77-88.	0.8	43
45	Reactive sputtering of TiO _x N _y coatings by the reactive gas pulsing process. Part I: Pattern and period of pulses. <i>Surface and Coatings Technology</i> , 2007, 201, 7720-7726.	2.2	42
46	The role of composition, morphology and crystalline structure in the electrochemical behaviour of TiN _x thin films for dry electrode sensor materials. <i>Electrochimica Acta</i> , 2009, 55, 59-67.	2.6	40
47	Structural and corrosion behaviour of stoichiometric and substoichiometric TiN thin films. <i>Surface and Coatings Technology</i> , 2004, 180-181, 158-163.	2.2	38
48	Raman spectra and structural analysis in ZrO _x N _y thin films. <i>Thin Solid Films</i> , 2006, 515, 1132-1137.	0.8	38
49	Nanocomposite Ag:TiN thin films for dry biopotential electrodes. <i>Applied Surface Science</i> , 2013, 285, 40-48.	3.1	38
50	TiN _x coated polycarbonate for bio-electrode applications. <i>Corrosion Science</i> , 2012, 56, 49-57.	3.0	37
51	Ion beam studies of TiN _x O _y thin films deposited by reactive magnetron sputtering. <i>Surface and Coatings Technology</i> , 2004, 180-181, 372-376.	2.2	36
52	Characterization of hard DC-sputtered Si-based TiN coatings: the effect of composition and ion bombardment. <i>Surface and Coatings Technology</i> , 2004, 188-189, 351-357.	2.2	36
53	Structural evolution of Ti-Al-Si-N nanocomposite coatings. <i>Vacuum</i> , 2009, 83, 1206-1212.	1.6	36
54	Young's modulus of (Ti,Si)N films by surface acoustic waves and indentation techniques. <i>Thin Solid Films</i> , 2002, 408, 160-168.	0.8	35

#	ARTICLE	IF	CITATIONS
55	Al _x O _y thin films deposited by DC reactive magnetron sputtering. Applied Surface Science, 2010, 257, 1478-1483.	3.1	34
56	TiAg _x thin films for lower limb prosthesis pressure sensors: Effect of composition and structural changes on the electrical and thermal response of the films. Applied Surface Science, 2013, 285, 10-18.	3.1	34
57	Properties of tantalum oxynitride thin films produced by magnetron sputtering: The influence of processing parameters. Vacuum, 2013, 98, 63-69.	1.6	33
58	Nanoplasmonic response of porous Au-TiO ₂ thin films prepared by oblique angle deposition. Nanotechnology, 2019, 30, 225701.	1.3	33
59	Tribocorrosion behaviour of ZrO _x N _y thin films for decorative applications. Surface and Coatings Technology, 2006, 200, 6634-6639.	2.2	32
60	The effect of the addition of Al and Si on the physical and mechanical properties of titanium nitride. Journal of Materials Processing Technology, 1999, 92-93, 169-176.	3.1	31
61	XRD and FTIR analysis of Ti-Si-Ca-ON coatings for biomedical applications. Surface and Coatings Technology, 2008, 203, 490-494.	2.2	31
62	Broadband Optical Absorption Caused by the Plasmonic Response of Coalesced Au Nanoparticles Embedded in a TiO ₂ Matrix. Journal of Physical Chemistry C, 2016, 120, 16931-16945.	1.5	31
63	Electrochemical behaviour of nanocomposite Ag _x :TiN thin films for dry biopotential electrodes. Electrochimica Acta, 2014, 125, 48-57.	2.6	30
64	Thin films of Ag-Au nanoparticles dispersed in TiO ₂ : influence of composition and microstructure on the LSPR and SERS responses. Journal Physics D: Applied Physics, 2018, 51, 205102.	1.3	30
65	Nanocomposite thin films based on Au-Ag nanoparticles embedded in a CuO matrix for localized surface plasmon resonance sensing. Applied Surface Science, 2019, 484, 152-168.	3.1	29
66	Gas Sensors Based on Localized Surface Plasmon Resonances: Synthesis of Oxide Films with Embedded Metal Nanoparticles, Theory and Simulation, and Sensitivity Enhancement Strategies. Applied Sciences (Switzerland), 2021, 11, 5388.	1.3	29
67	Influence of the O/C ratio in the behaviour of TiC _x O _y thin films. Surface and Coatings Technology, 2007, 201, 5587-5591.	2.2	28
68	Thin films composed of gold nanoparticles dispersed in a dielectric matrix: The influence of the host matrix on the optical and mechanical responses. Thin Solid Films, 2015, 596, 8-17.	0.8	28
69	Thin films composed of Ag nanoclusters dispersed in TiO ₂ : Influence of composition and thermal annealing on the microstructure and physical responses. Applied Surface Science, 2015, 358, 595-604.	3.1	28
70	Development of Au/CuO nanoplasmonic thin films for sensing applications. Surface and Coatings Technology, 2018, 343, 178-185.	2.2	28
71	Structural stability of decorative ZrN _x O _y thin films. Surface and Coatings Technology, 2005, 200, 748-752.	2.2	27
72	Analysis of multifunctional titanium oxycarbide films as a function of oxygen addition. Surface and Coatings Technology, 2012, 206, 2525-2534.	2.2	27

#	ARTICLE	IF	CITATIONS
73	Evolution of the surface plasmon resonance of Au:TiO ₂ nanocomposite thin films with annealing temperature. <i>Journal of Nanoparticle Research</i> , 2014, 16, 1.	0.8	27
74	Ag:TiN-Coated Polyurethane for Dry Biopotential Electrodes: From Polymer Plasma Interface Activation to the First EEG Measurements. <i>Plasma Processes and Polymers</i> , 2016, 13, 341-354.	1.6	27
75	Development of label-free plasmonic Au-TiO ₂ thin film immunosensor devices. <i>Materials Science and Engineering C</i> , 2019, 100, 424-432.	3.8	27
76	Antibacterial effect and biocompatibility of a novel nanostructured ZnO-coated gutta-percha cone for improved endodontic treatment. <i>Materials Science and Engineering C</i> , 2018, 92, 840-848.	3.8	26
77	Dry Electrodes for Surface Electromyography Based on Architected Titanium Thin Films. <i>Materials</i> , 2020, 13, 2135.	1.3	26
78	Influence of the sputtering pressure on the morphological features and electrical resistivity anisotropy of nanostructured titanium films. <i>Applied Surface Science</i> , 2017, 420, 681-690.	3.1	25
79	Comparison of three types of dry electrodes for electroencephalography. <i>Acta IMEKO (2012)</i> , 2014, 3, 33.	0.4	25
80	Development of dark Ti(C,O,N) coatings prepared by reactive sputtering. <i>Surface and Coatings Technology</i> , 2008, 203, 804-807.	2.2	24
81	ZrO _x N _y decorative thin films prepared by the reactive gas pulsing process. <i>Journal Physics D: Applied Physics</i> , 2009, 42, 195501.	1.3	24
82	Influence of composition and structural properties in the tribological behaviour of magnetron sputtered Ti-Si-C nanostructured thin films, prepared at low temperature. <i>Wear</i> , 2010, 268, 552-557.	1.5	24
83	Electrical properties of AlN _x O _y thin films prepared by reactive magnetron sputtering. <i>Thin Solid Films</i> , 2012, 520, 6709-6717.	0.8	24
84	Influence of stoichiometry and structure on the optical properties of AlN _x O _y films. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 015305.	1.3	24
85	Thin films composed of Au nanoparticles embedded in AlN: Influence of metal concentration and thermal annealing on the LSPR band. <i>Vacuum</i> , 2018, 157, 414-421.	1.6	24
86	Characterization of titanium silicon nitride films deposited by PVD. <i>Vacuum</i> , 1999, 52, 209-214.	1.6	23
87	Electrical characterization of Ag:TiN thin films produced by glancing angle deposition. <i>Materials Letters</i> , 2014, 115, 136-139.	1.3	23
88	Piezoresistive Polymer-Based Materials for Real-Time Assessment of the Stump/Socket Interface Pressure in Lower Limb Amputees. <i>IEEE Sensors Journal</i> , 2017, 17, 2182-2190.	2.4	23
89	Physical and mechanical properties of Ti _{1-x} Si _x N films. <i>Surface and Coatings Technology</i> , 1998, 100-101, 110-115.	2.2	22
90	Electrochemical behaviour of titanium coated stainless steel by r.f. sputtering in synthetic sweat solutions for electrode applications. <i>Corrosion Science</i> , 2004, 46, 3005-3018.	3.0	22

#	ARTICLE	IF	CITATIONS
91	Properties of MoN _x O _y thin films as a function of the N/O ratio. <i>Thin Solid Films</i> , 2006, 494, 201-206.	0.8	22
92	The effect of additives and mechanical agitation in surface modification of acrylic fibres by cutinase and esterase. <i>Biotechnology Journal</i> , 2006, 1, 842-849.	1.8	22
93	Nano-sculptured Janus-like TiAg thin films obliquely deposited by GLAD co-sputtering for temperature sensing. <i>Nanotechnology</i> , 2018, 29, 355706.	1.3	22
94	Evolution of the mechanical properties of Ti-based intermetallic thin films doped with different metals to be used as biomedical devices. <i>Applied Surface Science</i> , 2020, 505, 144617.	3.1	22
95	Optimization of Au:CuO Nanocomposite Thin Films for Gas Sensing with High-Resolution Localized Surface Plasmon Resonance Spectroscopy. <i>Analytical Chemistry</i> , 2020, 92, 4349-4356.	3.2	22
96	Physical and morphological characterization of reactively magnetron sputtered TiN films. <i>Thin Solid Films</i> , 2002, 420-421, 421-428.	0.8	21
97	Effects of the morphology and structure on the elastic behavior of (Ti,Si,Al)N nanocomposites. <i>Surface and Coatings Technology</i> , 2003, 174-175, 984-991.	2.2	21
98	Reactive sputtering of TiO _x N _y coatings by the reactive gas pulsing process. <i>Surface and Coatings Technology</i> , 2007, 201, 7727-7732.	2.2	21
99	Reactive sputtering of TiO _x N _y coatings by the reactive gas pulsing process: Part III: The particular case of exponential pulses. <i>Surface and Coatings Technology</i> , 2007, 201, 7733-7738.	2.2	21
100	The influence of structure changes in the properties of TiC _x O _y decorative thin films. <i>Thin Solid Films</i> , 2007, 515, 5424-5429.	0.8	21
101	ab-initio Study of the properties of Ti _{1-x} Si _x Al _y N solid solution. <i>Vacuum</i> , 2009, 83, 1240-1243.	1.6	21
102	Structure and chemical bonds in reactively sputtered black Ti _{1-x} N _x O thin films. <i>Thin Solid Films</i> , 2011, 520, 144-151.	0.8	20
103	Nanostructured functional Ti _{1-x} Ag electrodes for large deformation sensor applications. <i>Sensors and Actuators A: Physical</i> , 2014, 220, 204-212.	2.0	20
104	Multifunctional Ti _{1-x} Me (Me=Al, Cu) thin film systems for biomedical sensing devices. <i>Vacuum</i> , 2015, 122, 353-359.	1.6	20
105	Biological behaviour of thin films consisting of Au nanoparticles dispersed in a TiO ₂ dielectric matrix. <i>Vacuum</i> , 2015, 122, 360-368.	1.6	20
106	Electron Tomography of Plasmonic Au Nanoparticles Dispersed in a TiO ₂ Dielectric Matrix. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 42882-42890.	4.0	20
107	Development and characterization of ZnO piezoelectric thin films on polymeric substrates for tissue repair. <i>Journal of Biomedical Materials Research - Part A</i> , 2019, 107, 2150-2159.	2.1	20
108	Thin films composed of metal nanoparticles (Au, Ag, Cu) dispersed in AlN: The influence of composition and thermal annealing on the structure and plasmonic response. <i>Thin Solid Films</i> , 2019, 676, 12-25.	0.8	20

#	ARTICLE	IF	CITATIONS
109	The contribution of grain boundary barriers to the electrical conductivity of titanium oxide thin films. <i>Applied Physics Letters</i> , 2008, 93, 064102.	1.5	19
110	Preparation and characterization of CrN _x O _y thin films: The effect of composition and structural features on the electrical behavior. <i>Applied Surface Science</i> , 2011, 257, 9120-9124.	3.1	19
111	Development of polymer wicks for the fabrication of bio-medical sensors. <i>Materials Science and Engineering C</i> , 2015, 49, 356-363.	3.8	19
112	Optical properties of zirconium oxynitride films: The effect of composition, electronic and crystalline structures. <i>Applied Surface Science</i> , 2015, 358, 660-669.	3.1	19
113	Evolution of the functional properties of titanium-silver thin films for biomedical applications: Influence of in-vacuum annealing. <i>Surface and Coatings Technology</i> , 2015, 261, 262-271.	2.2	19
114	Effect of thermal treatments on the structure of MoN _x O _y thin films. <i>Vacuum</i> , 2008, 82, 1428-1432.	1.6	18
115	First principles study of point defects in titanium oxycarbide. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2009, 165, 194-197.	1.7	18
116	The effect of bombarding conditions on the properties of multifunctional Ti-C-O thin films grown by magnetron sputtering. <i>Surface and Coatings Technology</i> , 2007, 202, 946-951.	2.2	17
117	Modulated IR radiometry of (TiSi)N thin films. <i>Vacuum</i> , 2008, 82, 1457-1460.	1.6	17
118	Plasma Surface Modification of Polycarbonate and Poly(propylene) Substrates for Biomedical Electrodes. <i>Plasma Processes and Polymers</i> , 2010, 7, 676-686.	1.6	17
119	TiO ₂ coatings with Au nanoparticles analysed by photothermal IR radiometry. <i>Journal Physics D: Applied Physics</i> , 2012, 45, 105301.	1.3	17
120	Piezoresistive response of nano-architected Ti _x Cu _y thin films for sensor applications. <i>Sensors and Actuators A: Physical</i> , 2016, 247, 105-114.	2.0	17
121	Influence of Oxygen Addition on the Structural and Elastic Properties of TiC Thin Films. <i>Plasma Processes and Polymers</i> , 2007, 4, S195-S199.	1.6	16
122	Influence of air oxidation on the properties of decorative NbO _x N _y coatings prepared by reactive gas pulsing. <i>Surface and Coatings Technology</i> , 2008, 202, 2363-2367.	2.2	16
123	Structural and optical studies of Au doped titanium oxide films. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2012, 272, 61-65.	0.6	16
124	Relationship between nano-architected Ti _{1-x} Cu _x thin film and electrical resistivity for resistance temperature detectors. <i>Journal of Materials Science</i> , 2017, 52, 4878-4885.	1.7	16
125	Surface Plasmon Resonance in a Metallic Nanoparticle Embedded in a Semiconductor Matrix: Exciton-Plasmon Coupling. <i>ACS Photonics</i> , 2019, 6, 204-210.	3.2	16
126	Tailoring Electrospun Poly(l-lactic acid) Nanofibers as Substrates for Microfluidic Applications. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 60-69.	4.0	16

#	ARTICLE	IF	CITATIONS
127	Novel TiN _x -based biosignal electrodes for electroencephalography. Measurement Science and Technology, 2011, 22, 124007.	1.4	15
128	Influence of the composition of titanium oxynitride layers on the fretting behavior of functionalized titanium substrates: PVD films versus surface laser treatments. Surface and Coatings Technology, 2014, 255, 146-152.	2.2	15
129	Gas Sensing with Nanoplasmonic Thin Films Composed of Nanoparticles (Au, Ag) Dispersed in a CuO Matrix. Coatings, 2019, 9, 337.	1.2	15
130	Protective Ag:TiO ₂ thin films for pressure sensors in orthopedic prosthesis: the importance of composition, structural and morphological features on the biological response of the coatings. Journal of Materials Science: Materials in Medicine, 2014, 25, 2069-2081.	1.7	14
131	Functional behaviour of TiO ₂ films doped with noble metals. Surface Engineering, 2016, 32, 554-561.	1.1	14
132	Antifungal activity of ZnO thin films prepared by glancing angle deposition. Thin Solid Films, 2019, 687, 137461.	0.8	14
133	Effect of the microstructure on the cutting performance of superhard (Ti,Si,Al)N nanocomposite films. Vacuum, 2008, 82, 1470-1474.	1.6	13
134	Development of tantalum oxynitride thin films produced by PVD: Study of structural stability. Applied Surface Science, 2013, 285, 19-26.	3.1	13
135	Tribological characterization of TiO ₂ /Au decorative thin films obtained by PVD magnetron sputtering technology. Wear, 2015, 330-331, 419-428.	1.5	13
136	Study of the electrical behavior of nanostructured TiAg thin films, prepared by Glancing Angle Deposition. Materials Letters, 2015, 157, 188-192.	1.3	13
137	Ag fractals formed on top of a porous TiO ₂ thin film. Physica Status Solidi - Rapid Research Letters, 2016, 10, 530-534.	1.2	13
138	Thin films of Au-Al ₂ O ₃ for plasmonic sensing. Applied Surface Science, 2020, 500, 144035.	3.1	13
139	NANOPTICS: In-depth analysis of NANomaterials for OPTICal localized surface plasmon resonance Sensing. SoftwareX, 2020, 12, 100522.	1.2	13
140	Superhard Nanocomposite Ti-Si-N Coatings. Materials Science Forum, 2001, 383, 143-150.	0.3	12
141	Photothermal characterization of thin films and coatings. Vacuum, 2008, 82, 1461-1465.	1.6	12
142	Thermal stability, mechanical and corrosion behaviour of niobium-based coatings in the ternary system NbAgN. Thin Solid Films, 2011, 519, 2457-2463.	0.8	12
143	Growth and size distribution of Au nanoparticles in annealed Au/TiO ₂ thin films. Thin Solid Films, 2014, 553, 138-143.	0.8	12
144	Electrochemical characterization of nanostructured Ag:TiN thin films produced by glancing angle deposition on polyurethane substrates for bio-electrode applications. Journal of Electroanalytical Chemistry, 2016, 768, 110-120.	1.9	12

#	ARTICLE	IF	CITATIONS
145	Tuning electrical resistivity anisotropy of ZnO thin films for resistive sensor applications. <i>Thin Solid Films</i> , 2018, 654, 93-99.	0.8	12
146	Au-WO ₃ Nanocomposite Coatings for Localized Surface Plasmon Resonance Sensing. <i>Materials</i> , 2020, 13, 246.	1.3	12
147	Molybdenum Oxide Thin Films Grown on Flexible ITO-Coated PET Substrates. <i>Materials</i> , 2021, 14, 821.	1.3	12
148	Influence of composition, bonding characteristics and microstructure on the electrochemical and optical stability of AlO _x N _y thin films. <i>Electrochimica Acta</i> , 2013, 106, 23-34.	2.6	11
149	Properties of CrN thin films deposited in plasma-activated ABS by reactive magnetron sputtering. <i>Surface and Coatings Technology</i> , 2018, 349, 858-866.	2.2	11
150	Correlation Between Processing and Properties of Titanium Oxycarbide, TiC _x O _y , Thin Films. <i>Plasma Processes and Polymers</i> , 2007, 4, S83-S88.	1.6	10
151	Analysis of multifunctional oxycarbide and oxynitride thin films by modulated IR radiometry. <i>Journal Physics D: Applied Physics</i> , 2010, 43, 395301.	1.3	10
152	Structural and Morphological Changes in Ag:TiN Nanocomposite Films Promoted by In-Vacuum Annealing. <i>Journal of Nano Research</i> , 2013, 25, 67-76.	0.8	10
153	High performance piezoresistive response of nanostructured ZnO/Ag thin films for pressure sensing applications. <i>Thin Solid Films</i> , 2019, 691, 137587.	0.8	10
154	Nanostructured Ti _{1-x} Cu _x thin films with tailored electrical and morphological anisotropy. <i>Thin Solid Films</i> , 2019, 672, 47-54.	0.8	10
155	Fracture resistance of Ti-Ag thin films deposited on polymeric substrates for biosignal acquisition applications. <i>Surface and Coatings Technology</i> , 2019, 358, 646-653.	2.2	10
156	Surface functionalization of polypropylene (PP) by chitosan immobilization to enhance human fibroblasts viability. <i>Polymer Testing</i> , 2020, 86, 106507.	2.3	10
157	Optical properties of titanium oxycarbide thin films. <i>Applied Surface Science</i> , 2009, 255, 5615-5619.	3.1	9
158	Novel flexible dry PU/TiN-multipin electrodes: First application in EEG measurements. , 2011, 2011, 55-8.		9
159	Effect of clustering on the surface plasmon band in thin films of metallic nanoparticles. <i>Journal of Nanophotonics</i> , 2014, 9, 093796.	0.4	9
160	Structural, chemical, optical and mechanical properties of Au doped AlN sputtered coatings. <i>Surface and Coatings Technology</i> , 2014, 255, 130-139.	2.2	9
161	Electrochemical and structural characterization of nanocomposite Ag _y :TiN _x thin films for dry bioelectrodes: the effect of the N/Ti ratio and Ag content. <i>Electrochimica Acta</i> , 2015, 153, 602-611.	2.6	9
162	Carbon Monoxide (CO) Sensor Based on Au Nanoparticles Embedded in a CuO Matrix by HR-LSPR Spectroscopy at Room Temperature. , 2021, 5, 1-3.		9

#	ARTICLE	IF	CITATIONS
163	Compositional and structural changes in ZrO _x Ny films depending on growth condition. Nuclear Instruments & Methods in Physics Research B, 2006, 249, 458-461.	0.6	8
164	Structural and Mechanical properties of Ti-Si-Ca-ON for biomedical applications. Surface and Coatings Technology, 2008, 202, 2403-2407.	2.2	8
165	Thickness Control of Coatings by Means of Modulated IR Radiometry. Plasma Processes and Polymers, 2009, 6, S592-S598.	1.6	8
166	Ti-Si-C Thin Films Produced by Magnetron Sputtering: Correlation Between Physical Properties, Mechanical Properties and Tribological Behavior. Journal of Nanoscience and Nanotechnology, 2010, 10, 2926-2932.	0.9	8
167	Surface Plasmon Resonance Effect on the Optical Properties of TiO ₂ ; Doped by Noble Metals Nanoparticles. Journal of Nano Research, 0, 18-19, 177-185.	0.8	8
168	Piezoresistive response of Pluronic-wrapped single-wall carbon nanotube-epoxy composites. Journal of Intelligent Material Systems and Structures, 2012, 23, 909-917.	1.4	8
169	Modulated IR radiometry for determining thermal properties and basic characteristics of titanium thin films. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2014, 32, 041511.	0.9	8
170	Modular multipin electrodes for comfortable dry EEG. , 2016, 2016, 5705-5708.		8
171	Development of biocompatible plasmonic thin films composed of noble metal nanoparticles embedded in a dielectric matrix to enhance Raman signals. Applied Surface Science, 2019, 496, 143701.	3.1	8
172	Nanocomposite Au-ZnO thin films: Influence of gold concentration and thermal annealing on the microstructure and plasmonic response. Surface and Coatings Technology, 2020, 385, 125379.	2.2	8
173	In-situ annealing transmission electron microscopy of plasmonic thin films composed of bimetallic Au-Ag nanoparticles dispersed in a TiO ₂ matrix. Vacuum, 2021, 193, 110511.	1.6	8
174	Study on the Thermal Stability of Ti(C,O,N) Decorative Coatings. Plasma Processes and Polymers, 2009, 6, S755.	1.6	7
175	Plasma Surface Activation and TiN Coating of a TPV Substrate for Biomedical Applications. Plasma Processes and Polymers, 2011, 8, 1174-1183.	1.6	7
176	Structure and Properties of Silver Clusters Implanted in PET by PVD Sputtering for Active Packaging Applications. Journal of Nano Research, 0, 18-19, 105-116.	0.8	7
177	Process monitoring during AlN _x O _y deposition by reactive magnetron sputtering and correlation with the film's properties. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2014, 32, 021307.	0.9	7
178	The influence of nitrogen and oxygen additions on the thermal characteristics of aluminium-based thin films. Materials Chemistry and Physics, 2015, 163, 569-580.	2.0	7
179	Optical and microstructural properties of Au alloyed Al ₂ O ₃ sputter deposited coatings. Thin Solid Films, 2016, 598, 65-71.	0.8	7
180	Thermal Characterization of Hard Decorative Thin Films. Plasma Processes and Polymers, 2007, 4, S190-S194.	1.6	6

#	ARTICLE	IF	CITATIONS
181	Tribological characterisation of magnetron sputtered Ti(C, O, N) thin films. International Journal of Materials and Product Technology, 2010, 39, 186.	0.1	6
182	Friction and wear behaviours of Ti(C,O,N) dark decorative coatings. Tribology International, 2011, 44, 820-828.	3.0	6
183	Tribocorrosion behavior of TiO ₂ /N nanostructured thin films (black) for decorative applications. Tribology International, 2013, 68, 1-10.	3.0	6
184	Ag:TiN nanocomposite thin films for bioelectrodes: The effect of annealing treatments on the electrical and mechanical behavior. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2014, 32, .	0.9	6
185	Effect of microstructural changes in the biological behavior of magnetron sputtered ZnO thin films. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2019, 37, .	0.9	6
186	Fabrication, Characterization and Implementation of Thermo Resistive TiCu(N,O) Thin Films in a Polymer Injection Mold. Materials, 2020, 13, 1423.	1.3	6
187	Directional Field-Dependence of Magnetoimpedance Effect on Integrated YIG/Pt-Stripline System. Sensors, 2021, 21, 6145.	2.1	6
188	Structural, Mechanical, and Decorative Properties of Sputtered TiN and Ti (N, C) Films for Orthodontic Applications; an In Vitro Study. Materials, 2021, 14, 5175.	1.3	6
189	Enhancing the Sensitivity of Nanoplasmonic Thin Films for Ethanol Vapor Detection. Materials, 2020, 13, 870.	1.3	6
190	Immobilization of Streptavidin on a Plasmonic Au-TiO ₂ Thin Film towards an LSPR Biosensing Platform. Nanomaterials, 2022, 12, 1526.	1.9	6
191	Photothermal characterization of sputtered thin films and substrate treatment. , 1999, , .		5
192	The Role of Modulated IR Radiometry Measurements in the Characterization of ZrO ₂ /TiN Thin Films. Plasma Processes and Polymers, 2009, 6, S760.	1.6	5
193	Novel flexible Dry multipin electrodes for EEG: Signal quality and interfacial impedance of Ti and TiN coatings. , 2013, 2013, 547-50.		5
194	Modulation of the magnetoimpedance effect of ZnO:Ag/NiFe heterostructures by thermal annealing. Journal of Materials Science, 2020, 55, 5961-5968.	1.7	5
195	Bioactive and biopassive treatment of poly(ethylene terephthalate) multifilament textile yarns to improve/prevent fibroblast viability. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2021, 109, 2213-2226.	1.6	5
196	Me-Doped TiO ₂ /Me Intermetallic Thin Films Used for Dry Biopotential Electrodes: A Comparative Case Study. Sensors, 2021, 21, 8143.	2.1	5
197	High-frequency magnetoimpedance effect in meander-line trilayered films. Journal of Magnetism and Magnetic Materials, 2020, 515, 167166.	1.0	4
198	Multifunctional hard coatings based on CrNx for temperature sensing applications. Sensors and Actuators A: Physical, 2021, 329, 112794.	2.0	4

#	ARTICLE	IF	CITATIONS
199	Potential of Modulated IR Radiometry for the On-Line Control of Coatings. Plasma Processes and Polymers, 2007, 4, S857-S864.	1.6	3
200	Modulated IR radiometry as a tool for the thickness control of coatings. Journal of Physics: Conference Series, 2010, 214, 012081.	0.3	3
201	Nanocomposite Thin Films Resulting from Au Nanoclusters Dispersed in Titanium Oxide Dielectric Matrixes: the Surface Plasmon Resonance Effect. , 2011, , .		3
202	Optical properties of AlN x O y thin films deposited by DC magnetron sputtering. , 2011, , .		3
203	Modulated IR Radiometry Applied to Study TiO_2 Coatings with Gold Nanocluster Inclusions. International Journal of Thermophysics, 2013, 34, 1597-1605.	1.0	3
204	Effect of surface plasmon resonance in TiO_2/Au thin films on the fluorescence of self-assembled CdTe QDs structure. Journal of Physics: Conference Series, 2015, 605, 012025.	0.3	3
205	Magnetic Response Dependence of ZnO Based Thin Films on Ag Doping and Processing Architecture. Materials, 2020, 13, 2907.	1.3	3
206	Preparation of Plasmonic Au-TiO ₂ Thin Films on a Transparent Polymer Substrate. Coatings, 2020, 10, 227.	1.2	3
207	Co ₂ FeAl Heusler alloy onto amorphous TiO ₂ layer: Exploring the quasi-static and dynamic magnetic properties. Journal of Physics and Chemistry of Solids, 2021, 154, 110088.	1.9	3
208	Thermal Oxidation of Ternary and Quaternary Nitrides of Titanium, Aluminium and Silicon. , 1997, , 501-510.		3
209	Unraveling the role of magnetic anisotropy on the thermoelectric response: a theoretical and experimental approach. Journal Physics D: Applied Physics, 2022, 55, 025001.	1.3	3
210	Plasmonic Strain Sensors Based on Au-TiO ₂ Thin Films on Flexible Substrates. Sensors, 2022, 22, 1375.	2.1	3
211	Flexible TiCu _x Thin Films with Dual Antimicrobial and Piezoresistive Characteristics. ACS Applied Bio Materials, 2022, 5, 1267-1272.	2.3	3
212	Structural Development in Hard Si-Based TiN Coatings as a Function of Temperature: A Comprehensive Study in Vacuum and in Air. Materials Science Forum, 2002, 383, 151-160.	0.3	2
213	Ag _y :TiN _x thin films for dry biopotential electrodes: the effect of composition and structural changes on the electrical and mechanical behaviours. Applied Physics A: Materials Science and Processing, 2015, 119, 169-178.	1.1	2
214	Nanostructured Cr(N,O) based thin films for relative humidity sensing. Vacuum, 2021, 191, 110333.	1.6	2
215	Structural study of the oxidation process and stability of NbO _x N _y coatings. Nuclear Instruments & Methods in Physics Research B, 2008, 266, 4927-4932.	0.6	1
216	Thermal characterization of TiC _x O _y thin films. European Physical Journal: Special Topics, 2008, 153, 303-306.	1.2	1

#	ARTICLE	IF	CITATIONS
217	Sputter deposition of thin films on different substrate materials analyzed by means of modulated IR radiometry. <i>Surface and Coatings Technology</i> , 2011, 205, S204-S208.	2.2	1
218	Improving the Room-Temperature Ferromagnetism in ZnO and Low-Doped ZnO:Ag Films Using GLAD Sputtering. <i>Materials</i> , 2021, 14, 5337.	1.3	1
219	Biosystem with 16 highly-selective optical-channels for biological fluids analysis in the visible spectrum. , 0, , .		0
220	Tribological Researches on Rolling - Friction Coefficient, for Carburized and Carbonitrided Steel Surfaces. <i>Journal of the Mechanical Behavior of Materials</i> , 2005, 16, 407-418.	0.7	0
221	Structure and Chemical Bonds in Black Ti(C, N, O) Thin Films. , 2010, , .		0
222	Signal Quality of Titanium and Titanium Nitride Coated Dry Polymer Electrodes. <i>Biomedizinische Technik</i> , 2012, 57, .	0.9	0
223	Novel cap system with active actuators for rapid dry electroencephalography. <i>Biomedizinische Technik</i> , 2013, 58 Suppl 1, .	0.9	0
224	Optical response of fractal aggregates of polarizable particles. , 2014, , .		0
225	Back Cover: Ag fractals formed on top of a porous TiO ₂ thin film (Phys. Status Solidi RRL) Tj ETQq1 1 0,784314 rgBT /Ov	1.2	0
226	Graphene and polarisable nanoparticles: Looking good together?. , 2016, , .		0
227	BraMat 2019 Special Issue: Editorial Preface. <i>Materials Today: Proceedings</i> , 2019, 19, 909.	0.9	0
228	Novel Ti/TiN Dry Electrodes and Ag/AgCl: A Direct Comparison in Multichannel EEG. <i>IFMBE Proceedings</i> , 2011, , 1011-1014.	0.2	0
229	Corrosion Behavior of Titanium Oxynitrided by Diffusion and Magnetron Sputtering Methods in Physiological Solution. <i>Materials Performance and Characterization</i> , 2017, 6, 594-606.	0.2	0
230	Assessing the relaxation mechanisms contributions on magnetoimpedance effect in YIG/W bilayers. <i>Journal Physics D: Applied Physics</i> , 2022, 55, 215003.	1.3	0