

Dariusz J Gwiazdowicz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2425155/publications.pdf>

Version: 2024-02-01

78
papers

685
citations

777949

13
h-index

843174

20
g-index

78
all docs

78
docs citations

78
times ranked

688
citing authors

#	ARTICLE	IF	CITATIONS
1	In Quest of Genocide Understanding: Multiple Faces of Genocide. <i>International Journal for the Semiotics of Law</i> , 2022, 35, 1425-1443.	0.4	2
2	Microarthropods Living on the Endemic Tree <i>Zelkova abelicea</i> (Ulmaceae) with Particular Attention to <i>Collembola</i> Diversity. <i>Forests</i> , 2022, 13, 195.	0.9	4
3	Soil fauna drives vertical redistribution of soil organic carbon in a long-term irrigated dry pine forest. <i>Global Change Biology</i> , 2022, 28, 3145-3160.	4.2	12
4	A redescription of <i>Hypogastrura gisini</i> Strenzke, 1954 (Collembola: Hypogastruridae) and description of a new related species from Crete (Greece). <i>Zootaxa</i> , 2022, 5155, 52-60.	0.2	0
5	Two New Species of <i>Cosmolaelaps</i> (Acari: Mesostigmata: Laelapidae) from the United States of America. <i>Annales Zoologici</i> , 2022, 72, .	0.1	0
6	“œl Would Kill the Director and Teachers in the School” – Cyberbullying of Hunters in Poland. <i>International Journal for the Semiotics of Law</i> , 2021, 34, 985-1010.	0.4	7
7	Should Hunting as a Cultural Heritage Be Protected?. <i>International Journal for the Semiotics of Law</i> , 2021, 34, 803-838.	0.4	2
8	The role of bracket fungi in creating alpha diversity of invertebrates in the BiaÅowieÅa National Park, Poland. <i>Ecology and Evolution</i> , 2021, 11, 6456-6470.	0.8	2
9	Do ectoparasites of the slow loris <i>Nycticebus pygmaeus</i> , pose a danger to humans?. <i>Biologia (Poland)</i> , 2021, 76, 3017-3019.	0.8	0
10	Mite communities (Acari: Mesostigmata, Oribatida) in the red belt conk, <i>Fomitopsis pinicola</i> (Polyporales), in Polish forests. <i>Experimental and Applied Acarology</i> , 2021, 84, 543-564.	0.7	2
11	A new species of <i>Sejus</i> C.L. Koch (Acari: Mesostigmata: Sejidae) from Iran with the key of <i>Sejus</i> females from Palearctic region. <i>International Journal of Acarology</i> , 2021, 47, 463-474.	0.3	0
12	Diversity and Distribution of Mites (Acari: Ixodida, Mesostigmata, Trombidiformes, Sarcoptiformes) in the Svalbard Archipelago. <i>Diversity</i> , 2020, 12, 323.	0.7	16
13	Lethal Laws and Lethal Education: A Case Study of Soviet Genocide Against Polish Foresters and Five Decades of Infodemic. <i>International Journal for the Semiotics of Law</i> , 2020, , 1.	0.4	1
14	Description of <i>Ameroseius ulmi</i> male (Acari: Ameroseiidae) with a key to males of European species of the genus <i>Ameroseius</i> . <i>International Journal of Acarology</i> , 2020, 46, 524-529.	0.3	1
15	<i>Chapalaelaps secretumsternalis</i> (Acari: Laelapidae): a new genus and new species of mite from French Guyana. <i>International Journal of Acarology</i> , 2020, 46, 595-605.	0.3	1
16	Cyberbullying in Poland: a case study of aggressive messages with emojis targeted at the community of hunters in urbanized society. <i>Social Semiotics</i> , 2020, 30, 379-395.	0.6	13
17	Changing Microarthropod Communities in Front of a Receding Glacier in the High Arctic. <i>Insects</i> , 2020, 11, 226.	1.0	10
18	Factors influencing the level of infestation of <i>Ixodes ricinus</i> (Acari: Ixodidae) on <i>Lacerta agilis</i> and <i>Zootoca vivipara</i> (Squamata: Lacertidae). <i>Acarologia</i> , 2020, 60, 390-397.	0.2	4

#	ARTICLE	IF	CITATIONS
19	Some New Species Records with Description of Two New Species of Gaeolaelaps (Mesostigmata: Tj ETQq1 1 0.784314 rgBT /Overloc	0.1	0
20	Distribution and habitat preferences of the stag beetle <i>Lucanus cervus</i> (L.) in forested areas of Poland. <i>Scientific Reports</i> , 2020, 10, 1043.	1.6	5
21	A new species of <i>Chapalania</i> (Acari: Mesostigmata: Laelapidae) from Peru. <i>Systematic and Applied Acarology</i> , 2018, 23, 1940.	0.5	2
22	Mesostigmatic mites associated with birds and mammals in Iran. A review. <i>Biologia (Poland)</i> , 2018, 73, 485-491.	0.8	5
23	New data to the knowledge of <i>Gaeolaelaps</i> mites (Acari: Mesostigmata: Laelapidae). <i>Acarologia</i> , 2018, 58, 710-734.	0.2	4
24	Transfer of ornithogenic influence through different trophic levels of the Arctic terrestrial ecosystem of BjÅ,rnÅya (Bear Island), Svalbard. <i>Soil Biology and Biochemistry</i> , 2017, 115, 475-489.	4.2	17
25	Parasitic mesostigmatid mites (Acari) " common inhabitants of the nest boxes of starlings (<i>Sturnus</i>) Tj ETQq1 1 0.784314 ggBT /Over	0.8	0
26	Hidden invertebrate diversity - phytotelmata in Bromeliaceae from palm houses and florist wholesalers (Poland). <i>Biologia (Poland)</i> , 2016, 71, 194-203.	0.8	7
27	<i>Monochamus sartor</i> (Coleoptera: Cerambycidae) contributes to alpha diversity of Uropodina mites (Acari: Mesostigmata) in first stage of wood decay in BiaÅ,owieÅ¼a Primeval Forest. <i>International Journal of Acarology</i> , 2016, 42, 218-223.	0.3	5
28	Description of a new species of <i>Cosmolaelaps</i> Berlese and the male of <i>C. brevipedestra</i> (Karg) from Iran, with notes on some other species of <i>Cosmolaelaps</i> Berlese (Acari: Laelapidae). <i>Zootaxa</i> , 2016, 4066, 535.	0.2	11
29	Community structure variability of Uropodina mites (Acari: Mesostigmata) in nests of the common mole, <i>Talpa europaea</i> , in Central Europe. <i>Experimental and Applied Acarology</i> , 2016, 68, 429-440.	0.7	11
30	A new genus and species of Laelapidae from Iran with notes on <i>Gymnolaelaps</i> Berlese and <i>Laelaspisella</i> Marais & Looets (Acari, Mesostigmata). <i>ZooKeys</i> , 2016, 549, 23-49.	0.5	6
31	Redescription of two species of <i>Oplitis</i> Berlese (Acari, Mesostigmata, Oplitidae) from Iran. <i>ZooKeys</i> , 2016, 610, 13-22.	0.5	2
32	<p class="Body" align="left">First record of the genus Typhloseiella (Acari, Phytoseiidae) in European area of Palearctic with description of a new species and redescription of T. perforata</p>. <i>Systematic and Applied Acarology</i> , 2015, 20, 839.	0.5	4
33	Alpha diversity of mesostigmatid mites associated with the bark beetle <i>Ips typographus</i> (L.) in Poland. <i>Insect Conservation and Diversity</i> , 2015, 8, 448-455.	1.4	9
34	Indirect Short- and Long-Term Effects of Aboveground Invertebrate and Vertebrate Herbivores on Soil Microarthropod Communities. <i>PLoS ONE</i> , 2015, 10, e0118679.	1.1	17
35	Nests of the harvest mouse (<i>Micromys minutus</i>) as habitat for invertebrates. <i>Biologia (Poland)</i> , 2015, 70, 1637-1647.	0.8	9
36	Differences in speciation progress in feather mites (Analgoidea) inhabiting the same host: the case of <i>Zachvatkinia</i> and <i>Alloptes</i> living on arctic and long-tailed skuas. <i>Experimental and Applied Acarology</i> , 2015, 65, 163-179.	0.7	27

#	ARTICLE	IF	CITATIONS
37	Aboveground vertebrate and invertebrate herbivore impact on net N mineralization in subalpine grasslands. <i>Ecology</i> , 2015, 96, 3312-3322.	1.5	38
38	Peruvian oribatid mites (Acari, Oribatida) from the German Biological Expedition, with description of a new species of the genus <i>Pergalumna</i> . <i>ZooKeys</i> , 2015, 487, 87-96.	0.5	14
39	Description of <i>Orthadenella coulsoni</i> sp. nov. (Acari: Mesostigmata: Melicharidae) from Siberia with a key to the females of <i>Orthadenella</i> . <i>Journal of Natural History</i> , 2015, 49, 1659-1671.	0.2	0
40	Microarthropod communities of industrially disturbed or imported soils in the High Arctic; the abandoned coal mining town of Pyramiden, Svalbard. <i>Biodiversity and Conservation</i> , 2015, 24, 1671-1690.	1.2	28
41	Phoretic relationships between uropodid mites (Acari: Mesostigmata) and centipedes (Chilopoda) in urban agglomeration areas. <i>International Journal of Acarology</i> , 2015, 41, 250-258.	0.3	13
42	Description of a new species of <i>Julolaelaps</i> (Acari, Mesostigmata, Laelapidae) from Iran. <i>ZooKeys</i> , 2015, 526, 105-116.	0.5	4
43	A new species of predaceous mite of the genus <i>Neoseiulus</i> Hughes (Acari, Phytoseiidae), with redescriptions of <i>N. magnanalis</i> (Thor) and <i>N. ellesmerei</i> (Chant & Hansell), from Svalbard, High Arctic . <i>Zootaxa</i> , 2014, 3793, 441.	0.2	8
44	On the oribatid and mesostigmatid mites (Acari) of the High Arctic island of Hopen. <i>Polish Polar Research</i> , 2014, 35, 133-139.	0.9	6
45	Community Structure of Oribatid and Gamasid Mites (Acari) in Moss-Grass Tundra in Svalbard (Spitsbergen, Norway). <i>Arctic, Antarctic, and Alpine Research</i> , 2014, 46, 591-599.	0.4	20
46	A new species of <i>Cosmolaelaps</i> (Acari: Mesostigmata: Laelapidae) from Peru. <i>International Journal of Acarology</i> , 2014, 40, 436-442.	0.3	8
47	Invertebrate communities inhabiting nests of migrating passerine, wild fowl and sea birds breeding in the High Arctic, Svalbard. <i>Polar Biology</i> , 2014, 37, 981-998.	0.5	18
48	Mites (Acari, Mesostigmata) in boreal Scots pine forest floors: effect of distance to stumps. <i>Experimental and Applied Acarology</i> , 2014, 64, 61-71.	0.7	6
49	The diversity of soil mites (Acari: Mesostigmata) in yellow ant (<i>Lasius flavus</i>) nests along a gradient of land use. <i>Biologia (Poland)</i> , 2013, 68, 314-318.	0.8	5
50	Introduction of invertebrates into the High Arctic via imported soils: the case of Barentsburg in the Svalbard. <i>Biological Invasions</i> , 2013, 15, 1-5.	1.2	29
51	A new species of the genus <i>Gaeolaelaps</i> (Acari, Mesostigmata, Laelapidae) from Iran. <i>ZooKeys</i> , 2013, 277, 1-11.	0.5	17
52	The invertebrate fauna of anthropogenic soils in the High-Arctic settlement of Barentsburg, Svalbard. <i>Polar Research</i> , 2013, 32, 192-73.	1.6	17
53	A new species and new record of <i>Reticulolaelaps</i> Costa (Acari: Laelapidae) from Iran . <i>Zootaxa</i> , 2013, 3718, 73.	0.2	4
54	Phoretic relationships between <i>Plagionotus detritus</i> (Coleoptera: Cerambycidae) and <i>Trichouropoda sociata</i> (Acari: Mesostigmata). <i>Entomologica Fennica</i> , 2013, 24, 59-64.	0.6	10

#	ARTICLE	IF	CITATIONS
55	Records of phoretic mesostigmatid mites (Acari: Mesostigmata) on beetles (Coleoptera: Carabidae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Entomology, 2012, 81, 305-310.	0.1	10
56	The bird ectoparasite Dermanyssus hirundinis (Acari, Mesostigmata) in the High Arctic; a new parasitic mite to Spitsbergen, Svalbard. Acta Parasitologica, 2012, 57, 378-84.	0.4	9
57	Description of larva and protonymph of Vulgarogamasus kraepelini (Acari: Parasitidae). Biologia (Poland), 2012, 67, 540-545.	0.8	3
58	Redescription of <i>Zercon solenites</i> HaarlÅy, 1942 (Acari: Mesostigmata: Zerconidae) With a Key to the Svalbard species of the genus <i>Zercon</i> . International Journal of Acarology, 2011, 37, 135-148.	0.3	8
59	On the collembola, araneae and gamasida from the kinnvika region of nordaustlandet, svalbard. Geografiska Annaler, Series A: Physical Geography, 2011, 93, 253-257.	0.6	10
60	Mesostigmatic mites (Acari: Mesostigmata) in nests of the Eurasian griffon vulture (<i>Gyps fulvus</i>) in Croatia. Biologia (Poland), 2011, 66, 335-339.	0.8	4
61	Mesostigmatid mites in four classes of wood decay. Experimental and Applied Acarology, 2011, 55, 155-165.	0.7	12
62	The mesostigmatid mite (Acari: Parasitiformes) fauna of Svalbard: a revised inventory of a high Arctic archipelago. Zootaxa, 2011, 3091, 33.	0.2	17
63	The diversity of phoretic Mesostigmata on <i>Ips typographus</i> (Coleoptera: Scolytinae) caught in the Karkonosze forest. European Journal of Entomology, 2011, 108, 489-491.	1.2	21
64	Redescription of <i>Arctoseius haarlovi</i> Lindquist, 1963 (Acari: Ascidae) from Spitsbergen, Svalbard. Entomologica Fennica, 2011, 22, 140-148.	0.6	8
65	<i>Antennoseius</i> (<i>Antennoseius</i>) <i>maltzevi</i> and <i>A. (A.) quadrispinosus</i> sp. n. (Acari: Ascidae) associated with carabid beetles. Biologia (Poland), 2010, 65, 99-103.	0.8	5
66	A New Species of <i>Antennoseius</i> from Australia (Acari: Mesostigmata: Ascidae). Annales Zoologici, 2010, 60, 125-132.	0.1	1
67	First record of <i>Thinoseius spinosus</i> (Acari: Eviphididae) from the high Arctic island of Spitsbergen (Svalbard) including a key to deutonymphs of genus <i>Thinoseius</i> . International Journal of Acarology, 2010, 36, 233-236.	0.3	14
68	Nests of the black stork <i>Ciconia nigra</i> as a habitat for mesostigmatid mites (Acari: Mesostigmata). Biologia (Poland), 2009, 64, 962-968.	0.8	12
69	<i>Arctoseius Wisniewskii</i> sp. nov. (Acari: Ascidae) from Poland. Annales Zoologici, 2009, 59, 119-123.	0.1	7
70	Redescriptions of <i>Arctoseius minutus</i> (Halbert, 1915) and <i>Arctoseius pulvisculus</i> (Berlese, 1920) (Acari:) Tj ETQq0 0,0 rgBT /Overlock 10 0,8 3	0.8	3
71	Individual variability of setal morphology in <i>Nenteria pandioni</i> (Acari: Mesostigmata: Uropodina): Genetic variability or aging?. Biologia (Poland), 2008, 63, 236-244.	0.8	3
72	Community structure and dispersal of mites (Acari, Mesostigmata) in nests of the white stork (<i>Ciconia</i>) Tj ETQq0 0,0 rgBT /Overlock 10 0,8 30	0.8	30

#	ARTICLE	IF	CITATIONS
73	Record of Heteromorphic Males of <i>Hypoaspis (Cosmolaelaps) vacua</i> (Michael, 1891) (Acari, Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50.5	0.4	12
74	Description of male of <i>Lasioseius ometes</i> (Oudemans) (Mesostigmata: Ascidae). International Journal of Acarology, 2003, 29, 289-290.	0.3	1
75	Mites (Acari, Gamasida) occurring in fruiting bodies of Aphyllophorales. Fragmenta Faunistica, 2002, 45, 81-89.	0.2	9
76	Roztocze (Acari, Mesostigmata) Pienin. Fragmenta Faunistica, 1996, 39, 223-243.	0.2	6
77	A "clean" alien species? Parasites of the invasive ladybird <i>Harmonia axyridis</i> (Coleoptera:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50.5	1.2	5
78	Occurrence of mites (Acari) and springtails (Collembola) in bird nests on King George Island (South) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50.5	0.5	4