

Mette Kristensen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2425900/mette-kristensen-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73
papers

3,074
citations

31
h-index

54
g-index

73
ext. papers

3,595
ext. citations

5.9
avg, IF

5.12
L-index

#	Paper	IF	Citations
73	Whole Grains and Appetite 2021 , 241-274		
72	Authors Reply to Kahn comment. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 1940-1941	4.5	7
71	Sagittal abdominal diameter and waist circumference appear to be equally good as identifiers of cardiometabolic risk. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 518-527	9.3	2
70	Super-complex mixtures of aliphatic- and aromatic acids may be common degradation products after marine oil spills: A lab-study of microbial oil degradation in a warm, pre-exposed marine environment. <i>Environmental Pollution</i> , 2021 , 285, 117264	7.8	3
69	Human Blood Lipoprotein Predictions from H NMR Spectra: Protocol, Model Performances, and Cage of Covariance.. <i>Analytical Chemistry</i> , 2021 ,	3.7	1
68	The intestinal microbiome is a co-determinant of the postprandial plasma glucose response. <i>PLoS ONE</i> , 2020 , 15, e0238648	4.9	2
67	Data integration for prediction of weight loss in randomized controlled dietary trials. <i>Scientific Reports</i> , 2020 , 10, 20103	4.1	35
66	Prevotella Abundance Predicts Weight Loss Success in Healthy, Overweight Adults Consuming a Whole-Grain Diet Ad Libitum: A Post Hoc Analysis of a 6-Wk Randomized Controlled Trial. <i>Journal of Nutrition</i> , 2019 , 149, 2174-2181	7	0
65	Reply to RB Yarandi. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 1233-1234	6	12
64	Microbial fermentation of flaxseed fibers modulates the transcriptome of GPR41-expressing enteroendocrine cells and protects mice against diet-induced obesity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019 , 316, E453-E463	7	27
63	Effect of folate supplementation on insulin sensitivity and type 2 diabetes: a meta-analysis of randomized controlled trials. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 29-42	19.2	162
62	Whole grain-rich diet reduces body weight and systemic low-grade inflammation without inducing major changes of the gut microbiome: a randomised cross-over trial. <i>Gut</i> , 2019 , 68, 83-93	17.4	69
61	A low-gluten diet induces changes in the intestinal microbiome of healthy Danish adults. <i>Nature Communications</i> , 2018 , 9, 4630		15
60	Intake and sources of gluten in 20- to 75-year-old Danish adults: a national dietary survey. <i>European Journal of Nutrition</i> , 2017 , 56, 107-117	4.6	4
59	Supplementation with dairy calcium and/or flaxseed fibers in conjunction with orlistat augments fecal fat excretion without altering ratings of gastrointestinal comfort. <i>Nutrition and Metabolism</i> , 2017 , 14, 13	4.1	30
58	Whole-Grain Rye and Wheat Affect Some Markers of Gut Health without Altering the Fecal Microbiota in Healthy Overweight Adults: A 6-Week Randomized Trial. <i>Journal of Nutrition</i> , 2017 , 147, 2067-2075	4	1
57	Higher intake of fish and fat is associated with lower plasma s-adenosylhomocysteine: a cross-sectional study. <i>Nutrition Research</i> , 2017 , 46, 78-87		

56	Identification of weak and gender specific effects in a short 30 weeks intervention study using barley and oat mixed linkage β -glucan dietary supplements: a human fecal metabolome study by GC-MS. <i>Metabolomics</i> , 2017 , 13, 108	4.7	9
55	A review of the characteristics of dietary fibers relevant to appetite and energy intake outcomes in human intervention trials. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 747-754	7	41
54	Toward Reliable Lipoprotein Particle Predictions from NMR Spectra of Human Blood: An Interlaboratory Ring Test. <i>Analytical Chemistry</i> , 2017 , 89, 8004-8012	7.8	32
53	A High Rate of Non-Compliance Confounds the Study of Whole Grains and Weight Maintenance in a Randomised Intervention Trial-The Case for Greater Use of Dietary Biomarkers in Nutrition Intervention Studies. <i>Nutrients</i> , 2017 , 9,	6.7	20
52	Effects on satiation, satiety and food intake of wholegrain and refined grain pasta. <i>Appetite</i> , 2016 , 107, 152-158	4.5	14
51	Plasma Alkylresorcinols Reflect Gluten Intake and Distinguish between Gluten-Rich and Gluten-Poor Diets in a Population at Risk of Metabolic Syndrome. <i>Journal of Nutrition</i> , 2016 , 146, 1991-1998	4.1	13
50	Colonic transit time is related to bacterial metabolism and mucosal turnover in the gut. <i>Nature Microbiology</i> , 2016 , 1, 16093	26.6	204
49	Whole-grain pasta reduces appetite and meal-induced thermogenesis acutely: a pilot study. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016 , 41, 277-83	3	7
48	Metabolomics investigation to shed light on cheese as a possible piece in the French paradox puzzle. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 2830-9	5.7	73
47	Recommendations for reporting whole-grain intake in observational and intervention studies. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 903-7	7	60
46	Whole-grain and blood lipid changes in apparently healthy adults: a systematic review and meta-analysis of randomized controlled studies. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 556-727	7	133
45	The effect of <i>Lactobacillus paracasei</i> subsp. <i>paracasei</i> L. casei W8 \square on blood levels of triacylglycerol is independent of colonisation. <i>Beneficial Microbes</i> , 2015 , 6, 263-9	4.9	13
44	Four weeks supplementation with <i>Lactobacillus paracasei</i> subsp. <i>paracasei</i> L. casei W8 \square shows modest effect on triacylglycerol in young healthy adults. <i>Beneficial Microbes</i> , 2015 , 6, 29-39	4.9	10
43	Appetite and food intake after consumption of sausages with 10% fat and added wheat or rye bran. <i>Appetite</i> , 2014 , 73, 205-11	4.5	11
42	<i>Lactobacillus paracasei</i> subsp <i>paracasei</i> L. casei W8 suppresses energy intake acutely. <i>Appetite</i> , 2014 , 82, 111-8	4.5	23
41	Effect of dairy calcium from cheese and milk on fecal fat excretion, blood lipids, and appetite in young men. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 984-91	7	90
40	New insights from a β -glucan human intervention study using NMR metabolomics. <i>Food Research International</i> , 2014 , 63, 210-217	7	10
39	Second meal effect on appetite and fermentation of wholegrain rye foods. <i>Appetite</i> , 2014 , 80, 248-56	4.5	34

38	Relative validity and reproducibility of a food frequency questionnaire to assess dietary fiber intake in Danish adults. <i>Food and Nutrition Research</i> , 2014 , 58, 24723	3.1	11
37	Sensory characteristics and consumer liking of sausages with 10% fat and added rye or wheat bran. <i>Food Science and Nutrition</i> , 2014 , 2, 534-46	3.2	17
36	Review: efficacy of alginate supplementation in relation to appetite regulation and metabolic risk factors: evidence from animal and human studies. <i>Obesity Reviews</i> , 2013 , 14, 129-44	10.6	40
35	Bifidogenic effect of whole-grain wheat during a 12-week energy-restricted dietary intervention in postmenopausal women. <i>European Journal of Clinical Nutrition</i> , 2013 , 67, 1316-21	5.2	26
34	Flaxseed dietary fibers suppress postprandial lipemia and appetite sensation in young men. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 136-43	4.5	51
33	Whole grain and body weight changes in apparently healthy adults: a systematic review and meta-analysis of randomized controlled studies. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 872-84	7	105
32	Extracted oat and barley β-glucans do not affect cholesterol metabolism in young healthy adults. <i>Journal of Nutrition</i> , 2013 , 143, 1579-85	4.1	29
31	Plasma enterolactone and incidence of endometrial cancer in a case-cohort study of Danish women. <i>British Journal of Nutrition</i> , 2013 , 109, 2269-75	3.6	15
30	Linseed dietary fibers reduce apparent digestibility of energy and fat and weight gain in growing rats. <i>Nutrients</i> , 2013 , 5, 3287-98	6.7	24
29	Oat and Barley β-Glucans Induce Satiety and Reduce Energy Intake - a Study on Acute and Longer-term Effects. <i>FASEB Journal</i> , 2013 , 27, 858.9	0.9	
28	Flaxseed dietary fibers lower cholesterol and increase fecal fat excretion, but magnitude of effect depend on food type. <i>Nutrition and Metabolism</i> , 2012 , 9, 8	4.6	82
27	LC/MS metabolomics top-down approach reveals new exposure and effect biomarkers of apple and apple-pectin intake. <i>Metabolomics</i> , 2012 , 8, 64-73	4.7	46
26	Whole grain, dietary fiber, and incidence of endometrial cancer in a Danish cohort study. <i>Nutrition and Cancer</i> , 2012 , 64, 1160-8	2.8	18
25	Cereal grains for nutrition and health benefits: Overview of results from in vitro, animal and human studies in the HEALTHGRAIN project. <i>Trends in Food Science and Technology</i> , 2012 , 25, 87-100	15.3	58
24	Flaxseed dietary fiber supplements for suppression of appetite and food intake. <i>Appetite</i> , 2012 , 58, 490-5	4.5	41
23	Acute effect of alginate-based preload on satiety feelings, energy intake, and gastric emptying rate in healthy subjects. <i>Obesity</i> , 2012 , 20, 1851-8	8	37
22	The Effect of LC-MS Data Preprocessing Methods on the Selection of Plasma Biomarkers in Fed vs. Fasted Rats. <i>Metabolites</i> , 2012 , 2, 77-99	5.6	50
21	Functionality of alginate based supplements for application in human appetite regulation. <i>Food Chemistry</i> , 2012 , 132, 823-829	8.5	34

20	Whole grain compared with refined wheat decreases the percentage of body fat following a 12-week, energy-restricted dietary intervention in postmenopausal women. <i>Journal of Nutrition</i> , 2012 , 142, 710-6	4.1	134
19	Effect of alginate supplementation on weight loss in obese subjects completing a 12-wk energy-restricted diet: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 5-13	7	68
18	A diet rich in oat bran improves blood lipids and hemostatic factors, and reduces apparent energy digestibility in young healthy volunteers. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 1053-8	5.2	30
17	Dietary fibres in the regulation of appetite and food intake. Importance of viscosity. <i>Appetite</i> , 2011 , 56, 65-70	4.5	186
16	Can alginate-based preloads increase weight loss beyond calorie restriction? A pilot study in obese individuals. <i>Appetite</i> , 2011 , 57, 601-4	4.5	12
15	Effects of dietary fibre on subjective appetite, energy intake and body weight: a systematic review of randomized controlled trials. <i>Obesity Reviews</i> , 2011 , 12, 724-39	10.6	281
14	Can bioactive foods affect obesity?. <i>Annals of the New York Academy of Sciences</i> , 2010 , 1190, 25-41	6.5	46
13	High throughput prediction of chylomicron triglycerides in human plasma by nuclear magnetic resonance and chemometrics. <i>Nutrition and Metabolism</i> , 2010 , 7, 43	4.6	25
12	Wholegrain vs. refined wheat bread and pasta. Effect on postprandial glycemia, appetite, and subsequent ad libitum energy intake in young healthy adults. <i>Appetite</i> , 2010 , 54, 163-9	4.5	87
11	NMR and interval PLS as reliable methods for determination of cholesterol in rodent lipoprotein fractions. <i>Metabolomics</i> , 2010 , 6, 129-136	4.7	25
10	Calcium from salmon and cod bone is well absorbed in young healthy men: a double-blinded randomised crossover design. <i>Nutrition and Metabolism</i> , 2010 , 7, 61	4.6	54
9	Short-term effects of replacing milk with cola beverages on insulin-like growth factor-I and insulin-glucose metabolism: a 10 d interventional study in young men. <i>British Journal of Nutrition</i> , 2009 , 102, 1047-51	3.6	17
8	Whole flaxseeds but not sunflower seeds in rye bread reduce apparent digestibility of fat in healthy volunteers. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 961-7	5.2	19
7	Six weeks phylloquinone supplementation produces undesirable effects on blood lipids with no changes in inflammatory and fibrinolytic markers in postmenopausal women. <i>European Journal of Nutrition</i> , 2008 , 47, 375-9	5.2	16
6	Effect of plant cultivation methods on content of major and trace elements in foodstuffs and retention in rats. <i>Journal of the Science of Food and Agriculture</i> , 2008 , 88, 2161-2172	4.3	14
5	Does oxidation affect the water functionality of myofibrillar proteins?. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 2342-8	5.7	52
4	Effect of phylloquinone supplementation on biochemical markers of vitamin K status and bone turnover in postmenopausal women. <i>British Journal of Nutrition</i> , 2007 , 97, 373-80	3.6	26
3	Short-term effects on bone turnover of replacing milk with cola beverages: a 10-day interventional study in young men. <i>Osteoporosis International</i> , 2005 , 16, 1803-8	5.3	43

2	Functionality of myofibrillar proteins as affected by pH, ionic strength and heat treatment - a low-field NMR study. <i>Meat Science</i> , 2004 , 68, 249-56	6.4	87
1	Human blood lipoprotein predictions from 1H NMR spectra: protocol, model performances and cage of covariance		1