

Tohru Takeuchi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2425950/publications.pdf>

Version: 2024-02-01

60
papers

874
citations

567281

15
h-index

552781

26
g-index

67
all docs

67
docs citations

67
times ranked

1042
citing authors

#	ARTICLE	IF	CITATIONS
1	Early intervention with corticosteroids and cyclosporin A and 2-hour postdose blood concentration monitoring improves the prognosis of acute/subacute interstitial pneumonia in dermatomyositis. <i>Journal of Rheumatology</i> , 2008, 35, 254-9.	2.0	68
2	Evaluation of clinical prognostic factors for interstitial pneumonia in anti-MDA5 antibody-positive dermatomyositis patients. <i>Modern Rheumatology</i> , 2018, 28, 133-140.	1.8	67
3	Differentiation between Polymyalgia Rheumatica (PMR) and Elderly-Onset Rheumatoid Arthritis Using 18F-Fluorodeoxyglucose Positron Emission Tomography/Computed Tomography: Is Enthesitis a New Pathological Lesion in PMR?. <i>PLoS ONE</i> , 2016, 11, e0158509.	2.5	50
4	Drug tolerability and reasons for discontinuation of seven biologics in elderly patients with rheumatoid arthritis -The ANSWER cohort study-. <i>PLoS ONE</i> , 2019, 14, e0216624.	2.5	46
5	2020 guide for the diagnosis and treatment of interstitial lung disease associated with connective tissue disease. <i>Respiratory Investigation</i> , 2021, 59, 709-740.	1.8	45
6	Functional Defect of B Lymphocytes in a Patient with Selective IgM Deficiency Associated with Systemic Lupus Erythematosus. <i>Autoimmunity</i> , 2001, 34, 115-122.	2.6	40
7	Pre-Treatment Ferritin Level and Alveolar-Arterial Oxygen Gradient Can Predict Mortality Rate Due to Acute/Subacute Interstitial Pneumonia in Dermatomyositis Treated by Cyclosporine A/Glucocorticosteroid Combination Therapy: A Case Control Study. <i>PLoS ONE</i> , 2014, 9, e89610.	2.5	39
8	Drug tolerability and reasons for discontinuation of seven biologics in 4466 treatment courses of rheumatoid arthritis—the ANSWER cohort study. <i>Arthritis Research and Therapy</i> , 2019, 21, 91.	3.5	36
9	Comparison of long-term prognosis and relapse of dermatomyositis complicated with interstitial pneumonia according to autoantibodies: anti-aminoacyl tRNA synthetase antibodies versus anti-melanoma differentiation-associated gene 5 antibody. <i>Rheumatology International</i> , 2017, 37, 1335-1340.	3.0	29
10	Exploration of pathomechanism using comprehensive analysis of serum cytokines in polymyositis/dermatomyositis-interstitial lung disease. <i>Rheumatology</i> , 2020, 59, 310-318.	1.9	24
11	Drug retention of 7 biologics and tofacitinib in biologics-naïve and biologics-switched patients with rheumatoid arthritis: the ANSWER cohort study. <i>Arthritis Research and Therapy</i> , 2020, 22, 142.	3.5	24
12	Chemokine profiles of interstitial pneumonia in patients with dermatomyositis: a case control study. <i>Scientific Reports</i> , 2017, 7, 1635.	3.3	23
13	Successful multi-target therapy including rituximab and mycophenolate mofetil in anti-melanoma differentiation-associated gene 5 antibody-positive rapidly progressive interstitial lung disease with clinically amyopathic dermatomyositis. <i>International Journal of Rheumatic Diseases</i> , 2017, 20, 2182-2185.	1.9	21
14	Add-on iguratimod as a therapeutic strategy to achieve remission in patients with rheumatoid arthritis inadequately responding to biological DMARDs: A retrospective study. <i>Modern Rheumatology</i> , 2018, 28, 227-234.	1.8	19
15	Good response to infliximab in a patient with deep vein thrombosis associated with Behçet disease. <i>Modern Rheumatology</i> , 2012, 22, 791-795.	1.8	18
16	Factors affecting drug retention of Janus kinase inhibitors in patients with rheumatoid arthritis: the ANSWER cohort study. <i>Scientific Reports</i> , 2022, 12, 134.	3.3	18
17	Successful treatment of thrombotic thrombocytopenic purpura with repeated plasma exchange in a patient with microscopic polyangiitis. <i>Modern Rheumatology</i> , 2008, 18, 643-646.	1.8	16
18	Therapeutic drug monitoring of cyclosporine microemulsion in interstitial pneumonia with dermatomyositis. <i>Modern Rheumatology</i> , 2011, 21, 32-36.	1.8	16

#	ARTICLE	IF	CITATIONS
19	Comparison of the drug retention and reasons for discontinuation of tumor necrosis factor inhibitors and interleukin-6 inhibitors in Japanese patients with elderly-onset rheumatoid arthritis—the ANSWER cohort study. <i>Arthritis Research and Therapy</i> , 2021, 23, 116.	3.5	16
20	The comparison of nailfold videocapillaroscopy findings between anti-melanoma differentiation-associated gene 5 antibody and anti-aminoacyl tRNA synthetase antibody in patients with dermatomyositis complicated by interstitial lung disease. <i>Scientific Reports</i> , 2020, 10, 15692.	3.3	13
21	Evaluation of poor prognostic factors of respiratory related death in microscopic polyangiitis complicated by interstitial lung disease. <i>Scientific Reports</i> , 2021, 11, 1490.	3.3	13
22	Drug retention of sarilumab, baricitinib, and tofacitinib in patients with rheumatoid arthritis: the ANSWER cohort study. <i>Clinical Rheumatology</i> , 2021, 40, 2673-2680.	2.2	13
23	Initial limited three-level thin-section computed tomography scorings predict the prognosis of acute/subacute interstitial pneumonia in patients with dermatomyositis. <i>Modern Rheumatology</i> , 2016, 26, 738-743.	1.8	12
24	Efficacy and safety of combination therapy with prednisolone and oral tacrolimus for progressive interstitial pneumonia with systemic sclerosis: A retrospective study. <i>Modern Rheumatology</i> , 2018, 28, 1009-1015.	1.8	12
25	Serum matrix metalloproteinase 3 levels are associated with an effect of iguratimod as add-on therapy to biological DMARDs in patients with rheumatoid arthritis. <i>PLoS ONE</i> , 2018, 13, e0202601.	2.5	12
26	Asymptomatic rheumatoid meningitis revealed by magnetic resonance imaging, followed by systemic rheumatic vasculitis: A case report and a review of the literature. <i>Modern Rheumatology</i> , 2019, 29, 370-376.	1.8	12
27	Eosinophilic peroxidase deficiency: Identification of a point mutation (D648N) and prediction of structural changes. <i>Human Mutation</i> , 2001, 17, 235-236.	2.5	11
28	Serum protein profile of rheumatoid arthritis treated with anti-TNF therapy (infliximab). <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 855, 66-70.	2.3	11
29	Eosinophilic granulomatosis with polyangiitis complicated by subarachnoid hemorrhage and coronary vasculitis: a case report and review of the literature. <i>Rheumatology International</i> , 2018, 38, 689-696.	3.0	11
30	Efficacy and safety of oral high-trough level tacrolimus in acute/subacute interstitial pneumonia with dermatomyositis. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 303-313.	1.9	11
31	Comparison of the efficacy and safety of biologic agents between elderly-onset and young-onset RA patients: the ANSWER cohort study. <i>Rheumatology International</i> , 2020, 40, 1987-1995.	3.0	11
32	Drug retention of secondary biologics or JAK inhibitors after tocilizumab or abatacept failure as first biologics in patients with rheumatoid arthritis -the ANSWER cohort study-. <i>Clinical Rheumatology</i> , 2020, 39, 2563-2572.	2.2	11
33	Comparison of therapeutic effects of combination therapy with prednisolone and tacrolimus or azathioprine on progressive interstitial pneumonia with systemic sclerosis. <i>Modern Rheumatology</i> , 2022, 32, 358-364.	1.8	10
34	A Novel Mutation in the FcγRIIIA Gene (CD16) Results in Active Natural Killer Cells Lacking CD16. <i>Autoimmunity</i> , 1999, 31, 265-271.	2.6	9
35	FDG-PET/CT of polymyalgia rheumatica. <i>Modern Rheumatology</i> , 2011, 21, 334-336.	1.8	8
36	Pre-pregnancy serum complement C3 level is a predictor of preterm birth for pregnancies with systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2021, 23, 140.	3.5	8

#	ARTICLE	IF	CITATIONS
37	Periodontal pathogens participate in synovitis in patients with rheumatoid arthritis in clinical remission: a retrospective case-control study. <i>Rheumatology</i> , 2015, 54, kev274.	1.9	7
38	Correlation of increased serum leucine-rich α_2 -glycoprotein levels with disease prognosis, progression, and activity of interstitial pneumonia in patients with dermatomyositis: A retrospective study. <i>PLoS ONE</i> , 2020, 15, e0234090.	2.5	7
39	Increased Serum LIGHT Levels Correlate with Disease Progression and Severity of Interstitial Pneumonia in Patients with Dermatomyositis: A Case Control Study. <i>PLoS ONE</i> , 2015, 10, e0140117.	2.5	7
40	Gastrointestinal involvement at the onset of granulomatosis with polyangiitis: A case report. <i>Modern Rheumatology</i> , 2017, 27, 162-164.	1.8	6
41	Occurrence of cerebral small vessel disease at diagnosis of MPO-ANCA-associated vasculitis. <i>Journal of Neurology</i> , 2019, 266, 1708-1715.	3.6	6
42	Potential of Krebs von den Lungen-6 as a predictor of relapse in interstitial pneumonia with anti-aminocyl tRNA synthetase antibodies-positive dermatomyositis. <i>Clinical Respiratory Journal</i> , 2018, 12, 2235-2241.	1.6	5
43	Simplified disease activity index and clinical disease activity index before and during pregnancy correlate with those at postpartum in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2021, 31, 809-816.	1.8	5
44	Effects of denosumab on rheumatic diseases and refractory glucocorticoid-induced osteoporosis: a prospective study. <i>Archives of Osteoporosis</i> , 2021, 16, 39.	2.4	4
45	Neuron-specific enolase level is a useful biomarker for distinguishing amyotrophic lateral sclerosis from cervical spondylotic myelopathy. <i>Scientific Reports</i> , 2021, 11, 22827.	3.3	4
46	The family history of rheumatoid arthritis in anti-cyclic citrullinated peptide antibody-positive patient is not a predictor of poor clinical presentation and treatment response with modern classification criteria and treatment strategy: the ANSWER cohort study. <i>Rheumatology International</i> , 2020, 40, 217-225.	3.0	3
47	Combination of immunosuppressive therapy and nintedanib improves capillaroscopic changes in systemic sclerosis-interstitial lung disease: a case report. <i>Rheumatology Advances in Practice</i> , 2022, 6, rkac003.	0.7	2
48	Successful treatment with tocilizumab of pericarditis associated with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2012, , 1.	1.8	1
49	Initial serum GM-CSF levels are associated with the severity of cerebral small vessel disease in microscopic polyangiitis patients. <i>Journal of Neuroimmunology</i> , 2021, 359, 577671.	2.3	1
50	Comment on: Intravenous immunoglobulin for interstitial lung diseases of anti-melanoma differentiation-associated gene 5-positive dermatomyositis. <i>Rheumatology</i> , 2022, , .	1.9	1
51	Association of M2 Macrophages, Th2, and B Cells With Pathomechanism in Microscopic Polyangiitis Complicated by Interstitial Lung Disease. <i>Journal of Rheumatology</i> , 2022, 49, 913-921.	2.0	1
52	THU0338...SIMVASTATIN-CONJUGATED NANOPARTICLE ENHANCES THE THERAPEUTIC EFFECT OF ADIPOSE-DERIVED STEM CELLS ON INTERSTITIAL LUNG DISEASE. , 2019, , .		0
53	SAT0287...SERUM CYTOKINE PROFILE IDENTIFIES PATHOMECHANISM AND EFFICIENT BIOMARKERS OF DISEASE ACTIVITY AND PROGNOSIS IN INTERSTITIAL PNEUMONIA COMBINED WITH POLYMYOSITIS/DERMATOMYOSITIS. , 2019, , .		0
54	THU0350...ANTI-INFLAMMATORY AND ANTI-FIBROTIC EFFECTS OF INTRAVENOUS ADIPOSE-DERIVED STEM CELL TRANSPLANTATION IN A MOUSE MODEL OF BLEOMYCIN-INDUCED SCLERODERMA. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
55	The addition of iguratimod can reduce methotrexate dose in rheumatoid arthritis with clinical remission. <i>Modern Rheumatology</i> , 2022, 32, 68-73.	1.8	0
56	Quantitative evaluation of human erythrocyte deformability by using a sheath flow micro-channel. <i>The Proceedings of the Bioengineering Conference Annual Meeting of BED/JSM</i> , 2018, 2018.30, 1F11.	0.0	0
57	Comment on: Nailfold capillaries and myositis specific antibodies in anti-melanoma differentiation-associated gene 5 antibody-positive dermatomyositis. <i>Rheumatology</i> , 2021, , .	1.9	0
58	Low-Molecular-Weight Heparin Enhanced Therapeutic Effects of Human Adipose-Derived Stem Cell Administration in a Mouse Model of Lupus Nephritis. <i>Frontiers in Immunology</i> , 2021, 12, 792739.	4.8	0
59	Comment on: Combination of immunosuppressive therapy and nintedanib improves capillaroscopic changes in systemic sclerosis-interstitial lung disease: a case report. Reply. <i>Rheumatology Advances in Practice</i> , 2022, 6, rkac025.	0.7	0
60	Comment on: Nailfold microvascular abnormalities are associated with a higher prevalence of pulmonary arterial hypertension in patients with MCTD. <i>Rheumatology</i> , 2022, , .	1.9	0