

Sylvie Perreault

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2425987/publications.pdf>

Version: 2024-02-01

114
papers

3,555
citations

117453

34
h-index

155451

55
g-index

114
all docs

114
docs citations

114
times ranked

4251
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Association of Nonrecovery of Kidney Function After Pediatric Acute Kidney Injury With 5-Year Kidney and Nonkidney Outcomes. , 2022, 4, e0614. | | 1 |
| 2 | Comparative Effectiveness and Safety of Direct Oral Anticoagulants vs Warfarin Among Obese Patients With Atrial Fibrillation. CJC Open, 2022, 4, 395-405. | 0.7 | 4 |
| 3 | Automated E-Counseling for Chronic Heart Failure. Circulation: Heart Failure, 2021, 14, e007073. | 1.6 | 13 |
| 4 | Comparative effectiveness and safety of high-dose rivaroxaban and apixaban for atrial fibrillation: A propensity score-matched cohort study. Pharmacotherapy, 2021, 41, 379-393. | 1.2 | 5 |
| 5 | Association of pediatric cardiac surgery-associated acute kidney injury with post-discharge healthcare utilization, mortality and kidney outcomes. Pediatric Nephrology, 2021, 36, 2865-2874. | 0.9 | 4 |
| 6 | Predicting major bleeding among hospitalized patients using oral anticoagulants for atrial fibrillation after discharge. PLoS ONE, 2021, 16, e0246691. | 1.1 | 7 |
| 7 | Trajectories of Follow-up Compliance in a Fracture Liaison Service and Their Predictors: A Longitudinal Group-Based Trajectory Analysis. Health Services Research and Managerial Epidemiology, 2021, 8, 233339282110470. | 0.5 | 1 |
| 8 | Comparative Effectiveness and Safety of Low-Dose Oral Anticoagulants in Patients With Atrial Fibrillation. Frontiers in Pharmacology, 2021, 12, 812018. | 1.6 | 4 |
| 9 | Impact of the introduction of novel hormonal agents on metastatic castration-resistant prostate cancer treatment choice. Journal of Oncology Pharmacy Practice, 2020, 26, 293-305. | 0.5 | 3 |
| 10 | Oral Anticoagulant Prescription Trends, Profile Use, and Determinants of Adherence in Patients with Atrial Fibrillation. Pharmacotherapy, 2020, 40, 40-54. | 1.2 | 83 |
| 11 | Performance of a Fracture Liaison Service in an Orthopaedic Setting. Journal of Bone and Joint Surgery - Series A, 2020, 102, 486-494. | 1.4 | 12 |
| 12 | Agreement Between Administrative Database and Medical Chart Review for the Prediction of Chronic Kidney Disease G category. Canadian Journal of Kidney Health and Disease, 2020, 7, 205435812095990. | 0.6 | 15 |
| 13 | Acute kidney injury in critically ill children and 5-year hypertension. Pediatric Nephrology, 2020, 35, 1097-1107. | 0.9 | 12 |
| 14 | Patient Healthcare Trajectory and its Impact on the Cost-Effectiveness of Fracture Liaison Services. Journal of Bone and Mineral Research, 2020, 36, 459-468. | 3.1 | 10 |
| 15 | Anticoagulants in Older Patients with Nonvalvular Atrial Fibrillation after Intracranial Hemorrhage. Journal of Stroke, 2019, 21, 195-206. | 1.4 | 13 |
| 16 | Persistence and compliance to osteoporosis therapy in a fracture liaison service: a prospective cohort study. Archives of Osteoporosis, 2019, 14, 87. | 1.0 | 15 |
| 17 | Concordance of care processes between medical records and patient self-administered questionnaires. BMC Family Practice, 2019, 20, 92. | 2.9 | 2 |
| 18 | Acute Kidney Injury in Critically Ill Children and Subsequent Chronic Kidney Disease. Canadian Journal of Kidney Health and Disease, 2019, 6, 205435811988018. | 0.6 | 44 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Impact of Psychoactive Drug Use on Developing Obesity among Children and Adolescents with Autism Spectrum Diagnosis: A Nested Case-Control Study. <i>Childhood Obesity</i> , 2019, 15, 131-141. | 0.8 | 7 |
| 20 | Lasso Regression for the Prediction of Intermediate Outcomes Related to Cardiovascular Disease Prevention Using the TRANSIT Quality Indicators. <i>Medical Care</i> , 2019, 57, 63-72. | 1.1 | 15 |
| 21 | Is there a potential association between spironolactone and the risk of new-onset diabetes in a cohort of older patients with heart failure?. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 837-847. | 0.8 | 6 |
| 22 | Use, costs, and predictors of psychiatric healthcare services following an autism spectrum diagnosis: Population-based cohort study. <i>Autism</i> , 2019, 23, 2020-2030. | 2.4 | 9 |
| 23 | A Validation Study of Administrative Health Care Data to Detect Acute Kidney Injury in the Pediatric Intensive Care Unit. <i>Canadian Journal of Kidney Health and Disease</i> , 2019, 6, 205435811982752. | 0.6 | 16 |
| 24 | Rationale, study design, and descriptive data of the Lucky Bone Fracture Liaison Service. <i>Archives of Osteoporosis</i> , 2019, 14, 19. | 1.0 | 8 |
| 25 | Blood pressure and burden of hypertension in Cameroon, a microcosm of Africa. <i>Journal of Hypertension</i> , 2019, 37, 2190-2199. | 0.3 | 31 |
| 26 | Nuclear receptor gene polymorphisms and warfarin dose requirements in the Quebec Warfarin Cohort. <i>Pharmacogenomics Journal</i> , 2019, 19, 147-156. | 0.9 | 5 |
| 27 | Healthcare Utilization after Acute Kidney Injury in the Pediatric Intensive Care Unit. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018, 13, 685-692. | 2.2 | 48 |
| 28 | Rationale, design, and preliminary results of the Quebec Warfarin Cohort Study. <i>Clinical Cardiology</i> , 2018, 41, 576-585. | 0.7 | 19 |
| 29 | Long-term Mortality After Acute Kidney Injury in the Pediatric ICU. <i>Hospital Pediatrics</i> , 2018, 8, 260-268. | 0.6 | 36 |
| 30 | Patients' Perception of Newly Initiated Oral Anticoagulant Treatment for Atrial Fibrillation: an Observational Study. <i>Journal of General Internal Medicine</i> , 2018, 33, 1239-1241. | 1.3 | 6 |
| 31 | Comparison of Surgery and Radiation as Local Treatments in the Risk of Locoregional Complications in Men Subsequently Dying From Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e201-e210. | 0.9 | 1 |
| 32 | Association Between Metformin Adherence and All-Cause Mortality Among New Users of Metformin: A Nested Case-Control Study. <i>Annals of Pharmacotherapy</i> , 2018, 52, 305-313. | 0.9 | 14 |
| 33 | Global Clinical Consequences of Poor Adherence. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2018, , 297-314. | 0.1 | 0 |
| 34 | Development of Quality Indicators to Assess Oral Anticoagulant Management in Community Pharmacies for Patients with Atrial Fibrillation. <i>Journal of Managed Care & Specialty Pharmacy</i> , 2018, 24, 357-365. | 0.5 | 7 |
| 35 | Identifying heavy health care users among primary care patients with chronic non-cancer pain. <i>Canadian Journal of Pain</i> , 2017, 1, 22-36. | 0.6 | 5 |
| 36 | A systematic review and meta-analysis of the impact of mineralocorticoid receptor antagonists on glucose homeostasis. <i>Medicine (United States)</i> , 2017, 96, e8719. | 0.4 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Older adults with heart failure treated with carvedilol, bisoprolol, or metoprolol tartrate: risk of mortality. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 81-90. | 0.9 | 4 |
| 38 | Psychometric analysis of the TRANSIT quality indicators for cardiovascular disease prevention in primary care. <i>International Journal for Quality in Health Care</i> , 2017, 29, 999-1005. | 0.9 | 2 |
| 39 | Predictors of Direct Oral Anticoagulants Utilization for Thromboembolism Prevention in Atrial Fibrillation. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2017, 20, 8. | 0.9 | 11 |
| 40 | Diagnosis, Prevalence, Awareness, Treatment, Prevention, and Control of Hypertension in Cameroon: Protocol for a Systematic Review and Meta-Analysis of Clinic-Based and Community-Based Studies. <i>JMIR Research Protocols</i> , 2017, 6, e102. | 0.5 | 6 |
| 41 | Increase in Psychoactive Drug Prescriptions in the Years Following Autism Spectrum Diagnosis: A Population-Based Cohort Study. <i>Journal of Population Therapeutics and Clinical Pharmacology</i> , 2017, 24, e19-e32. | 1.9 | 5 |
| 42 | Any link of gout disease control among hypertensive patients and onset of end-stage renal disease? Results from a population-based study. <i>World Journal of Nephrology</i> , 2017, 6, 132. | 0.8 | 5 |
| 43 | Pillbox Use and INR Stability in a Prospective Cohort of New Warfarin Users. <i>Journal of Managed Care & Specialty Pharmacy</i> , 2016, 22, 676-684. | 0.5 | 8 |
| 44 | An expanded pharmacogenomics warfarin dosing table with utility in generalised dosing guidance. <i>Thrombosis and Haemostasis</i> , 2016, 116, 337-348. | 1.8 | 15 |
| 45 | Whole-genome sequencing in French Canadians from Quebec. <i>Human Genetics</i> , 2016, 135, 1213-1221. | 1.8 | 16 |
| 46 | Persistence with denosumab and zoledronic acid among older women: a population-based cohort study. <i>Archives of Osteoporosis</i> , 2016, 11, 30. | 1.0 | 26 |
| 47 | An Evaluation of the Effect of Spironolactone on the Risk of New-Onset Diabetes in a Cohort of Patients with Heart Failure. <i>Journal of Cardiac Failure</i> , 2016, 22, S38. | 0.7 | 0 |
| 48 | Avoidance of Vitamin K-Rich Foods Is Common among Warfarin Users and Translates into Lower Usual Vitamin K Intakes. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2016, 116, 1000-1007. | 0.4 | 9 |
| 49 | Impact of regular physical activity on weekly warfarin dose requirement. <i>Journal of Thrombosis and Thrombolysis</i> , 2016, 41, 328-335. | 1.0 | 8 |
| 50 | Patterns and Predictors of Use of Anticoagulants for the Treatment of Venous Thromboembolism Following Approval of Rivaroxaban. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2016, 22, 765-771. | 0.7 | 10 |
| 51 | Priority interventions to improve the management of chronic non-cancer pain in primary care: a participatory research of the ACCORD program. <i>Journal of Pain Research</i> , 2015, 8, 203. | 0.8 | 23 |
| 52 | Cost-Consequence Analysis of Nitisinone for Treatment of Tyrosinemia Type I. <i>Canadian Journal of Hospital Pharmacy</i> , 2015, 68, . | 0.1 | 9 |
| 53 | Randomized Clinical Trial of Sodium Polystyrene Sulfonate for the Treatment of Mild Hyperkalemia in CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 2136-2142. | 2.2 | 124 |
| 54 | Persistence and adherence to oral antidiabetics: a population-based cohort study. <i>Acta Diabetologica</i> , 2015, 52, 547-556. | 1.2 | 37 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Sedative-Hypnotic Medicines and Falls in Community-Dwelling Older Adults: A Cost-Effectiveness (Decision-Tree) Analysis from a US Medicare Perspective. <i>Drugs and Aging</i> , 2015, 32, 305-314. | 1.3 | 49 |
| 56 | Antimalarial drugs for preventing malaria during pregnancy and the risk of low birth weight: a systematic review and meta-analysis of randomized and quasi-randomized trials. <i>BMC Medicine</i> , 2015, 13, 193. | 2.3 | 22 |
| 57 | Cost-Consequence Analysis of Nitisinone for Treatment of Tyrosinemia Type I. <i>Canadian Journal of Hospital Pharmacy</i> , 2015, 68, 210-7. | 0.1 | 13 |
| 58 | Knowledge, Attitudes and Beliefs about Chronic Noncancer Pain in Primary Care: a Canadian Survey of Physicians and Pharmacists. <i>Pain Research and Management</i> , 2014, 19, 241-250. | 0.7 | 36 |
| 59 | Association Between Proton Pump Inhibitor Use and Spontaneous Bacterial Peritonitis in Cirrhotic Patients with Ascites. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2014, 28, 330-334. | 0.8 | 37 |
| 60 | Costs of moderate to severe chronic pain in primary care patients – a study of the ACCORD Program. <i>Journal of Pain Research</i> , 2014, 7, 389. | 0.8 | 42 |
| 61 | Pharmacotherapeutic management of chronic noncancer pain in primary care: lessons for pharmacists. <i>Journal of Pain Research</i> , 2014, 7, 163. | 0.8 | 23 |
| 62 | Validation of patient-reported warfarin dose in a prospective incident cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 285-289. | 0.9 | 4 |
| 63 | Impact of Drug Plans on Adherence to and the Cost of Antihypertensive Medications Among Patients Covered by a Universal Drug Insurance Program. <i>Canadian Journal of Cardiology</i> , 2014, 30, 560-567. | 0.8 | 10 |
| 64 | An Internet-Based Counseling Intervention With Email Reminders that Promotes Self-Care in Adults With Chronic Heart Failure: Randomized Controlled Trial Protocol. <i>JMIR Research Protocols</i> , 2014, 3, e5. | 0.5 | 26 |
| 65 | Comparison of orally administered bisphosphonate drugs in reducing the risk of hip fracture in older adults: a population-based cohort study. <i>CMAJ Open</i> , 2013, 1, E97-E105. | 1.1 | 8 |
| 66 | Adherence to antihypertensive agents improves risk reduction of end-stage renal disease. <i>Kidney International</i> , 2013, 84, 570-577. | 2.6 | 42 |
| 67 | Adherence to antihypertensive agents after ischemic stroke and risk of cardiovascular outcomes. <i>Neurology</i> , 2012, 79, 2037-2043. | 1.5 | 42 |
| 68 | Ideal and actual involvement of community pharmacists in health promotion and prevention: a cross-sectional study in Quebec, Canada. <i>BMC Public Health</i> , 2012, 12, 192. | 1.2 | 102 |
| 69 | Use of anti-infective drugs during pregnancy and the risk of preterm birth. <i>International Journal of Antimicrobial Agents</i> , 2012, 39, 177-178. | 1.1 | 2 |
| 70 | Validation of warfarin pharmacogenetic algorithms in clinical practice. <i>Pharmacogenomics</i> , 2012, 13, 21-29. | 0.6 | 25 |
| 71 | Impact of maternal asthma on perinatal outcomes: a two-stage sampling cohort study. <i>European Journal of Epidemiology</i> , 2012, 27, 205-214. | 2.5 | 26 |
| 72 | Inhaled corticosteroids vs. leukotriene-receptor antagonists and asthma exacerbations in children. <i>Respiratory Medicine</i> , 2011, 105, 846-855. | 1.3 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Physician-pharmacist collaborative care in dyslipidemia management: The perception of clinicians and patients. <i>Research in Social and Administrative Pharmacy</i> , 2011, 7, 233-245. | 1.5 | 30 |
| 74 | New Measure of Adherence Adjusted for Prescription Patterns: The Case of Adults with Asthma Treated with Inhaled Corticosteroid Monotherapy. <i>Annals of Pharmacotherapy</i> , 2011, 45, 335-341. | 0.9 | 30 |
| 75 | Impact of Adherence to Antihypertensive Agents on Clinical Outcomes and Hospitalization Costs. <i>Medical Care</i> , 2010, 48, 418-425. | 1.1 | 176 |
| 76 | Suboptimal Use of Inhaled Corticosteroids in Children with Persistent Asthma: Inadequate Prescription, Poor Drug Adherence, or Both?. <i>Pharmacotherapy</i> , 2010, 30, 1109-1116. | 1.2 | 29 |
| 77 | Relationship between Adherence Level to Statins, Clinical Issues and Health-Care Costs in Real-Life Clinical Setting. <i>Value in Health</i> , 2010, 13, 87-94. | 0.1 | 53 |
| 78 | Adherence level of antihypertensive agents in coronary artery disease. <i>British Journal of Clinical Pharmacology</i> , 2010, 69, 74-84. | 1.1 | 61 |
| 79 | A cluster randomized controlled Trial to Evaluate an Ambulatory primary care Management program for patients with dyslipidemia: the TEAM study. <i>Cmaj</i> , 2010, 182, 447-455. | 0.9 | 39 |
| 80 | Effect of maternal moderate to severe asthma on perinatal outcomes. <i>Respiratory Medicine</i> , 2010, 104, 1278-1287. | 1.3 | 49 |
| 81 | Primary care practices and determinants of optimal anticoagulation management in a collaborative care model. <i>American Heart Journal</i> , 2010, 159, 183-189. | 1.2 | 12 |
| 82 | Maternal Asthma, its Control and Severity in Pregnancy, and the Incidence of Atopic Dermatitis and Allergic Rhinitis in the Offspring. <i>Journal of Pediatrics</i> , 2009, 155, 707-713.e1. | 0.9 | 21 |
| 83 | Physician-pharmacist collaborative care for dyslipidemia patients: Knowledge and skills of community pharmacists. <i>Journal of Continuing Education in the Health Professions</i> , 2009, 29, 201-208. | 0.4 | 10 |
| 84 | Comparison of direct health care costs related to the pharmacological treatment of osteoporosis and to the management of osteoporotic fractures among compliant and noncompliant users of alendronate and risedronate: a population-based study. <i>Osteoporosis International</i> , 2009, 20, 1571-1581. | 1.3 | 15 |
| 85 | Impact of better adherence to statin agents in the primary prevention of coronary artery disease. <i>European Journal of Clinical Pharmacology</i> , 2009, 65, 1013-1024. | 0.8 | 91 |
| 86 | Better adherence to antihypertensive agents and risk reduction of chronic heart failure. <i>Journal of Internal Medicine</i> , 2009, 266, 207-218. | 2.7 | 61 |
| 87 | ADHERENCE TO CHOLINESTERASE INHIBITORS IN PATIENTS WITH ALZHEIMER'S DISEASE. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 366-368. | 1.3 | 16 |
| 88 | Impact of a Better Adherence to Antihypertensive Agents on Cerebrovascular Disease for Primary Prevention. <i>Stroke</i> , 2009, 40, 213-220. | 1.0 | 130 |
| 89 | Effect of fetal gender on maternal asthma exacerbations in pregnant asthmatic women. <i>Respiratory Medicine</i> , 2009, 103, 144-151. | 1.3 | 31 |
| 90 | Effect of Statin Adherence on Cerebrovascular Disease in Primary Prevention. <i>American Journal of Medicine</i> , 2009, 122, 647-655. | 0.6 | 56 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Population-based study of the effectiveness of bone-specific drugs in reducing the risk of osteoporotic fracture. <i>Pharmacoepidemiology and Drug Safety</i> , 2008, 17, 248-259. | 0.9 | 29 |
| 92 | Impact of noncompliance with alendronate and risedronate on the incidence of nonvertebral osteoporotic fractures in elderly women. <i>British Journal of Clinical Pharmacology</i> , 2008, 66, 117-127. | 1.1 | 57 |
| 93 | Impact of adherence to statins on chronic heart failure in primary prevention. <i>British Journal of Clinical Pharmacology</i> , 2008, 66, 706-716. | 1.1 | 24 |
| 94 | Is long-term pharmacist-managed anticoagulation service efficient? A pragmatic randomized controlled trial. <i>American Heart Journal</i> , 2008, 156, 148-154. | 1.2 | 54 |
| 95 | Determinants of the Incidence of Childhood Asthma: A Two-Stage Case-Control Study. <i>American Journal of Epidemiology</i> , 2008, 169, 195-205. | 1.6 | 74 |
| 96 | Discontinuation of Antiresorptive Therapies: A Comparison between 1998-2001 and 2002-2004 among Osteoporotic Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 887-894. | 1.8 | 38 |
| 97 | Economic impact of Tibolone compared with Continuous-Combined Hormone Replacement Therapy in the management of climacteric symptoms in postmenopausal women. <i>Maturitas</i> , 2007, 58, 138-149. | 1.0 | 2 |
| 98 | Intraoperative floppy-iris syndrome associated with β -1-adrenoreceptors. <i>Journal of Cataract and Refractive Surgery</i> , 2007, 33, 1227-1234. | 0.7 | 105 |
| 99 | Use of short-acting β -2-agonists during pregnancy and the risk of pregnancy-induced hypertension. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 119, 576-582. | 1.5 | 37 |
| 100 | Changes in pattern of use, clinical characteristics and persistence rate of hormone replacement therapy among postmenopausal women after the WHI publication. <i>Pharmacoepidemiology and Drug Safety</i> , 2007, 16, 17-27. | 0.9 | 61 |
| 101 | Impact of adherence to statins on coronary artery disease in primary prevention. <i>British Journal of Clinical Pharmacology</i> , 2007, 63, 698-708. | 1.1 | 86 |
| 102 | Isotretinoin, pregnancies, abortions and birth defects: a population-based perspective. <i>British Journal of Clinical Pharmacology</i> , 2007, 63, 196-205. | 1.1 | 97 |
| 103 | Comparison of Persistence Rates with Angiotensin-Converting Enzyme Inhibitors Used in Secondary and Primary Prevention of Cardiovascular Disease. <i>Value in Health</i> , 2007, 10, 431-441. | 0.1 | 8 |
| 104 | How to help patients manage their dyslipidemia: A primary care physician-pharmacist team intervention. <i>Canadian Pharmacists Journal</i> , 2007, 140, 300-305. | 0.4 | 4 |
| 105 | Persistence, adherence, and effectiveness of combination therapy among adult patients with asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 118, 574-581. | 1.5 | 123 |
| 106 | Use of inhaled corticosteroids during pregnancy and risk of pregnancy induced hypertension: nested case-control study. <i>BMJ: British Medical Journal</i> , 2005, 330, 230. | 2.4 | 124 |
| 107 | Persistence and determinants of statin therapy among middle-aged patients for primary and secondary prevention. <i>British Journal of Clinical Pharmacology</i> , 2005, 59, 564-573. | 1.1 | 125 |
| 108 | Persistence and determinants of statin therapy among middle-aged patients free of cardiovascular disease. <i>European Journal of Clinical Pharmacology</i> , 2005, 61, 667-674. | 0.8 | 59 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Validation of a decision model for preventive pharmacological strategies in postmenopausal women. <i>European Journal of Epidemiology</i> , 2005, 20, 89-101. | 2.5 | 8 |
| 110 | Trends and determinants of antiresorptive drug use for osteoporosis among elderly women. <i>Pharmacoepidemiology and Drug Safety</i> , 2005, 14, 685-695. | 0.9 | 18 |
| 111 | Persistence with Treatment in Newly Treated Middle-Aged Patients with Essential Hypertension. <i>Annals of Pharmacotherapy</i> , 2005, 39, 1401-1408. | 0.9 | 73 |
| 112 | Pharmacokinetics of Morphine and its Glucuronidated Metabolites in Burn Injuries. <i>Annals of Pharmacotherapy</i> , 2001, 35, 1588-1592. | 0.9 | 35 |
| 113 | Treating Hyperlipidemia for the Primary Prevention of Coronary Disease. <i>Archives of Internal Medicine</i> , 1998, 158, 375. | 4.3 | 29 |
| 114 | Effect of salbutamol on gastroesophageal reflux in healthy volunteers and patients with asthma. <i>Journal of Allergy and Clinical Immunology</i> , 1991, 87, 762-767. | 1.5 | 28 |