

Kenneth Nigel Timmis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2426220/publications.pdf>

Version: 2024-02-01

223
papers

19,759
citations

¹¹⁶⁵¹
70
h-index

¹²⁵⁹⁷
132
g-index

223
all docs

223
docs citations

223
times ranked

16392
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | The darkest microbiome—a post-human biosphere. <i>Microbial Biotechnology</i> , 2022, 15, 176-185. | 4.2 | 14 |
| 2 | Microbial biotechnology to assure national security of supplies of essential resources: energy, food and water, medical reagents, waste disposal and a circular economy. <i>Microbial Biotechnology</i> , 2022, 15, 1021-1025. | 4.2 | 6 |
| 3 | Multiple intertwined crises facing humanity necessitate a European Environmental Research Organization. <i>Microbial Biotechnology</i> , 2022, 15, 1031-1034. | 4.2 | 1 |
| 4 | Bacterial <i>tRNA</i> landscape revisited. <i>Environmental Microbiology</i> , 2022, , . | 3.8 | 2 |
| 5 | Microbiome transplants to save the planetary surface biosphere. <i>Environmental Microbiology Reports</i> , 2021, 13, 50-53. | 2.4 | 0 |
| 6 | The soil crisis: the need to treat as a global health problem and the pivotal role of microbes in prophylaxis and therapy. <i>Microbial Biotechnology</i> , 2021, 14, 769-797. | 4.2 | 53 |
| 7 | <i>SARS-CoV-2</i> biology and variants: anticipation of viral evolution and what needs to be done. <i>Environmental Microbiology</i> , 2021, 23, 2339-2363. | 3.8 | 30 |
| 8 | <i>COVID-19</i> : long covid and its societal consequences. <i>Environmental Microbiology</i> , 2021, 23, 4077-4091. | 3.8 | 27 |
| 9 | Microbiome Yarns: bacterial predators, tissue tropism and molecular decoys. <i>Microbial Biotechnology</i> , 2021, 14, 51-58. | 4.2 | 0 |
| 10 | Microbial Biotechnology is 15! An adventure in journal parenting. <i>Microbial Biotechnology</i> , 2021, , . | 4.2 | 0 |
| 11 | <i>COVID-19</i> transmission: economy-boosting investment should target innovation in pandemic containment strategies to minimize restrictions of civil liberties. <i>Environmental Microbiology</i> , 2020, 22, 4527-4531. | 3.8 | 3 |
| 12 | The contribution of microbiology toward attainment of sustainable development goals: the need to conserve soil health while maximizing its productivity. <i>Environmental Microbiology Reports</i> , 2020, 13, 425-427. | 2.4 | 7 |
| 13 | The urgent need for microbiology literacy in society: children as educators. <i>Microbial Biotechnology</i> , 2020, 13, 1300-1303. | 4.2 | 14 |
| 14 | Strategies to minimize preventable morbidity and mortality resulting from pandemics like <i>COVID-19</i> . <i>Environmental Microbiology</i> , 2020, 22, 4085-4092. | 3.8 | 2 |
| 15 | <i>SARS-CoV-2</i> variants: Relevance for symptom granularity, epidemiology, immunity (herd, vaccines), virus origin and containment?. <i>Environmental Microbiology</i> , 2020, 22, 2001-2006. | 3.8 | 20 |
| 16 | Visualizing the invisible: class excursions to ignite children's enthusiasm for microbes. <i>Microbial Biotechnology</i> , 2020, 13, 844-887. | 4.2 | 26 |
| 17 | The Home Clinic <i>i>or</i> All in a Day's Work of Dr. Fics. <i>Microbial Biotechnology</i> , 2020, 13, 3-10. | 4.2 | 1 |
| 18 | The importance of naturally attenuated <i>SARS-CoV-2</i> in the fight against <i>COVID-19</i> . <i>Environmental Microbiology</i> , 2020, 22, 1997-2000. | 3.8 | 54 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | The COVID 19 pandemic: some lessons learned about crisis preparedness and management, and the need for international benchmarking to reduce deficits. <i>Environmental Microbiology</i> , 2020, 22, 1986-1996. | 3.8 | 43 |
| 20 | The long journey towards standards for engineering biosystems. <i>EMBO Reports</i> , 2020, 21, e50521. | 4.5 | 46 |
| 21 | Mikrobiologisches Wissen für alle bedeutet Klimaschutz!. <i>BioSpektrum</i> , 2019, 25, 595-595. | 0.0 | 0 |
| 22 | Scientists' warning to humanity: microorganisms and climate change. <i>Nature Reviews Microbiology</i> , 2019, 17, 569-586. | 28.6 | 1,138 |
| 23 | The urgent need for microbiology literacy in society. <i>Environmental Microbiology</i> , 2019, 21, 1513-1528. | 3.8 | 99 |
| 24 | Microbiome yarns: The Global Phenotype-Genotype Survey. Episode III: importance of microbiota diversification for microbiome function and biome health. <i>Microbial Biotechnology</i> , 2019, 12, 421-433. | 4.2 | 1 |
| 25 | Microbiome yarns: the Global Phenotype-Genotype Survey. <i>Microbial Biotechnology</i> , 2019, 12, 191-199. | 4.2 | 1 |
| 26 | Microbiome yarns: The Global Phenotype-Genotype Survey. <i>Microbial Biotechnology</i> , 2019, 12, 11-24. | 4.2 | 1 |
| 27 | Synthetic consortia of nanobody-coupled and formatted bacteria for prophylaxis and therapy interventions targeting microbiome dysbiosis-associated diseases and comorbidities. <i>Microbial Biotechnology</i> , 2019, 12, 58-65. | 4.2 | 17 |
| 28 | Microbiome Yarns: human milk oligosaccharides, <i>Bifidobacterium</i> and immunopowergames 1,2,3,4. <i>Microbial Biotechnology</i> , 2018, 11, 437-441. | 4.2 | 3 |
| 29 | Microbiome Yarns: human biome reproduction, evolution and visual acuity,,,,. <i>Microbial Biotechnology</i> , 2018, 11, 149-159. | 4.2 | 1 |
| 30 | <i>Environmental Microbiology Reports</i> is 10!. <i>Environmental Microbiology Reports</i> , 2018, 10, 5-6. | 2.4 | 2 |
| 31 | Viable cyanobacteria in the deep continental subsurface. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 10702-10707. | 7.1 | 124 |
| 32 | Environmental microbiology – the next 20 years: bioconnectivity and meta'omics 2.0. <i>Environmental Microbiology</i> , 2018, 20, 1949-1954. | 3.8 | 3 |
| 33 | Environmental Microbiology is 20!. <i>Environmental Microbiology</i> , 2018, 20, 1936-1944. | 3.8 | 3 |
| 34 | Microbiome Yarns: microbiome of the built environment, paranormal microbiology, and the power of single cell genomics 1,2,3,4. <i>Microbial Biotechnology</i> , 2018, 11, 575-587. | 4.2 | 2 |
| 35 | Microbiome yarns: microbiology of curly and straight hair. <i>Microbial Biotechnology</i> , 2017, 10, 231-237. | 4.2 | 1 |
| 36 | Microbiome yarns: microbiology of winter rosy face[,][,][,][,]. <i>Microbial Biotechnology</i> , 2017, 10, 520-524. | 4.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Microbiomes, metabolic errors and detection of performance enhancing drug abuse. Environmental Microbiology Reports, 2017, 9, 25-26. | 2.4 | 0 |
| 38 | Pristine but metal-rich RÃo Sucio (Dirty River) is dominated by Gallionella and other iron-sulfur oxidizing microbes. Extremophiles, 2017, 21, 235-243. | 2.3 | 17 |
| 39 | The contribution of microbial biotechnology to sustainable development goals. Microbial Biotechnology, 2017, 10, 984-987. | 4.2 | 73 |
| 40 | The <sc>DIY</sc> Digital Medical Centre. Microbial Biotechnology, 2017, 10, 1084-1093. | 4.2 | 18 |
| 41 | Protein complex formation during denitrification by <i>Pseudomonas aeruginosa</i>. Microbial Biotechnology, 2017, 10, 1523-1534. | 4.2 | 43 |
| 42 | The contribution of microbial biotechnology to economic growth and employment creation. Microbial Biotechnology, 2017, 10, 1137-1144. | 4.2 | 30 |
| 43 | A routine checkâ€up at the digital medical centre. Microbial Biotechnology, 2017, 10, 25-27. | 4.2 | 3 |
| 44 | Microbiome yarns: microbial forensics for auditing provenance in global food chains[,]</sup>,</sup></sup>. Microbial Biotechnology, 2017, 10, 678-682. | 4.2 | 1 |
| 45 | <i>Microbial Biotechnology</i> is 10!. Microbial Biotechnology, 2017, 10, 1277-1278. | 4.2 | 1 |
| 46 | Microbiome yarns: microbiome basis of memory,,,. Microbial Biotechnology, 2017, 10, 1283-1292. | 4.2 | 0 |
| 47 | <sc>S</sc>ingh <sc>C</sc>hatwal: A magical scholar and exceptional <sc><i>S</i></sc><i>treptococcus</i></sc> researcher. Environmental Microbiology Reports, 2016, 8, 550-552. | 2.4 | 0 |
| 48 | Protein Network of the Pseudomonas aeruginosa Denitrification Apparatus. Journal of Bacteriology, 2016, 198, 1401-1413. | 2.2 | 60 |
| 49 | Microbiomes, metabolic errors and detection of performance enhancing drug abuse^{1,2}. Environmental Microbiology Reports, 2016, , . | 2.4 | 0 |
| 50 | Is there a common water-activity limit for the three domains of life?. ISME Journal, 2015, 9, 1333-1351. | 9.8 | 229 |
| 51 | A Periplasmic Complex of the Nitrite Reductase NirS, the Chaperone DnaK, and the Flagellum Protein FliC Is Essential for Flagellum Assembly and Motility in Pseudomonas aeruginosa. Journal of Bacteriology, 2015, 197, 3066-3075. | 2.2 | 24 |
| 52 | Farewell to Bernard Witholt, A pioneering microbial biotechnologist. Microbial Biotechnology, 2015, 8, 621-622. | 4.2 | 0 |
| 53 | Concomitant osmotic and chaotropicity-induced stresses in Aspergillus wentii: compatible solutes determine the biotic window. Current Genetics, 2015, 61, 457-477. | 1.7 | 101 |
| 54 | Multiplication of microbes below 0.690 water activity: implications for terrestrial and extraterrestrial life. Environmental Microbiology, 2015, 17, 257-277. | 3.8 | 131 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Pipelines for New Chemicals: a strategy to create new value chains and stimulate innovation-based economic revival in Southern European countries. <i>Environmental Microbiology</i> , 2014, 16, 9-18. | 3.8 | 16 |
| 56 | Impact of a simulated oil spill on benthic phototrophs and nitrogen-fixing bacteria in mudflat mesocosms. <i>Environmental Microbiology</i> , 2013, 15, 242-252. | 3.8 | 52 |
| 57 | Adaptation of the Hydrocarbonoclastic Bacterium <i>Alcanivorax borkumensis</i> SK2 to Alkanes and Toxic Organic Compounds: a Physiological and Transcriptomic Approach. <i>Applied and Environmental Microbiology</i> , 2013, 79, 4282-4293. | 3.1 | 85 |
| 58 | Central Role of Dynamic Tidal Biofilms Dominated by Aerobic Hydrocarbonoclastic Bacteria and Diatoms in the Biodegradation of Hydrocarbons in Coastal Mudflats. <i>Applied and Environmental Microbiology</i> , 2012, 78, 3638-3648. | 3.1 | 90 |
| 59 | Transcriptional profiling of the marine oil-degrading bacterium <i>Alcanivorax borkumensis</i> during growth on n-alkanes. <i>FEMS Microbiology Letters</i> , 2011, 319, 160-168. | 1.8 | 65 |
| 60 | Effect of the Earthworms <i>Lumbricus terrestris</i> and <i>Aporrectodea caliginosa</i> on Bacterial Diversity in Soil. <i>Microbial Ecology</i> , 2010, 59, 574-587. | 2.8 | 92 |
| 61 | Fate of prions in soil: Degradation of recombinant prion in aqueous extracts from soil and casts of two earthworm species. <i>Soil Biology and Biochemistry</i> , 2010, 42, 1168-1171. | 8.8 | 10 |
| 62 | Novel Hybrid Esterase-Haloacid Dehalogenase Enzyme. <i>ChemBioChem</i> , 2010, 11, 1975-1978. | 2.6 | 16 |
| 63 | Halophilic archaea in the human intestinal mucosa. <i>Environmental Microbiology</i> , 2010, 12, 2398-2410. | 3.8 | 105 |
| 64 | Consortia modulation of the stress response: proteomic analysis of single strain versus mixed culture. <i>Environmental Microbiology</i> , 2010, 12, 2436-2449. | 3.8 | 28 |
| 65 | Human biome biotechnology and the personalization of odour profiles*. <i>Microbial Biotechnology</i> , 2009, 2, 150-152. | 4.2 | 1 |
| 66 | Bacterial consortium proteomics under 4-chlorosalicylate carbon-limiting conditions. <i>Proteomics</i> , 2009, 9, 2273-2285. | 2.2 | 14 |
| 67 | Microbial consortia in mesocosm bioremediation trial using oil sorbents, slow-release fertilizer and bioaugmentation. <i>FEMS Microbiology Ecology</i> , 2009, 69, 288-300. | 2.7 | 44 |
| 68 | <i>Candidatus Lumbricincola</i> TM , a novel lineage of uncultured <i>Mollicutes</i> from earthworms of family <i>Lumbricidae</i> . <i>Environmental Microbiology</i> , 2009, 11, 1016-1026. | 3.8 | 57 |
| 69 | Characterization of marine isoprene-degrading communities. <i>Environmental Microbiology</i> , 2009, 11, 3280-3291. | 3.8 | 111 |
| 70 | Reactome Array: Forging a Link Between Metabolome and Genome. <i>Science</i> , 2009, 326, 252-257. | 12.6 | 39 |
| 71 | Niche-specificity factors of a marine oil-degrading bacterium <i>Alcanivorax borkumensis</i> SK2. <i>FEMS Microbiology Letters</i> , 2008, 285, 89-96. | 1.8 | 36 |
| 72 | High benzene concentrations can favour Gram-positive bacteria in groundwaters from a contaminated aquifer. <i>FEMS Microbiology Ecology</i> , 2008, 65, 526-533. | 2.7 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Fungi and inflammatory bowel diseases: Alterations of composition and diversity. Scandinavian Journal of Gastroenterology, 2008, 43, 831-841. | 1.5 | 375 |
| 74 | A purple acidophilic di-ferric DNA ligase from <i>Ferroplasma</i> . Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 8878-8883. | 7.1 | 27 |
| 75 | Genome-Scale Reconstruction and Analysis of the <i>Pseudomonas putida</i> KT2440 Metabolic Network Facilitates Applications in Biotechnology. PLoS Computational Biology, 2008, 4, e1000210. | 3.2 | 237 |
| 76 | Dynamics of Reductive Genome Evolution in Mitochondria and Obligate Intracellular Microbes. Molecular Biology and Evolution, 2007, 24, 449-456. | 8.9 | 37 |
| 77 | Analysis of Storage Lipid Accumulation in <i>Alcanivorax borkumensis</i> : Evidence for Alternative Triacylglycerol Biosynthesis Routes in Bacteria. Journal of Bacteriology, 2007, 189, 918-928. | 2.2 | 133 |
| 78 | Obligate oil-degrading marine bacteria. Current Opinion in Biotechnology, 2007, 18, 257-266. | 6.6 | 769 |
| 79 | Primary producing prokaryotic communities of brine, interface and seawater above the halocline of deep anoxic lake L'Atalante, Eastern Mediterranean Sea. ISME Journal, 2007, 1, 743-755. | 9.8 | 99 |
| 80 | The cellular machinery of <i>Ferroplasma acidiphilum</i> is iron-protein-dominated. Nature, 2007, 445, 91-94. | 27.8 | 88 |
| 81 | Determining the identity and roles of oil-metabolizing marine bacteria from the Thames estuary, UK. Environmental Microbiology, 2007, 9, 165-176. | 3.8 | 201 |
| 82 | Effects of temperature and biostimulation on oil-degrading microbial communities in temperate estuarine waters. Environmental Microbiology, 2007, 9, 177-186. | 3.8 | 242 |
| 83 | Limits of life in MgCl ₂ -containing environments: chaotropicity defines the window. Environmental Microbiology, 2007, 9, 801-813. | 3.8 | 254 |
| 84 | Efficacy of intervention strategies for bioremediation of crude oil in marine systems and effects on indigenous hydrocarbonoclastic bacteria. Environmental Microbiology, 2007, 9, 1562-1571. | 3.8 | 146 |
| 85 | Widespread capacity to metabolize polychlorinated biphenyls by diverse microbial communities in soils with no significant exposure to PCB contamination. Environmental Microbiology, 2007, 9, 1890-1897. | 3.8 | 41 |
| 86 | Characterization of a chitinolytic enzyme from <i>Serratia</i> sp. KCK isolated from kimchi juice. Applied Microbiology and Biotechnology, 2007, 75, 1275-1283. | 3.6 | 32 |
| 87 | Characterization and role of a metalloprotease induced by chitin in <i>Serratia</i> sp. KCK. Journal of Industrial Microbiology and Biotechnology, 2007, 34, 715-721. | 3.0 | 10 |
| 88 | Proteomic Insights into Metabolic Adaptations in <i>Alcanivorax borkumensis</i> Induced by Alkane Utilization. Journal of Bacteriology, 2006, 188, 3763-3773. | 2.2 | 139 |
| 89 | Novel Polyphenol Oxidase Mined from a Metagenome Expression Library of Bovine Rumen. Journal of Biological Chemistry, 2006, 281, 22933-22942. | 3.4 | 168 |
| 90 | Low temperature-induced systems failure in <i>Escherichia coli</i> : Insights from rescue by cold-adapted chaperones. Proteomics, 2006, 6, 193-206. | 2.2 | 73 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | The 'pH optimum anomaly' of intracellular enzymes of <i>Ferroplasma acidiphilum</i> . <i>Environmental Microbiology</i> , 2006, 8, 416-425. | 3.8 | 48 |
| 92 | 16S rRNA gene sequence analyses and inter- and intrageneric relationships of <i>Xanthomonas</i> species and <i>Stenotrophomonas maltophilia</i> . <i>FEMS Microbiology Letters</i> , 2006, 151, 145-153. | 1.8 | 64 |
| 93 | Heterogeneous aerobic benzene-degrading communities in oxygen-depleted groundwaters. <i>FEMS Microbiology Ecology</i> , 2006, 58, 260-270. | 2.7 | 87 |
| 94 | Genome sequence of the ubiquitous hydrocarbon-degrading marine bacterium <i>Alcanivorax borkumensis</i> . <i>Nature Biotechnology</i> , 2006, 24, 997-1004. | 17.5 | 417 |
| 95 | Stratified prokaryote network in the oxic-anoxic transition of a deep-sea halocline. <i>Nature</i> , 2006, 440, 203-207. | 27.8 | 215 |
| 96 | 7-O-Malonyl Macrolactin A, a New Macrolactin Antibiotic from <i>Bacillus subtilis</i> Active against Methicillin-Resistant <i>Staphylococcus aureus</i> , Vancomycin-Resistant Enterococci, and a Small-Colony Variant of <i>Burkholderia cepacia</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2006, 50, 1701-1709. | 3.2 | 129 |
| 97 | Mutation in a α -tesB-Like-Hydroxyacyl-Coenzyme A-Specific Thioesterase Gene Causes Hyperproduction of Extracellular Polyhydroxyalkanoates by <i>Alcanivorax borkumensis</i> SK2. <i>Journal of Bacteriology</i> , 2006, 188, 8452-8459. | 2.2 | 79 |
| 98 | Stable isotope probing reveals the dominant role of <i>Burkholderia</i> species in aerobic degradation of PCBs. <i>FEMS Microbiology Ecology</i> , 2005, 52, 207-217. | 2.7 | 55 |
| 99 | Microbial Enzymes Mined from the Urania Deep-Sea Hypersaline Anoxic Basin. <i>Chemistry and Biology</i> , 2005, 12, 895-904. | 6.0 | 142 |
| 100 | The Enigma of Prokaryotic Life in Deep Hypersaline Anoxic Basins. <i>Science</i> , 2005, 307, 121-123. | 12.6 | 275 |
| 101 | Effects of long-term benzene pollution on bacterial diversity and community structure in groundwater. <i>Environmental Microbiology</i> , 2005, 7, 1192-1199. | 3.8 | 55 |
| 102 | <i>Ferroplasma</i> and relatives, recently discovered cell wall-lacking archaea making a living in extremely acid, heavy metal-rich environments. <i>Environmental Microbiology</i> , 2005, 7, 1277-1288. | 3.8 | 143 |
| 103 | Novel hydrolase diversity retrieved from a metagenome library of bovine rumen microflora. <i>Environmental Microbiology</i> , 2005, 7, 1996-2010. | 3.8 | 258 |
| 104 | Golden age of drug discovery or dark age of missed chances?. <i>Environmental Microbiology</i> , 2005, 7, 1861-1863. | 3.8 | 1 |
| 105 | Natural microbial diversity in superficial sediments of Milazzo Harbor (Sicily) and community successions during microcosm enrichment with various hydrocarbons. <i>Environmental Microbiology</i> , 2005, 7, 1426-1441. | 3.8 | 194 |
| 106 | Conversion of a Carboxylesterase into a Triacylglycerol Lipase by a Random Mutation. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 7553-7557. | 13.8 | 32 |
| 107 | Three Stages of a Biofilm Community Developing at the Liquid-Liquid Interface between Polychlorinated Biphenyls and Water. <i>Applied and Environmental Microbiology</i> , 2005, 71, 7301-7309. | 3.1 | 64 |
| 108 | Uracil content of 16S rRNA of thermophilic and psychrophilic prokaryotes correlates inversely with their optimal growth temperatures. <i>Nucleic Acids Research</i> , 2005, 33, 4016-4022. | 14.5 | 54 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Expression of a Temperature-Sensitive Esterase in a Novel Chaperone-Based Escherichia coli Strain. Applied and Environmental Microbiology, 2004, 70, 4499-4504. | 3.1 | 71 |
| 110 | Functional consequences of single:double ring transitions in chaperonins: life in the cold. Molecular Microbiology, 2004, 53, 167-182. | 2.5 | 42 |
| 111 | In vitro alterations of intestinal bacterial microbiota in fecal samples during storage. Diagnostic Microbiology and Infectious Disease, 2004, 50, 237-245. | 1.8 | 105 |
| 112 | Compatible Solutes Protect against Chaotrope (Ethanol)-Induced, Nonosmotic Water Stress. Applied and Environmental Microbiology, 2003, 69, 7032-7034. | 3.1 | 72 |
| 113 | Leitbacteria of microbial biofilm communities causing occlusion of biliary stents. Environmental Microbiology, 2003, 5, 859-866. | 3.8 | 15 |
| 114 | Chaotropic solutes cause water stress in Pseudomonas putida. Environmental Microbiology, 2003, 5, 1270-1280. | 3.8 | 153 |
| 115 | Genome sequence completed of Alcanivorax borkumensis, a hydrocarbon-degrading bacterium that plays a global role in oil removal from marine systems. Journal of Biotechnology, 2003, 106, 215-220. | 3.8 | 126 |
| 116 | Chaperonins govern growth of Escherichia coli at low temperatures. Nature Biotechnology, 2003, 21, 1266-1267. | 17.5 | 228 |
| 117 | Substrate Specificity and Expression of Three 2,3-Dihydroxybiphenyl 1,2-Dioxygenases from <i>Rhodococcus globerulus</i> Strain P6. Journal of Bacteriology, 2003, 185, 2944-2951. | 2.2 | 58 |
| 118 | Detection and Diversity of Expressed Denitrification Genes in Estuarine Sediments after Reverse Transcription-PCR Amplification from mRNA. Applied and Environmental Microbiology, 2002, 68, 5017-5025. | 3.1 | 174 |
| 119 | Polychlorinated biphenyl-degrading microbial communities in soils and sediments. Current Opinion in Microbiology, 2002, 5, 246-253. | 5.1 | 263 |
| 120 | Microbial community of a saline mud volcano at San Biagio-Belpasso, Mt. Etna (Italy). Environmental Microbiology, 2002, 4, 249-256. | 3.8 | 64 |
| 121 | Pseudomonas putida: a cosmopolitan opportunist par excellence. Environmental Microbiology, 2002, 4, 779-781. | 3.8 | 278 |
| 122 | Upstream-independent ribosomal RNA amplification analysis (URA): a new approach to characterizing the diversity of natural microbial communities. Environmental Microbiology, 2001, 3, 662-666. | 3.8 | 8 |
| 123 | Biological land mines: bioterrorism underscores major knowledge deficits in the ecology of infectious agents. Environmental Microbiology, 2001, 3, 741-742. | 3.8 | 2 |
| 124 | Combined Use of 16S Ribosomal DNA and 16S rRNA To Study the Bacterial Community of Polychlorinated Biphenyl-Polluted Soil. Applied and Environmental Microbiology, 2001, 67, 1874-1884. | 3.1 | 276 |
| 125 | The Essential HupB and HupN Proteins of Pseudomonas putida Provide Redundant and Nonspecific DNA-bending Functions. Journal of Biological Chemistry, 2001, 276, 16641-16648. | 3.4 | 18 |
| 126 | [26] Approach to analyze interactions of microorganisms, hydrophobic substrates, and soil colloids leading to formation of composite biofilms, and to study initial events in microbiogeological processes. Methods in Enzymology, 2001, 336, 317-336. | 1.0 | 36 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | An evaluation of terminal-restriction fragment length polymorphism (T-RFLP) analysis for the study of microbial community structure and dynamics. <i>Environmental Microbiology</i> , 2000, 2, 39-50. | 3.8 | 720 |
| 128 | A gene containment strategy based on a restriction-modification system. <i>Environmental Microbiology</i> , 2000, 2, 555-563. | 3.8 | 26 |
| 129 | A Second [2Fe-2S] Ferredoxin from <i>Sphingomonas</i> sp. Strain RW1 Can Function as an Electron Donor for the Dioxin Dioxygenase. <i>Journal of Bacteriology</i> , 2000, 182, 2238-2244. | 2.2 | 37 |
| 130 | Removal of Mercury from Chemical Wastewater by Microorganisms in Technical Scale. <i>Environmental Science & Technology</i> , 2000, 34, 4628-4634. | 10.0 | 126 |
| 131 | Regiospecificity of Dioxygenation of Di- to Pentachlorobiphenyls and Their Degradation to Chlorobenzoates by the <i>bph</i> -Encoded Catabolic Pathway of <i>Burkholderia</i> sp. Strain LB400. <i>Applied and Environmental Microbiology</i> , 1999, 65, 3614-3621. | 3.1 | 109 |
| 132 | Towards elucidation of microbial community metabolic pathways: unravelling the network of carbon sharing in a pollutant-degrading bacterial consortium by immunocapture and isotopic ratio mass spectrometry. <i>Environmental Microbiology</i> , 1999, 1, 167-174. | 3.8 | 136 |
| 133 | Identification of the metabolically active members of a bacterial community in a polychlorinated biphenyl-polluted moorland soil. <i>Environmental Microbiology</i> , 1999, 1, 199-212. | 3.8 | 148 |
| 134 | Thermal Gradient Gel Electrophoresis Analysis of Bioprotection from Pollutant Shocks in the Activated Sludge Microbial Community. <i>Applied and Environmental Microbiology</i> , 1999, 65, 102-109. | 3.1 | 291 |
| 135 | Degradation of Chlorobenzenes at Nanomolar Concentrations by <i>Burkholderia</i> sp. Strain PS14 in Liquid Cultures and in Soil. <i>Applied and Environmental Microbiology</i> , 1999, 65, 2547-2552. | 3.1 | 39 |
| 136 | 3-Nitroadipate, a Metabolic Intermediate for Mineralization of 2,4-Dinitrophenol by a New Strain of a <i>Rhodococcus</i> Species. <i>Journal of Bacteriology</i> , 1999, 181, 149-152. | 2.2 | 52 |
| 137 | Genetic and Biochemical Analyses of the <i>tec</i> Operon Suggest a Route for Evolution of Chlorobenzene Degradation Genes. <i>Journal of Bacteriology</i> , 1999, 181, 341-346. | 2.2 | 55 |
| 138 | A Functional 4-Hydroxysalicylate/Hydroxyquinol Degradative Pathway Gene Cluster Is Linked to the Initial Dibenzo- <i>p</i> -Dioxin Pathway Genes in <i>Sphingomonas</i> sp. Strain RW1. <i>Journal of Bacteriology</i> , 1999, 181, 3452-3461. | 2.2 | 74 |
| 139 | Mini-transposons in microbial ecology and environmental biotechnology. <i>FEMS Microbiology Ecology</i> , 1998, 27, 211-224. | 2.7 | 43 |
| 140 | Genetic requirements for the expression of benzylamine dehydrogenase activity in <i>Pseudomonas putida</i> . <i>FEMS Microbiology Letters</i> , 1998, 166, 109-114. | 1.8 | 6 |
| 141 | Multifunctional g3p-peptide tag for current phage display systems. <i>Journal of Immunological Methods</i> , 1998, 212, 131-138. | 1.4 | 13 |
| 142 | The reductase RedA2 of the multi-component dioxin dioxygenase system of <i>Sphingomonas</i> sp. RW1 is related to class <i>P</i> ₄₅₀ cytochrome <i>P</i> ₄₅₀ type reductases. <i>FEBS Journal</i> , 1998, 253, 437-444. | 0.2 | 37 |
| 143 | Crystal structure of <i>cis</i> -biphenyl-2,3-dihydrodiol-2,3-dehydrogenase from a PCB degrader at 2.0 Å resolution. <i>Protein Science</i> , 1998, 7, 1286-1293. | 7.6 | 69 |
| 144 | Ecology and industrial microbiology Strange bedfellows. <i>Current Opinion in Microbiology</i> , 1998, 1, 267-270. | 5.1 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 145 | Characterization of a gene cluster from <i>Ralstonia eutropha</i> JMP134 encoding metabolism of 4-methylmuconolactone. <i>Gene</i> , 1998, 206, 53-62. | 2.2 | 16 |
| 146 | A Novel [2Fe-2S] Ferredoxin from <i>Pseudomonas putidamt2</i> Promotes the Reductive Reactivation of Catechol 2,3-Dioxygenase. <i>Journal of Biological Chemistry</i> , 1998, 273, 9622-9629. | 3.4 | 63 |
| 147 | Use of Subtractive Hybridization To Design Habitat-Based Oligonucleotide Probes for Investigation of Natural Bacterial Communities. <i>Applied and Environmental Microbiology</i> , 1998, 64, 185-191. | 3.1 | 11 |
| 148 | Degradation of 1,2,3,4-Tetrachlorobenzene by <i>Pseudomonas chlororaphis</i> RW71. <i>Applied and Environmental Microbiology</i> , 1998, 64, 3798-3806. | 3.1 | 65 |
| 149 | Activation and Repression of Transcription at the Double Tandem Divergent Promoters for the <i>xylR</i> and <i>xylS</i> Genes of the TOL Plasmid of <i>Pseudomonas putida</i> . <i>Journal of Bacteriology</i> , 1998, 180, 2889-2894. | 2.2 | 69 |
| 150 | Genetic Analysis of Dioxin Dioxygenase of <i>Sphingomonas</i> sp. Strain RW1: Catabolic Genes Dispersed on the Genome. <i>Journal of Bacteriology</i> , 1998, 180, 3954-3966. | 2.2 | 165 |
| 151 | Biochemical and Genetic Characterization of a Gentisate 1,2-Dioxygenase from <i>Sphingomonas</i> sp. Strain RW5. <i>Journal of Bacteriology</i> , 1998, 180, 4171-4176. | 2.2 | 71 |
| 152 | Detoxification of Protoanemonin by Dienelactone Hydrolase. <i>Journal of Bacteriology</i> , 1998, 180, 400-402. | 2.2 | 27 |
| 153 | Identification of Chlorobenzene Dioxygenase Sequence Elements Involved in Dechlorination of 1,2,4,5-Tetrachlorobenzene. <i>Journal of Bacteriology</i> , 1998, 180, 5520-5528. | 2.2 | 80 |
| 154 | TRANSCRIPTIONAL CONTROL OF THE PSEUDOMONASTOL PLASMID CATABOLIC OPERONS IS ACHIEVED THROUGH AN INTERPLAY OF HOST FACTORS AND PLASMID-ENCODED REGULATORS. <i>Annual Review of Microbiology</i> , 1997, 51, 341-373. | 7.3 | 315 |
| 155 | Temperature dependent expression of an acid phosphatase by <i>Bordetella bronchiseptica</i> : role in intracellular survival. <i>Microbial Pathogenesis</i> , 1997, 22, 257-264. | 2.9 | 26 |
| 156 | Construction and characterization of genetically-marked bivalent anti- <i>Shigella dysenteriae</i> 1 and anti- <i>Shigella flexneri</i> Y live vaccine candidates. <i>Microbial Pathogenesis</i> , 1997, 22, 363-376. | 2.9 | 10 |
| 157 | Oral Somatic Transgene Vaccination Using Attenuated <i>S. typhimurium</i> . <i>Cell</i> , 1997, 91, 765-775. | 28.9 | 400 |
| 158 | Green fluorescent protein-based reporter systems for genetic analysis of bacteria including monocopy applications. <i>Gene</i> , 1997, 196, 69-74. | 2.2 | 130 |
| 159 | Bioprotection of microbial communities from toxic phenol mixtures by a genetically designed pseudomonad. <i>Nature Biotechnology</i> , 1997, 15, 378-382. | 17.5 | 72 |
| 160 | Genetic and Biochemical Characterization of the Broad Spectrum Chlorobenzene Dioxygenase from <i>Burkholderia</i> Sp. Strain PS12 - Dechlorination of 1,2,4,5-Tetrachlorobenzene. <i>FEBS Journal</i> , 1997, 247, 190-199. | 0.2 | 74 |
| 161 | Molecular Characterization of Fdx1, a Putidaredoxin-Type [2Fe-2S] Ferredoxin Able to Transfer Electrons to the Dioxin Dioxygenase of <i>Sphingomonas</i> sp. RW1. <i>FEBS Journal</i> , 1997, 247, 833-842. | 0.2 | 56 |
| 162 | The potential of <i>Bacillus licheniformis</i> strains for in situ enhanced oil recovery. <i>Journal of Petroleum Science and Engineering</i> , 1997, 18, 147-160. | 4.2 | 128 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Bacterial pathways for the degradation of polychlorinated biphenyls. <i>Marine Chemistry</i> , 1997, 58, 327-333. | 2.3 | 47 |
| 164 | Construction of recombinant <i>Salmonella</i> stably producing the <i>Shigella dysenteriae</i> serotype 1 O-antigen and structural characterization of the <i>Salmonella/Shigella</i> hybrid LPS. <i>Microbial Pathogenesis</i> , 1996, 20, 11-30. | 2.9 | 7 |
| 165 | Towards a vaccine candidate against <i>Shigella dysenteriae</i> 1: expression of the Shiga toxin B-subunit in an attenuated <i>Shigella flexneri</i> Δ carrier strain. <i>Microbial Pathogenesis</i> , 1996, 21, 277-288. | 2.9 | 23 |
| 166 | Muconolactone Isomerase of the 3-Oxo adipate Pathway Catalyzes Dechlorination of 5-Chloro-Substituted Muconolactones. <i>FEBS Journal</i> , 1996, 237, 350-356. | 0.2 | 30 |
| 167 | System to study horizontal gene exchange among microorganisms without cultivation of recipients. <i>Molecular Microbiology</i> , 1996, 22, 207-215. | 2.5 | 47 |
| 168 | The two-step lysis system of pneumococcal bacteriophage EJ-1 is functional in Gram-negative bacteria: triggering of the major pneumococcal autolysin in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 1996, 19, 667-681. | 2.5 | 48 |
| 169 | A stringently controlled expression system for analysing lateral gene transfer between bacteria. <i>Molecular Microbiology</i> , 1996, 21, 293-300. | 2.5 | 23 |
| 170 | Apoptosis of mouse dendritic cells is triggered by listeriolysin, the major virulence determinant of <i>Listeria monocytogenes</i> . <i>Molecular Microbiology</i> , 1996, 20, 119-126. | 2.5 | 182 |
| 171 | An <i>Escherichia coli</i> hemolysin transport system-based vector for the export of polypeptides: Export of shiga-like toxin IIeB subunit by <i>Salmonella typhimurium aroA</i> . <i>Nature Biotechnology</i> , 1996, 14, 765-769. | 17.5 | 75 |
| 172 | Identification of <i>Salmonella typhi</i> promoters activated by invasion of eukaryotic cells. <i>Molecular Microbiology</i> , 1995, 18, 891-902. | 2.5 | 15 |
| 173 | Degradation of chlorobiphenyls catalyzed by the <i>bph</i> -encoded biphenyl-2,3-dioxygenase and biphenyl-2,3-dihydrodiol-2,3-dehydrogenase of <i>Pseudomonas</i> sp. LB400. <i>FEMS Microbiology Letters</i> , 1995, 133, 259-264. | 1.8 | 54 |
| 174 | From Xenobiotic to Antibiotic, Formation of Protoanemonin from 4-Chlorocatechol by Enzymes of the 3-Oxo adipate Pathway. <i>Journal of Biological Chemistry</i> , 1995, 270, 29229-29235. | 3.4 | 115 |
| 175 | Identification of Functional Residues in a 2-Hydroxymuconic Semialdehyde Hydrolase. <i>Journal of Biological Chemistry</i> , 1995, 270, 6403-6411. | 3.4 | 77 |
| 176 | Monoclonal antibody against pIII of filamentous phage: an immunological tool to study pIII fusion protein expression in phage display systems. <i>Immunotechnology: an International Journal of Immunological Engineering</i> , 1995, 1, 53-64. | 2.4 | 37 |
| 177 | The evolutionary relationship of biphenyl dioxygenase from Gram-positive <i>Rhodococcus globerulus</i> P6 to multicomponent dioxygenases from Gram-negative bacteria. <i>Gene</i> , 1995, 156, 11-18. | 2.2 | 93 |
| 178 | Cloning, nucleotide sequence, and expression of the gene encoding a novel dioxygenase involved in metabolism of carboxydiphenyl ethers in <i>Pseudomonas pseudoalcaligenes</i> POB310. <i>Archives of Microbiology</i> , 1995, 163, 35-41. | 2.2 | 72 |
| 179 | The organization of the Pm promoter of the TOL plasmid reflects the structure of its cognate activator protein XylS. <i>Molecular Genetics and Genomics</i> , 1994, 244, 596-605. | 2.4 | 27 |
| 180 | Universal barrier to lateral spread of specific genes among microorganisms. <i>Molecular Microbiology</i> , 1994, 13, 855-861. | 2.5 | 75 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 181 | The biphenyl/polychlorinated biphenyl-degradation locus (bph) of <i>Pseudomonas</i> sp. LB400 encodes four additional metabolic enzymes. <i>Gene</i> , 1994, 144, 9-16. | 2.2 | 174 |
| 182 | Domain structure and conserved epitopes of Sfb protein, the fibronectin-binding adhesin of <i>Streptococcus pyogenes</i> . <i>Molecular Microbiology</i> , 1994, 13, 531-539. | 2.5 | 135 |
| 183 | [31] Analysis and construction of stable phenotypes in gram-negative bacteria with Tn5- and Tn10-derived minitransposons. <i>Methods in Enzymology</i> , 1994, 235, 386-405. | 1.0 | 852 |
| 184 | Designing Microorganisms for the Treatment of Toxic Wastes. <i>Annual Review of Microbiology</i> , 1994, 48, 525-557. | 7.3 | 174 |
| 185 | Behavior of Pollutant-Degrading Microorganisms in Aquifers: Predictions for Genetically Engineered Organisms. <i>Environmental Science & Technology</i> , 1994, 28, 1134-1138. | 10.0 | 27 |
| 186 | <i>Pseudomonas putida</i> Strains Which Constitutively Overexpress Mercury Resistance for Biodegradation of Organomercurial Pollutants. <i>Applied and Environmental Microbiology</i> , 1994, 60, 357-362. | 3.1 | 57 |
| 187 | Accumulation of 2-chloromuconate during metabolism of 3-chlorobenzoate by <i>Alcaligenes eutrophus</i> JMP134. <i>Applied Microbiology and Biotechnology</i> , 1993, 39, 563-567. | 3.6 | 20 |
| 188 | Purification and characterization of cytochrome P450RR1 from <i>Rhodococcus rhodochrous</i> . <i>FEBS Journal</i> , 1993, 213, 211-216. | 0.2 | 45 |
| 189 | Expression of the <i>Shigella dysenteriae</i> type-1 lipopolysaccharide repeating unit in <i>Escherichia coli</i> K12/ <i>Shigella dysenteriae</i> type-1 hybrids. <i>FEBS Journal</i> , 1993, 213, 573-581. | 0.2 | 22 |
| 190 | Identification of a cis-acting Sequence within the Pm Promoter of the TOL Plasmid which Confers XylS-mediated Responsiveness to Substituted Benzoates. <i>Journal of Molecular Biology</i> , 1993, 230, 699-703. | 4.2 | 49 |
| 191 | Stimulation of secretory antibodies against <i>Bordetella pertussis</i> antigens in the lungs of mice after oral or intranasal administration of liposome-incorporated cell-surface antigens. <i>Microbial Pathogenesis</i> , 1993, 14, 149-160. | 2.9 | 17 |
| 192 | Genetic analysis of a <i>Pseudomonas</i> locus encoding a pathway for biphenyl/polychlorinated biphenyl degradation. <i>Gene</i> , 1993, 130, 47-55. | 2.2 | 195 |
| 193 | Engineering of alkyl- and haloaromatic-responsive gene expression with mini-transposons containing regulated promoters of biodegradative pathways of <i>Pseudomonas</i> . <i>Gene</i> , 1993, 130, 41-46. | 2.2 | 113 |
| 194 | A T7 RNA polymerase-based system for the construction of <i>Pseudomonas</i> strains with phenotypes dependent on TOL-meta pathway effectors. <i>Gene</i> , 1993, 134, 103-106. | 2.2 | 36 |
| 195 | Analysis of <i>Pseudomonas</i> gene products using lacIq/P _{trp} -lac plasmids and transposons that confer conditional phenotypes. <i>Gene</i> , 1993, 123, 17-24. | 2.2 | 429 |
| 196 | Upstream binding sequences of the XylR activator protein and integration host factor in the xylS gene promoter region of the <i>Pseudomonas</i> TOL plasmid. <i>Nucleic Acids Research</i> , 1992, 20, 1755-1762. | 14.5 | 52 |
| 197 | Extracellular export of Shiga toxin B-subunit/ haemolysin A (C-terminus) fusion protein expressed in <i>Salmonella typhimurium</i> aroA-mutant and stimulation of B-subunit specific antibody responses in mice. <i>Microbial Pathogenesis</i> , 1992, 13, 465-476. | 2.9 | 26 |
| 198 | Expression of <i>Bordetella pertussis</i> filamentous hemagglutinin in <i>Escherichia coli</i> using a two cistron system. <i>Microbial Pathogenesis</i> , 1992, 12, 383-389. | 2.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 199 | XylS domain interactions can be deduced from intraallelic dominance in double mutants of <i>Pseudomonas putida</i> . <i>Molecular Genetics and Genomics</i> , 1992, 235, 406-412. | 2.4 | 24 |
| 200 | A general system to integrate lacZ fusions into the chromosomes of gram-negative eubacteria: regulation of the Pm promoter of the TOL plasmid studied with all controlling elements in monocopy. <i>Molecular Genetics and Genomics</i> , 1992, 233, 293-301. | 2.4 | 285 |
| 201 | Environmental biotechnology: Editorial overview. <i>Current Opinion in Biotechnology</i> , 1992, 3, 225-226. | 6.6 | 2 |
| 202 | Signal-regulator interactions, genetic analysis of the effector binding site of xylS, the benzoate-activated positive regulator of <i>Pseudomonas</i> TOL plasmid meta-cleavage pathway operon. <i>Journal of Molecular Biology</i> , 1990, 211, 373-382. | 4.2 | 92 |
| 203 | Broad-host range expression vectors containing manipulated meta-cleavage pathway regulatory elements of the TOL plasmid. <i>FEBS Letters</i> , 1988, 226, 241-246. | 2.8 | 31 |
| 204 | Analysis of the K1 capsule biosynthesis genes of <i>Escherichia coli</i> : Definition of three functional regions for capsule production. <i>Molecular Genetics and Genomics</i> , 1987, 208, 242-246. | 2.4 | 89 |
| 205 | The xylS gene positive regulator of TOL plasmid pWWO: Identification, sequence analysis and overproduction leading to constitutive expression of meta cleavage operon. <i>Molecular Genetics and Genomics</i> , 1987, 207, 349-354. | 2.4 | 70 |
| 206 | Genetic analysis of a relaxed substrate specificity aromatic ring dioxygenase, toluate 1,2-dioxygenase, encoded by TOL plasmid pWWO of <i>Pseudomonas putida</i> . <i>Molecular Genetics and Genomics</i> , 1986, 202, 226-234. | 2.4 | 89 |
| 207 | Colonization factor antigen II (CFA/II) of enterotoxigenic <i>Escherichia coli</i> : molecular cloning of the CS3 determinant. <i>Molecular Genetics and Genomics</i> , 1985, 200, 322-327. | 2.4 | 29 |
| 208 | ColD-derived cloning vectors that autoamplify in the stationary phase of bacterial growth. <i>Gene</i> , 1985, 35, 103-111. | 2.2 | 22 |
| 209 | Inheritance functions of group IncFII transmissible antibiotic resistance plasmids. <i>Plasmid</i> , 1981, 5, 53-75. | 1.4 | 44 |
| 210 | Plasmid replication functions. <i>Molecular Genetics and Genomics</i> , 1979, 168, 1-25. | 2.4 | 84 |
| 211 | Plasmid replication functions. <i>Molecular Genetics and Genomics</i> , 1979, 168, 27-36. | 2.4 | 43 |
| 212 | Rapid assay for the determination of bacterial resistance to the lethal activity of serum. <i>FEMS Microbiology Letters</i> , 1979, 6, 273-276. | 1.8 | 49 |
| 213 | Plasmid replication functions. IV. Promoters in the replication region of plasmid R6-5. <i>Nucleic Acids Research</i> , 1979, 7, 1469-1484. | 14.5 | 7 |
| 214 | tra cistrons and proteins encoded by the <i>Escherichia coli</i> antibiotic resistance plasmid R6-5. <i>Molecular Genetics and Genomics</i> , 1978, 163, 169-179. | 2.4 | 43 |
| 215 | Cloning and characterization of EcoRI and HindIII restriction endonuclease-generated fragments of antibiotic resistance plasmids R6-5 and R6. <i>Molecular Genetics and Genomics</i> , 1978, 162, 121-137. | 2.4 | 200 |
| 216 | Instability of plasmid DNA sequences: Macro and micro evolution of the antibiotic resistance plasmid R6-5. <i>Molecular Genetics and Genomics</i> , 1978, 167, 11-19. | 2.4 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 217 | Plasmid incompatibility: cloning analysis of an inc FII determinant of R6-5. <i>Nature</i> , 1978, 273, 27-32. | 27.8 | 76 |
| 218 | Cloning of chicken lysozyme structural gene sequences synthesized in vitro. <i>Nucleic Acids Research</i> , 1978, 5, 3275-3294. | 14.5 | 64 |
| 219 | Replication control in a composite plasmid constructed by in vitro linkage of two distinct replicons. <i>Nature</i> , 1976, 259, 285-290. | 27.8 | 298 |
| 220 | Covalently closed circular DNA molecules of low superhelix density as intermediate forms in plasmid replication. <i>Nature</i> , 1976, 261, 512-516. | 27.8 | 31 |
| 221 | Replication Region Fragments Cloned from F ⁺ Are Identical to Eco RI Fragment f5 of F. <i>Journal of Bacteriology</i> , 1976, 127, 1571-1575. | 2.2 | 45 |
| 222 | Gene dosage studies with pleiotropic mutants of <i>Serratia marcescens</i> superactive in the synthesis of marcescin A and certain other exocellular proteins. <i>Molecular Genetics and Genomics</i> , 1973, 124, 207-217. | 2.4 | 28 |
| 223 | Isolation of Covalently Closed Circular Deoxyribonucleic Acid from Bacteria Which Produce Exocellular Nuclease. <i>Journal of Bacteriology</i> , 1973, 113, 508-509. | 2.2 | 29 |