Eneida Mioshi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2426404/publications.pdf

Version: 2024-02-01

103 papers 7,156 citations

35 h-index 81 g-index

106 all docs

106
docs citations

106 times ranked 7380 citing authors

#	Article	IF	CITATIONS
1	Examining the Impact of Different Components of Sleep Quality on Anxiety Among Family Carers of People with Dementia. Journal of Geriatric Psychiatry and Neurology, 2023, 36, 63-72.	1.2	4
2	Most Common Refusals of Personal Care in Advanced Dementia: Psychometric Properties of the Refusal of Care Informant Scale. Gerontologist, The, 2023, 63, 1330-1340.	2.3	3
3	What are the educational and support needs of family carers looking after someone in the early stages of Alzheimer's disease? A qualitative retrospective approach. Health and Social Care in the Community, 2022, 30, 1726-1734.	0.7	6
4	Examining the presence and nature of delusions in Alzheimer's disease and frontotemporal dementia syndromes. International Journal of Geriatric Psychiatry, 2022, 37, .	1.3	4
5	Contributions of Caregiver Management Styles to the Discrepancy Between Reported and Observed Task Performance in People with Dementia. Journal of Alzheimer's Disease, 2022, , 1-10.	1.2	1
6	Disease Progression in Frontotemporal Dementia and Alzheimer Disease: The Contribution of Staging Scales. Journal of Geriatric Psychiatry and Neurology, 2021, 34, 397-404.	1.2	8
7	Factors Related to the Quality of Life in Family Carers of People With Dementia: A Meta-Analysis. Journal of Geriatric Psychiatry and Neurology, 2021, 34, 482-500.	1.2	7
8	Distinguishing Frontotemporal Dementia From Alzheimer Disease Through Everyday Function Profiles: Trajectories of Change. Journal of Geriatric Psychiatry and Neurology, 2021, 34, 66-75.	1.2	4
9	Positive behaviour support in frontotemporal dementia: A pilot study. Neuropsychological Rehabilitation, 2021, 31, 507-530.	1.0	14
10	Reduced cognitive ability in people with rheumatoid arthritis compared with age-matched healthy controls. Rheumatology Advances in Practice, 2021, 5, rkab044.	0.3	6
11	How does carer management style influence the performance of activities of daily living in people with dementia?. International Journal of Geriatric Psychiatry, 2021, 36, 1891-1898.	1.3	4
12	Factors predicting quality of life in family carers of people with dementia: The role of psychological inflexibility. Journal of Contextual Behavioral Science, 2021, 22, 7-12.	1.3	3
13	Problem-focused coping underlying lower caregiver burden in ALS-FTD: implications for caregiver intervention. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2021, 22, 434-441.	1.1	7
14	Nonpharmacological Interventions to Improve Depression, Anxiety, and Quality of Life (QoL) in People With Dementia: An Overview of Systematic Reviews. Journal of Geriatric Psychiatry and Neurology, 2020, 33, 28-41.	1.2	62
15	Antonovsky's sense of coherence and resistance resources reduce perception of burden in family carers of people with Alzheimer's disease. Aging and Mental Health, 2020, 24, 1717-1725.	1.5	10
16	Exploring the impact of carer stressors and psychological inflexibility on depression and anxiety in family carers of people with dementia. Journal of Contextual Behavioral Science, 2020, 17, 119-125.	1.3	21
17	Caregivers' Sense of Coherence: Implications on Direct and Indirect Costs of Dementia Care. Journal of Alzheimer's Disease, 2020, 78, 117-126.	1.2	5
18	Risk and protective factors affecting the quality of life of family carers of people with dementia. Alzheimer's and Dementia, 2020, 16, e040277.	0.4	0

#	Article	IF	CITATIONS
19	Strategies and interventions to reduce or manage refusals in personal care in dementia: A systematic review. International Journal of Nursing Studies, 2020, 109, 103640.	2.5	28
20	Dementia Diagnosis in Seven Languages: The Addenbrooke's Cognitive Examination-III in India. Archives of Clinical Neuropsychology, 2020, 35, 528-538.	0.3	25
21	Reliability and validity of the brief dimensional apathy scale. Archives of Clinical Neuropsychology, 2020, 35, 539-544.	0.3	13
22	Pronounced Impairment of Activities of Daily Living in Posterior Cortical Atrophy. Dementia and Geriatric Cognitive Disorders, 2020, 49, 48-55.	0.7	8
23	Development of the MiNDToolkit for management of cognitive and behavioral impairment in motor neuron disease. Neurodegenerative Disease Management, 2020, 10, 15-25.	1.2	1
24	Association between use of assistive technologies and activities of daily living in Alzheimer's disease: Does cognitive score matter?. Alzheimer's and Dementia, 2020, 16, e043161.	0.4	0
25	Challenges in public perception: highlights from the United Kingdom-Brazil Dementia Workshop. Dementia E Neuropsychologia, 2020, 14, 209-215.	0.3	1
26	Limited formal education is strongly associated with lower cognitive status, functional disability and frailty status in older adults. Dementia E Neuropsychologia, 2019, 13, 216-224.	0.3	58
27	Social support and high resilient coping in carers of people with dementia. Geriatric Nursing, 2019, 40, 584-589.	0.9	17
28	The role of resilient coping in dementia carers' wellbeing. British Journal of Neuroscience Nursing, 2019, 15, 6-12.	0.1	5
29	Coping but not allowing the coping to be everything: Resilience in informal dementia care. Health and Social Care in the Community, 2019, 27, e289-e297.	0.7	10
30	Mapping the neuroanatomy of functional decline in Alzheimer's disease from basic to advanced activities of daily living. Journal of Neurology, 2019, 266, 1310-1322.	1.8	11
31	The Impact of Cognitive and Behavioral Symptoms on ALS Patients and Their Caregivers. Frontiers in Neurology, 2019, 10, 192.	1.1	41
32	Deficits in Emotion Recognition as Markers of Frontal Behavioral Dysfunction in Amyotrophic Lateral Sclerosis. Journal of Neuropsychiatry and Clinical Neurosciences, 2019, 31, 165-169.	0.9	11
33	The tailored activity program (TAP) to address behavioral disturbances in frontotemporal dementia: a feasibility and pilot study. Disability and Rehabilitation, 2019, 41, 299-310.	0.9	35
34	Apathy and functional disability in behavioral variant frontotemporal dementia. Neurology: Clinical Practice, 2018, 8, 120-128.	0.8	17
35	What Do We Know About Behavioral Crises in Dementia? A Systematic Review. Journal of Alzheimer's Disease, 2018, 62, 99-113.	1.2	30
36	Validity and Reliability of the Frontotemporal Dementia Rating Scale (FTD-FRS) for the Progression and Staging of Dementia in Brazilian Patients. Alzheimer Disease and Associated Disorders, 2018, 32, 220-225.	0.6	7

#	Article	IF	CITATIONS
37	Frontostriatal grey matter atrophy in amyotrophic lateral sclerosis A visual rating study. Dementia E Neuropsychologia, 2018, 12, 388-393.	0.3	2
38	Diagnostic relevance of spatial orientation for vascular dementia: A case study. Dementia E Neuropsychologia, 2018, 12, 85-91.	0.3	16
39	Which interventions work for dementia family carers?: an updated systematic review of randomized controlled trials of carer interventions. International Psychogeriatrics, 2018, 30, 1679-1696.	0.6	72
40	What Factors Predict Family Caregivers' Attendance at Dementia Cafés?. Journal of Alzheimer's Disease, 2018, 64, 1337-1345.	1.2	20
41	The neural correlates and clinical characteristics of psychosis in the frontotemporal dementia continuum and the C9orf72 expansion. Neurolmage: Clinical, 2017, 13, 439-445.	1.4	60
42	Amyotrophic lateral sclerosis - frontotemporal spectrum disorder (ALS-FTSD): Revised diagnostic criteria. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2017, 18, 153-174.	1.1	607
43	Behavioral-variant frontotemporal dementia. Neurology, 2017, 89, 570-577.	1.5	37
44	Detecting clinical change with the CDRâ€FTLD: differences between FTLD and AD dementia. International Journal of Geriatric Psychiatry, 2017, 32, 977-982.	1.3	17
45	Factors Underpinning Caregiver Burden in Frontotemporal Dementia Differ in Spouses and their Children. Journal of Alzheimer's Disease, 2017, 56, 1109-1117.	1.2	33
46	Health profile of family caregivers of the elderly and its association with variables of care: a rural study. Revista Brasileira De Geriatria E Gerontologia, 2017, 20, 409-420.	0.1	27
47	High burden and frailty: association with poor cognitive performance in older caregivers living in rural areas. Trends in Psychiatry and Psychotherapy, 2017, 39, 257-263.	0.4	18
48	Dissociation of Structural and Functional Integrities of the Motor System in Amyotrophic Lateral		

#	Article	IF	Citations
55	Syntactic comprehension deficits across the FTD-ALS continuum. Neurobiology of Aging, 2016, 41, 11-18.	1.5	24
56	Impact of Bilingualism on Cognitive Outcome After Stroke. Stroke, 2016, 47, 258-261.	1.0	148
57	Enhancing caregivers' understanding of dementia and tailoring activities in frontotemporal dementia: two case studies. Disability and Rehabilitation, 2016, 38, 704-714.	0.9	20
58	Cognitive and Behavioral Symptoms in ALSFTD. Journal of Geriatric Psychiatry and Neurology, 2016, 29, 3-10.	1.2	23
59	A longer diagnostic interval is a risk for depression in amyotrophic lateral sclerosis. Palliative and Supportive Care, 2015, 13, 1019-1024.	0.6	26
60	The Evolution of Caregiver Burden inÂFrontotemporal Dementia with and without Amyotrophic Lateral Sclerosis. Journal of Alzheimer's Disease, 2015, 49, 875-885.	1,2	26
61	Characterizing Sexual Behavior inÂFrontotemporal Dementia. Journal of Alzheimer's Disease, 2015, 46, 677-686.	1.2	28
62	O3-10-05: Trajectories of functional decline and behavioral changes in primary progressive aphasia. , 2015, 11, P242-P243.		0
63	Pharmacological Management of Lewy Body Dementia: A Systematic Review and Meta-Analysis. American Journal of Psychiatry, 2015, 172, 731-742.	4.0	200
64	Semantic deficits in amyotrophic lateral sclerosis. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2015, 16, 46-53.	1,1	38
65	Neuropsychiatric symptoms and survival in amyotrophic lateral sclerosis: a missing link?. Neurodegenerative Disease Management, 2015, 5, 89-91.	1.2	4
66	Dissociated lower limb muscle involvement in amyotrophic lateral sclerosis. Journal of Neurology, 2015, 262, 1424-1432.	1.8	47
67	The Mini-Addenbrooke's Cognitive Examination: A New Assessment Tool for Dementia. Dementia and Geriatric Cognitive Disorders, 2015, 39, 1-11.	0.7	202
68	A visual MRI atrophy rating scale for the amyotrophic lateral sclerosis-frontotemporal dementia continuum. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2014, 15, 226-234.	1,1	27
69	Functional disability in primary progressive aphasia. Aphasiology, 2014, 28, 1131-1149.	1.4	13
70	Neuropsychiatric changes precede classic motor symptoms in ALS and do not affect survival. Neurology, 2014, 82, 149-155.	1.5	95
71	Cortical hyperexcitability and the split-hand plus phenomenon: Pathophysiological insights in ALS. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2014, 15, 250-256.	1.1	27
72	A novel tool to detect behavioural symptoms in ALS. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2014, 15, 298-304.	1.1	53

#	Article	IF	CITATIONS
73	Use of the Tailored Activities Program to reduce neuropsychiatric behaviors in dementia: an Australian protocol for a randomized trial to evaluate its effectiveness. International Psychogeriatrics, 2014, 26, 857-869.	0.6	27
74	Frontotemporal Dementia Associated With the <i>C9ORF72</i> Mutation. JAMA Neurology, 2014, 71, 331.	4.5	144
75	Ventromedialâ€frontopolar prefrontal cortex atrophy correlates with insight loss in frontotemporal dementia and Alzheimer's disease. Human Brain Mapping, 2014, 35, 616-626.	1.9	64
76	Validation of the Addenbrooke's Cognitive Examination III in Frontotemporal Dementia and Alzheimer's Disease. Dementia and Geriatric Cognitive Disorders, 2013, 36, 242-250.	0.7	656
77	Split-hand plus sign in ALS: Differential involvement of the flexor pollicis longus and intrinsic hand muscles. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2013, 14, 315-318.	1.1	46
78	Cortical excitability differences between flexor pollicis longus and APB. Neuroscience Letters, 2013, 541, 150-154.	1.0	8
79	Cortical atrophy in ALS is critically associated with neuropsychiatric and cognitive changes. Neurology, 2013, 80, 1117-1123.	1.5	100
80	When more is needed: The utility of the frontotemporal dementia scale in ALS. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2013, 14, 169-171.	1.1	5
81	Cognitive decline in logopenic aphasia. Neurology, 2013, 80, 897-903.	1.5	80
82	Improving Burden and Coping Skills in Frontotemporal Dementia Caregivers. Alzheimer Disease and Associated Disorders, 2013, 27, 84-86.	0.6	44
83	The Impact of Dementia Severity on Caregiver Burden in Frontotemporal Dementia and Alzheimer Disease. Alzheimer Disease and Associated Disorders, 2013, 27, 68-73.	0.6	136
84	Identifying Cognitive and Demographic Variables That Contribute to Carer Burden in Dementia. Dementia and Geriatric Cognitive Disorders, 2013, 36, 43-49.	0.7	42
85	Fronto-striatal atrophy correlates of neuropsychiatric dysfunction in frontotemporal dementia (FTD) and Alzheimer's disease (AD). Dementia E Neuropsychologia, 2013, 7, 75-82.	0.3	18
86	Enhancement of carer skills and patient function in the non-pharmacological management of frontotemporal dementia (FTD): A call for randomised controlled studies. Dementia E Neuropsychologia, 2013, 7, 143-150.	0.3	7
87	Cultural differences are reflected in variables associated with carer burden in FTD: A comparison study between India and Australia. Dementia E Neuropsychologia, 2013, 7, 104-109.	0.3	9
88	Translation, cross-cultural adaptation and applicability of the Brazilian version of the Frontotemporal Dementia Rating Scale (FTD-FRS). Dementia E Neuropsychologia, 2013, 7, 387-396.	0.3	14
89	Caregiver burden in amyotrophic lateral sclerosis is more dependent on patients' behavioral changes than physical disability: a comparative study. BMC Neurology, 2012, 12, 156.	0.8	117
90	Grey and White Matter Changes across the Amyotrophic Lateral Sclerosis-Frontotemporal Dementia Continuum. PLoS ONE, 2012, 7, e43993.	1.1	168

#	Article	IF	CITATIONS
91	Neural correlates of behavioural symptoms in behavioural variant frontotemporal dementia and Alzheimer's disease: Employment of a visual MRI rating scale. Dementia E Neuropsychologia, 2012, 6, 12-17.	0.3	7
92	Amyotrophic lateral sclerosis and frontotemporal dementia: A behavioural and cognitive continuum. Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders, 2012, 13, 102-109.	2.3	124
93	Behavioural-variant frontotemporal dementia: diagnosis, clinical staging, and management. Lancet Neurology, The, 2011, 10, 162-172.	4.9	435
94	How common are behavioural changes in amyotrophic lateral sclerosis? Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders, 2011, 12, 45-51.	2.3	165
95	Application of Addenbrooke's Cognitive Examination to Diagnosis and Monitoring of Progressive Primary Aphasia. Dementia and Geriatric Cognitive Disorders, 2010, 29, 504-509.	0.7	38
96	Factors Underlying Caregiver Stress in Frontotemporal Dementia and Alzheimer's Disease. Dementia and Geriatric Cognitive Disorders, 2009, 27, 76-81.	0.7	124
97	Emotion, social functioning and activities of daily living in frontotemporal dementia. Neurocase, 2009, 15, 182-189.	0.2	80
98	Activities of Daily Living in Behavioral Variant Frontotemporal Dementia. Alzheimer Disease and Associated Disorders, 2009, 23, 70-76.	0.6	40
99	Differentiation of semantic dementia and Alzheimer's disease using the Addenbrooke's Cognitive Examination (ACE). International Journal of Geriatric Psychiatry, 2008, 23, 370-375.	1.3	25
100	The Cambridge Behavioural Inventory revised. Dementia E Neuropsychologia, 2008, 2, 102-107.	0.3	181
101	A cognitive bedside assessment beyond the MMSE: the Addenbrooke's Cognitive Examination. Practical Neurology, 2007, 7, 245-9.	0.5	35
102	The Addenbrooke's Cognitive Examination Revised (ACE-R): a brief cognitive test battery for dementia screening. International Journal of Geriatric Psychiatry, 2006, 21, 1078-1085.	1.3	1,619
103	Factors affecting the quality of life of family carers of people with dementia: the role of carer anxiety. Psychology, Health and Medicine, 0, , 1-11.	1.3	O