

# Matthew E S Bracken

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2427289/matthew-e-s-bracken-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

54  
papers

5,460  
citations

25  
h-index

56  
g-index

56  
ext. papers

6,255  
ext. citations

4.7  
avg, IF

5.23  
L-index

#	Paper	IF	Citations
54	Accounting for variation in temperature and oxygen availability when quantifying marine ecosystem metabolism.. <i>Scientific Reports</i> , <b>2022</b> , 12, 825	4.9	
53	Intertidal Canopy-forming Seaweeds Modulate Understory Seaweed Photoprotective Compounds. <i>Journal of Phycology</i> , <b>2021</b> , 57, 645-654	3	0
52	Susan Lynn Williams: the Life of an Exceptional Scholar, Leader, and Friend (1951-2018). <i>Estuaries and Coasts</i> , <b>2021</b> , 44, 304-311	2.8	1
51	Flexibility of nutritional strategies within a mutualism: food availability affects algal symbiont productivity in two congeneric sea anemone species. <i>Proceedings of the Royal Society B: Biological Sciences</i> , <b>2020</b> , 287, 20201860	4.4	2
50	Complementarity in spatial subsidies of carbon associated with resource partitioning along multiple niche axes. <i>Oecologia</i> , <b>2020</b> , 193, 425-436	2.9	2
49	Nutritional drivers of adult locomotion and asexual reproduction in a symbiont-hosting sea anemone <i>Exaiptasia diaphana</i> . <i>Marine Biology</i> , <b>2020</b> , 167, 1	2.5	7
48	Interactive effects of large- and local-scale environmental gradients on phenotypic differentiation. <i>Ecology</i> , <b>2020</b> , 101, e03078	4.6	1
47	Primary producers may ameliorate impacts of daytime CO <sub>2</sub> addition in a coastal marine ecosystem. <i>PeerJ</i> , <b>2018</b> , 6, e4739	3.1	8
46	When one foundation species supports another: Tubeworms facilitate an extensive kelp bed in a soft-sediment habitat. <i>Ecosphere</i> , <b>2018</b> , 9, e02429	3.1	3
45	Changes in biodiversity and species associations along a latitudinal gradient. <i>Frontiers of Biogeography</i> , <b>2018</b> , 10,	2.9	2
44	Predicting rates of consumer-mediated nutrient cycling by a diverse herbivore assemblage. <i>Marine Biology</i> , <b>2018</b> , 165, 1	2.5	
43	Alternative state? Experimentally induced <i>Fucus</i> canopy persists 38yr in an <i>Ascophyllum</i> -dominated community. <i>Ecosphere</i> , <b>2017</b> , 8, e01725	3.1	11
42	Spatial scale mediates the effects of biodiversity on marine primary producers. <i>Ecology</i> , <b>2017</b> , 98, 1434-1443	4.63	9
41	The underappreciated role of life history in mediating the functional consequences of biodiversity change. <i>Oikos</i> , <b>2017</b> , 126, 488-496	4	4
40	Effects of experimental warming on biodiversity depend on ecosystem type and local species composition. <i>Oikos</i> , <b>2017</b> , 126, 8-17	4	60
39	Species, community, and ecosystem-level responses following the invasion of the red alga <i>Dasysiphonia japonica</i> to the western North Atlantic Ocean. <i>Biological Invasions</i> , <b>2017</b> , 19, 537-547	2.7	11
38	Stoichiometric Mismatch between Consumers and Resources Mediates the Growth of Rocky Intertidal Suspension Feeders. <i>Frontiers in Microbiology</i> , <b>2017</b> , 8, 1297	5.7	6

37	Quantifying the top-down effects of grazers on a rocky shore: selective grazing and the potential for competition. <i>Marine Ecology - Progress Series</i> , <b>2016</b> , 553, 49-66	2.6	3
36	Nitrate uptake varies with tide height and nutrient availability in the intertidal seaweed <i>Fucus vesiculosus</i> . <i>Journal of Phycology</i> , <b>2016</b> , 52, 863-876	3	11
35	Nutrient enrichment alters the consequences of species loss. <i>Journal of Ecology</i> , <b>2015</b> , 103, 862-870	6	27
34	Signatures of nutrient limitation and co-limitation: responses of autotroph internal nutrient concentrations to nitrogen and phosphorus additions. <i>Oikos</i> , <b>2015</b> , 124, 113-121	4	84
33	Invader traits and community context contribute to the recent invasion success of the macroalga <i>Heterosiphonia japonica</i> on New England rocky reefs. <i>Biological Invasions</i> , <b>2015</b> , 17, 257-271	2.7	5
32	Warming and Elevated CO2 Interact to Drive Rapid Shifts in Marine Community Production. <i>PLoS ONE</i> , <b>2015</b> , 10, e0145191	3.7	11
31	Nitrogen availability limits phosphorus uptake in an intertidal macroalga. <i>Oecologia</i> , <b>2014</b> , 175, 667-76	2.9	34
30	Plant-animal diversity relationships in a rocky intertidal system depend on invertebrate body size and algal cover. <i>Ecology</i> , <b>2014</b> , 95, 1308-22	4.6	21
29	Community context mediates the top-down vs. bottom-up effects of grazers on rocky shores. <i>Ecology</i> , <b>2014</b> , 95, 1458-63	4.6	8
28	Realistic changes in seaweed biodiversity affect multiple ecosystem functions on a rocky shore. <i>Ecology</i> , <b>2013</b> , 94, 1944-54	4.6	35
27	Additive effects of physical stress and herbivores on intertidal seaweed biodiversity. <i>Ecology</i> , <b>2013</b> , 94, 1089-101	4.6	26
26	Global biogeography of autotroph chemistry: is insolation a driving force?. <i>Oikos</i> , <b>2013</b> , 122, 1121-1130	4	42
25	Invasion of the red seaweed <i>Heterosiphonia japonica</i> spans biogeographic provinces in the Western North Atlantic Ocean. <i>PLoS ONE</i> , <b>2013</b> , 8, e62261	3.7	15
24	Realistic losses of rare species disproportionately impact higher trophic levels. <i>Ecology Letters</i> , <b>2012</b> , 15, 461-7	10	84
23	Mussel selectivity for high-quality food drives carbon inputs into open-coast intertidal ecosystems. <i>Marine Ecology - Progress Series</i> , <b>2012</b> , 459, 53-62	2.6	32
22	Reality check: issues of scale and abstraction in biodiversity research, and potential solutions <b>2012</b> , 185-199		7
21	Nutrient co-limitation of primary producer communities. <i>Ecology Letters</i> , <b>2011</b> , 14, 852-62	10	575
20	Herbivores, tidal elevation, and species richness simultaneously mediate nitrate uptake by seaweed assemblages. <i>Ecology</i> , <b>2011</b> , 92, 1083-93	4.6	17

19	Herbivores, tidal elevation, and species richness simultaneously mediate nitrate uptake by seaweed assemblages <b>2011</b> , 92, 1083		11
18	Impacts of a simulated heat wave on composition of a marine community. <i>Oikos</i> , <b>2010</b> , 119, 1909-1918	4	47
17	Herbivore metabolism and stoichiometry each constrain herbivory at different organizational scales across ecosystems. <i>Ecology Letters</i> , <b>2009</b> , 12, 516-27	10	124
16	Ecological Factors Affecting Community Invasibility. <i>Ecological Studies</i> , <b>2009</b> , 215-238	1.1	28
15	Local-scale nutrient regeneration facilitates seaweed growth on wave-exposed rocky shores in an upwelling system. <i>Limnology and Oceanography</i> , <b>2009</b> , 54, 309-317	4.8	39
14	Consumers control diversity and functioning of a natural marine ecosystem. <i>PLoS ONE</i> , <b>2009</b> , 4, e5291	3.7	20
13	The Role of Biodiversity for the Functioning of Rocky Reef Communities. <i>Ecological Studies</i> , <b>2009</b> , 361-373	1	2
12	A cross-system synthesis of consumer and nutrient resource control on producer biomass. <i>Ecology Letters</i> , <b>2008</b> , 11, 740-55	10	289
11	DIVERSITY ENHANCES COVER AND STABILITY OF SEAWEED ASSEMBLAGES: THE ROLE OF HETEROGENEITY AND TIME. <i>Ecology</i> , <b>2008</b> , 89, 3008-3019	4.6	101
10	Functional consequences of realistic biodiversity changes in a marine ecosystem. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2008</b> , 105, 924-8	11.5	146
9	Complementarity in marine biodiversity manipulations: reconciling divergent evidence from field and mesocosm experiments. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2008</b> , 105, 18842-7	11.5	72
8	Whole-community mutualism: associated invertebrates facilitate a dominant habitat-forming seaweed. <i>Ecology</i> , <b>2007</b> , 88, 2211-9	4.6	49
7	Global analysis of nitrogen and phosphorus limitation of primary producers in freshwater, marine and terrestrial ecosystems. <i>Ecology Letters</i> , <b>2007</b> , 10, 1135-42	10	2689
6	Consumer versus resource control of producer diversity depends on ecosystem type and producer community structure. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2007</b> , 104, 10904-9	11.5	264
5	Top-down modification of bottom-up processes: selective grazing reduces macroalgal nitrogen uptake. <i>Marine Ecology - Progress Series</i> , <b>2007</b> , 330, 75-82	2.6	14
4	Seaweed diversity enhances nitrogen uptake via complementary use of nitrate and ammonium. <i>Ecology</i> , <b>2006</b> , 87, 2397-403	4.6	110
3	INVERTEBRATE-MEDIATED NUTRIENT LOADING INCREASES GROWTH OF AN INTERTIDAL MACROALGA1. <i>Journal of Phycology</i> , <b>2004</b> , 40, 1032-1041	3	43
2	DIVERSITY OF INTERTIDAL MACROALGAE INCREASES WITH NITROGEN LOADING BY INVERTEBRATES. <i>Ecology</i> , <b>2004</b> , 85, 2828-2836	4.6	49

- 1 Coastal oceanography sets the pace of rocky intertidal community dynamics. *Proceedings of the National Academy of Sciences of the United States of America*, **2003**, 100, 12229-34 11.5 199