

Young Hoon Youn

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2428454/young-hoon-youn-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106
papers

1,457
citations

20
h-index

32
g-index

114
ext. papers

1,766
ext. citations

3.4
avg, IF

4.54
L-index

#	Paper	IF	Citations
106	Reference values of neutrophil-lymphocyte ratio, lymphocyte-monocyte ratio, platelet-lymphocyte ratio, and mean platelet volume in healthy adults in South Korea. <i>Medicine (United States)</i> , 2018 , 97, e11138	11.8	99
105	Clinicopathologic factors influence accurate endosonographic assessment for early gastric cancer. <i>Gastrointestinal Endoscopy</i> , 2007 , 66, 901-8	5.2	97
104	A Lesion-Based Convolutional Neural Network Improves Endoscopic Detection and Depth Prediction of Early Gastric Cancer. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	56
103	Risk of electrocoagulation syndrome after endoscopic submucosal dissection in the colon and rectum. <i>Endoscopy</i> , 2013 , 45, 714-7	3.4	54
102	Signet ring cell mixed histology may show more aggressive behavior than other histologies in early gastric cancer. <i>Journal of Surgical Oncology</i> , 2013 , 107, 124-9	2.8	50
101	Sex Disparity in Gastric Cancer: Female Sex is a Poor Prognostic Factor for Advanced Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2016 , 23, 4344-4351	3.1	47
100	The increase in balloon size to over 15 mm does not affect the development of pancreatitis after endoscopic papillary large balloon dilatation for bile duct stone removal. <i>Digestive Diseases and Sciences</i> , 2011 , 56, 1572-7	4	44
99	Follow-up outcomes of endoscopic resection for early gastric cancer with undifferentiated histology. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 2627-33	5.2	39
98	Learning curve analysis of colorectal endoscopic submucosal dissection (ESD) for laterally spreading tumors by endoscopists experienced in gastric ESD. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016 , 30, 2422-30	5.2	38
97	Peroral Endoscopic Myotomy for Treating Achalasia and Esophageal Motility Disorders. <i>Journal of Neurogastroenterology and Motility</i> , 2016 , 22, 14-24	4.4	38
96	Development and Validation of the Korean Rome III Questionnaire for Diagnosis of Functional Gastrointestinal Disorders. <i>Journal of Neurogastroenterology and Motility</i> , 2013 , 19, 509-15	4.4	35
95	Endoscopic submucosal dissection for colorectal lateral spreading tumors larger than 10 cm: is it feasible?. <i>Gastrointestinal Endoscopy</i> , 2015 , 81, 614-20	5.2	30
94	Clinical Outcomes of Endoscopic Submucosal Dissection for Superficial Esophageal Squamous Neoplasms. <i>Clinical Endoscopy</i> , 2016 , 49, 168-75	2.5	28
93	Clinical outcomes and factors related to colonic perforations in patients receiving self-expandable metal stent insertion for malignant colorectal obstruction. <i>Gastrointestinal Endoscopy</i> , 2018 , 87, 1548-1557.e1	5.3	27
92	Promoter methylation of PCDH10 by HOTAIR regulates the progression of gastrointestinal stromal tumors. <i>Oncotarget</i> , 2016 , 7, 75307-75318	3.3	26
91	Randomised phase 3 trial: tegoprazan, a novel potassium-competitive acid blocker, vs. esomeprazole in patients with erosive oesophagitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2019 , 49, 864-872	6.1	23
90	Growth Patterns of Signet Ring Cell Carcinoma of the Stomach for Endoscopic Resection. <i>Gut and Liver</i> , 2015 , 9, 720-6	4.8	23

89	Clinical risk assessment for gastric cancer in asymptomatic population after a health check-up: An individualized consideration of the risk factors. <i>Medicine (United States)</i> , 2016 , 95, e5351	1.8	22
88	Undifferentiated early gastric cancer diagnosed as differentiated histology based on forceps biopsy. <i>Pathology Research and Practice</i> , 2013 , 209, 314-8	3.4	21
87	Additive lymph node dissection may be necessary in minute submucosal cancer of the stomach after endoscopic resection. <i>Annals of Surgical Oncology</i> , 2012 , 19, 779-85	3.1	20
86	Are new criteria for mixed histology necessary for endoscopic resection in early gastric cancer?. <i>Pathology Research and Practice</i> , 2016 , 212, 410-4	3.4	20
85	Clinical Characteristics of Patients with Untreated Achalasia. <i>Journal of Neurogastroenterology and Motility</i> , 2017 , 23, 378-384	4.4	19
84	Associations of colorectal cancer incidence with nutrient and food group intakes in Korean adults: a case-control study. <i>Clinical Nutrition Research</i> , 2015 , 4, 110-23	1.7	19
83	Risk-Stratification Model Based on Lymph Node Metastasis After Noncurative Endoscopic Resection for Early Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2017 , 24, 1643-1649	3.1	18
82	Effect of scheduled second-look endoscopy on peptic ulcer bleeding: a prospective randomized multicenter trial. <i>Gastrointestinal Endoscopy</i> , 2018 , 87, 457-465	5.2	18
81	Is the recent WHO histological classification for gastric cancer helpful for application to endoscopic resection?. <i>Gastric Cancer</i> , 2016 , 19, 869-75	7.6	17
80	Clinical implication of endoscopic gross appearance in early gastric cancer: revisited. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 3690-5	5.2	17
79	What is the ideal stent as initial intervention for malignant gastric outlet obstruction?. <i>Digestive and Liver Disease</i> , 2013 , 45, 33-7	3.3	17
78	Effects of the Addition of Mosapride to Gastroesophageal Reflux Disease Patients on Proton Pump Inhibitor: A Prospective Randomized, Double-blind Study. <i>Journal of Neurogastroenterology and Motility</i> , 2013 , 19, 495-502	4.4	16
77	Sarcopenia and Sarcopenic Obesity as Novel Risk Factors for Gastric Carcinogenesis: A Health Checkup Cohort Study. <i>Frontiers in Oncology</i> , 2019 , 9, 1249	5.3	16
76	Long-term Clinical Course of Post-infectious Irritable Bowel Syndrome After Shigellosis: A 10-year Follow-up Study. <i>Journal of Neurogastroenterology and Motility</i> , 2016 , 22, 490-6	4.4	15
75	Quality of life, patient satisfaction, and disease burden in patients with gastroesophageal reflux disease with or without laryngopharyngeal reflux symptoms. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1336-1340	4	14
74	Additive endoscopic resection may be sufficient for patients with a positive lateral margin after endoscopic resection of early gastric cancer. <i>Gastrointestinal Endoscopy</i> , 2017 , 86, 849-856	5.2	14
73	Clinical analysis of primary eosinophilic esophagitis. <i>Journal of Neurogastroenterology and Motility</i> , 2013 , 19, 204-9	4.4	14
72	Relationship between intestinal gas and the development of right colonic diverticula. <i>Journal of Neurogastroenterology and Motility</i> , 2010 , 16, 418-23	4.4	14

71	A simple scoring model for advanced colorectal neoplasm in asymptomatic subjects aged 40-49 years. <i>BMC Gastroenterology</i> , 2017 , 17, 7	3	13
70	Relationship Between Sarcopenia and Prognosis in Patient With Concurrent Chemo-Radiation Therapy for Esophageal Cancer. <i>Frontiers in Oncology</i> , 2019 , 9, 366	5.3	13
69	Clinicopathologic features of gastric carcinoma with lymphoid stroma in early gastric cancer. <i>Journal of Surgical Oncology</i> , 2016 , 114, 769-772	2.8	13
68	Which should go first during same-day upper and lower gastrointestinal endoscopy? A randomized prospective study focusing on colonoscopy performance. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 2209-15	5.2	13
67	18 F-fluorodeoxyglucose positron emission tomography-computed tomography for the evaluation of bone metastasis in patients with gastric cancer. <i>Digestive and Liver Disease</i> , 2013 , 45, 769-75	3.3	12
66	Additive treatment improves survival in elderly patients after non-curative endoscopic resection for early gastric cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 1376-1382	5.2	12
65	Helicobacter pylori Eradication Reduces the Metachronous Recurrence of Gastric Neoplasms by Attenuating the Precancerous Process. <i>Journal of Gastric Cancer</i> , 2015 , 15, 246-55	3.2	12
64	Management of the complications of endoscopic submucosal dissection. <i>World Journal of Gastroenterology</i> , 2011 , 17, 3575-9	5.6	12
63	The Implications of Endoscopic Ulcer in Early Gastric Cancer: Can We Predict Clinical Behaviors from Endoscopy?. <i>PLoS ONE</i> , 2016 , 11, e0164339	3.7	12
62	Retention Esophagitis as a Significant Clinical Predictor of Progression to Esophageal Cancer in Achalasia. <i>Clinical Endoscopy</i> , 2018 , 51, 161-166	2.5	12
61	Long-term outcomes according to additional treatments after endoscopic resection for rectal small neuroendocrine tumors. <i>Scientific Reports</i> , 2019 , 9, 4911	4.9	11
60	Factors influencing development of pain after gastric endoscopic submucosal dissection: a randomized controlled trial. <i>Endoscopy</i> , 2015 , 47, 1119-23	3.4	11
59	Predicting lymph node metastasis for endoscopic resection of superficial esophageal squamous cell carcinoma. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019 , 157, 397-402.e1	1.5	11
58	Relationships among the lactulose breath test, intestinal gas volume, and gastrointestinal symptoms in patients with irritable bowel syndrome. <i>Digestive Diseases and Sciences</i> , 2011 , 56, 2059-66	4	11
57	A case of more abundant and dysplastic adenomas in the interposed colon than in the native colon. <i>Yonsei Medical Journal</i> , 2007 , 48, 1075-8	3	11
56	The association between Helicobacter pylori infection and the risk of advanced colorectal neoplasia may differ according to age and cigarette smoking. <i>Helicobacter</i> , 2018 , 23, e12477	4.9	10
55	Multifocality in early gastric cancer does not increase the risk of lymph node metastasis in a single-center study. <i>Annals of Surgical Oncology</i> , 2012 , 19, 1251-6	3.1	10
54	Local control may be the key in improving treatment outcomes of esophageal squamous cell carcinoma undergoing concurrent chemoradiation. <i>Digestion</i> , 2014 , 90, 254-60	3.6	10

53	Impact of peritoneal carcinomatosis on clinical outcomes of patients receiving self-expandable metal stents for malignant colorectal obstruction. <i>Endoscopy</i> , 2018 , 50, 1163-1174	3.4	10
52	What are the risk factors for residual tumor cells after endoscopic complete resection in gastric epithelial neoplasia?. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015 , 29, 487-92	5.2	9
51	Morphologic Restoration After Peroral Endoscopic Myotomy in Sigmoid-type Achalasia. <i>Journal of Neurogastroenterology and Motility</i> , 2020 , 26, 67-73	4.4	9
50	Residual lower esophageal sphincter pressure as a prognostic factor in the pneumatic balloon treatment of achalasia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 59-63	4	9
49	Weekend and nighttime effect on the prognosis of peptic ulcer bleeding. <i>World Journal of Gastroenterology</i> , 2012 , 18, 3578-84	5.6	9
48	For patients with primary achalasia the clinical success of pneumatic balloon dilatation can be predicted from the residual fraction of radionuclide during esophageal transit scintigraphy. <i>Digestive Diseases and Sciences</i> , 2014 , 59, 375-82	4	8
47	Long Noncoding RNA N-BLR Upregulates the Migration and Invasion of Gastric Adenocarcinoma. <i>Gut and Liver</i> , 2019 , 13, 421-429	4.8	8
46	Early Attempts to Eradicate Helicobacter pylori after Endoscopic Resection of Gastric Neoplasm Significantly Improve Eradication Success Rates. <i>PLoS ONE</i> , 2016 , 11, e0162258	3.7	8
45	Therapeutic Outcome of Achalasia Based on High-Resolution Manometry: A Korean Multicenter Study. <i>American Journal of Therapeutics</i> , 2019 , 26, e452-e461	1	8
44	How to manage pyloric tumours that are difficult to resect completely with endoscopic resection: comparison of the retroflexion vs. forward view technique. <i>Digestive and Liver Disease</i> , 2011 , 43, 958-64	3.3	7
43	Two cases of low grade gastric-mucosa-associated lymphoid tissue lymphoma treated by EMR. <i>Gastrointestinal Endoscopy</i> , 2006 , 64, 456-60	5.2	7
42	Clinical implication of endoscopic gross appearance in superficial esophageal squamous carcinoma: revisited. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018 , 32, 367-375	5.2	6
41	Endoscopic and clinicopathologic characteristics of early gastric cancer with high microsatellite instability. <i>World Journal of Gastroenterology</i> , 2012 , 18, 3571-7	5.6	6
40	Functional restoration of the esophagus after peroral endoscopic myotomy for achalasia. <i>PLoS ONE</i> , 2017 , 12, e0178414	3.7	5
39	The impact of esophageal reflux-induced symptoms on quality of life after gastrectomy in patients with gastric cancer. <i>Journal of Gastric Cancer</i> , 2014 , 14, 15-22	3.2	5
38	Risk factors of electrocoagulation syndrome after esophageal endoscopic submucosal dissection. <i>World Journal of Gastroenterology</i> , 2018 , 24, 1144-1151	5.6	5
37	Written Educational Material Relieves Anxiety after Endoscopic Biopsy: A Prospective Randomized Controlled Study. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2016 , 67, 92-7	0.6	5
36	Correlation Between Timed Barium Esophagogram and Esophageal Transit Scintigraphy Results in Achalasia. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 2390-7	4	4

35	Comparison of the Efficacy of Polaprezinc Plus Proton Pump Inhibitor and Rebamipide Plus Proton Pump Inhibitor Treatments for Endoscopic Submucosal Dissection-induced Ulcers. <i>Journal of Clinical Gastroenterology</i> , 2021 , 55, 233-238	3	4
34	The Clinical Efficacy of a Pure Alginate Formulation (Lamina G) for Controlling Symptoms in Individuals with Reflux Symptoms: A Randomized Clinical Study. <i>Gut and Liver</i> , 2019 , 13, 642-648	4.8	4
33	Esophageal cancer in esophageal diverticula associated with achalasia. <i>Clinical Endoscopy</i> , 2015 , 48, 70-32.5		4
32	Predictive factors for inadequate bowel preparation using low-volume polyethylene glycol (PEG) plus ascorbic acid for an outpatient colonoscopy. <i>Scientific Reports</i> , 2019 , 9, 19715	4.9	4
31	Association between skeletal muscle attenuation and gastroesophageal reflux disease: A health check-up cohort study. <i>Scientific Reports</i> , 2019 , 9, 20102	4.9	4
30	The role of tumor size in surgical decision making after endoscopic resection for early gastric cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016 , 30, 2799-803	5.2	3
29	Is there an optimal surgery time after endoscopic resection in early gastric cancer?. <i>Annals of Surgical Oncology</i> , 2014 , 21, 232-9	3.1	3
28	Effect of histologic differences between biopsy and final resection on treatment outcomes in early gastric cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020 , 34, 5046-5054	5.2	3
27	Association between triglyceride-glucose index and gastric carcinogenesis: a health checkup cohort study. <i>Gastric Cancer</i> , 2021 , 1	7.6	3
26	Low-dose aspirin affects the clinicopathological features of gastric cancer. <i>Digestion</i> , 2006 , 73, 54-9	3.6	2
25	The longest diameter of tumor as a parameter of endoscopic resection in early gastric cancer: In comparison with tumor area. <i>PLoS ONE</i> , 2017 , 12, e0189649	3.7	2
24	Secondary endoscopic submucosal dissection for locally recurrent or incompletely resected gastric neoplasms. <i>World Journal of Gastroenterology</i> , 2018 , 24, 3776-3785	5.6	2
23	Iatrogenic pyriform sinus perforation during endoscopic ultrasonography. <i>International Journal of Gastrointestinal Intervention</i> , 2019 , 8, 59-61	0.2	2
22	Multicenter, Randomized, Placebo-controlled Trial to Evaluate the Efficacy and Safety of a Controlled-release, Once-daily UIC201609/UIC201610 Combination Therapy for Functional Dyspepsia: Preliminary Study. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2021 , 77, 171-176	0.6	2
21	The optimal timing of additional surgery after non-curative endoscopic resection to treat early gastric cancer: long-term follow-up study. <i>Scientific Reports</i> , 2019 , 9, 18331	4.9	2
20	Reversibility of Endoscopic Features after Treatment for Eosinophilic Esophagitis. <i>Yonsei Medical Journal</i> , 2021 , 62, 487-493	3	2
19	Different prognosis of patients with esophageal carcinoma with M1a and regional node involvement. <i>Digestive and Liver Disease</i> , 2019 , 51, 1610-1616	3.3	1
18	Clinical outcomes after multiple self-expandable metallic stent placement using stent-in-stent technique for malignant gastric outlet obstruction. <i>Medicine (United States)</i> , 2020 , 99, e19432	1.8	1

17	A Single-center Experience of Esophageal Eosinophilia. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2018 , 72, 10-14	0.6	1
16	Withdrawal time of 8 minutes is associated with higher adenoma detection rates in surveillance colonoscopy after surgery for colorectal cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 2354-2361	5.2	1
15	Endoscopic Submucosal Dissection for Recurrent or Residual Superficial Esophageal Cancer after Chemoradiotherapy: Two Cases. <i>Clinical Endoscopy</i> , 2015 , 48, 553-7	2.5	1
14	Prognostic Significance of Interim Response Evaluation during Definitive Chemoradiotherapy for Locally Advanced Esophageal Squamous Cell Carcinoma. <i>Cancers</i> , 2021 , 13,	6.6	1
13	Esophageal Microbiota and Nutritional Intakes in Patients With Achalasia Before and After Peroral Endoscopic Myotomy.. <i>Journal of Neurogastroenterology and Motility</i> , 2022 , 28, 237-246	4.4	1
12	Peri-operative Inflammatory Marker as a Predictive Factor for Prolonged Post-operative Ileus After Gastrectomy for Gastric Cancer. <i>Journal of Neurogastroenterology and Motility</i> , 2021 , 27, 588-595	4.4	0
11	Effect of Drinking Warm Water on Esophageal Preparation Before Peroral Endoscopic Myotomy in Patients With Achalasia.. <i>Journal of Neurogastroenterology and Motility</i> , 2022 , 28, 231-236	4.4	0
10	Adverse Events Associated With Peroral Endoscopic Myotomy Affecting Extended Hospital Stay: A Multi-center Retrospective Study in South Korea.. <i>Journal of Neurogastroenterology and Motility</i> , 2022 , 28, 247-254	4.4	0
9	Predictive Factors for Endoscopic Visibility and Strategies for Pre-endoscopic Prokinetics Use in Patients with Upper Gastrointestinal Bleeding. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 957-65	4	
8	Clinical outcomes in patients undergoing multiple self-expandable metallic stent placement by stent in stent technique for malignant gastric outlet obstruction.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 88-88	2.2	
7	M1a disease should be reconsidered in esophageal cancer staging system from the perspective of treatment response and survival after definitive concurrent chemoradiotherapy.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 13-13	2.2	
6	Peroral Endoscopic Myotomy, a Well-Established, Efficacious, and Safe Treatment Option for Achalasia: Is the History of Previous Treatment a Hurdle or Not?. <i>Clinical Endoscopy</i> , 2020 , 53, 247-248	2.5	
5	A Case of Multiple Tuberculosis Associated with Infliximab Therapy in Crohn's Disease. <i>Korean Journal of Medicine</i> , 2012 , 83, 337	0.5	
4	A Case of Postfundoplication Dysphagia without Symptomatic Improvement after Endoscopic Dilatation. <i>Clinical Endoscopy</i> , 2014 , 47, 104-7	2.5	
3	Life on a knife edge: the optimal approach to the management of perforations during endoscopic submucosal dissection (ESD). <i>Expert Review of Gastroenterology and Hepatology</i> , 2020 , 14, 965-973	4.2	
2	Association between Oral Health and Gastric Neoplastic Lesions. <i>The Korean Journal of Helicobacter and Upper Gastrointestinal Research</i> , 2018 , 18, 56	0.4	
1	SFRP4 and CDX1 Are Predictive Genes for Extragastric Recurrence of Early Gastric Cancer after Curative Resection. <i>Journal of Clinical Medicine</i> , 2022 , 11, 3072	5.1	