

John P Pierce

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2430632/john-p-pierce-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

289
papers

16,352
citations

73
h-index

115
g-index

311
ext. papers

18,363
ext. citations

5.3
avg, IF

6.44
L-index

#	Paper	IF	Citations
289	Effectiveness of e-cigarettes as aids for smoking cessation: evidence from the PATH Study cohort, 2017-2019.. <i>Tobacco Control</i> , 2022 ,	5.3	6
288	Evaluating US smokers' willingness to pay for different cigarette packaging designs before and after real-world exposure in a randomised trial.. <i>Tobacco Control</i> , 2022 ,	5.3	1
287	Independent and Joint Associations of Pessimism, Total Calorie Intake and Acid-Producing Diets with Insomnia Symptoms among Breast Cancer Survivors. <i>Journal of Clinical Medicine</i> , 2022 , 11, 2828	5.1	0
286	Place-based inequities in cigarette smoking across the USA.. <i>Tobacco Control</i> , 2022 ,	5.3	
285	Effect of Graphic Warning Labels on Cigarette Pack Bidding Behavior Among Smokers. <i>JAMA Network Open</i> , 2022 , 5, e2214242	10.4	
284	Incidence of Cigarette Smoking Relapse Among Individuals Who Switched to e-Cigarettes or Other Tobacco Products. <i>JAMA Network Open</i> , 2021 , 4, e2128810	10.4	6
283	Racial/Ethnic Disparities Across Indicators of Cigarette Smoking in the Era of Increased Tobacco Control, 1992-2019. <i>Nicotine and Tobacco Research</i> , 2021 , 23, 909-919	4.9	1
282	Tobacco price and use following California Proposition 56 tobacco tax increase. <i>PLoS ONE</i> , 2021 , 16, e0257553	5.7	2
281	E-cigarettes and Cessation: The Introduction of Substantial Bias in Analyses of PATH Study. <i>Nicotine and Tobacco Research</i> , 2021 , 23, 876-877	4.9	3
280	Tobacco Advertising Features That May Contribute to Product Appeal Among US Adolescents and Young Adults. <i>Nicotine and Tobacco Research</i> , 2021 , 23, 1373-1381	4.9	2
279	Interrelationship of Seasons With Inflammation, Foods, Cardio-Metabolic Health, and Smoking Status Among Breast Cancer Survivors. <i>Current Developments in Nutrition</i> , 2021 , 5, 92-92	0.4	78
278	Effects of menthol use and transitions in use on short-term and long-term cessation from cigarettes among US smokers. <i>Tobacco Control</i> , 2021 ,	5.3	2
277	Tool to assess appeal-aversion response to graphic warning labels on cigarette packs among US smokers. <i>Tobacco Control</i> , 2021 , 30, 312-319	5.3	5
276	Use of E-cigarettes and Other Tobacco Products and Progression to Daily Cigarette Smoking. <i>Pediatrics</i> , 2021 , 147,	7.4	23
275	Interrelationship of Seasons with Inflammation, Red Meat, Fruit, and Vegetable Intakes, Cardio-Metabolic Health, and Smoking Status among Breast Cancer Survivors. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
274	Independent and Joint Impacts of Acid-Producing Diets and Depression on Physical Health among Breast Cancer Survivors. <i>Nutrients</i> , 2021 , 13,	6.7	2
273	Effect of Graphic Warning Labels on Cigarette Packs on US Smokers' Cognitions and Smoking Behavior After 3 Months: A Randomized Clinical Trial. <i>JAMA Network Open</i> , 2021 , 4, e2121387	10.4	7

272	Role of affective reactivity induced by cigarette packaging including graphic warning labels: the CASA Study. <i>Tobacco Control</i> , 2021 ,	5.3	2
271	Acid-Producing Diet and Depressive Symptoms among Breast Cancer Survivors: A Longitudinal Study. <i>Cancers</i> , 2020 , 12,	6.6	5
270	Increased Acid-Producing Diet and Past Smoking Intensity Are Associated with Worse Prognoses Among Breast Cancer Survivors: A Prospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	9
269	Hemoglobin A1c Levels Modify Associations between Dietary Acid Load and Breast Cancer Recurrence. <i>Nutrients</i> , 2020 , 12,	6.7	1
268	Effect of a Behavioral Intervention to Increase Vegetable Consumption on Cancer Progression Among Men With Early-Stage Prostate Cancer: The MEAL Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 140-148	27.4	20
267	The effect of college attendance on young adult cigarette, e-cigarette, cigarillo, hookah and smokeless tobacco use and its potential for addressing tobacco-related health disparities. <i>Preventive Medicine</i> , 2020 , 132, 105954	4.3	5
266	Evaluating the impact of the California 1995 smoke-free workplace law on population smoking prevalence using a synthetic control method. <i>Preventive Medicine Reports</i> , 2020 , 19, 101164	2.6	
265	Real-world exposure to graphic warning labels on cigarette packages in US smokers: The CASA randomized trial protocol. <i>Contemporary Clinical Trials</i> , 2020 , 98, 106152	2.3	5
264	Widening disparities in cigarette smoking by race/ethnicity across education level in the United States. <i>Preventive Medicine</i> , 2020 , 139, 106220	4.3	12
263	Use of Electronic Cigarettes to Aid Long-Term Smoking Cessation in the United States: Prospective Evidence From the PATH Cohort Study. <i>American Journal of Epidemiology</i> , 2020 , 189, 1529-1537	3.8	21
262	Role of e-cigarettes and pharmacotherapy during attempts to quit cigarette smoking: The PATH Study 2013-16. <i>PLoS ONE</i> , 2020 , 15, e0237938	3.7	25
261	Research-based PAM50 signature and long-term breast cancer survival. <i>Breast Cancer Research and Treatment</i> , 2020 , 179, 197-206	4.4	25
260	A Source of Bias in Studies of E-Cigarettes and Smoking Cessation. <i>Nicotine and Tobacco Research</i> , 2020 , 22, 861-862	4.9	6
259	Associations between Dietary Acid Load and Biomarkers of Inflammation and Hyperglycemia in Breast Cancer Survivors. <i>Nutrients</i> , 2019 , 11,	6.7	16
258	miRNAs and Long-term Breast Cancer Survival: Evidence from the WHEL Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1525-1533	4	5
257	Efficacy of a web-based women's health survivorship care plan for young breast cancer survivors: a randomized controlled trial. <i>Breast Cancer Research and Treatment</i> , 2019 , 176, 579-589	4.4	9
256	Selling tobacco: A comprehensive analysis of the U.S. tobacco advertising landscape. <i>Addictive Behaviors</i> , 2019 , 96, 100-109	4.2	16
255	Harm perceptions and tobacco use initiation among youth in Wave 1 and 2 of the Population Assessment of Tobacco and Health (PATH) Study. <i>Preventive Medicine</i> , 2019 , 123, 185-191	4.3	18

254	Ethnic and Socioeconomic Disparities in Recalled Exposure to and Self-Reported Impact of Tobacco Marketing and Promotions. <i>Health Communication</i> , 2019 , 34, 280-289	3.2	23
253	Design of a randomized controlled trial on the efficacy of a reproductive health survivorship care plan in young breast cancer survivors. <i>Contemporary Clinical Trials</i> , 2019 , 77, 27-36	2.3	5
252	Youth perception of harm and addictiveness of tobacco products: Findings from the Population Assessment of Tobacco and Health Study (Wave 1). <i>Addictive Behaviors</i> , 2019 , 92, 128-135	4.2	13
251	Trends in Lung Cancer and Cigarette Smoking: California Compared to the Rest of the United States. <i>Cancer Prevention Research</i> , 2019 , 12, 3-12	3.2	15
250	Standardised cigarette packaging may reduce the implied safety of Natural American Spirit cigarettes. <i>Tobacco Control</i> , 2018 , 27, e118-e123	5.3	12
249	Effectiveness of Pharmaceutical Smoking Cessation Aids in a Nationally Representative Cohort of American Smokers. <i>Journal of the National Cancer Institute</i> , 2018 , 110, 581-587	9.7	17
248	Association Between Receptivity to Tobacco Advertising and Progression to Tobacco Use in Youth and Young Adults in the PATH Study. <i>JAMA Pediatrics</i> , 2018 , 172, 444-451	8.3	58
247	Men's Eating and Living (MEAL) study (CALGB 70807 [Alliance]): recruitment feasibility and baseline demographics of a randomized trial of diet in men on active surveillance for prostate cancer. <i>BJU International</i> , 2018 , 121, 534-539	5.6	9
246	The Potential Influence of Regulatory Environment for E-Cigarettes on the Effectiveness of E-Cigarettes for Smoking Cessation: Different Reasons to Temper the Conclusions From Inadequate Data. <i>Nicotine and Tobacco Research</i> , 2018 , 20, 659	4.9	1
245	Income disparities in smoking cessation and the diffusion of smoke-free homes among U.S. smokers: Results from two longitudinal surveys. <i>PLoS ONE</i> , 2018 , 13, e0201467	3.7	11
244	Quantifying population-level health benefits and harms of e-cigarette use in the United States. <i>PLoS ONE</i> , 2018 , 13, e0193328	3.7	71
243	Tobacco control in California compared with the rest of the USA: trends in adult per capita cigarette consumption. <i>Tobacco Control</i> , 2018 , 27, e112-e117	5.3	11
242	Response. <i>Journal of the National Cancer Institute</i> , 2018 , 110, 1144	9.7	
241	LBA19 THE MEN'S EATING AND LIVING (MEAL) STUDY (CALGB 70807 [ALLIANCE]): A RANDOMIZED CLINICAL TRIAL OF A DIET INTERVENTION IN MEN ON ACTIVE SURVEILLANCE FOR PROSTATE CANCER. <i>Journal of Urology</i> , 2018 , 199,	2.5	3
240	Can E-Cigarettes and Pharmaceutical Aids Increase Smoking Cessation and Reduce Cigarette Consumption? Findings From a Nationally Representative Cohort of American Smokers. <i>American Journal of Epidemiology</i> , 2018 , 187, 2397-2404	3.8	50
239	Post-diagnosis social networks, and lifestyle and treatment factors in the After Breast Cancer Pooling Project. <i>Psycho-Oncology</i> , 2017 , 26, 544-552	3.9	23
238	Design and methods of the Population Assessment of Tobacco and Health (PATH) Study. <i>Tobacco Control</i> , 2017 , 26, 371-378	5.3	429
237	Pre-adolescent Receptivity to Tobacco Marketing and Its Relationship to Acquiring Friends Who Smoke and Cigarette Smoking Initiation. <i>Annals of Behavioral Medicine</i> , 2017 , 51, 730-740	4.5	4

236	US adult smokers' perceptions' of Australia's cigarette warning labels: variance by warning content and consistency across sociodemographic subsegments. <i>Tobacco Control</i> , 2017 , 26, 485-486	5.3	10
235	Sleep duration and breast cancer prognosis: perspectives from the Women's Healthy Eating and Living Study. <i>Breast Cancer Research and Treatment</i> , 2017 , 162, 581-589	4.4	13
234	Receptivity to Tobacco Advertising and Susceptibility to Tobacco Products. <i>Pediatrics</i> , 2017 , 139,	7.4	61
233	Use of imagery and text that could convey reduced harm in American Spirit advertisements. <i>Tobacco Control</i> , 2017 , 26, e68-e70	5.3	18
232	Susceptibility to tobacco product use among youth in wave 1 of the population Assessment of tobacco and health (PATH) study. <i>Preventive Medicine</i> , 2017 , 101, 8-14	4.3	52
231	Engagement With Online Tobacco Marketing and Associations With Tobacco Product Use Among U.S. Youth. <i>Journal of Adolescent Health</i> , 2017 , 61, 61-69	5.8	29
230	Postdiagnosis social networks and breast cancer mortality in the After Breast Cancer Pooling Project. <i>Cancer</i> , 2017 , 123, 1228-1237	6.4	49
229	Which cigarettes do Americans think are safer? A population-based analysis with wave 1 of the PATH study. <i>Tobacco Control</i> , 2017 , 26, e59-e60	5.3	15
228	Problematic Assessment of the Impact of Vaporized Nicotine Product Initiation in the United States. <i>Nicotine and Tobacco Research</i> , 2017 , 19, 264-265	4.9	4
227	Building Tobacco Cessation Capacity in Homeless Shelters: A Pilot Study. <i>Journal of Community Health</i> , 2016 , 41, 998-1005	4	9
226	Randomized trial of a phone- and web-based weight loss program for women at elevated breast cancer risk: the HELP study. <i>Journal of Behavioral Medicine</i> , 2016 , 39, 551-9	3.6	10
225	Impact of very low physical activity, BMI, and comorbidities on mortality among breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2016 , 155, 551-7	4.4	41
224	Mobile and Wearable Device Features that Matter in Promoting Physical Activity. <i>Journal of Mobile Technology in Medicine</i> , 2016 , 5, 2-11	6	32
223	A pooled analysis of post-diagnosis lifestyle factors in association with late estrogen-receptor-positive breast cancer prognosis. <i>International Journal of Cancer</i> , 2016 , 138, 2088-97	7.5	60
222	E-cigarette use and smoking reduction or cessation in the 2010/2011 TUS-CPS longitudinal cohort. <i>BMC Public Health</i> , 2016 , 16, 1105	4.1	43
221	Prolonged Nightly Fasting and Breast Cancer Prognosis. <i>JAMA Oncology</i> , 2016 , 2, 1049-55	13.4	64
220	Technology- and Phone-Based Weight Loss Intervention: Pilot RCT in Women at Elevated Breast Cancer Risk. <i>American Journal of Preventive Medicine</i> , 2016 , 51, 714-721	6.1	64
219	Measurement of multiple nicotine dependence domains among cigarette, non-cigarette and poly-tobacco users: Insights from item response theory. <i>Drug and Alcohol Dependence</i> , 2015 , 152, 185-93	4.9	12

218	Cigarette smoking cessation attempts among current US smokers who also use smokeless tobacco. <i>Addictive Behaviors</i> , 2015 , 51, 113-9	4.2	42
217	Trends in use of little cigars or cigarillos and cigarettes among U.S. smokers, 2002-2011. <i>Nicotine and Tobacco Research</i> , 2015 , 17, 515-23	4.9	38
216	Receptivity to cigarette and tobacco control messages and adolescent smoking initiation. <i>Tobacco Control</i> , 2015 , 24, 281-4	5.3	12
215	Baseline Depressive Symptoms, Completion of Study Assessments, and Behavior Change in a Long-Term Dietary Intervention Among Breast Cancer Survivors. <i>Annals of Behavioral Medicine</i> , 2015 , 49, 819-27	4.5	4
214	Predictive Validity of the Expanded Susceptibility to Smoke Index. <i>Nicotine and Tobacco Research</i> , 2015 , 17, 862-9	4.9	70
213	Wearable Sensor/Device (Fitbit One) and SMS Text-Messaging Prompts to Increase Physical Activity in Overweight and Obese Adults: A Randomized Controlled Trial. <i>Telemedicine Journal and E-Health</i> , 2015 , 21, 782-92	5.9	188
212	Phase II feasibility study of a physical activity and dietary change weight loss intervention in a subset analysis of breast cancer survivors (SWOG S1008).. <i>Journal of Clinical Oncology</i> , 2015 , 33, 9572-9572	2.2	1
211	Post-diagnosis BMI and physical activity in association with triple-negative breast cancer prognosis: Results from 5 prospective cohorts.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 1507-1507	2.2	1
210	Mechanisms of association between physical functioning and breast cancer mortality: evidence from the Women's Healthy Eating and Living Study. <i>Journal of Cancer Survivorship</i> , 2014 , 8, 402-9	5.1	6
209	Patient compliance with a health care provider referral for an occupational therapy lymphedema consult. <i>Supportive Care in Cancer</i> , 2014 , 22, 1781-7	3.9	8
208	Lifetime cigarette smoking and breast cancer prognosis in the After Breast Cancer Pooling Project. <i>Journal of the National Cancer Institute</i> , 2014 , 106, djt359	9.7	56
207	Risk of breast cancer recurrence associated with carbohydrate intake and tissue expression of IGFI receptor. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1273-9	4	11
206	Curiosity predicts smoking experimentation independent of susceptibility in a US national sample. <i>Addictive Behaviors</i> , 2014 , 39, 1695-700	4.2	55
205	A randomized trial of diet in men with early stage prostate cancer on active surveillance: rationale and design of the Men's Eating and Living (MEAL) Study (CALGB 70807 [Alliance]). <i>Contemporary Clinical Trials</i> , 2014 , 38, 198-203	2.3	20
204	Call to action: promoting domestic and global tobacco control by ratifying the framework convention on tobacco control in the United States. <i>PLoS Medicine</i> , 2014 , 11, e1001639	11.6	9
203	The psychosocial impact of lymphedema-related distress among breast cancer survivors in the WHEL Study. <i>Psycho-Oncology</i> , 2014 , 23, 1049-56	3.9	41
202	Postdiagnosis C-reactive protein and breast cancer survivorship: findings from the WHEL study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 189-99	4	56
201	A multidimensional scale to measure the reproductive concerns of young adult female cancer survivors. <i>Journal of Cancer Survivorship</i> , 2014 , 8, 218-28	5.1	56

200	Postdiagnosis social networks and lifestyle and treatment mechanisms in the After Breast Cancer Pooling Project (ABCPP).. <i>Journal of Clinical Oncology</i> , 2014 , 32, 115-115	2.2	
199	Risk factors associated with breast cancer-related lymphedema in the WHEL Study. <i>Journal of Cancer Survivorship</i> , 2013 , 7, 115-23	5.1	47
198	Postdiagnosis supplement use and breast cancer prognosis in the After Breast Cancer Pooling Project. <i>Breast Cancer Research and Treatment</i> , 2013 , 139, 529-37	4.4	43
197	Postdiagnosis alcohol consumption and breast cancer prognosis in the after breast cancer pooling project. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 32-41	4	46
196	A randomized pilot trial of dietary modification for the chemoprevention of noninvasive bladder cancer: the dietary intervention in bladder cancer study. <i>Cancer Prevention Research</i> , 2013 , 6, 971-8	3.2	13
195	Leveraging epidemiology and clinical studies of cancer outcomes: recommendations and opportunities for translational research. <i>Journal of the National Cancer Institute</i> , 2013 , 105, 85-94	9.7	38
194	Is the lack of effect of smoking cessation aids in population studies explained by recall bias? Comment on the article by Borland et al. (2012). <i>Nicotine and Tobacco Research</i> , 2013 , 15, 752-3	4.9	3
193	Postdiagnosis cruciferous vegetable consumption and breast cancer outcomes: a report from the After Breast Cancer Pooling Project. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 1451-6	4	15
192	Web-based self-monitoring for weight loss among overweight/obese women at increased risk for breast cancer: the HELP pilot study. <i>Psycho-Oncology</i> , 2013 , 22, 1821-8	3.9	24
191	Endogenous estradiol is not associated with poor physical health in postmenopausal breast cancer survivors. <i>Journal of Womens Health</i> , 2013 , 22, 1043-8	3	6
190	Mortality risk in former smokers with breast cancer: pack-years vs. smoking status. <i>International Journal of Cancer</i> , 2013 , 133, 2493-7	7.5	25
189	Correlates of 25-hydroxyvitamin D and breast cancer stage in the Women's Healthy Eating and Living Study. <i>Nutrition and Cancer</i> , 2013 , 65, 188-94	2.8	4
188	Meeting the physical activity guidelines and survival after breast cancer: findings from the after breast cancer pooling project. <i>Breast Cancer Research and Treatment</i> , 2012 , 131, 637-43	4.4	127
187	Impact of a telephone-based physical activity intervention upon exercise behaviors and fitness in cancer survivors enrolled in a cooperative group setting. <i>Breast Cancer Research and Treatment</i> , 2012 , 132, 205-13	4.4	82
186	Prognosis following the use of complementary and alternative medicine in women diagnosed with breast cancer. <i>Complementary Therapies in Medicine</i> , 2012 , 20, 283-90	3.5	21
185	Associations of soluble fiber, whole fruits/vegetables, and juice with plasma Beta-carotene concentrations in a free-living population of breast cancer survivors. <i>Women and Health</i> , 2012 , 52, 731-43	1.7	3
184	Quitlines and nicotine replacement for smoking cessation: do we need to change policy?. <i>Annual Review of Public Health</i> , 2012 , 33, 341-56	20.6	37
183	Associations among physical activity, body mass index, and health-related quality of life by race/ethnicity in a diverse sample of breast cancer survivors. <i>Cancer</i> , 2012 , 118, 4024-31	6.4	120

182	How do you feel about fertility and parenthood? The voices of young female cancer survivors. <i>Journal of Cancer Survivorship</i> , 2012 , 6, 200-9	5.1	123
181	Pre-diagnosis body mass index and survival after breast cancer in the After Breast Cancer Pooling Project. <i>Breast Cancer Research and Treatment</i> , 2012 , 132, 729-39	4.4	90
180	Soy food intake after diagnosis of breast cancer and survival: an in-depth analysis of combined evidence from cohort studies of US and Chinese women. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 123-32	7	109
179	What public health strategies are needed to reduce smoking initiation?. <i>Tobacco Control</i> , 2012 , 21, 258-64	5.3	93
178	Effect of postdiagnosis weight change on hot flash status among early-stage breast cancer survivors. <i>Journal of Clinical Oncology</i> , 2012 , 30, 1492-7	2.2	31
177	Identification of high-confidence somatic mutations in whole genome sequence of formalin-fixed breast cancer specimens. <i>Nucleic Acids Research</i> , 2012 , 40, e107	20.1	69
176	Weight change and survival after breast cancer in the after breast cancer pooling project. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1260-71	4	88
175	Quality of care among breast cancer (BC) survivors in the University of California (UC) Athena Breast Health Network.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 164-164	2.2	1
174	Young breast cancer survivors: their perspectives on treatment decisions and fertility concerns. <i>Cancer Nursing</i> , 2011 , 34, 32-40	2.6	87
173	Prevalence of heavy smoking in California and the United States, 1965-2007. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 305, 1106-12	27.4	97
172	Commentary on White et al. (2011): Smoke-free policies within a comprehensive program coincident with major declines in teen smoking. <i>Addiction</i> , 2011 , 106, 1503-4	4.6	
171	Vegetable intake is associated with reduced breast cancer recurrence in tamoxifen users: a secondary analysis from the Women's Healthy Eating and Living Study. <i>Breast Cancer Research and Treatment</i> , 2011 , 125, 519-27	4.4	53
170	Improvement in self-reported physical health predicts longer survival among women with a history of breast cancer. <i>Breast Cancer Research and Treatment</i> , 2011 , 127, 541-7	4.4	26
169	Long-term course of pain in breast cancer survivors: a 4-year longitudinal study. <i>Breast Cancer Research and Treatment</i> , 2011 , 130, 579-86	4.4	35
168	Physical activity, additional breast cancer events, and mortality among early-stage breast cancer survivors: findings from the WHEL Study. <i>Cancer Causes and Control</i> , 2011 , 22, 427-35	2.8	91
167	The After Breast Cancer Pooling Project: rationale, methodology, and breast cancer survivor characteristics. <i>Cancer Causes and Control</i> , 2011 , 22, 1319-31	2.8	28
166	Poor physical health predicts time to additional breast cancer events and mortality in breast cancer survivors. <i>Psycho-Oncology</i> , 2011 , 20, 252-9	3.9	54
165	Was race a factor in the outcomes of the Women's Health Eating and Living Study?. <i>Cancer</i> , 2011 , 117, 3805-13	6.4	36

164	Dietary intake, supplement use, and survival among women diagnosed with early-stage breast cancer. <i>Nutrition and Cancer</i> , 2011 , 63, 327-33	2.8	38
163	Marine fatty acid intake is associated with breast cancer prognosis. <i>Journal of Nutrition</i> , 2011 , 141, 201-64.1	4.1	62
162	Soy food consumption and breast cancer prognosis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 854-8	4	80
161	Sex hormone concentrations and the risk of breast cancer recurrence in postmenopausal women without hot flashes. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 939-45	4	15
160	Classification of CAM use and its correlates in patients with early-stage breast cancer. <i>Integrative Cancer Therapies</i> , 2011 , 10, 138-47	3	25
159	Vitamin D and breast cancer recurrence in the Women's Healthy Eating and Living (WHEL) Study. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 108-17	7	66
158	Clinically defined type 2 diabetes mellitus and prognosis in early-stage breast cancer. <i>Journal of Clinical Oncology</i> , 2011 , 29, 54-60	2.2	133
157	Abstract 3722: Weight gain after a breast cancer diagnosis and breast cancer outcomes 2011 ,		2
156	Menthol cigarettes and smoking cessation among racial/ethnic groups in the United States. <i>Addiction</i> , 2010 , 105 Suppl 1, 84-94	4.6	64
155	Forty years of faster decline in cigarette smoking in California explains current lower lung cancer rates. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2801-10	4	38
154	Measurement error of dietary self-report in intervention trials. <i>American Journal of Epidemiology</i> , 2010 , 172, 819-27	3.8	59
153	Camel No. 9 cigarette-marketing campaign targeted young teenage girls. <i>Pediatrics</i> , 2010 , 125, 619-26	7.4	51
152	Low to moderate alcohol intake is not associated with increased mortality after breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 681-8	4	43
151	Physical activity, diet, adiposity and female breast cancer prognosis: a review of the epidemiologic literature. <i>Maturitas</i> , 2010 , 66, 5-15	5	186
150	Changes in age trajectories of smoking experimentation during the California Tobacco Control Program. <i>American Journal of Public Health</i> , 2010 , 100, 1298-306	5.1	21
149	Medical comorbidities predict mortality in women with a history of early stage breast cancer. <i>Breast Cancer Research and Treatment</i> , 2010 , 122, 859-65	4.4	78
148	Depressive symptoms among young breast cancer survivors: the importance of reproductive concerns. <i>Breast Cancer Research and Treatment</i> , 2010 , 123, 477-85	4.4	97
147	Physical and mental health correlates of pregnancy following breast cancer. <i>Psycho-Oncology</i> , 2010 , 19, 517-24	3.9	13

146	Does a healthy diet help weight management among overweight and obese people?. <i>Health Education and Behavior</i> , 2009 , 36, 518-31	4.2	10
145	Changing age-specific patterns of cigarette consumption in the United States, 1992-2002: association with smoke-free homes and state-level tobacco control activity. <i>Nicotine and Tobacco Research</i> , 2009 , 11, 171-7	4.9	84
144	Longitudinal biological exposure to carotenoids is associated with breast cancer-free survival in the Women's Healthy Eating and Living Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 486-94	4	53
143	Adopting a plant-based diet minimally increased food costs in WHEL Study. <i>American Journal of Health Behavior</i> , 2009 , 33, 530-9	1.9	12
142	The effect of smoke-free homes on adult smoking behavior: a review. <i>Nicotine and Tobacco Research</i> , 2009 , 11, 1131-41	4.9	143
141	Dietary pattern influences breast cancer prognosis in women without hot flashes: the women's healthy eating and living trial. <i>Journal of Clinical Oncology</i> , 2009 , 27, 352-9	2.2	59
140	Time-varying effects of prognostic factors associated with disease-free survival in breast cancer. <i>American Journal of Epidemiology</i> , 2009 , 169, 1463-70	3.8	38
139	Dietary change and reduced breast cancer events among women without hot flashes after treatment of early-stage breast cancer: subgroup analysis of the Women's Healthy Eating and Living Study. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 1565S-1571S	7	58
138	A qualitative investigation of breast cancer survivors' experiences with breastfeeding. <i>Journal of Cancer Survivorship</i> , 2009 , 3, 181-91	5.1	22
137	Diet and breast cancer prognosis: making sense of the Women's Healthy Eating and Living and Women's Intervention Nutrition Study trials. <i>Current Opinion in Obstetrics and Gynecology</i> , 2009 , 21, 86-91 ⁴	2.4	45
136	Electronic recording, self-report, and bias in measuring cigarette consumption. <i>Health Psychology</i> , 2009 , 28, 527-8	5	7
135	Dietary modification in patients with prostate cancer on active surveillance: a randomized, multicentre feasibility study. <i>BJU International</i> , 2008 , 101, 1227-31	5.6	35
134	Telephone counseling promotes dietary change in healthy adults: results of a pilot trial. <i>Journal of the American Dietetic Association</i> , 2008 , 108, 1350-4		20
133	Comparison of baseline dietary intake of Hispanic and matched non-Hispanic white breast cancer survivors enrolled in the Women's Healthy Eating and Living study. <i>Journal of the American Dietetic Association</i> , 2008 , 108, 1323-9		10
132	The effect of smoke-free homes on smoking behavior in the U.S. <i>American Journal of Preventive Medicine</i> , 2008 , 35, 210-6	6.1	65
131	The Men's Eating and Living (MEAL) study: a Cancer and Leukemia Group B pilot trial of dietary intervention for the treatment of prostate cancer. <i>Urology</i> , 2008 , 72, 633-7	1.6	36
130	Telephone counseling to implement best parenting practices to prevent adolescent problem behaviors. <i>Contemporary Clinical Trials</i> , 2008 , 29, 324-34	2.3	12
129	Reliability of plasma carotenoid biomarkers and its relation to study power. <i>Epidemiology</i> , 2008 , 19, 338-44	3.4	27

128	Disclosure to physicians of CAM use by breast cancer patients: findings from the Women's Healthy Eating and Living Study. <i>Integrative Cancer Therapies</i> , 2008 , 7, 122-9	3	76
127	Reproductive steroid hormones and recurrence-free survival in women with a history of breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 614-20	4	97
126	Timing of dietary change in response to a telephone counseling intervention: evidence from the WHEL study. <i>Health Psychology</i> , 2008 , 27, 539-47	5	24
125	Smoking cessation rates in the United States: a comparison of young adult and older smokers. <i>American Journal of Public Health</i> , 2008 , 98, 317-22	5.1	182
124	Tamoxifen, hot flashes and recurrence in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2008 , 108, 421-6	4.4	99
123	The relative importance of specific risk factors for insomnia in women treated for early-stage breast cancer. <i>Psycho-Oncology</i> , 2008 , 17, 9-18	3.9	106
122	The impact of a long-term reduction in dietary energy density on body weight within a randomized diet trial. <i>Nutrition and Cancer</i> , 2008 , 60, 31-8	2.8	36
121	Increase in cruciferous vegetable intake in women previously treated for breast cancer participating in a dietary intervention trial. <i>Nutrition and Cancer</i> , 2007 , 57, 11-9	2.8	16
120	Telephone counseling helps maintain long-term adherence to a high-vegetable dietary pattern. <i>Journal of Nutrition</i> , 2007 , 137, 2291-6	4.1	43
119	Correlates of physical activity level in breast cancer survivors participating in the Women's Healthy Eating and Living (WHEL) Study. <i>Breast Cancer Research and Treatment</i> , 2007 , 101, 225-32	4.4	93
118	Weight gain and recovery of pre-cancer weight after breast cancer treatments: evidence from the women's healthy eating and living (WHEL) study. <i>Breast Cancer Research and Treatment</i> , 2007 , 105, 177-86	4.4	145
117	Greater survival after breast cancer in physically active women with high vegetable-fruit intake regardless of obesity. <i>Journal of Clinical Oncology</i> , 2007 , 25, 2345-51	2.2	348
116	The California Tobacco Control Program's effect on adult smokers: (2) Daily cigarette consumption levels. <i>Tobacco Control</i> , 2007 , 16, 91-5	5.3	31
115	Plasma and dietary carotenoids are associated with reduced oxidative stress in women previously treated for breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 2008-15	4	60
114	The California Tobacco Control Program's effect on adult smokers: (3) Similar effects for African Americans across states. <i>Tobacco Control</i> , 2007 , 16, 96-100	5.3	16
113	Re: Dietary fat reduction and breast cancer outcome: interim efficacy results from the Women's Intervention Nutrition Study. <i>Journal of the National Cancer Institute</i> , 2007 , 99, 900; author reply 900-1	9.7	8
112	Influence of a diet very high in vegetables, fruit, and fiber and low in fat on prognosis following treatment for breast cancer: the Women's Healthy Eating and Living (WHEL) randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2007 , 298, 289-98	27.4	511
111	The California Tobacco Control Program's effect on adult smokers: (1) Smoking cessation. <i>Tobacco Control</i> , 2007 , 16, 85-90	5.3	86

110	Receptivity to tobacco advertising and promotions among young adolescents as a predictor of established smoking in young adulthood. <i>American Journal of Public Health</i> , 2007 , 97, 1489-95	5.1	107
109	Validation of the WHI Brief Physical Activity Questionnaire among Women Diagnosed with Breast Cancer. <i>American Journal of Health Behavior</i> , 2007 , 31, 193-202	1.9	94
108	Tobacco industry marketing, population-based tobacco control, and smoking behavior. <i>American Journal of Preventive Medicine</i> , 2007 , 33, S327-34	6.1	31
107	Validation of the WHI brief physical activity questionnaire among women diagnosed with breast cancer. <i>American Journal of Health Behavior</i> , 2007 , 31, 193-202	1.9	88
106	Increases in plasma carotenoid concentrations in response to a major dietary change in the women's healthy eating and living study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 1886-92	4.2	43
105	Population effectiveness of pharmaceutical aids for smoking cessation: what is associated with increased success?. <i>Nicotine and Tobacco Research</i> , 2006 , 8, 661-9	4.9	47
104	Responsiveness of homocysteine concentrations to food and supplemental folate intakes in smokers and never-smokers enrolled in a diet intervention trial. <i>Nicotine and Tobacco Research</i> , 2006 , 8, 57-66	4.9	4
103	Validity and systematic error in measuring carotenoid consumption with dietary self-report instruments. <i>American Journal of Epidemiology</i> , 2006 , 163, 770-8	3.8	66
102	Insulin-like growth factor I, insulin-like growth factor I binding protein 1, insulin, glucose, and leptin serum levels are not influenced by a reduced-fat, high-fiber diet intervention. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 1238-9	4	7
101	What contributed to the major decline in per capita cigarette consumption during California's comprehensive tobacco control programme?. <i>Tobacco Control</i> , 2006 , 15, 308-16	5.3	26
100	Objective cancer-related variables are not associated with depressive symptoms in women treated for early-stage breast cancer. <i>Journal of Clinical Oncology</i> , 2006 , 24, 2420-7	2.2	160
99	Comparative validation of the IPAQ and the 7-Day PAR among women diagnosed with breast cancer. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2006 , 3, 7	8.4	102
98	Cigarette promotional offers: who takes advantage?. <i>American Journal of Preventive Medicine</i> , 2006 , 30, 225-31	6.1	46
97	Inferring strategies for disseminating physical activity policies, programs, and practices from the successes of tobacco control. <i>American Journal of Preventive Medicine</i> , 2006 , 31, S66-81	6.1	58
96	Adolescents' perceptions about quitting and nicotine replacement therapy: findings from the California Tobacco Survey. <i>Journal of Adolescent Health</i> , 2006 , 38, 465-8	5.8	11
95	Dietary factors and vasomotor symptoms in breast cancer survivors: the WHEL Study. <i>Menopause</i> , 2006 , 13, 423-33	2.5	42
94	Post-diagnosis weight gain and breast cancer recurrence in women with early stage breast cancer. <i>Breast Cancer Research and Treatment</i> , 2006 , 99, 47-57	4.4	112
93	The role of curiosity in smoking initiation. <i>Addictive Behaviors</i> , 2005 , 30, 685-96	4.2	113

92	How have smoking risk factors changed with recent declines in California adolescent smoking?. <i>Addiction</i> , 2005 , 100, 117-25	4.6	16
91	Achieving substantial changes in eating behavior among women previously treated for breast cancer--an overview of the intervention. <i>Journal of the American Dietetic Association</i> , 2005 , 105, 382-91; quiz 488		68
90	Tobacco industry price-subsidizing promotions may overcome the downward pressure of higher prices on initiation of regular smoking. <i>Health Economics (United Kingdom)</i> , 2005 , 14, 1061-71	2.4	31
89	Is family history related to preventive health behaviors and medical management in breast cancer patients?. <i>Breast Cancer Research and Treatment</i> , 2005 , 90, 47-54	4.4	20
88	The impact of a second breast cancer diagnosis on health related quality of life. <i>Breast Cancer Research and Treatment</i> , 2005 , 92, 25-33	4.4	22
87	What fraction of young adults are at risk for future smoking, and who are they?. <i>Nicotine and Tobacco Research</i> , 2005 , 7, 747-59	4.9	53
86	How do smokers control their cigarette expenditures?. <i>Nicotine and Tobacco Research</i> , 2005 , 7, 625-35	4.9	39
85	Plasma carotenoids and recurrence-free survival in women with a history of breast cancer. <i>Journal of Clinical Oncology</i> , 2005 , 23, 6631-8	2.2	77
84	Diet and biomarkers of oxidative damage in women previously treated for breast cancer. <i>Nutrition and Cancer</i> , 2005 , 51, 146-54	2.8	27
83	Telephone counseling intervention increases intakes of micronutrient- and phytochemical-rich vegetables, fruit and fiber in breast cancer survivors. <i>Journal of Nutrition</i> , 2004 , 134, 452-8	4.1	96
82	Plasma triacylglycerol and HDL cholesterol concentrations confirm self-reported changes in carbohydrate and fat intakes in women in a diet intervention trial. <i>Journal of Nutrition</i> , 2004 , 134, 342-7	4.1	36
81	Is there a simple correction factor for comparing adolescent tobacco-use estimates from school- and home-based surveys?. <i>Nicotine and Tobacco Research</i> , 2004 , 6, 427-37	4.9	23
80	Population receptivity to tobacco advertising/promotions and exposure to anti-tobacco media: effect of Master Settlement Agreement in California: 1992-2002. <i>Health Promotion Practice</i> , 2004 , 5, 91S-98S	1.8	13
79	Effects of a high-fiber, low-fat diet intervention on serum concentrations of reproductive steroid hormones in women with a history of breast cancer. <i>Journal of Clinical Oncology</i> , 2004 , 22, 2379-87	2.2	82
78	The role of smoking intentions in predicting future smoking among youth: findings from Monitoring the Future data. <i>Addiction</i> , 2004 , 99, 914-22	4.6	74
77	Has there been a delay in the age of regular smoking onset among African Americans?. <i>Annals of Behavioral Medicine</i> , 2004 , 28, 152-7	4.5	28
76	Health-related quality of life in women previously treated for early-stage breast cancer. <i>Psycho-Oncology</i> , 2004 , 13, 595-604	3.9	49
75	Does adolescent perception of difficulty in getting cigarettes deter experimentation?. <i>Preventive Medicine</i> , 2004 , 38, 485-91	4.3	30

74	Do the majority of Asian-American and African-American smokers start as adults?. <i>American Journal of Preventive Medicine</i> , 2004 , 26, 156-8	6.1	68
73	Do favorite movie stars influence adolescent smoking initiation?. <i>American Journal of Public Health</i> , 2004 , 94, 1239-44	5.1	83
72	On the importance of using multiple methods of dietary assessment. <i>Epidemiology</i> , 2004 , 15, 738-45	3.1	8
71	How did the Master Settlement Agreement change tobacco industry expenditures for cigarette advertising and promotions?. <i>Health Promotion Practice</i> , 2004 , 5, 84S-90S	1.8	17
70	Measuring dietary change in a diet intervention trial: comparing food frequency questionnaire and dietary recalls. <i>American Journal of Epidemiology</i> , 2003 , 157, 754-62	3.8	106
69	A population study of low-rate smokers: quitting history and instability over time. <i>Health Psychology</i> , 2003 , 22, 245-52	5	83
68	Changes in youth smoking participation in California in the 1990s. <i>Cancer Causes and Control</i> , 2003 , 14, 985-93	2.8	5
67	Concurrent use of tobacco products by California adolescents. <i>Preventive Medicine</i> , 2003 , 36, 575-84	4.3	44
66	A minimum 6-month prolonged abstinence should be required for evaluating smoking cessation trials. <i>Nicotine and Tobacco Research</i> , 2003 , 5, 151-3	4.9	43
65	High dietary fiber consumption is not associated with gastrointestinal discomfort in a diet intervention trial. <i>Journal of the American Dietetic Association</i> , 2002 , 102, 549-51		12
64	Increased fruit, vegetable and fiber intake and lower fat intake reported among women previously treated for invasive breast cancer. <i>Journal of the American Dietetic Association</i> , 2002 , 102, 801-8		95
63	A randomized trial of the effect of a plant-based dietary pattern on additional breast cancer events and survival: the Women's Healthy Eating and Living (WHEL) Study. <i>Contemporary Clinical Trials</i> , 2002 , 23, 728-56		225
62	Effectiveness of Over-the-Counter Nicotine Replacement Therapy Reply. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 288, 3110	27.4	1
61	The California Tobacco Control Program and potential harm reduction through reduced cigarette consumption in continuing smokers. <i>Nicotine and Tobacco Research</i> , 2002 , 4 Suppl 2, S157-66	4.9	29
60	Clean indoor air: advances in California, 1990-1999. <i>American Journal of Public Health</i> , 2002 , 92, 785-91	5.1	49
59	Impact of over-the-counter sales on effectiveness of pharmaceutical aids for smoking cessation. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 288, 1260-4	27.4	170
58	Demographic differences in patterns in the incidence of smoking cessation: United States 1950-1990. <i>Annals of Epidemiology</i> , 2002 , 12, 141-50	6.4	74
57	Does tobacco marketing undermine the influence of recommended parenting in discouraging adolescents from smoking?. <i>American Journal of Preventive Medicine</i> , 2002 , 23, 73-81	6.1	65

56	Determining the probability of future smoking among adolescents. <i>Addiction</i> , 2001 , 96, 313-23	4.6	194
55	Reduction in fat intake is not associated with weight loss in most women after breast cancer diagnosis. <i>Cancer</i> , 2001 , 91, 25-34	6.4	37
54	Does cigarette price influence adolescent experimentation?. <i>Journal of Health Economics</i> , 2001 , 20, 261-70	3.9	79
53	The effectiveness of tobacco control in California schools. <i>Journal of School Health</i> , 2000 , 70, 28-30	2.1	4
52	Index for US state tobacco control initial outcomes. <i>American Journal of Epidemiology</i> , 2000 , 152, 727-38	3.8	23
51	Smoking cessation with and without assistance: a population-based analysis. <i>American Journal of Preventive Medicine</i> , 2000 , 18, 305-11	6.1	330
50	Plasma carotenoids are biomarkers of long-term high vegetable intake in women with breast cancer. <i>Journal of Nutrition</i> , 1999 , 129, 2258-63	4.1	61
49	Sharing the blame: smoking experimentation and future smoking-attributable mortality due to Joe Camel and Marlboro advertising and promotions. <i>Tobacco Control</i> , 1999 , 8, 37-44	5.3	51
48	The social costs of tobacco advertising and promotions. <i>Nicotine and Tobacco Research</i> , 1999 , 1 Suppl 2, S83-91	4.9	11
47	Home smoking restrictions: which smokers have them and how they are associated with smoking behavior. <i>Nicotine and Tobacco Research</i> , 1999 , 1, 153-62	4.9	211
46	Factors associated with weight gain in women after diagnosis of breast cancer. Women's Healthy Eating and Living Study Group. <i>Journal of the American Dietetic Association</i> , 1999 , 99, 1212-21		177
45	How many adolescents start smoking each day in the United States?. <i>Journal of Adolescent Health</i> , 1999 , 25, 248-55	5.8	82
44	Do movie stars encourage adolescents to start smoking? Evidence from California. <i>Preventive Medicine</i> , 1999 , 28, 1-11	4.3	110
43	Dietary supplement use by women at risk for breast cancer recurrence. The Women's Healthy Eating and Living Study Group. <i>Journal of the American Dietetic Association</i> , 1998 , 98, 285-92		99
42	Parental influences predict adolescent smoking in the United States, 1989-1993. <i>Journal of Adolescent Health</i> , 1998 , 22, 466-74	5.8	161
41	Tobacco industry promotion of cigarettes and adolescent smoking. <i>JAMA - Journal of the American Medical Association</i> , 1998 , 279, 511-5	27.4	391
40	Has the California tobacco control program reduced smoking?. <i>JAMA - Journal of the American Medical Association</i> , 1998 , 280, 893-9	27.4	200
39	Nutrient intakes from foods and dietary supplements in women at risk for breast cancer recurrence. The Women's Healthy Eating and Living Study Group. <i>Nutrition and Cancer</i> , 1997 , 29, 133-9	2.8	39

38	Feasibility of a randomized trial of a high-vegetable diet to prevent breast cancer recurrence. <i>Nutrition and Cancer</i> , 1997 , 28, 282-8	2.8	96
37	Are adolescents receptive to current sales promotion practices of the tobacco industry?. <i>Preventive Medicine</i> , 1997 , 26, 14-21	4.3	70
36	Depressive symptoms in California adolescents: family structure and parental support. <i>Journal of Adolescent Health</i> , 1997 , 20, 271-8	5.8	59
35	Which Adolescent Experimenters Progress to Established Smoking in the United States. <i>American Journal of Preventive Medicine</i> , 1997 , 13, 385-391	6.1	193
34	Cigarette smoking predicts development of depressive symptoms among U.S. adolescents. <i>Annals of Behavioral Medicine</i> , 1997 , 19, 42-50	4.5	177
33	Large-Scale Environmental Risk Factors for Substance Use. <i>American Behavioral Scientist</i> , 1996 , 39, 808-828		47
32	Validation of susceptibility as a predictor of which adolescents take up smoking in the United States.. <i>Health Psychology</i> , 1996 , 15, 355-361	5	696
31	Telephone counseling for smoking cessation: Effects of single-session and multiple-session interventions.. <i>Journal of Consulting and Clinical Psychology</i> , 1996 , 64, 202-211	6.5	269
30	Telephone Counseling for Smoking Cessation: What's in a Call?. <i>Journal of Counseling and Development</i> , 1996 , 75, 93-102	2.2	48
29	Does advertising promote smokeless tobacco use among adolescent boys? Evidence from California. <i>Tobacco Control</i> , 1995 , 4, S57-S63	5.3	7
28	The demographics of help-seeking for smoking cessation in California and the role of the California Smokers' Helpline. <i>Tobacco Control</i> , 1995 , 4, S9-S15	5.3	31
27	An improved surveillance measure for adolescent smoking?. <i>Tobacco Control</i> , 1995 , 4, S47-S56	5.3	99
26	Influence of tobacco marketing and exposure to smokers on adolescent susceptibility to smoking. <i>Journal of the National Cancer Institute</i> , 1995 , 87, 1538-45	9.7	235
25	Perception of benefits to smoking cigarettes in adolescents unexposed to smoker in their social environment. <i>European Journal of Public Health</i> , 1995 , 5, 281-285	2.1	3
24	A historical analysis of tobacco marketing and the uptake of smoking by youth in the United States: 1890-1977.. <i>Health Psychology</i> , 1995 , 14, 500-508	5	120
23	A new scheduling method for time-limited counseling.. <i>Professional Psychology: Research and Practice</i> , 1995 , 26, 624-625	2.2	45
22	Smoking initiation rates in adults and minors: United States, 1944-1988. <i>American Journal of Epidemiology</i> , 1994 , 140, 535-43	3.8	81
21	Smoking Initiation by Adolescent Girls, 1944 Through 1988. <i>JAMA - Journal of the American Medical Association</i> , 1994 , 271, 608	27.4	97

20	Self-efficacy and social support as predictors of smoking after a quit attempt. <i>Psychology and Health</i> , 1993 , 8, 231-242	2.9	19
19	A role for drug awareness and prevention programs external to the school?. <i>Health Education Research</i> , 1992 , 7, 259-267	1.8	5
18	Tobacco: Promotion and Smoking-Reply. <i>JAMA - Journal of the American Medical Association</i> , 1992 , 267, 3283	27.4	1
17	Promoting smoking cessation in the United States: effect of public service announcements on the Cancer Information Service telephone line. <i>Journal of the National Cancer Institute</i> , 1992 , 84, 677-83	9.7	53
16	Authors' Reply: Concerns over coma arousal. <i>Brain Injury</i> , 1992 , 6, 99-100	2.1	2
15	Smoking initiation in the United States: a role for worksite and college smoking bans. <i>Journal of the National Cancer Institute</i> , 1991 , 83, 1009-13	9.7	50
14	Does Tobacco Advertising Target Young People to Start Smoking?. <i>JAMA - Journal of the American Medical Association</i> , 1991 , 266, 3154	27.4	96
13	The effectiveness of coma arousal intervention. <i>Brain Injury</i> , 1990 , 4, 191-7	2.1	47
12	Predictors of marijuana use and uptake among teenagers in Sydney, Australia. <i>Substance Use and Misuse</i> , 1990 , 25, 1179-93		13
11	The drug use behaviour of cocaine users. <i>Drug and Alcohol Review</i> , 1990 , 9, 251-8	3.2	4
10	Drug use among Sydney teenagers in 1985 and 1986. <i>Community Health Studies</i> , 1989 , 13, 161-9		7
9	Trends in Cigarette Smoking in the United States. <i>JAMA - Journal of the American Medical Association</i> , 1989 , 261, 56	27.4	194
8	Incidence and prevalence of insulin-dependent diabetes mellitus in the zero- to 19-years' age-group in Sydney. <i>Medical Journal of Australia</i> , 1989 , 151, 140-1, 144-6	4	14
7	Relatives as lay-therapists for the severely head-injured. <i>Brain Injury</i> , 1988 , 2, 139-49	2.1	9
6	Targeting the smoker in an anti-smoking campaign. <i>Preventive Medicine</i> , 1987 , 16, 816-24	4.3	22
5	Evaluation of the Sydney Quit. For Life anti-smoking campaign: Part 1. Achievement of intermediate goals. <i>Medical Journal of Australia</i> , 1986 , 144, 341-344	4	73
4	Evaluation of the Sydney Quit. For Life anti-smoking campaign: Part 2. Changes in smoking prevalence. <i>Medical Journal of Australia</i> , 1986 , 144, 344-347	4	65
3	Tobacco sponsorship of medical research. <i>Medical Journal of Australia</i> , 1986 , 145, 658-658	4	

2 Smoking, disease and the admissibility of evidence. *Medical Journal of Australia*, **1986**, 144, 446-7 4

1 A minimum 6-month prolonged abstinence should be required for evaluating smoking cessation trials 1