

Ming T Tsuang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2431011/ming-t-tsuang-publications-by-citations.pdf>

Version: 2024-04-18

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

237
papers

17,609
citations

49
h-index

131
g-index

246
ext. papers

23,700
ext. citations

7.1
avg, IF

5.61
L-index

#	Paper	IF	Citations
237	Analysis of protein-coding genetic variation in 60,706 humans. <i>Nature</i> , 2016 , 536, 285-91	50.4	6940
236	The mutational constraint spectrum quantified from variation in 141,456 humans. <i>Nature</i> , 2020 , 581, 434-443	50.4	2278
235	Spatial and temporal mapping of de novo mutations in schizophrenia to a fetal prefrontal cortical network. <i>Cell</i> , 2013 , 154, 518-29	56.2	406
234	Progressive reduction in cortical thickness as psychosis develops: a multisite longitudinal neuroimaging study of youth at elevated clinical risk. <i>Biological Psychiatry</i> , 2015 , 77, 147-57	7.9	384
233	Genetic influences on DSM-III-R drug abuse and dependence: a study of 3,372 twin pairs. <i>American Journal of Medical Genetics Part A</i> , 1996 , 67, 473-7		378
232	An Individualized Risk Calculator for Research in Prodromal Psychosis. <i>American Journal of Psychiatry</i> , 2016 , 173, 980-988	11.9	332
231	North American Prodrome Longitudinal Study: a collaborative multisite approach to prodromal schizophrenia research. <i>Schizophrenia Bulletin</i> , 2007 , 33, 665-72	1.3	231
230	Separation of DSM-III attention deficit disorder and conduct disorder: evidence from a family-genetic study of American child psychiatric patients. <i>Psychological Medicine</i> , 1991 , 21, 109-21	6.9	201
229	Association of Thalamic Dysconnectivity and Conversion to Psychosis in Youth and Young Adults at Elevated Clinical Risk. <i>JAMA Psychiatry</i> , 2015 , 72, 882-91	14.5	199
228	North American Prodrome Longitudinal Study (NAPLS 2): overview and recruitment. <i>Schizophrenia Research</i> , 2012 , 142, 77-82	3.6	188
227	Comparative genetic architectures of schizophrenia in East Asian and European populations. <i>Nature Genetics</i> , 2019 , 51, 1670-1678	36.3	185
226	Assessing the validity of blood-based gene expression profiles for the classification of schizophrenia and bipolar disorder: a preliminary report. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 133B, 1-5	3.5	180
225	Association of Neurocognition With Transition to Psychosis: Baseline Functioning in the Second Phase of the North American Prodrome Longitudinal Study. <i>JAMA Psychiatry</i> , 2016 , 73, 1239-1248	14.5	158
224	Towards a psychosis risk blood diagnostic for persons experiencing high-risk symptoms: preliminary results from the NAPLS project. <i>Schizophrenia Bulletin</i> , 2015 , 41, 419-28	1.3	148
223	Do genes influence exposure to trauma? A twin study of combat. <i>American Journal of Medical Genetics Part A</i> , 1993 , 48, 22-7		147
222	North American Prodrome Longitudinal Study (NAPLS 2): The Prodromal Symptoms. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 328-35	1.8	139
221	Modeling Deficits From Early Auditory Information Processing to Psychosocial Functioning in Schizophrenia. <i>JAMA Psychiatry</i> , 2017 , 74, 37-46	14.5	127

220	Attenuated psychosis syndrome in DSM-5. <i>Schizophrenia Research</i> , 2013 , 150, 31-5	3.6	122
219	The relationship of neurocognition and negative symptoms to social and role functioning over time in individuals at clinical high risk in the first phase of the North American Prodrome Longitudinal Study. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1452-61	1.3	117
218	Validation of mismatch negativity and P3a for use in multi-site studies of schizophrenia: characterization of demographic, clinical, cognitive, and functional correlates in COGS-2. <i>Schizophrenia Research</i> , 2015 , 163, 63-72	3.6	116
217	Gender differences in age at onset of schizophrenia. <i>British Journal of Psychiatry</i> , 1994 , 164, 625-9	5.4	106
216	Sex differences in the familial transmission of schizophrenia. <i>British Journal of Psychiatry</i> , 1990 , 156, 819-26	5.4	100
215	Interrelationship of genetic and environmental influences on conduct disorder and alcohol and marijuana dependence symptoms. <i>American Journal of Medical Genetics Part A</i> , 1999 , 88, 391-7		98
214	Evidence for the multigenic inheritance of schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2001 , 105, 794-800		88
213	Multisite reliability of MR-based functional connectivity. <i>NeuroImage</i> , 2017 , 146, 959-970	7.9	83
212	Gene-environment interactions in mental disorders. <i>World Psychiatry</i> , 2004 , 3, 73-83	14.4	83
211	Cerebello-thalamo-cortical hyperconnectivity as a state-independent functional neural signature for psychosis prediction and characterization. <i>Nature Communications</i> , 2018 , 9, 3836	17.4	83
210	Early traumatic experiences in those at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2013 , 7, 300-5	3.3	81
209	An integration of schizophrenia with schizotypy: identification of schizotaxia and implications for research on treatment and prevention. <i>Schizophrenia Research</i> , 2002 , 54, 169-75	3.6	81
208	Reduced subcortical brain volumes in nonpsychotic siblings of schizophrenic patients: a pilot magnetic resonance imaging study. <i>American Journal of Medical Genetics Part A</i> , 1997 , 74, 507-14		79
207	O2.8. TRAJECTORIES OF NEUROCOGNITIVE FUNCTIONING OVER TIME IN YOUTH AT CLINICAL HIGH RISK WHO DO AND DO NOT TRANSITION TO PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S78-S78 ¹⁻³		78
206	Association of the OPRM1 Variant rs1799971 (A118G) with Non-Specific Liability to Substance Dependence in a Collaborative de novo Meta-Analysis of European-Ancestry Cohorts. <i>Behavior Genetics</i> , 2016 , 46, 151-69	3.2	77
205	Deficient prepulse inhibition in schizophrenia detected by the multi-site COGS. <i>Schizophrenia Research</i> , 2014 , 152, 503-12	3.6	74
204	Preliminary evidence of ubiquitin proteasome system dysregulation in schizophrenia and bipolar disorder: convergent pathway analysis findings from two independent samples. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 494-502	3.5	73
203	Familial Subtypes of Attention Deficit Hyperactivity Disorder: A 4-year Follow-up Study of Children from Antisocial-ADHD Families. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1998 , 39, 1045-1053	7.9	71

202	Comorbid diagnoses for youth at clinical high risk of psychosis. <i>Schizophrenia Research</i> , 2017 , 190, 90-95	3.6	65
201	Genome scan of Han Chinese schizophrenia families from Taiwan: confirmation of linkage to 10q22.3. <i>American Journal of Psychiatry</i> , 2006 , 163, 1760-6	11.9	65
200	Blood-based gene expression signatures of infants and toddlers with autism. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2012 , 51, 934-44.e2	7.2	64
199	The utility of P300 as a schizophrenia endophenotype and predictive biomarker: clinical and socio-demographic modulators in COGS-2. <i>Schizophrenia Research</i> , 2015 , 163, 53-62	3.6	63
198	PTSD Blood Transcriptome Mega-Analysis: Shared Inflammatory Pathways across Biological Sex and Modes of Trauma. <i>Neuropsychopharmacology</i> , 2018 , 43, 469-481	8.7	61
197	Use of Machine Learning to Determine Deviance in Neuroanatomical Maturity Associated With Future Psychosis in Youths at Clinically High Risk. <i>JAMA Psychiatry</i> , 2018 , 75, 960-968	14.5	61
196	Specificity of Incident Diagnostic Outcomes in Patients at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1066-75	1.3	59
195	Familial transmission of major affective disorders. Is there evidence supporting the distinction between unipolar and bipolar disorders?. <i>British Journal of Psychiatry</i> , 1985 , 146, 268-71	5.4	58
194	Transcript expression-aware annotation improves rare variant interpretation. <i>Nature</i> , 2020 , 581, 452-458	10.4	55
193	Gut microbiome and magnetic resonance spectroscopy study of subjects at ultra-high risk for psychosis may support the membrane hypothesis. <i>European Psychiatry</i> , 2018 , 53, 37-45	6	54
192	Reliability of neuroanatomical measurements in a multisite longitudinal study of youth at risk for psychosis. <i>Human Brain Mapping</i> , 2014 , 35, 2424-34	5.9	54
191	Exome sequencing in schizophrenia-affected parent-offspring trios reveals risk conferred by protein-coding de novo mutations. <i>Nature Neuroscience</i> , 2020 , 23, 185-193	25.5	52
190	Stress exposure and sensitivity in the clinical high-risk syndrome: initial findings from the North American Prodrome Longitudinal Study (NAPLS). <i>Schizophrenia Research</i> , 2014 , 160, 104-9	3.6	50
189	Transcriptome-wide mega-analyses reveal joint dysregulation of immunologic genes and transcription regulators in brain and blood in schizophrenia. <i>Schizophrenia Research</i> , 2016 , 176, 114-124	3.6	50
188	Reliability of an fMRI paradigm for emotional processing in a multisite longitudinal study. <i>Human Brain Mapping</i> , 2015 , 36, 2558-79	5.9	49
187	Attention/vigilance in schizophrenia: performance results from a large multi-site study of the Consortium on the Genetics of Schizophrenia (COGS). <i>Schizophrenia Research</i> , 2015 , 163, 38-46	3.6	48
186	Self-Reported zygosity and the equal-environments assumption for psychiatric disorders in the Vietnam Era Twin Registry. <i>Behavior Genetics</i> , 2000 , 30, 303-10	3.2	48
185	Genetic assessment of additional endophenotypes from the Consortium on the Genetics of Schizophrenia Family Study. <i>Schizophrenia Research</i> , 2016 , 170, 30-40	3.6	46

184	Factor structure and heritability of endophenotypes in schizophrenia: findings from the Consortium on the Genetics of Schizophrenia (COGS-1). <i>Schizophrenia Research</i> , 2015 , 163, 73-9	3.6	45
183	Polygenic Risk Score Contribution to Psychosis Prediction in a Target Population of Persons at Clinical High Risk. <i>American Journal of Psychiatry</i> , 2020 , 177, 155-163	11.9	45
182	Models of treatment seeking for alcoholism: the role of genes and environment. <i>Alcoholism: Clinical and Experimental Research</i> , 1996 , 20, 1577-81	3.7	44
181	Clinical and functional characteristics of youth at clinical high-risk for psychosis who do not transition to psychosis. <i>Psychological Medicine</i> , 2019 , 49, 1670-1677	6.9	44
180	Anxiety in youth at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2017 , 11, 480-487	3.3	43
179	Early traumatic experiences, perceived discrimination and conversion to psychosis in those at clinical high risk for psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 497-503	4.5	43
178	Epidemiology of Eating Disorders 2011 , 343-360		42
177	Blood-based gene-expression biomarkers of post-traumatic stress disorder among deployed marines: A pilot study. <i>Psychoneuroendocrinology</i> , 2015 , 51, 472-94	5	41
176	Social cognition over time in individuals at clinical high risk for psychosis: Findings from the NAPLS-2 cohort. <i>Schizophrenia Research</i> , 2016 , 171, 176-81	3.6	41
175	Reliability of functional magnetic resonance imaging activation during working memory in a multi-site study: analysis from the North American Prodrome Longitudinal Study. <i>NeuroImage</i> , 2014 , 97, 41-52	7.9	41
174	Taiwan schizophrenia linkage study: the field study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 134B, 30-6	3.5	41
173	Treatment history in the psychosis prodrome: characteristics of the North American Prodrome Longitudinal Study Cohort. <i>Microbial Biotechnology</i> , 2010 , 4, 220-6	3.3	40
172	Lack of Diagnostic Pluripotentiality in Patients at Clinical High Risk for Psychosis: Specificity of Comorbidity Persistence and Search for Pluripotential Subgroups. <i>Schizophrenia Bulletin</i> , 2018 , 44, 254-263	1.3	38
171	Adolescent problem behaviors as predictors of adult alcohol diagnoses. <i>Substance Use and Misuse</i> , 1995 , 30, 507-23		38
170	Theory of Mind, Emotion Recognition and Social Perception in Individuals at Clinical High Risk for Psychosis: findings from the NAPLS-2 cohort. <i>Schizophrenia Research: Cognition</i> , 2015 , 2, 133-139	2.8	36
169	Severity of thought disorder predicts psychosis in persons at clinical high-risk. <i>Schizophrenia Research</i> , 2015 , 169, 169-177	3.6	36
168	Genetics of smoking and depression. <i>Human Genetics</i> , 2012 , 131, 905-15	6.3	35
167	Spiritual well-being and health. <i>Journal of Nervous and Mental Disease</i> , 2007 , 195, 673-80	1.8	35

166	Mapping genomic loci implicates genes and synaptic biology in schizophrenia.. <i>Nature</i> , 2022 ,	50.4	35
165	Current status specifiers for patients at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2014 , 158, 69-75	3.6	34
164	Depression and clinical high-risk states: Baseline presentation of depressed vs. non-depressed participants in the NAPLS-2 cohort. <i>Schizophrenia Research</i> , 2018 , 192, 357-363	3.6	32
163	Deficient prepulse inhibition in schizophrenia in a multi-site cohort: Internal replication and extension. <i>Schizophrenia Research</i> , 2018 , 198, 6-15	3.6	32
162	Genome-wide Association of Endophenotypes for Schizophrenia From the Consortium on the Genetics of Schizophrenia (COGS) Study. <i>JAMA Psychiatry</i> , 2019 , 76, 1274-1284	14.5	32
161	Unipolar relatives in bipolar pedigrees: a search for indicators of underlying bipolarity. <i>American Journal of Medical Genetics Part A</i> , 1993 , 48, 192-9		32
160	Association of baseline inflammatory markers and the development of negative symptoms in individuals at clinical high risk for psychosis. <i>Brain, Behavior, and Immunity</i> , 2019 , 76, 268-274	16.6	32
159	Gating Deficit Heritability and Correlation With Increased Clinical Severity in Schizophrenia Patients With Positive Family History. <i>American Journal of Psychiatry</i> , 2016 , 173, 385-91	11.9	31
158	Heritability of white matter microstructure in late middle age: A twin study of tract-based fractional anisotropy and absolute diffusivity indices. <i>Human Brain Mapping</i> , 2017 , 38, 2026-2036	5.9	31
157	Assessing risk for the Tourette spectrum of disorders among first-degree relatives of probands with Tourette syndrome. <i>American Journal of Medical Genetics Part A</i> , 1996 , 67, 107-16		31
156	Association Between P300 Responses to Auditory Oddball Stimuli and Clinical Outcomes in the Psychosis Risk Syndrome. <i>JAMA Psychiatry</i> , 2019 , 76, 1187-1197	14.5	30
155	Psychotropic medication use in youth at high risk for psychosis: comparison of baseline data from two research cohorts 1998-2005 and 2008-2011. <i>Schizophrenia Research</i> , 2013 , 148, 99-104	3.6	30
154	Predictors of current functioning and functional decline in schizophrenia. <i>Schizophrenia Research</i> , 2017 , 188, 158-164	3.6	29
153	Auditory working memory impairments in individuals at familial high risk for schizophrenia. <i>Neuropsychology</i> , 2012 , 26, 288-303	3.8	28
152	Sex differences, hormones, and fMRI stress response circuitry deficits in psychoses. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 232, 226-36	2.9	27
151	Finding incident breast cancer cases through US claims data and a state cancer registry. <i>Cancer Causes and Control</i> , 2001 , 12, 257-65	2.8	27
150	Cortical abnormalities in youth at clinical high-risk for psychosis: Findings from the NAPLS2 cohort. <i>NeuroImage: Clinical</i> , 2019 , 23, 101862	5.3	26
149	Comparison of the heritability of schizophrenia and endophenotypes in the COGS-1 family study. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1404-11	1.3	26

148	Is bigger always better? The importance of cortical configuration with respect to cognitive ability. <i>NeuroImage</i> , 2016 , 129, 356-366	7.9	25
147	Toward Leveraging Human Connectomic Data in Large Consortia: Generalizability of fMRI-Based Brain Graphs Across Sites, Sessions, and Paradigms. <i>Cerebral Cortex</i> , 2019 , 29, 1263-1279	5.1	25
146	Use of Register Data for Psychiatric Epidemiology in the Nordic Countries 117-131		25
145	Does degree of gyrification underlie the phenotypic and genetic associations between cortical surface area and cognitive ability?. <i>NeuroImage</i> , 2015 , 106, 154-60	7.9	24
144	Alcohol use by alcoholics with and without a history of parental alcoholism. <i>Alcoholism: Clinical and Experimental Research</i> , 1990 , 14, 887-92	3.7	23
143	Maternal Bacterial Infection During Pregnancy and Offspring Risk of Psychotic Disorders: Variation by Severity of Infection and Offspring Sex. <i>American Journal of Psychiatry</i> , 2020 , 177, 66-75	11.9	23
142	Ventricular enlargement and progressive reduction of cortical gray matter are linked in prodromal youth who develop psychosis. <i>Schizophrenia Research</i> , 2017 , 189, 169-174	3.6	22
141	Verbal working memory in schizophrenia from the Consortium on the Genetics of Schizophrenia (COGS) study: the moderating role of smoking status and antipsychotic medications. <i>Schizophrenia Research</i> , 2015 , 163, 24-31	3.6	22
140	Negative symptoms and impaired social functioning predict later psychosis in Latino youth at clinical high risk in the North American prodromal longitudinal studies consortium. <i>Microbial Biotechnology</i> , 2015 , 9, 467-75	3.3	22
139	Prodromal Symptom Severity Predicts Accelerated Gray Matter Reduction and Third Ventricle Expansion Among Clinically High Risk Youth Developing Psychotic Disorders. <i>Molecular Neuropsychiatry</i> , 2015 , 1, 13-22	4.9	22
138	Medial temporal lobe default mode functioning and hippocampal structure as vulnerability indicators for schizophrenia: a MRI study of non-psychotic adolescent first-degree relatives. <i>Schizophrenia Research</i> , 2014 , 159, 426-34	3.6	21
137	Sex differences in affective disorder: genetic transmission. <i>Genetic Epidemiology</i> , 1987 , 4, 331-43	2.6	19
136	Characterizing Covariant Trajectories of Individuals at Clinical High Risk for Psychosis Across Symptomatic and Functional Domains. <i>American Journal of Psychiatry</i> , 2020 , 177, 164-171	11.9	19
135	Healthy adolescent performance on the MATRICS Consensus Cognitive Battery (MCCB): Developmental data from two samples of volunteers. <i>Schizophrenia Research</i> , 2016 , 172, 106-13	3.6	18
134	The future of psychiatric genetics. <i>Current Psychiatry Reports</i> , 2000 , 2, 133-6	9.1	18
133	Neurocognitive profiles in the prodrome to psychosis in NAPLS-1. <i>Schizophrenia Research</i> , 2019 , 204, 311-319	3.6	17
132	Functional development in clinical high risk youth: prediction of schizophrenia versus other psychotic disorders. <i>Psychiatry Research</i> , 2014 , 215, 52-60	9.9	16
131	Early intermodal integration in offspring of parents with psychosis. <i>Schizophrenia Bulletin</i> , 2014 , 40, 992-1000	10.0	16

130	Schizotaxia: current status and future directions. <i>Current Psychiatry Reports</i> , 2003 , 5, 128-34	9.1	16
129	Anticholinergic Medication Burden-Associated Cognitive Impairment in Schizophrenia. <i>American Journal of Psychiatry</i> , 2021 , 178, 838-847	11.9	16
128	Rare coding variants in ten genes confer substantial risk for schizophrenia.. <i>Nature</i> , 2022 ,	50.4	16
127	Meta-analysis of data from the Psychiatric Genomics Consortium and additional samples supports association of CACNA1C with risk for schizophrenia. <i>Schizophrenia Research</i> , 2015 , 168, 429-33	3.6	15
126	The content of attenuated psychotic symptoms in those at clinical high risk for psychosis. <i>Psychiatry Research</i> , 2014 , 219, 506-12	9.9	15
125	The role of gender in understanding the familial transmission of schizoaffective disorder. <i>British Journal of Psychiatry</i> , 1993 , 163, 763-8	5.4	15
124	Functional Capacity Assessed by the Map Task in Individuals at Clinical High-Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2016 , 42, 1234-42	1.3	15
123	A polygenic resilience score moderates the genetic risk for schizophrenia. <i>Molecular Psychiatry</i> , 2021 , 26, 800-815	15.1	15
122	Hippocampal atrophy varies by neuropsychologically defined MCI among men in their 50s. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 456-65	6.5	14
121	Latent class cluster analysis of symptom ratings identifies distinct subgroups within the clinical high risk for psychosis syndrome. <i>Schizophrenia Research</i> , 2018 , 197, 522-530	3.6	14
120	Treatment Precedes Positive Symptoms in North American Adolescent and Young Adult Clinical High Risk Cohort. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2018 , 47, 69-78	5.4	14
119	Sleep problems and attenuated psychotic symptoms in youth at clinical high-risk for psychosis. <i>Psychiatry Research</i> , 2019 , 282, 112492	9.9	14
118	Post-traumatic stress symptoms and adult attachment: a 24-year longitudinal study. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 1603-12	6.5	14
117	Commentary on Koenig (2008): "Concerns about measuring spirituality in research". <i>Journal of Nervous and Mental Disease</i> , 2008 , 196, 647-9	1.8	14
116	Progressive reconfiguration of resting-state brain networks as psychosis develops: Preliminary results from the North American Prodrome Longitudinal Study (NAPLS) consortium. <i>Schizophrenia Research</i> , 2020 , 226, 30-37	3.6	14
115	North American Prodrome Longitudinal Study (NAPLS 3): Methods and baseline description. <i>Schizophrenia Research</i> , 2020 ,	3.6	14
114	Robust differences in antisaccade performance exist between COGS schizophrenia cases and controls regardless of recruitment strategies. <i>Schizophrenia Research</i> , 2015 , 163, 47-52	3.6	13
113	Networks of blood proteins in the neuroimmunology of schizophrenia. <i>Translational Psychiatry</i> , 2018 , 8, 112	8.6	13

112	Treatment of nonpsychotic relatives of patients with schizophrenia: six case studies. <i>American Journal of Medical Genetics Part A</i> , 2002 , 114, 943-8		13
111	Estimating age at onset distributions: the bias from prevalent cases and its impact on risk estimation. <i>Genetic Epidemiology</i> , 1993 , 10, 43-59	2.6	13
110	Genetic network properties of the human cortex based on regional thickness and surface area measures. <i>Frontiers in Human Neuroscience</i> , 2015 , 9, 440	3.3	12
109	Predictive validity of conversion from the clinical high risk syndrome to frank psychosis. <i>Schizophrenia Research</i> , 2020 , 216, 184-191	3.6	12
108	Prioritizing schizophrenia endophenotypes for future genetic studies: An example using data from the COGS-1 family study. <i>Schizophrenia Research</i> , 2016 , 174, 1-9	3.6	12
107	Altered Brain Activation During Memory Retrieval Precedes and Predicts Conversion to Psychosis in Individuals at Clinical High Risk. <i>Schizophrenia Bulletin</i> , 2019 , 45, 924-933	1.3	12
106	Genetic influences on DSM-III-R drug abuse and dependence: A study of 3,372 twin pairs 1996 , 67, 473		12
105	California Verbal Learning Test-II performance in schizophrenia as a function of ascertainment strategy: comparing the first and second phases of the Consortium on the Genetics of Schizophrenia (COGS). <i>Schizophrenia Research</i> , 2015 , 163, 32-7	3.6	11
104	Stressor-Cortisol Concordance Among Individuals at Clinical High-Risk for Psychosis: Novel Findings from the NAPLS Cohort. <i>Psychoneuroendocrinology</i> , 2020 , 115, 104649	5	11
103	Age-related trajectories of social cognition in youth at clinical high risk for psychosis: An exploratory study. <i>Schizophrenia Research</i> , 2018 , 201, 130-136	3.6	11
102	Reduced maternal levels of common viruses during pregnancy predict offspring psychosis: potential role of enhanced maternal immune activity?. <i>Schizophrenia Research</i> , 2015 , 166, 248-54	3.6	11
101	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2021 ,	7.9	11
100	Advanced Paternal Age and Early Onset of Schizophrenia in Sporadic Cases: Not Confounded by Parental Polygenic Risk for Schizophrenia. <i>Biological Psychiatry</i> , 2019 , 86, 56-64	7.9	10
99	Impact of childhood adversity on corticolimbic volumes in youth at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2019 , 213, 48-55	3.6	10
98	Genetic relatedness of axial and radial diffusivity indices of cerebral white matter microstructure in late middle age. <i>Human Brain Mapping</i> , 2018 , 39, 2235-2245	5.9	10
97	Exploration of clinical high-risk dropouts. <i>Schizophrenia Research</i> , 2018 , 195, 579-580	3.6	10
96	The Violent Content in Attenuated Psychotic Symptoms. <i>Psychiatry Research</i> , 2016 , 242, 61-66	9.9	10
95	Evaluating the impact of cannabis use on thalamic connectivity in youth at clinical high risk of psychosis. <i>BMC Psychiatry</i> , 2015 , 15, 276	4.2	10

94	Evaluating the relationship between cannabis use and IQ in youth and young adults at clinical high risk of psychosis. <i>Psychiatry Research</i> , 2015 , 230, 878-84	9.9	10
93	Is there an association between advanced paternal age and endophenotype deficit levels in schizophrenia?. <i>PLoS ONE</i> , 2014 , 9, e88379	3.7	10
92	Stress perception following childhood adversity: Unique associations with adversity type and sex. <i>Development and Psychopathology</i> , 2020 , 32, 343-356	4.3	9
91	The Role of microRNA Expression in Cortical Development During Conversion to Psychosis. <i>Neuropsychopharmacology</i> , 2017 , 42, 2188-2195	8.7	8
90	Alterations of lateral temporal cortical gray matter and facial memory as vulnerability indicators for schizophrenia: An MRI study in youth at familial high-risk for schizophrenia. <i>Schizophrenia Research</i> , 2016 , 170, 123-9	3.6	8
89	Adding a neuroanatomical biomarker to an individualized risk calculator for psychosis: A proof-of-concept study. <i>Schizophrenia Research</i> , 2019 , 208, 41-43	3.6	8
88	Schizophrenia, autism spectrum disorders and developmental disorders share specific disruptive coding mutations. <i>Nature Communications</i> , 2021 , 12, 5353	17.4	8
87	Epidemiology of Bipolar Disorder in Adults and Children 329-342		8
86	Mental Illness, Women, Mothers and their Children 483-515		8
85	Epidemiology of Schizophrenia 2011 , 263-287		7
84	The role of a family history of psychosis for youth at clinical high risk of psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 251-256	3.3	7
83	Transcriptomic abnormalities in peripheral blood in bipolar disorder, and discrimination of the major psychoses. <i>Schizophrenia Research</i> , 2020 , 217, 124-135	3.6	7
82	Validating schizotaxia and its place in studies of preventing schizophrenia by psychopharmacological intervention. <i>Essential Psychopharmacology</i> , 2005 , 6, 91-103		7
81	The effects of age and sex on cognitive impairment in schizophrenia: Findings from the Consortium on the Genetics of Schizophrenia (COGS) study. <i>PLoS ONE</i> , 2020 , 15, e0232855	3.7	6
80	Genetic loci associated with an earlier age at onset in multiplex schizophrenia. <i>Scientific Reports</i> , 2017 , 7, 6486	4.9	6
79	White matter changes in psychosis risk relate to development and are not impacted by the transition to psychosis. <i>Molecular Psychiatry</i> , 2021 ,	15.1	6
78	Tobacco use and psychosis risk in persons at clinical high risk. <i>Microbial Biotechnology</i> , 2019 , 13, 1173-1181	3.1	6
77	Incorporating cortisol into the NAPLS2 individualized risk calculator for prediction of psychosis. <i>Schizophrenia Research</i> , 2021 , 227, 95-100	3.6	6

76	Stability of mismatch negativity event-related potentials in a multisite study. <i>International Journal of Methods in Psychiatric Research</i> , 2020 , 29, e1819	4.3	5
75	Relation between cannabis use and subcortical volumes in people at clinical high risk of psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 254, 3-9	2.9	5
74	Between-site reliability of startle prepulse inhibition across two early psychosis consortia. <i>NeuroReport</i> , 2013 , 24, 626-30	1.7	5
73	Duration of the psychosis prodrome. <i>Schizophrenia Research</i> , 2020 , 216, 443-449	3.6	5
72	The potential of genetic and gene expression analysis in the diagnosis of neuropsychiatric disorders. <i>Expert Review of Molecular Diagnostics</i> , 2016 , 16, 677-95	3.8	5
71	Selection for psychosocial treatment for youth at clinical high risk for psychosis based on the North American Prodrome Longitudinal Study individualized risk calculator. <i>Microbial Biotechnology</i> , 2021 , 15, 96-103	3.3	5
70	Inflammation in Mental Disorders: Is the Microbiota the Missing Link?. <i>Neuroscience Bulletin</i> , 2020 , 36, 1071-1084	4.3	4
69	Assessment of Lifespan Functioning Attainment (ALFA) scale: A quantitative interview for self-reported current and functional decline in schizophrenia. <i>Journal of Psychiatric Research</i> , 2015 , 65, 102-7	5.2	4
68	Schizophrenia risk conferred by protein-coding de novo mutations		4
67	Associations between childhood adversity, cognitive schemas and attenuated psychotic symptoms. <i>Microbial Biotechnology</i> , 2021 , 15, 818-827	3.3	4
66	Changes in symptom content from a clinical high-risk state to conversion to psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 257-263	3.3	4
65	Depression: An actionable outcome for those at clinical high-risk. <i>Schizophrenia Research</i> , 2021 , 227, 38-43	3.6	4
64	The Pharmacoepidemiology of Psychiatric Medications155-165		4
63	Validity: Definitions and Applications to Psychiatric Research99-116		4
62	Perceptual abnormalities in clinical high risk youth and the role of trauma, cannabis use and anxiety. <i>Psychiatry Research</i> , 2017 , 258, 462-468	9.9	3
61	Reliability of mismatch negativity event-related potentials in a multisite, traveling subjects study. <i>Clinical Neurophysiology</i> , 2020 , 131, 2899-2909	4.3	3
60	Adaptive combination of Bayes factors as a powerful method for the joint analysis of rare and common variants. <i>Scientific Reports</i> , 2017 , 7, 13858	4.9	3
59	Deficits in auditory predictive coding in individuals with the psychosis risk syndrome: Prediction of conversion to psychosis. <i>Journal of Abnormal Psychology</i> , 2020 , 129, 599-611	7	3

58	Sleep Disturbance in Individuals at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	3
57	Genetic and clinical analyses of psychosis spectrum symptoms in a large multiethnic youth cohort reveal significant link with ADHD. <i>Translational Psychiatry</i> , 2021 , 11, 80	8.6	3
56	The National Comorbidity Survey (NCS) and its Extensions221-241		3
55	Epidemiology of Anxiety Disorders311-328		3
54	Epidemiology of Alcohol Use, Abuse and Dependence361-379		3
53	A Frameshift Variant in the CHST9 Gene Identified by Family-Based Whole Genome Sequencing Is Associated with Schizophrenia in Chinese Population. <i>Scientific Reports</i> , 2019 , 9, 12717	4.9	2
52	Genetic associations and expression of extra-short isoforms of disrupted-in-schizophrenia 1 in a neurocognitive subgroup of schizophrenia. <i>Journal of Human Genetics</i> , 2019 , 64, 653-663	4.3	2
51	Paternal age of schizophrenia probands and endophenotypic differences from unaffected siblings. <i>Psychiatry Research</i> , 2014 , 219, 67-71	9.9	2
50	Epidemiology of Depressive Disorders 2011 , 289-309		2
49	Cross-paradigm connectivity: reliability, stability, and utility. <i>Brain Imaging and Behavior</i> , 2021 , 15, 614-629	4.1	2
48	Concordance and factor structure of subthreshold positive symptoms in youth at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2021 , 227, 72-77	3.6	2
47	Abnormally Large Baseline P300 Amplitude Is Associated With Conversion to Psychosis in Clinical High Risk Individuals With a History of Autism: A Pilot Study. <i>Frontiers in Psychiatry</i> , 2021 , 12, 591127	5	2
46	Blood-based dynamic genomic signature for obsessive-compulsive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018 , 177, 709-716	3.5	2
45	Symptom Scales and Diagnostic Schedules in Adult Psychiatry199-219		2
44	Epidemiology of Attention Deficit Hyperactivity Disorder449-467		2
43	Epidemiology of Suicide and Attempted Suicide517-533		2
42	The Epidemiology of Personality Disorders: Findings, Methods and Concepts 2011 , 401-433		1
41	The Epidemiology of Depression and Anxiety in Children and Adolescents 2011 , 435-448		1

40	Depression Predicts Global Functional Outcomes in Individuals at Clinical High Risk for Psychosis. <i>Psychiatric Research and Clinical Practice</i> , 2021 , 3, 163-171	2.7	1
39	Association between residential instability at individual and area levels and future psychosis in adolescents at clinical high risk from the North American Prodrome Longitudinal Study (NAPLS) consortium. <i>Schizophrenia Research</i> , 2021 , 238, 137-144	3.6	1
38	Schizophrenia, autism spectrum disorders and developmental disorders share specific disruptive coding mutations		1
37	Reliability of Mismatch Negativity Event-Related Potentials in a Multisite, Traveling Subjects Study		1
36	An Introduction to Mental Health Services Research 133-154		1
35	Evidence of Slow Neural Processing, Developmental Differences and Sensitivity to Cannabis Effects in a Sample at Clinical High Risk for Psychosis From the NAPLS Consortium Assessed With the Human Startle Paradigm. <i>Frontiers in Psychiatry</i> , 2020 , 11, 833	5	1
34	Methodology in the GBD study of China. <i>Lancet, The</i> , 2020 , 396, 25	40	1
33	Identification of de novo mutations in prenatal neurodevelopment-associated genes in schizophrenia in two Han Chinese patient-sibling family-based cohorts. <i>Translational Psychiatry</i> , 2020 , 10, 307	8.6	1
32	Life Event Stress and Reduced Cortical Thickness in Youth at Clinical High Risk for Psychosis and Healthy Control Subjects. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 , 7, 171-174	2.4	1
31	Olfactory and cognitive functions in Chinese individuals at clinical high risk for psychosis. <i>Psychiatry Research</i> , 2019 , 272, 51-53	9.9	1
30	Discriminatory experiences predict neuroanatomical changes and anxiety among healthy individuals and those at clinical high risk for psychosis. <i>NeuroImage: Clinical</i> , 2021 , 31, 102757	5.3	1
29	The relation of atypical antipsychotic use and stress with weight in individuals at clinical high risk for psychosis. <i>Stress and Health</i> , 2018 , 34, 591-600	3.7	1
28	Individualized Prediction of Prodromal Symptom Remission for Youth at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	1
27	Early Detection and Intervention as Approaches for Preventing Schizophrenia 617-631		1
26	Moderators and Mediators: Towards the Genetic and Environmental Bases of Psychiatric Disorders 87-97		1
25	Bullying in clinical high risk for psychosis participants from the NAPLS-3 cohort.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022 , 1	4.5	0
24	The associations between area-level residential instability and gray matter volumes from the North American Prodrome Longitudinal Study (NAPLS) consortium.. <i>Schizophrenia Research</i> , 2022 , 241, 1-9	3.6	0
23	Characterizing sustained social anxiety in individuals at clinical high risk for psychosis: trajectory, risk factors, and functional outcomes.. <i>Psychological Medicine</i> , 2022 , 1-8	6.9	0

22	Studying the Natural History Of Psychopathology	183-198		o
21	Heritability of acoustic startle magnitude and latency from the consortium on the genetics of schizophrenia. <i>Schizophrenia Research</i> , 2020 , 224, 33-39		3.6	o
20	Visual cortical plasticity and the risk for psychosis: An interim analysis of the North American Prodrome Longitudinal Study. <i>Schizophrenia Research</i> , 2021 , 230, 26-37		3.6	o
19	Anxiety in youth at clinical high-risk for psychosis: A two-year follow-up. <i>Schizophrenia Research</i> , 2021 , 236, 87-88		3.6	o
18	The association between migrant status and transition in an ultra-high risk for psychosis population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 943-952		4.5	o
17	Family history of psychosis in youth at clinical high risk: A replication study.. <i>Psychiatry Research</i> , 2022 , 311, 114480		9.9	o
16	Epidemiology of Illicit Drug Use Disorders	2011 , 381-399		
15	Introduction to Epidemiologic Research Methods	1-8		
14	Recent Epidemiological Studies of Psychiatric Disorders in Japan	559-577		
13	Epidemiology of Migration Substance Use Disorder in Latin American Populations and Migration to the United States	595-615		
12	Examining Gene-Environment Interplay in Psychiatric Disorders	53-71		
11	Genetic Epidemiology	31-51		
10	Peering into the Future of Psychiatric Epidemiology	167-182		
9	Analysis of Categorical Data: The Odds Ratio as a Measure of Association and Beyond	9-29		
8	Epidemiology and Geriatric Psychiatry	535-557		
7	Epidemiology of Migration and Serious Mental Illness: The Example of Migrants to Europe	579-594		
6	The Epidemiology of Autism	469-481		
5	Experimental Epidemiology	243-261		

- 4 The effects of age and sex on cognitive impairment in schizophrenia: Findings from the Consortium on the Genetics of Schizophrenia (COGS) study **2020**, 15, e0232855
- 3 The effects of age and sex on cognitive impairment in schizophrenia: Findings from the Consortium on the Genetics of Schizophrenia (COGS) study **2020**, 15, e0232855
- 2 The effects of age and sex on cognitive impairment in schizophrenia: Findings from the Consortium on the Genetics of Schizophrenia (COGS) study **2020**, 15, e0232855
- 1 The effects of age and sex on cognitive impairment in schizophrenia: Findings from the Consortium on the Genetics of Schizophrenia (COGS) study **2020**, 15, e0232855