
Abdullah Dalar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2432771/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Phenolic contents, antioxidant capacities and inhibitory activities against key metabolic syndrome relevant enzymes of herbal teas from Eastern Anatolia. Industrial Crops and Products, 2013, 44, 383-390. | 5.2 | 91 |
| 2 | Cichorium intybus from Eastern Anatolia: Phenolic composition, antioxidant and enzyme inhibitory activities. Industrial Crops and Products, 2014, 60, 79-85. | 5.2 | 60 |
| 3 | Antioxidant capacity and phenolic constituents of Malva neglecta Wallr. and Plantago lanceolata L. from Eastern Anatolia Region of Turkey. Journal of Herbal Medicine, 2012, 2, 42-51. | 2.0 | 55 |
| 4 | Phytochemical divergence in 45 accessions of Terminalia ferdinandiana (Kakadu plum). Food Chemistry, 2014, 151, 248-256. | 8.2 | 55 |
| 5 | Traditional medicinal plants of Ağrı Province, Turkey. Journal of Ethnopharmacology, 2018, 226, 56-72. | 4.1 | 43 |
| 6 | Phenolic Composition, Antioxidant and Enzyme Inhibitory Activities of Eryngium bornmuelleri leaf. Plant Foods for Human Nutrition, 2014, 69, 30-36. | 3.2 | 37 |
| 7 | Investigation of the protective effects of horse mushroom (Agaricus arvensis Schaeff.) against carbon tetrachloride-induced oxidative stress in rats. Molecular Biology Reports, 2018, 45, 787-797. | 2.3 | 26 |
| 8 | <i>Sempervivum davisii</i> : phytochemical composition, antioxidant and lipase-inhibitory activities. Pharmaceutical Biology, 2017, 55, 532-540. | 2.9 | 23 |
| 9 | Centaurea karduchorum Boiss. from Eastern Anatolia: Phenolic composition, antioxidant and enzyme inhibitory activities. Journal of Herbal Medicine, 2015, 5, 211-216. | 2.0 | 21 |
| 10 | Botanicals from Eastern Anatolia Region of Turkey: Antioxidant capacity and phenolic constituents of endemic herbal medicines. Journal of Herbal Medicine, 2012, 2, 126-135. | 2.0 | 19 |
| 11 | Phenolic composition and potential anti-inflammatory properties of Verbascum cheiranthifolium var. cheiranthifolium leaf. Journal of Herbal Medicine, 2014, 4, 195-200. | 2.0 | 19 |
| 12 | Plant Taxa Used in the Treatment of Diabetes in Van Province, Turkey. International Journal of Secondary Metabolite, 2018, 5, 171-185. | 1.3 | 18 |
| 13 | Health attributes of an endemic orchid from Eastern Anatolia, Dactylorhiza chuhensis Renz&Taub. – In vitro investigations. Journal of Herbal Medicine, 2015, 5, 77-85. | 2.0 | 16 |
| 14 | Screening in vivo antioxidant and haematological properties of sumac and acorn bioactive rich extracts. Industrial Crops and Products, 2018, 124, 20-27. | 5.2 | 15 |
| 15 | In vitro antioxidant and enzyme inhibitory properties and phenolic composition of M. neglecta Wallr. (Malvaceae) fruit: A traditional medicinal fruit from Eastern Anatolia. Industrial Crops and Products, 2013, 51, 376-380. | 5.2 | 12 |
| 16 | Health attributes of ethnic vegetables consumed in the Eastern Anatolia region of Turkey: Antioxidant and enzyme-inhibitory properties. Journal of Ethnic Foods, 2016, 3, 142-149. | 1.9 | 10 |
| 17 | Determination of antioxidant activities and chemical composition of sequential fractions of five edible mushrooms from Turkey. Journal of Food Science and Technology, 2020, 57, 1866-1876. | 2.8 | 10 |
| 18 | The effects of abiotic stressors and signal molecules on phenolic composition and antioxidant activities of in vitro regenerated Hypericum perforatum (St. John's Wort). South African Journal of Botany, 2020, 133, 253-263. | 2.5 | 8 |

Abdullah Dalar

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Phytochemical profile and biological activities of Anatolian Plantain (Plantago anatolica). Food Bioscience, 2020, 36, 100658. | 4.4 | 8 |
| 20 | Phytochemical Profile and in vitro and in vivo Anticonvulsant and Antioxidant Activities of Epilobium hirsutum. International Journal of Secondary Metabolite, 2020, 7, 63-76. | 1.3 | 7 |
| 21 | Gundelia rosea seed: Evaluation of biopharmaceutical potential and bioactive composition. South African Journal of Botany, 2019, 125, 505-510. | 2.5 | 5 |
| 22 | The phenolic profile and biological activities of the wild-edible mushrooms Helvella leucopus and Morchella pulchella. Journal of Food Measurement and Characterization, 2021, 15, 555-566. | 3.2 | 4 |
| 23 | Analysis of Phytochemical Composition and Biological Activities of Verbascum cheiranthifolium var. cheiranthifolium stem and flowers. International Journal of Secondary Metabolite, 2018, 5, 233-242. | 1.3 | 4 |
| 24 | Biological activities and chemical composition of Xanthoria lichens from Turkey. International Journal of Secondary Metabolite, 2021, 8, 376-388. | 1.3 | 3 |
| 25 | Comprehensive appraisement of antioxidant potential and phytochemical profile of native botanicals from Turkey. Journal of Food Measurement and Characterization, 2019, 13, 3230-3241. | 3.2 | 2 |
| 26 | Determination of Biological Activity and Active Substances of Thecocarpus Carvifolius (BOISS.) Hedge & Lamond. Pharmaceutical Chemistry Journal, 2021, 54, 1157-1161. | 0.8 | 1 |
| 27 | Mineral composition of some wild mushrooms from Eastern Anatolia, Turkey. International Journal of Secondary Metabolite, 2018, 5, 163-170. | 1.3 | 1 |
| 28 | Phytochemical composition and health-enhancing properties of Oryza sativa L. leaf tea. Integrative Food, Nutrition and Metabolism, 2018, 5, . | 0.3 | 1 |
| 29 | Electrochemical Detection of Interaction between Verbascum sp. and DNA by Using Disposable Biosensors. Procedia Technology, 2017, 27, 143. | 1.1 | 0 |