

Abdullah Dalar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2432771/publications.pdf>

Version: 2024-02-01

29
papers

574
citations

759233

12
h-index

642732

23
g-index

30
all docs

30
docs citations

30
times ranked

862
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | The phenolic profile and biological activities of the wild-edible mushrooms <i>Helvella leucopus</i> and <i>Morchella pulchella</i> . <i>Journal of Food Measurement and Characterization</i> , 2021, 15, 555-566. | 3.2 | 4 |
| 2 | Determination of Biological Activity and Active Substances of <i>Thecocarpos Carvifolius</i> (BOISS.) Hedge & Lamond. <i>Pharmaceutical Chemistry Journal</i> , 2021, 54, 1157-1161. | 0.8 | 1 |
| 3 | Biological activities and chemical composition of <i>Xanthoria</i> lichens from Turkey. <i>International Journal of Secondary Metabolite</i> , 2021, 8, 376-388. | 1.3 | 3 |
| 4 | Determination of antioxidant activities and chemical composition of sequential fractions of five edible mushrooms from Turkey. <i>Journal of Food Science and Technology</i> , 2020, 57, 1866-1876. | 2.8 | 10 |
| 5 | The effects of abiotic stressors and signal molecules on phenolic composition and antioxidant activities of in vitro regenerated <i>Hypericum perforatum</i> (St. John's Wort). <i>South African Journal of Botany</i> , 2020, 133, 253-263. | 2.5 | 8 |
| 6 | Phytochemical profile and biological activities of Anatolian Plantain (<i>Plantago anatolica</i>). <i>Food Bioscience</i> , 2020, 36, 100658. | 4.4 | 8 |
| 7 | Phytochemical Profile and in vitro and in vivo Anticonvulsant and Antioxidant Activities of <i>Epilobium hirsutum</i> . <i>International Journal of Secondary Metabolite</i> , 2020, 7, 63-76. | 1.3 | 7 |
| 8 | Comprehensive appraisalment of antioxidant potential and phytochemical profile of native botanicals from Turkey. <i>Journal of Food Measurement and Characterization</i> , 2019, 13, 3230-3241. | 3.2 | 2 |
| 9 | <i>Gundelia rosea</i> seed: Evaluation of biopharmaceutical potential and bioactive composition. <i>South African Journal of Botany</i> , 2019, 125, 505-510. | 2.5 | 5 |
| 10 | Investigation of the protective effects of horse mushroom (<i>Agaricus arvensis</i> Schaeff.) against carbon tetrachloride-induced oxidative stress in rats. <i>Molecular Biology Reports</i> , 2018, 45, 787-797. | 2.3 | 26 |
| 11 | Screening in vivo antioxidant and haematological properties of sumac and acorn bioactive rich extracts. <i>Industrial Crops and Products</i> , 2018, 124, 20-27. | 5.2 | 15 |
| 12 | Traditional medicinal plants of AÄrÄ± Province, Turkey. <i>Journal of Ethnopharmacology</i> , 2018, 226, 56-72. | 4.1 | 43 |
| 13 | Analysis of Phytochemical Composition and Biological Activities of <i>Verbascum cheiranthifolium</i> var. <i>cheiranthifolium</i> stem and flowers. <i>International Journal of Secondary Metabolite</i> , 2018, 5, 233-242. | 1.3 | 4 |
| 14 | Mineral composition of some wild mushrooms from Eastern Anatolia, Turkey. <i>International Journal of Secondary Metabolite</i> , 2018, 5, 163-170. | 1.3 | 1 |
| 15 | Plant Taxa Used in the Treatment of Diabetes in Van Province, Turkey. <i>International Journal of Secondary Metabolite</i> , 2018, 5, 171-185. | 1.3 | 18 |
| 16 | Phytochemical composition and health-enhancing properties of <i>Oryza sativa</i> L. leaf tea. <i>Integrative Food, Nutrition and Metabolism</i> , 2018, 5, . | 0.3 | 1 |
| 17 | <i>Sempervivum davisii</i>: phytochemical composition, antioxidant and lipase-inhibitory activities. <i>Pharmaceutical Biology</i> , 2017, 55, 532-540. | 2.9 | 23 |
| 18 | Electrochemical Detection of Interaction between <i>Verbascum</i> sp. and DNA by Using Disposable Biosensors. <i>Procedia Technology</i> , 2017, 27, 143. | 1.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Health attributes of ethnic vegetables consumed in the Eastern Anatolia region of Turkey: Antioxidant and enzyme-inhibitory properties. <i>Journal of Ethnic Foods</i> , 2016, 3, 142-149. | 1.9 | 10 |
| 20 | Health attributes of an endemic orchid from Eastern Anatolia, <i>Dactylorhiza chuhensis</i> Renz&Taub. " In vitro investigations. <i>Journal of Herbal Medicine</i> , 2015, 5, 77-85. | 2.0 | 16 |
| 21 | <i>Centaurea karduchorum</i> Boiss. from Eastern Anatolia: Phenolic composition, antioxidant and enzyme inhibitory activities. <i>Journal of Herbal Medicine</i> , 2015, 5, 211-216. | 2.0 | 21 |
| 22 | Phenolic composition and potential anti-inflammatory properties of <i>Verbascum cheiranthifolium</i> var. <i>cheiranthifolium</i> leaf. <i>Journal of Herbal Medicine</i> , 2014, 4, 195-200. | 2.0 | 19 |
| 23 | Phenolic Composition, Antioxidant and Enzyme Inhibitory Activities of <i>Eryngium bornmuelleri</i> leaf. <i>Plant Foods for Human Nutrition</i> , 2014, 69, 30-36. | 3.2 | 37 |
| 24 | <i>Cichorium intybus</i> from Eastern Anatolia: Phenolic composition, antioxidant and enzyme inhibitory activities. <i>Industrial Crops and Products</i> , 2014, 60, 79-85. | 5.2 | 60 |
| 25 | Phytochemical divergence in 45 accessions of <i>Terminalia ferdinandiana</i> (Kakadu plum). <i>Food Chemistry</i> , 2014, 151, 248-256. | 8.2 | 55 |
| 26 | In vitro antioxidant and enzyme inhibitory properties and phenolic composition of <i>M. neglecta</i> Wallr. (Malvaceae) fruit: A traditional medicinal fruit from Eastern Anatolia. <i>Industrial Crops and Products</i> , 2013, 51, 376-380. | 5.2 | 12 |
| 27 | Phenolic contents, antioxidant capacities and inhibitory activities against key metabolic syndrome relevant enzymes of herbal teas from Eastern Anatolia. <i>Industrial Crops and Products</i> , 2013, 44, 383-390. | 5.2 | 91 |
| 28 | Antioxidant capacity and phenolic constituents of <i>Malva neglecta</i> Wallr. and <i>Plantago lanceolata</i> L. from Eastern Anatolia Region of Turkey. <i>Journal of Herbal Medicine</i> , 2012, 2, 42-51. | 2.0 | 55 |
| 29 | Botanicals from Eastern Anatolia Region of Turkey: Antioxidant capacity and phenolic constituents of endemic herbal medicines. <i>Journal of Herbal Medicine</i> , 2012, 2, 126-135. | 2.0 | 19 |