

Nobutaka Hirokawa

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2433356/nobutaka-hirokawa-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

162
papers

22,769
citations

76
h-index

150
g-index

167
ext. papers

25,154
ext. citations

17.4
avg, IF

6.9
L-index

#	Paper	IF	Citations
162	Randomization of left-right asymmetry due to loss of nodal cilia generating leftward flow of extraembryonic fluid in mice lacking KIF3B motor protein. <i>Cell</i> , 1998 , 95, 829-37	56.2	1284
161	Kinesin superfamily motor proteins and intracellular transport. <i>Nature Reviews Molecular Cell Biology</i> , 2009 , 10, 682-96	48.7	1100
160	Kinesin transports RNA: isolation and characterization of an RNA-transporting granule. <i>Neuron</i> , 2004 , 43, 513-25	13.9	850
159	Molecular motors in neurons: transport mechanisms and roles in brain function, development, and disease. <i>Neuron</i> , 2010 , 68, 610-38	13.9	770
158	Molecular motors and mechanisms of directional transport in neurons. <i>Nature Reviews Neuroscience</i> , 2005 , 6, 201-14	13.5	666
157	Charcot-Marie-Tooth disease type 2A caused by mutation in a microtubule motor KIF1Bbeta. <i>Cell</i> , 2001 , 105, 587-97	56.2	640
156	Kinesin superfamily motor protein KIF17 and mLin-10 in NMDA receptor-containing vesicle transport. <i>Science</i> , 2000 , 288, 1796-802	33.3	598
155	A standardized kinesin nomenclature. <i>Journal of Cell Biology</i> , 2004 , 167, 19-22	7.3	570
154	Targeted disruption of mouse conventional kinesin heavy chain, kif5B, results in abnormal perinuclear clustering of mitochondria. <i>Cell</i> , 1998 , 93, 1147-58	56.2	524
153	Analysis of the kinesin superfamily: insights into structure and function. <i>Trends in Cell Biology</i> , 2005 , 15, 467-76	18.3	516
152	The neuron-specific kinesin superfamily protein KIF1A is a unique monomeric motor for anterograde axonal transport of synaptic vesicle precursors. <i>Cell</i> , 1995 , 81, 769-80	56.2	494
151	KIF1B, a novel microtubule plus end-directed monomeric motor protein for transport of mitochondria. <i>Cell</i> , 1994 , 79, 1209-20	56.2	491
150	Nodal flow and the generation of left-right asymmetry. <i>Cell</i> , 2006 , 125, 33-45	56.2	433
149	FGF-induced vesicular release of Sonic hedgehog and retinoic acid in leftward nodal flow is critical for left-right determination. <i>Nature</i> , 2005 , 435, 172-7	50.4	422
148	Glutamate-receptor-interacting protein GRIP1 directly steers kinesin to dendrites. <i>Nature</i> , 2002 , 417, 83-7	50.4	414
147	Submolecular domains of bovine brain kinesin identified by electron microscopy and monoclonal antibody decoration. <i>Cell</i> , 1989 , 56, 867-78	56.2	402
146	Left-right asymmetry and kinesin superfamily protein KIF3A: new insights in determination of laterality and mesoderm induction by kif3A ^{-/-} mice analysis. <i>Journal of Cell Biology</i> , 1999 , 145, 825-36	7.3	388

145	Mechanism of nodal flow: a conserved symmetry breaking event in left-right axis determination. <i>Cell</i> , 2005 , 121, 633-644	56.2	374
144	Abnormal nodal flow precedes situs inversus in iv and inv mice. <i>Molecular Cell</i> , 1999 , 4, 459-68	17.6	369
143	A processive single-headed motor: kinesin superfamily protein KIF1A. <i>Science</i> , 1999 , 283, 1152-7	33.3	358
142	Microtubule organization and dynamics dependent on microtubule-associated proteins. <i>Current Opinion in Cell Biology</i> , 1994 , 6, 74-81	9	355
141	Defects in axonal elongation and neuronal migration in mice with disrupted tau and map1b genes. <i>Journal of Cell Biology</i> , 2000 , 150, 989-1000	7.3	338
140	Intracellular transport and kinesin superfamily proteins, KIFs: structure, function, and dynamics. <i>Physiological Reviews</i> , 2008 , 88, 1089-118	47.9	325
139	Kinesin and dynein superfamily proteins in organelle transport and cell division. <i>Current Opinion in Cell Biology</i> , 1998 , 10, 60-73	9	283
138	Switch-based mechanism of kinesin motors. <i>Nature</i> , 2001 , 411, 439-45	50.4	281
137	Visualization of the dynamics of synaptic vesicle and plasma membrane proteins in living axons. <i>Journal of Cell Biology</i> , 1998 , 140, 659-74	7.3	271
136	Microtubules provide directional cues for polarized axonal transport through interaction with kinesin motor head. <i>Journal of Cell Biology</i> , 2003 , 162, 1045-55	7.3	255
135	MAP2 is required for dendrite elongation, PKA anchoring in dendrites, and proper PKA signal transduction. <i>Journal of Cell Biology</i> , 2002 , 158, 541-9	7.3	255
134	Kinesin superfamily protein 2A (KIF2A) functions in suppression of collateral branch extension. <i>Cell</i> , 2003 , 114, 229-39	56.2	233
133	Defect in synaptic vesicle precursor transport and neuronal cell death in KIF1A motor protein-deficient mice. <i>Journal of Cell Biology</i> , 1998 , 141, 431-41	7.3	231
132	Synergistic effects of MAP2 and MAP1B knockout in neuronal migration, dendritic outgrowth, and microtubule organization. <i>Journal of Cell Biology</i> , 2001 , 155, 65-76	7.3	225
131	A novel motor, KIF13A, transports mannose-6-phosphate receptor to plasma membrane through direct interaction with AP-1 complex. <i>Cell</i> , 2000 , 103, 569-81	56.2	225
130	KIF5C, a novel neuronal kinesin enriched in motor neurons. <i>Journal of Neuroscience</i> , 2000 , 20, 6374-84	6.6	222
129	KIF17 dynamics and regulation of NR2B trafficking in hippocampal neurons. <i>Journal of Neuroscience</i> , 2003 , 23, 131-40	6.6	181
128	Microtubule-associated protein 1B: molecular structure, localization, and phosphorylation-dependent expression in developing neurons. <i>Neuron</i> , 1989 , 3, 229-38	13.9	180

127	Turnover of fluorescently labelled tubulin and actin in the axon. <i>Nature</i> , 1990 , 343, 479-82	50.4	167
126	A common mechanism for microtubule destabilizers-M type kinesins stabilize curling of the protofilament using the class-specific neck and loops. <i>Cell</i> , 2004 , 116, 591-602	56.2	165
125	Kinesin superfamily protein 3 (KIF3) motor transports fodrin-associating vesicles important for neurite building. <i>Journal of Cell Biology</i> , 2000 , 148, 1255-65	7.3	161
124	Overexpression of motor protein KIF17 enhances spatial and working memory in transgenic mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 14500-5	11.5	156
123	KIF1A alternately uses two loops to bind microtubules. <i>Science</i> , 2004 , 305, 678-83	33.3	150
122	Kinesin superfamily proteins and their various functions and dynamics. <i>Experimental Cell Research</i> , 2004 , 301, 50-9	4.2	148
121	Disruption of KIF17-Mint1 interaction by CaMKII-dependent phosphorylation: a molecular model of kinesin-cargo release. <i>Nature Cell Biology</i> , 2008 , 10, 19-29	23.4	147
120	Processivity of the single-headed kinesin KIF1A through biased binding to tubulin. <i>Nature</i> , 2003 , 424, 574-7	50.4	147
119	Location of a protein of the fodrin-spectrin-TW260/240 family in the mouse intestinal brush border. <i>Cell</i> , 1983 , 32, 953-65	56.2	147
118	mRNA transport in dendrites: RNA granules, motors, and tracks. <i>Journal of Neuroscience</i> , 2006 , 26, 7139-48	4.8	145
117	15 Å resolution model of the monomeric kinesin motor, KIF1A. <i>Cell</i> , 2000 , 100, 241-52	56.2	143
116	KIFC2 is a novel neuron-specific C-terminal type kinesin superfamily motor for dendritic transport of multivesicular body-like organelles. <i>Neuron</i> , 1997 , 18, 425-38	13.9	141
115	Kinesin superfamily proteins (KIFs): Various functions and their relevance for important phenomena in life and diseases. <i>Experimental Cell Research</i> , 2015 , 334, 16-25	4.2	139
114	The KIF3 motor transports N-cadherin and organizes the developing neuroepithelium. <i>Nature Cell Biology</i> , 2005 , 7, 474-82	23.4	138
113	KIF1Bbeta- and KIF1A-mediated axonal transport of presynaptic regulator Rab3 occurs in a GTP-dependent manner through DENN/MADD. <i>Nature Cell Biology</i> , 2008 , 10, 1269-79	23.4	134
112	KIFC3, a microtubule minus end-directed motor for the apical transport of annexin XIIIb-associated Triton-insoluble membranes. <i>Journal of Cell Biology</i> , 2001 , 155, 77-88	7.3	134
111	Internal and external differentiations of the postsynaptic membrane at the neuromuscular junction. <i>Journal of Neurocytology</i> , 1982 , 11, 487-510		129
110	Organelle transport along microtubules - the role of KIFs. <i>Trends in Cell Biology</i> , 1996 , 6, 135-41	18.3	125

109	Molecular motors in neuronal development, intracellular transport and diseases. <i>Current Opinion in Neurobiology</i> , 2004 , 14, 564-73	7.6	124
108	Oligomeric tubulin in large transporting complex is transported via kinesin in squid giant axons. <i>Cell</i> , 2000 , 103, 141-55	56.2	119
107	Sorting mechanisms of tau and MAP2 in neurons: suppressed axonal transit of MAP2 and locally regulated microtubule binding. <i>Neuron</i> , 1995 , 14, 421-32	13.9	116
106	Delayed development of nervous system in mice homozygous for disrupted microtubule-associated protein 1B (MAP1B) gene. <i>Journal of Cell Biology</i> , 1997 , 137, 1615-26	7.3	109
105	Development of the blood-brain barrier to horseradish peroxidase in the chick embryo. <i>Cell and Tissue Research</i> , 1978 , 195, 195-203	4.2	109
104	Preferential binding of a kinesin-1 motor to GTP-tubulin-rich microtubules underlies polarized vesicle transport. <i>Journal of Cell Biology</i> , 2011 , 194, 245-55	7.3	108
103	Mitochondrial Damage Causes Inflammation via cGAS-STING Signaling in Acute Kidney Injury. <i>Cell Reports</i> , 2019 , 29, 1261-1273.e6	10.6	106
102	Molecular motor KIF17 is fundamental for memory and learning via differential support of synaptic NR2A/2B levels. <i>Neuron</i> , 2011 , 70, 310-25	13.9	106
101	The ultrastructure of the basilar papilla of the chick. <i>Journal of Comparative Neurology</i> , 1978 , 181, 361-74	7.4	106
100	High-resolution cryo-EM maps show the nucleotide binding pocket of KIF1A in open and closed conformations. <i>EMBO Journal</i> , 2006 , 25, 4187-94	13	103
99	Slow axonal transport: the subunit transport model. <i>Trends in Cell Biology</i> , 1997 , 7, 384-8	18.3	102
98	Molecular motor KIF5A is essential for GABA(A) receptor transport, and KIF5A deletion causes epilepsy. <i>Neuron</i> , 2012 , 76, 945-61	13.9	99
97	The mechanisms of kinesin motor motility: lessons from the monomeric motor KIF1A. <i>Nature Reviews Molecular Cell Biology</i> , 2009 , 10, 877-84	48.7	96
96	KIF4 motor regulates activity-dependent neuronal survival by suppressing PARP-1 enzymatic activity. <i>Cell</i> , 2006 , 125, 371-83	56.2	95
95	CREM-dependent transcription in male germ cells controlled by a kinesin. <i>Science</i> , 2002 , 298, 2388-90	33.3	95
94	KIF19A is a microtubule-depolymerizing kinesin for ciliary length control. <i>Developmental Cell</i> , 2012 , 23, 1167-75	10.2	94
93	Motor protein KIF1A is essential for hippocampal synaptogenesis and learning enhancement in an enriched environment. <i>Neuron</i> , 2012 , 73, 743-57	13.9	92
92	Predominant and developmentally regulated expression of dynamin in neurons. <i>Neuron</i> , 1991 , 7, 461-9	13.9	92

91	Axonal transport and the cytoskeleton. <i>Current Opinion in Neurobiology</i> , 1993 , 3, 724-31	7.6	89
90	The inside and outside of gap-junction membranes visualized by deep etching. <i>Cell</i> , 1982 , 30, 395-406	56.2	88
89	Three-dimensional structure of the kinesin head-microtubule complex. <i>Nature</i> , 1995 , 376, 274-7	50.4	85
88	KIF16B/Rab14 molecular motor complex is critical for early embryonic development by transporting FGF receptor. <i>Developmental Cell</i> , 2011 , 20, 60-71	10.2	81
87	Left-right determination: involvement of molecular motor KIF3, cilia, and nodal flow. <i>Cold Spring Harbor Perspectives in Biology</i> , 2009 , 1, a000802	10.2	77
86	Structural model for strain-dependent microtubule activation of Mg-ADP release from kinesin. <i>Nature Structural and Molecular Biology</i> , 2008 , 15, 1067-75	17.6	76
85	KIF26A is an unconventional kinesin and regulates GDNF-Ret signaling in enteric neuronal development. <i>Cell</i> , 2009 , 139, 802-13	56.2	75
84	Stirring up development with the heterotrimeric kinesin KIF3. <i>Traffic</i> , 2000 , 1, 29-34	5.7	73
83	Role of KIF3 motor protein in Golgi positioning and integration. <i>Journal of Cell Biology</i> , 2002 , 158, 293-303	7.9	70
82	βTubulin mutations that cause severe neuropathies disrupt axonal transport. <i>EMBO Journal</i> , 2013 , 32, 1352-64	13	69
81	Microtubule-associated proteins regulate microtubule function as the track for intracellular membrane organelle transports. <i>Cell Structure and Function</i> , 1996 , 21, 283-95	2.2	69
80	Impairment of inhibitory synaptic transmission in mice lacking synapsin I. <i>Journal of Cell Biology</i> , 1999 , 145, 1039-48	7.3	68
79	The mechanisms of fast and slow transport in neurons: identification and characterization of the new kinesin superfamily motors. <i>Current Opinion in Neurobiology</i> , 1997 , 7, 605-14	7.6	64
78	X-ray and Cryo-EM structures reveal mutual conformational changes of Kinesin and GTP-state microtubules upon binding. <i>EMBO Journal</i> , 2015 , 34, 1270-86	13	61
77	Conformational changes in tubulin in GMPCPP and GDP-taxol microtubules observed by cryoelectron microscopy. <i>Journal of Cell Biology</i> , 2012 , 198, 315-22	7.3	61
76	Biochemical and molecular characterization of diseases linked to motor proteins. <i>Trends in Biochemical Sciences</i> , 2003 , 28, 558-65	10.3	61
75	Tubulin dynamics in neuronal axons of living zebrafish embryos. <i>Neuron</i> , 1995 , 14, 1257-64	13.9	57
74	Three-dimensional structures of the flagellar dynein-microtubule complex by cryoelectron microscopy. <i>Journal of Cell Biology</i> , 2007 , 177, 243-52	7.3	55

73	Nodal cilia dynamics and the specification of the left/right axis in early vertebrate embryo development. <i>Biophysical Journal</i> , 2005 , 89, 2199-209	2.9	54
72	Moving on to the cargo problem of microtubule-dependent motors in neurons. <i>Current Opinion in Neurobiology</i> , 2000 , 10, 566-73	7.6	54
71	Autoinhibition of a Neuronal Kinesin UNC-104/KIF1A Regulates the Size and Density of Synapses. <i>Cell Reports</i> , 2016 , 16, 2129-2141	10.6	53
70	The Molecular Motor KIF1A Transports the TrkA Neurotrophin Receptor and Is Essential for Sensory Neuron Survival and Function. <i>Neuron</i> , 2016 , 90, 1215-1229	13.9	50
69	Cilia, KIF3 molecular motor and nodal flow. <i>Current Opinion in Cell Biology</i> , 2012 , 24, 31-9	9	50
68	Kinesin-binding-triggered conformation switching of microtubules contributes to polarized transport. <i>Journal of Cell Biology</i> , 2018 , 217, 4164-4183	7.3	48
67	An ultrastructural study of nerve and glial cells by freeze-substitution. <i>Journal of Neurocytology</i> , 1980 , 9, 243-54		45
66	Kinesin superfamily proteins (KIFs) in the mouse transcriptome. <i>Genome Research</i> , 2003 , 13, 1455-65	9.7	41
65	KIF13B enhances the endocytosis of LRP1 by recruiting LRP1 to caveolae. <i>Journal of Cell Biology</i> , 2014 , 204, 395-408	7.3	40
64	Kinesin-1/Hsc70-dependent mechanism of slow axonal transport and its relation to fast axonal transport. <i>EMBO Journal</i> , 2010 , 29, 843-54	13	40
63	Regulation of NMDA receptor transport: a KIF17-cargo binding/releasing underlies synaptic plasticity and memory in vivo. <i>Journal of Neuroscience</i> , 2012 , 32, 5486-99	6.6	40
62	Motility and microtubule depolymerization mechanisms of the Kinesin-8 motor, KIF19A. <i>ELife</i> , 2016 , 5,	8.9	36
61	Phosphatidylinositol 4-phosphate 5-kinase alpha (PIP2K) regulates neuronal microtubule depolymerase kinesin, KIF2A and suppresses elongation of axon branches. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 1725-30	11.5	33
60	Characterization of various nervous tissues of the chick embryos through responses to chronic application and immunocytochemistry of beta-bungarotoxin. <i>Journal of Comparative Neurology</i> , 1978 , 180, 449-66	3.4	33
59	Axonal pruning is actively regulated by the microtubule-destabilizing protein kinesin superfamily protein 2A. <i>Cell Reports</i> , 2013 , 3, 971-7	10.6	32
58	The ultrastructure of rapid-frozen, substitution fixed parotid gland acinar cells of the mongolian gerbil (<i>Meriones meridianus</i>). <i>American Journal of Anatomy</i> , 1980 , 157, 107-10		32
57	Fluid Dynamic Mechanism Responsible for Breaking the Left-Right Symmetry of the Human Body: The Nodal Flow. <i>Annual Review of Fluid Mechanics</i> , 2009 , 41, 53-72	22	31
56	Structural basis for the ATP-induced isomerization of kinesin. <i>Journal of Molecular Biology</i> , 2013 , 425, 1869-1880	6.5	30

55	Molecular motor KIF1C is not essential for mouse survival and motor-dependent retrograde Golgi apparatus-to-endoplasmic reticulum transport. <i>Molecular and Cellular Biology</i> , 2002 , 22, 866-73	4.8	29
54	The Molecular Motor KIF21B Mediates Synaptic Plasticity and Fear Extinction by Terminating Rac1 Activation. <i>Cell Reports</i> , 2018 , 23, 3864-3877	10.6	29
53	Structural basis for CRMP2-induced axonal microtubule formation. <i>Scientific Reports</i> , 2017 , 7, 10681	4.9	28
52	Mouse models of Charcot-Marie-Tooth disease. <i>Trends in Genetics</i> , 2002 , 18, S39-44	8.5	28
51	Mechanism of Catalytic Microtubule Depolymerization via KIF2-Tubulin Transitional Conformation. <i>Cell Reports</i> , 2017 , 20, 2626-2638	10.6	27
50	Mechanism of Activity-Dependent Cargo Loading via the Phosphorylation of KIF3A by PKA and CaMKIIa. <i>Neuron</i> , 2015 , 87, 1022-35	13.9	26
49	Development of blood-cerebrospinal fluid barrier to horseradish peroxidase in the avian choroidal epithelium. <i>Cell and Tissue Research</i> , 1981 , 214, 271-8	4.2	26
48	Excess hydrogen sulfide and polysulfides production underlies a schizophrenia pathophysiology. <i>EMBO Molecular Medicine</i> , 2019 , 11, e10695	12	25
47	A molecular motor, KIF13A, controls anxiety by transporting the serotonin type 1A receptor. <i>Cell Reports</i> , 2013 , 3, 509-19	10.6	25
46	Microtubule Destabilizer KIF2A Undergoes Distinct Site-Specific Phosphorylation Cascades that Differentially Affect Neuronal Morphogenesis. <i>Cell Reports</i> , 2015 , 12, 1774-88	10.6	24
45	Characterizing KIF16B in neurons reveals a novel intramolecular "stalk inhibition" mechanism that regulates its capacity to potentiate the selective somatodendritic localization of early endosomes. <i>Journal of Neuroscience</i> , 2015 , 35, 5067-86	6.6	22
44	Defects in Synaptic Plasticity, Reduced NMDA-Receptor Transport, and Instability of Postsynaptic Density Proteins in Mice Lacking Microtubule-Associated Protein 1A. <i>Journal of Neuroscience</i> , 2015 , 35, 15539-54	6.6	22
43	Developmental organization of the intestinal brush-border cytoskeleton. <i>Cytoskeleton</i> , 1988 , 9, 299-311		22
42	A freeze-fracture study of intercellular junctions between various kinds of epithelial cells surrounding common endolymphatic space in the hearing organ of the chick. <i>The Anatomical Record</i> , 1980 , 196, 129-43		22
41	Developmental changes of synapsin I subcellular localization in rat cerebellar neurons. <i>Cell Structure and Function</i> , 1990 , 15, 329-42	2.2	22
40	Intracellular movement of fodrin. <i>Cell Motility</i> , 1983 , 3, 649-55		21
39	Antioxidant signaling involving the microtubule motor KIF12 is an intracellular target of nutrition excess in beta cells. <i>Developmental Cell</i> , 2014 , 31, 202-14	10.2	20
38	Cytoskeletal architecture of reactivated crayfish axons, with special reference to crossbridges among microtubules and between microtubules and membrane organelles. <i>Cytoskeleton</i> , 1986 , 6, 458-468		20

37	Interpreting a medium-resolution model of tubulin: comparison of zinc-sheet and microtubule structure. <i>Journal of Molecular Biology</i> , 1996 , 262, 485-501	6.5	19
36	Quick-freeze, deep-etch visualization of the axonal cytoskeleton. <i>Trends in Neurosciences</i> , 1986 , 9, 67-71	13.3	19
35	KIF1B mutations detected in hereditary neuropathy impair IGF1R transport and axon growth. <i>Journal of Cell Biology</i> , 2018 , 217, 3480-3496	7.3	18
34	Kinesin Kif3b mutation reduces NMDAR subunit NR2A trafficking and causes schizophrenia-like phenotypes in mice. <i>EMBO Journal</i> , 2020 , 39, e101090	13	18
33	Electron microscopic observations on postnatal development of the X zone in mouse adrenal cortex. <i>Anatomy and Embryology</i> , 1974 , 144, 85-100		17
32	Components of RNA granules affect their localization and dynamics in neuronal dendrites. <i>Molecular Biology of the Cell</i> , 2017 , 28, 1412-1417	3.5	16
31	Neuronal polarity and the kinesin superfamily proteins. <i>Science's STKE: Signal Transduction Knowledge Environment</i> , 2007 , 2007, pe6		16
30	The functional cooperation of MAP1A heavy chain and light chain 2 in the binding of microtubules. <i>Experimental Cell Research</i> , 2005 , 308, 446-58	4.2	16
29	Cytoskeletal architecture of neuromuscular junction: localization of vinculin. <i>Journal of Electron Microscopy Technique</i> , 1989 , 12, 160-71		15
28	KIF2A regulates the development of dentate granule cells and postnatal hippocampal wiring. <i>ELife</i> , 2018 , 7,	8.9	15
27	Enhanced carbonyl stress induces irreversible multimerization of CRMP2 in schizophrenia pathogenesis. <i>Life Science Alliance</i> , 2019 , 2,	5.8	14
26	A study of the synaptogenesis in the cerebellar cortex through chronic treatment and immunocytochemistry of beta-bungarotoxin. <i>Journal of Comparative Neurology</i> , 1979 , 185, 107-19	3.4	12
25	The Spatiotemporal Construction of the Axon Initial Segment via KIF3/KAP3/TRIM46 Transport under MARK2 Signaling. <i>Cell Reports</i> , 2019 , 28, 2413-2426.e7	10.6	11
24	Regulation of cytoskeletal structure and contractility in the brush border. <i>Novartis Foundation Symposium</i> , 1983 , 95, 195-215		11
23	The 72-kDa microtubule-associated protein from porcine brain. <i>Journal of Neurochemistry</i> , 1992 , 58, 1510-6		10
22	From electron microscopy to molecular cell biology, molecular genetics and structural biology: intracellular transport and kinesin superfamily proteins, KIFs: genes, structure, dynamics and functions. <i>Microscopy (Oxford, England)</i> , 2011 , 60 Suppl 1, S63-92	1.3	9
21	The Atypical Kinesin KIF26A Facilitates Termination of Nociceptive Responses by Sequestering Focal Adhesion Kinase. <i>Cell Reports</i> , 2018 , 24, 2894-2907	10.6	9
20	Cytoskeletal architecture and immunocytochemical localization of fodrin in the terminal web of the ciliated epithelial cell. <i>Cytoskeleton</i> , 1988 , 11, 167-77		8

19	Quick freeze, deep etch of the cytoskeleton. <i>Methods in Enzymology</i> , 1986 , 134, 598-612	1.7	8
18	Observation of nodal cilia movement and measurement of nodal flow. <i>Methods in Cell Biology</i> , 2009 , 91, 265-85	1.8	6
17	Multiple analyses of protein dynamics in solution. <i>Biophysical Reviews</i> , 2018 , 10, 299-306	3.7	6
16	Determination of Left-Right Asymmetry: Role of Cilia and KIF3 Motor Proteins. <i>Physiology</i> , 2000 , 15, 56	9.8	5
15	Redistribution of synapsin I and synaptophysin in response to electrical stimulation in the rat neurohypophysial nerve endings. <i>Cell Structure and Function</i> , 1994 , 19, 253-62	2.2	5
14	Kinesin Superfamily Proteins79-109		4
13	New simulated annealing approach considering helix bending applied to determine the 8.8Å structure of 15-protofilament microtubules. <i>Journal of Structural Biology</i> , 2014 , 188, 165-76	3.4	3
12	An activity-dependent local transport regulation via degradation and synthesis of KIF17 underlying cognitive flexibility. <i>Science Advances</i> , 2020 , 6,	14.3	3
11	A neuropathy-associated kinesin KIF1A mutation hyper-stabilizes the motor-neck interaction during the ATPase cycle.. <i>EMBO Journal</i> , 2022 , e108899	13	2
10	Betaine ameliorates schizophrenic traits by functionally compensating for KIF3-based CRMP2 transport. <i>Cell Reports</i> , 2021 , 35, 108971	10.6	2
9	Cryo-EM and X-ray crystallographic studies on the monomeric kinesin motor KIF1A. <i>Microscopy and Microanalysis</i> , 2002 , 8, 210-211	0.5	
8	Production and Analysis of Mice Deficient in Microtubule-Associated-Protein Tau.. <i>Proceedings of the Japanese Society of Animal Models for Human Diseases</i> , 1995 , 11, 32-40		
7	Quick-freeze deep etch replica observation of the cytoskeleton combined with antibody decoration.. <i>Acta Histochemica Et Cytochemica</i> , 1989 , 22, 117-118	1.9	
6	QualityTof Schizophrenia-relevant Molecules: from Genetic and Environmental Factors to Proteins. <i>Bunseki Kagaku</i> , 2020 , 69, 531-537	0.2	
5	Kinesin Superfamily Proteins 2004 , 508-516		
4	Kinesin Superfamily Proteins79		
3	Kinesin, Fundamental Properties and Structure 2020 , 1-11		
2	Ultrastructure of detergent-resistant cytoskeletons in the noncortical domain of sea urchin eggs as revealed by the quick-freeze deep-etch technique. <i>Cell Structure and Function</i> , 1992 , 17, 277-85	2.2	

- 1 Further Reading | Kinesin Superfamily Proteins **2021**, 535-546