

Nicolas Pineault

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2433646/publications.pdf>

Version: 2024-02-01

58
papers

1,773
citations

331259

21
h-index

264894

42
g-index

58
all docs

58
docs citations

58
times ranked

2212
citing authors

#	ARTICLE	IF	CITATIONS
1	Use of CRISPR/Cas9 gene editing to improve chimeric antigen-receptor T cell therapy: A systematic review and meta-analysis of preclinical studies. <i>Cytotherapy</i> , 2022, 24, 405-412.	0.3	6
2	Rapid potency assessment of autologous peripheral blood stem cells by intracellular flow cytometry: the PBSC-IL-3-pSTAT5 assay. <i>Cytotherapy</i> , 2022, , .	0.3	0
3	Multicenter evaluation of the IL-3-pSTAT5 assay to assess the potency of cryopreserved stem cells from cord blood units: The BEST Collaborative study. <i>Transfusion</i> , 2022, 62, 1595-1601.	0.8	1
4	Persistence of CRISPR/Cas9 Gene Edited Hematopoietic Stem Cells Following Transplantation: A Systematic Review and Meta-Analysis of Preclinical Studies. <i>Stem Cells Translational Medicine</i> , 2021, 10, 996-1007.	1.6	8
5	Current and Future Perspectives for the Cryopreservation of Cord Blood Stem Cells. <i>Transfusion Medicine Reviews</i> , 2021, 35, 95-102.	0.9	15
6	Dimethyl sulfoxide-free cryopreservation solutions for hematopoietic stem cell grafts. <i>Cytotherapy</i> , 2021, , 1376.	0.3	9
7	Multi-laboratory assay for harmonization of enumeration of viable CD34+ and CD45+ cells in frozen cord blood units. <i>Cytotherapy</i> , 2020, 22, 44-51.	0.3	12
8	Insights Into the Hematopoietic Regulatory Activities of Osteoblast by Secretomics. <i>Proteomics</i> , 2020, 20, 2000036.	1.3	0
9	Inhibition of ice recrystallization during cryopreservation of cord blood grafts improves platelet engraftment. <i>Transfusion</i> , 2020, 60, 769-778.	0.8	14
10	Transient warming affects potency of cryopreserved cord blood units. <i>Cytotherapy</i> , 2020, 22, 690-697.	0.3	6
11	Overcoming the deceptively low viability of CD45 + cells in thawed cord blood unit segments. <i>Vox Sanguinis</i> , 2019, 114, 876-883.	0.7	0
12	Paracrine Factors Released by Osteoblasts Provide Strong Platelet Engraftment Properties. <i>Stem Cells</i> , 2019, 37, 345-356.	1.4	7
13	Stringent Small Molecule Dose Requirements for the Optimal Expansion of Hematopoietic Stem Cells Revealed By Predictive Analytics and Xenotransplants. <i>Blood</i> , 2019, 134, 1185-1185.	0.6	0
14	The Ice Recrystallization Inhibitor 2FA Increases the Engraftment Activities of Cord Blood Stem and Progenitor Cells. <i>Experimental Hematology</i> , 2018, 64, S74.	0.2	1
15	Impact of osteoblast maturation on their paracrine growth enhancing activity on cord blood progenitors. <i>European Journal of Haematology</i> , 2017, 98, 542-552.	1.1	5
16	Intersecting Worlds of Transfusion and Transplantation Medicine: An International Symposium Organized by the Canadian Blood Services Centre for Innovation. <i>Transfusion Medicine Reviews</i> , 2017, 31, 183-192.	0.9	4
17	Development and testing of a stepwise thaw and dilute protocol for cryopreserved umbilical cord blood units. <i>Transfusion</i> , 2017, 57, 1744-1754.	0.8	10
18	Human Bone Marrow Mesenchymal Stromal Cell-Derived Osteoblasts Promote the Expansion of Hematopoietic Progenitors Through Beta-Catenin and Notch Signaling Pathways. <i>Stem Cells and Development</i> , 2017, 26, 1735-1748.	1.1	14

#	ARTICLE	IF	CITATIONS
19	Small-Molecule Ice Recrystallization Inhibitors Improve the Post-Thaw Function of Hematopoietic Stem and Progenitor Cells. <i>ACS Omega</i> , 2016, 1, 1010-1018.	1.6	33
20	Characterization of the growth modulatory activities of osteoblast conditioned media on cord blood progenitor cells. <i>Cytotechnology</i> , 2016, 68, 2257-2269.	0.7	4
21	Megakaryopoiesis and <i>ex vivo</i> differentiation of stem cells into megakaryocytes and platelets. <i>ISBT Science Series</i> , 2015, 10, 154-162.	1.1	9
22	Advances in umbilical cord blood stem cell expansion and clinical translation. <i>Experimental Hematology</i> , 2015, 43, 498-513.	0.2	100
23	Conditioned Medium Represents a Useful Solution to Increase the Expansion of Multipotent Progenitors with Strong Platelet Engraftment Activity. <i>Blood</i> , 2015, 126, 4276-4276.	0.6	0
24	Medium conditioned with mesenchymal stromal cell-derived osteoblasts improves the expansion and engraftment properties of cord blood progenitors. <i>Experimental Hematology</i> , 2014, 42, 741-752.e1.	0.2	17
25	Characterization of the Hematopoietic Supporting Activity of Osteoblasts Derived from Bone Marrow Mesenchymal Stromal Cells. <i>Blood</i> , 2014, 124, 4358-4358.	0.6	0
26	Insulin-like growth factor binding protein-2 and neurotrophin 3 synergize together to promote the expansion of hematopoietic cells <i>ex vivo</i> . <i>Cytokine</i> , 2012, 58, 327-331.	1.4	21
27	Single-cell level analysis of megakaryocyte growth and development. <i>Differentiation</i> , 2012, 83, 200-209.	1.0	18
28	Megakaryocyte and Platelet Production from Human Cord Blood Stem Cells. <i>Methods in Molecular Biology</i> , 2012, 788, 219-247.	0.4	27
29	Cotransplantation of Ex Vivo Expanded Progenitors with Nonexpanded Cord Blood Cells Improves Platelet Recovery. <i>Stem Cells and Development</i> , 2012, 21, 3209-3219.	1.1	9
30	Individual and synergistic cytokine effects controlling the expansion of cord blood CD34+ cells and megakaryocyte progenitors in culture. <i>Cytotherapy</i> , 2011, 13, 467-480.	0.3	37
31	Effects of extracellular matrix proteins on the growth of haematopoietic progenitor cells. <i>Biomedical Materials (Bristol)</i> , 2011, 6, 055011.	1.7	37
32	Young maybe, but surely not immature. <i>Blood</i> , 2011, 117, 3940-3941.	0.6	1
33	Cellular-based therapies to prevent or reduce thrombocytopenia. <i>Transfusion</i> , 2011, 51, 72S-81S.	0.8	9
34	Irradiated mesenchymal stem cells improve the <i>ex vivo</i> expansion of hematopoietic progenitors by partly mimicking the bone marrow endosteal environment. <i>Journal of Immunological Methods</i> , 2011, 370, 93-103.	0.6	29
35	In Vitro Megakaryocyte Production and Platelet Biogenesis: State of the Art. <i>Transfusion Medicine Reviews</i> , 2010, 24, 33-43.	0.9	85
36	Loss-of-function Additional sex combs like 1 mutations disrupt hematopoiesis but do not cause severe myelodysplasia or leukemia. <i>Blood</i> , 2010, 115, 38-46.	0.6	141

#	ARTICLE	IF	CITATIONS
37	Polypliod megakaryocytes can complete cytokinesis. <i>Cell Cycle</i> , 2010, 9, 2589-2599.	1.3	33
38	Characterization of the Impact of Culture on the Thrombopoietic Potential of Cord Blood Progenitors.. <i>Blood</i> , 2010, 116, 3710-3710.	0.6	2
39	Increased production of megakaryocytes near purity from cord blood CD34+ cells using a short two-phase culture system. <i>Journal of Immunological Methods</i> , 2008, 332, 82-91.	0.6	32
40	Characterization of the Effects and Potential Mechanisms Leading to Increased Megakaryocytic Differentiation Under Mild Hyperthermia. <i>Stem Cells and Development</i> , 2008, 17, 483-494.	1.1	31
41	Near-maximal expansions of hematopoietic stem cells in culture using NUP98-HOX fusions. <i>Experimental Hematology</i> , 2007, 35, 817-830.	0.2	54
42	Comparison of promoter activities for efficient expression into human B cells and haematopoietic progenitors with adenovirus Ad5/F35. <i>Journal of Immunological Methods</i> , 2007, 322, 118-127.	0.6	11
43	Candidate Genes for Expansion and Transformation of Hematopoietic Stem Cells by NUP98-HOX Fusion Genes. <i>PLoS ONE</i> , 2007, 2, e768.	1.1	53
44	Optimization of a Cytokine Cocktail for the Expansion of Cord Blood CD34+ Cells into Megakaryocytes Progenitors.. <i>Blood</i> , 2007, 110, 4041-4041.	0.6	0
45	Optimization of a Cytokine Cocktail for the Expansion of Cord Blood (CB) CD34+ Cells into Megakaryocytes (MK) Progenitors towards the Ex Vivo Production of Platelets.. <i>Blood</i> , 2006, 108, 1673-1673.	0.6	0
46	Identification of the Mechanisms Responsible for the Increased Megakaryopoiesis at 39°C.. <i>Blood</i> , 2006, 108, 1128-1128.	0.6	0
47	HoxGenes: From Leukemia to Hematopoietic Stem Cell Expansion. <i>Annals of the New York Academy of Sciences</i> , 2005, 1044, 109-116.	1.8	72
48	Efficient in vitro megakaryocyte maturation using cytokine cocktails optimized by statistical experimental design. <i>Experimental Hematology</i> , 2005, 33, 1182-1191.	0.2	78
49	Differential and Common Leukemogenic Potentials of Multiple NUP98-Hox Fusion Proteins Alone or with Meis1. <i>Molecular and Cellular Biology</i> , 2004, 24, 1907-1917.	1.1	92
50	Multi-Log Clonal Ex-Vivo Expansion of Long Term Lympho-Myeloid Hematopoietic Stem Cells by Nup98-Hox Fusion Genes.. <i>Blood</i> , 2004, 104, 153-153.	0.6	2
51	The Leukemogenic Potential of the NUP98-PMX1 Fusion Protein Is Independent of the Known Binding Properties of PMX1 to the Serum Response Factor and the Serum Response Element and Requires the NUP98 Sequences.. <i>Blood</i> , 2004, 104, 1968-1968.	0.6	0
52	FLT3 Expression Is Increased by MEIS1 and Collaborates with NUP98-HOX Fusion Genes in the Induction of Acute Myeloid Leukemia.. <i>Blood</i> , 2004, 104, 2552-2552.	0.6	0
53	Redundant Leukemogenicity of NUP98-HOX Fusion Genes in Primary Murine Bone Marrow Cells Correlates with Gene Expression Changes Consistent with Common Key Target Genes.. <i>Blood</i> , 2004, 104, 1134-1134.	0.6	0
54	Induction of acute myeloid leukemia in mice by the human leukemia-specific fusion gene NUP98-HOXD13 in concert with Meis1. <i>Blood</i> , 2003, 101, 4529-4538.	0.6	136

#	ARTICLE	IF	CITATIONS
55	Differential expression of Hox, Meis1, and Pbx1 genes in primitive cells throughout murine hematopoietic ontogeny. <i>Experimental Hematology</i> , 2002, 30, 49-57.	0.2	247
56	A Dual Role for Src Homology 2 Domain-Containing Inositol-5-Phosphatase (SHIP) in Immunity. <i>Journal of Experimental Medicine</i> , 2000, 191, 781-794.	4.2	146
57	Huntingtin is required for normal hematopoiesis. <i>Human Molecular Genetics</i> , 2000, 9, 387-394.	1.4	40
58	Functional Cloning and Characterization of a Novel Nonhomeodomain Protein That Inhibits the Binding of PBX1-HOX Complexes to DNA. <i>Journal of Biological Chemistry</i> , 2000, 275, 26172-26177.	1.6	55