## J Bart Staal

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2434381/publications.pdf

Version: 2024-02-01

150	8,584	61945 <b>43</b>	46771
papers	citations	h-index	g-index
=	=		
155	155	155	9744
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Chapter 4 European guidelines for the management of chronic nonspecific low back pain. European Spine Journal, 2006, 15, s192-s300.	1.0	1,955
2	Outcome instruments to measure frailty: A systematic review. Ageing Research Reviews, 2011, 10, 104-114.	5.0	651
3	Effects of physical exercise therapy on mobility, physical functioning, physical activity and quality of life in community-dwelling older adults with impaired mobility, physical disability and/or multi-morbidity: A meta-analysis. Ageing Research Reviews, 2012, 11, 136-149.	5.0	297
4	Injuries in Runners; A Systematic Review on Risk Factors and Sex Differences. PLoS ONE, 2015, 10, e0114937.	1.1	242
5	The gait and balance of patients with diabetes can be improved: a randomised controlled trial. Diabetologia, 2010, 53, 458-466.	2.9	236
6	Injection Therapy for Subacute and Chronic Low Back Pain. Spine, 2009, 34, 49-59.	1.0	232
7	Tennis injuries: occurrence, aetiology, and prevention. British Journal of Sports Medicine, 2006, 40, 415-423.	3.1	230
8	Graded Activity for Low Back Pain in Occupational Health Care. Annals of Internal Medicine, 2004, 140, 77.	2.0	176
9	Clinimetric evaluation of active range of motion measures in patients with non-specific neck pain: a systematic review. European Spine Journal, 2008, 17, 905-921.	1.0	144
10	Clinical Practice Guideline for Physical Therapy Assessment and Treatment in Patients With Nonspecific Neck Pain. Physical Therapy, 2018, 98, 162-171.	1.1	144
11	Effects of physiotherapy in patients with shoulder impingement syndrome: A systematic review of the literature. Journal of Rehabilitation Medicine, 2009, 41, 870-880.	0.8	140
12	Occupational health guidelines for the management of low back pain: an international comparison. Occupational and Environmental Medicine, 2003, 60, 618-626.	1.3	135
13	Injection therapy for subacute and chronic low-back pain. The Cochrane Library, 2008, , CD001824.	1.5	134
14	Effectiveness of physical activity programs at worksites with respect to work-related outcomes. Scandinavian Journal of Work, Environment and Health, 2002, 28, 75-84.	1.7	131
15	Physical Exercise for Patients Undergoing Hematopoietic Stem Cell Transplantation: Systematic Review and Meta-Analyses of Randomized Controlled Trials. Physical Therapy, 2013, 93, 514-528.	1.1	129
16	Work Related Risk Factors for Neck, Shoulder and Arms Complaints: A Cohort Study Among Dutch Computer Office Workers. Journal of Occupational Rehabilitation, 2009, 19, 315-322.	1.2	122
17	How should clinicians rehabilitate patients after ACL reconstruction? A systematic review of clinical practice guidelines (CPGs) with a focus on quality appraisal (AGREE II). British Journal of Sports Medicine, 2020, 54, 512-519.	3.1	112
18	Prevalence of complaints of arm, neck and shoulder among computer office workers and psychometric evaluation of a risk factor questionnaire. BMC Musculoskeletal Disorders, 2007, 8, 68.	0.8	108

#	Article	IF	Citations
19	Tracking of lung function parameters and the longitudinal relationship with lifestyle. European Respiratory Journal, 1998, 12, 627-634.	3.1	104
20	Accuracy of Diagnostic Ultrasound in Patients With Suspected Subacromial Disorders: A Systematic Review and Meta-Analysis. Archives of Physical Medicine and Rehabilitation, 2010, 91, 1616-1625.	0.5	99
21	Return-to-Work Interventions for Low Back Pain. Sports Medicine, 2002, 32, 251-267.	3.1	88
22	Patientâ€centred physical therapy is (costâ€) effective in increasing physical activity and reducing frailty in older adults with mobility problems: a randomized controlled trial with 6 months followâ€up. Journal of Cachexia, Sarcopenia and Muscle, 2016, 7, 422-435.	2.9	79
23	Aetiology and management of work-related upper extremity disorders. Best Practice and Research in Clinical Rheumatology, 2007, 21, 123-133.	1.4	77
24	Exercise-based cardiac rehabilitation in patients with coronary heart disease: a practice guideline. Netherlands Heart Journal, 2013, 21, 429-438.	0.3	76
25	Î <sup>2</sup> 2-Agonists and Physical Performance. Sports Medicine, 2011, 41, 39-57.	3.1	75
26	Exercise treatment effect modifiers in persistent low back pain: an individual participant data meta-analysis of 3514 participants from 27 randomised controlled trials. British Journal of Sports Medicine, 2020, 54, 1277-1278.	3.1	70
27	Comparison of a high-intensity and a low-intensity lumbar extensor training program as minimal intervention treatment in low back pain: a randomized trial. European Spine Journal, 2004, 13, 537-547.	1.0	69
28	Promoting the Use of Self-management Strategies for People With Persistent Musculoskeletal Disorders: The Role of Physical Therapists. Journal of Orthopaedic and Sports Physical Therapy, 2019, 49, 212-215.	1.7	69
29	Spinal fusion for chronic low back pain: systematic review on the accuracy of tests for patient selection. Spine Journal, 2013, 13, 99-109.	0.6	67
30	A high-intensity lumbar extensor strengthening program is little better than a low-intensity program or a waiting list control group for chronic low back pain: a randomised clinical trial. Australian Journal of Physiotherapy, 2008, 54, 23-31.	0.9	66
31	Clinimetric evaluation of methods to measure muscle functioning in patients with non-specific neck pain: a systematic review. BMC Musculoskeletal Disorders, 2008, 9, 142.	0.8	65
32	The Effects of a Graded Activity Intervention for Low Back Pain in Occupational Health on Sick Leave, Functional Status and Pain: 12-Month Results of a Randomized Controlled Trial. Journal of Occupational Rehabilitation, 2005, 15, 569-580.	1.2	63
33	Comparison of bone-anchored prostheses and socket prostheses for patients with a lower extremity amputation: a systematic review. Disability and Rehabilitation, 2017, 39, 1045-1058.	0.9	63
34	Pain exposure physical therapy (PEPT) compared to conventional treatment in complex regional pain syndrome type 1: a randomised controlled trial. BMJ Open, 2015, 5, e008283.	0.8	61
35	Substantial sick-leave costs savings due to a graded activity intervention for workers with non-specific sub-acute low back pain. European Spine Journal, 2007, 16, 919-924.	1.0	58
36	Prognostic factors for perceived recovery or functional improvement in non-specific low back pain: secondary analyses of three randomized clinical trials. European Spine Journal, 2010, 19, 650-659.	1.0	57

#	Article	IF	Citations
37	Physical Exercise Interventions to Improve Disability and Return to Work in Low Back Pain: Current Insights and Opportunities for Improvement. Journal of Occupational Rehabilitation, 2005, 15, 491-505.	1.2	56
38	Imaging versus no imaging for low back pain: a systematic review, measuring costs, healthcare utilization and absence from work. European Spine Journal, 2019, 28, 937-950.	1.0	55
39	Patient-reported Outcomes After Conservative or Surgical Management of Recurrent and Chronic Complaints of Diverticulitis: Systematic Review and Meta-analysis. Clinical Gastroenterology and Hepatology, 2016, 14, 183-190.	2.4	54
40	Health benefits of tennis. British Journal of Sports Medicine, 2007, 41, 760-768.	3.1	51
41	Effectiveness of Peer Assessment for Implementing a Dutch Physical Therapy Low Back Pain Guideline: Cluster Randomized Controlled Trial. Physical Therapy, 2014, 94, 1396-1409.	1.1	47
42	Intrarater reliability of the Humac NORM isokinetic dynamometer for strength measurements of the knee and shoulder muscles. BMC Research Notes, 2018, 11, 15.	0.6	47
43	Effectiveness of a return-to-work intervention for subacute low-back pain. Scandinavian Journal of Work, Environment and Health, 2005, 31, 249-257.	1.7	47
44	Graded activity for workers with low back pain: Who benefits most and how does it work?. Arthritis and Rheumatism, 2008, 59, 642-649.	6.7	45
45	Epidural Steroid Injections for Radicular Lumbosacral Pain. Physical Medicine and Rehabilitation Clinics of North America, 2014, 25, 471-489.e50.	0.7	45
46	Are There Prognostic Factors for One-Year Outcome After Total Knee Arthroplasty? A Systematic Review. Journal of Arthroplasty, 2017, 32, 3840-3853.e1.	1.5	45
47	Effects of leg muscle botulinum toxin A injections on walking in children with spasticity-related cerebral palsy: a systematic review. Developmental Medicine and Child Neurology, 2011, 53, 210-216.	1.1	44
48	Dutch guidelines for physiotherapy in patients with stress urinary incontinence: an update. International Urogynecology Journal, 2014, 25, 171-179.	0.7	44
49	The effect of growth hormone treatment or physical training on motor performance in Prader–Willi syndrome: A systematic review. Neuroscience and Biobehavioral Reviews, 2012, 36, 1817-1838.	2.9	42
50	Physical exercise prior to hematopoietic stem cell transplantation: A feasibility study. Physiotherapy Theory and Practice, 2018, 34, 747-756.	0.6	41
51	Isolated Lumbar Extensor Strengthening Versus Regular Physical Therapy in an Army Working Population With Nonacute Low Back Pain: A Randomized Controlled Trial. Archives of Physical Medicine and Rehabilitation, 2008, 89, 1675-1685.	0.5	37
52	Evaluative Frailty Index for Physical Activity (EFIP): A Reliable and Valid Instrument to Measure Changes in Level of Frailty. Physical Therapy, 2013, 93, 551-561.	1.1	35
53	Pain and disability after first-time spinal fusion for lumbar degenerative disorders: a systematic review and meta-analysis. European Spine Journal, 2019, 28, 696-709.	1.0	35
54	Symptoms of depression are associated with physical inactivity but not modified by gender or the presence of a cardiovascular disease; a cross-sectional study. BMC Cardiovascular Disorders, 2019, 19, 95.	0.7	35

#	Article	IF	CITATIONS
55	Exercise-based cardiac rehabilitation in patients with chronic heart failure: a Dutch practice guideline. Netherlands Heart Journal, 2015, 23, 6-17.	0.3	34
56	Could Virtual Reality play a role in the rehabilitation after COVID-19 infection?. BMJ Open Sport and Exercise Medicine, 2020, 6, e000943.	1.4	34
57	Complaints of the arm, neck and shoulder among computer office workers in Sudan: a prevalence study with validation of an Arabic risk factors questionnaire. Environmental Health, 2008, 7, 33.	1.7	33
58	Does Classification of Persons with Fibromyalgia into Multidimensional Pain Inventory Subgroups Detect Differences in Outcome after a Standard Chronic Pain Management Program?. Pain Research and Management, 2009, 14, 445-453.	0.7	33
59	The 5- or 10-km Marikenloop Run: A Prospective Study of the Etiology of Running-Related Injuries in Women. Journal of Orthopaedic and Sports Physical Therapy, 2016, 46, 462-470.	1.7	33
60	Measurement Properties of the Quebec Back Pain Disability Scale in Patients With Nonspecific Low Back Pain: Systematic Review. Physical Therapy, 2016, 96, 1816-1831.	1.1	30
61	Development and Measurement Properties of the Dutch Version of the Stanford Presenteeism Scale (SPS-6). Journal of Occupational Rehabilitation, 2014, 24, 268-277.	1.2	28
62	Translation, Cross-cultural Adaptation, and Psychometric Properties of the German Version of the Hip Disability and Osteoarthritis Outcome Score. Journal of Orthopaedic and Sports Physical Therapy, 2014, 44, 989-997.	1.7	28
63	Reliability of the Multidimensional Pain Inventory and stability of the MPI classification system in chronic back pain. BMC Musculoskeletal Disorders, 2012, 13, 155.	0.8	27
64	Gait rehabilitation for a patient with an osseointegrated prosthesis following transfemoral amputation. Physiotherapy Theory and Practice, 2017, 33, 147-161.	0.6	27
65	Effect evaluation of a self-management programme for employees with complaints of the arm, neck or shoulder: a randomised controlled trial. Occupational and Environmental Medicine, 2015, 72, 852-861.	1.3	25
66	Patient reported outcome measures (PROMs) for goalsetting and outcome measurement in primary care physiotherapy, an explorative field study. Physiotherapy, 2017, 103, 66-72.	0.2	24
67	Effectiveness of Supervised Home-Based Exercise Therapy Compared to a Control Intervention on Functions, Activities, and Participation in Older Patients After Hip Fracture: A Systematic Review and Meta-analysis. Archives of Physical Medicine and Rehabilitation, 2019, 100, 101-114.e6.	0.5	23
68	The Coach2Move Approach. Journal of Geriatric Physical Therapy, 2015, 38, 169-182.	0.6	22
69	Differences in pain, function and coping in Multidimensional Pain Inventory subgroups of chronic back pain: a one-group pretest-posttest study. BMC Musculoskeletal Disorders, 2011, 12, 145.	0.8	21
70	Spinal manual therapy in infants, children and adolescents: A systematic review and meta-analysis on treatment indication, technique and outcomes. PLoS ONE, 2019, 14, e0218940.	1.1	21
71	Development of evidence-based clinical algorithms for prescription of exercise-based cardiac rehabilitation. Netherlands Heart Journal, 2015, 23, 563-575.	0.3	19
72	The effectiveness of the use of a digital activity coaching system in addition to a two-week home-based exercise program in patients after total knee arthroplasty: study protocol for a randomized controlled trial. BMC Musculoskeletal Disorders, 2017, 18, 290.	0.8	19

#	Article	lF	CITATIONS
73	Factorial validity and internal consistency of the PRAFAB questionnaire in women with stress urinary incontinence. BMC Urology, 2008, 8, 1.	0.6	18
74	No difference between postural exercises and strength and fitness exercises for early, non-specific, work-related upper limb disorders in visual display unit workers: a randomised trial. Australian Journal of Physiotherapy, 2008, 54, 95-101.	0.9	18
75	Spinal Injection Therapy for Low Back Pain. JAMA - Journal of the American Medical Association, 2013, 309, 2439.	3.8	18
76	Self-management support for people with non-specific low back pain: A qualitative survey among physiotherapists and exercise therapists. Musculoskeletal Science and Practice, 2020, 50, 102269.	0.6	18
77	Current Prehabilitation Programs Do Not Improve the Postoperative Outcomes of Patients Scheduled for Lumbar Spine Surgery: A Systematic Review With Meta-analysis. Journal of Orthopaedic and Sports Physical Therapy, 2021, 51, 103-114.	1.7	18
78	The Course of Nonspecific Work-Related Upper Limb Disorders and the Influence of Demographic Factors, Psychologic Factors, and Physical Fitness on Clinical Status and Disability. Archives of Physical Medicine and Rehabilitation, 2010, 91, 862-867.	0.5	17
79	Physical therapists and importance of work participation in patients with musculoskeletal disorders: a focus group study. BMC Musculoskeletal Disorders, 2017, 18, 196.	0.8	17
80	Rationale and design of a multicenter randomized controlled trial on a 'minimal intervention' in Dutch army personnel with nonspecific low back pain [ISRCTN19334317]. BMC Musculoskeletal Disorders, 2004, 5, 40.	0.8	16
81	Nutritional indicators for gastrointestinal symptoms in female runners: the 'Marikenloop study'. BMJ Open, 2014, 4, e005780-e005780.	0.8	16
82	Work participation of patients with musculoskeletal disorders: is this addressed in physical therapy practice?. Journal of Occupational Medicine and Toxicology, 2017, 12, 27.	0.9	16
83	Long-term outcomes following lower extremity press-fit bone-anchored prosthesis surgery: a 5-year longitudinal study protocol. BMC Musculoskeletal Disorders, 2016, 17, 484.	0.8	15
84	Effectiveness of subgroup-specific pain rehabilitation: a randomized controlled trial in patients with chronic back pain. European Journal of Physical and Rehabilitation Medicine, 2018, 54, 358-370.	1.1	15
85	Lack of Consensus Across Clinical Guidelines Regarding the Role of Psychosocial Factors Within Low Back Pain Care: A Systematic Review. Journal of Pain, 2021, 22, 1545-1559.	0.7	15
86	Self-regulated learning in physical therapy education: a non-randomized experimental study comparing self-directed and instruction-based learning. BMC Medical Education, 2019, 19, 50.	1.0	14
87	Symptoms of Neck, Shoulder, Forearms, and Hands. Clinical Journal of Pain, 2011, 27, 275-281.	0.8	13
88	Physiotherapy to improve physical activity in community-dwelling older adults with mobility problems (Coach2Move): study protocol for a randomized controlled trial. Trials, 2013, 14, 434.	0.7	13
89	Experiences of employees with arm, neck or shoulder complaints: a focus group study. BMC Musculoskeletal Disorders, 2014, 15, 141.	0.8	13
90	Assessing physical therapist students' self-efficacy: measurement properties of the Physiotherapist Self-Efficacy (PSE) questionnaire. BMC Medical Education, 2017, 17, 250.	1.0	13

#	Article	IF	CITATIONS
91	The effects of lumbar extensor strength on disability and mobility in patients with persistent low back pain. Journal of Sports Medicine and Physical Fitness, 2017, 57, 411-417.	0.4	12
92	Three-dimensional kinematics of the cervical spine using an electromagnetic tracking device. Differences between healthy subjects and subjects with non-specific neck pain and the effect of age. Clinical Biomechanics, 2018, 54, 111-117.	0.5	12
93	Risk factors for musculoskeletal injuries in elite junior tennis players: a systematic review. Journal of Sports Sciences, 2019, 37, 131-137.	1.0	12
94	The decline in physical activity in aging people is not modified by gender or the presence of cardiovascular disease. European Journal of Public Health, 2020, 30, 333-339.	0.1	12
95	Are Pain-Related Fears Mediators for Reducing Disability and Pain in Patients with Complex Regional Pain Syndrome Type 1? An Explorative Analysis on Pain Exposure Physical Therapy. PLoS ONE, 2015, 10, e0123008.	1.1	12
96	Pain Catastrophizing and Lower Physical Fitness in a Sample of Computer Screen Workers with Early Non-specific Upper Limb Disorders: A Case-control Study. Industrial Health, 2010, 48, 818-823.	0.4	11
97	Physical therapy aimed at self-management versus usual care physical therapy after hip arthroscopy for femoroacetabular impingement: study protocol for a randomized controlled trial. Trials, 2016, 17, 91.	0.7	11
98	Patient journey following lumbar spinal fusion surgery (LSFS): protocol for a multicentre qualitative analysis of the patient rehabilitation experience (FuJourn). BMJ Open, 2018, 8, e020710.	0.8	11
99	Pain Exposure Physical Therapy versus conventional treatment in complex regional pain syndrome type $1\hat{a}\in$ "a cost-effectiveness analysis alongside a randomized controlled trial. Clinical Rehabilitation, 2018, 32, 790-798.	1.0	11
100	Magnetic-resonance-imaging-based three-dimensional muscle reconstruction of hip abductor muscle volume in a person with a transfemoral bone-anchored prosthesis: A feasibility study. Physiotherapy Theory and Practice, 2019, 35, 495-504.	0.6	11
101	Patient journey following lumbar spinal fusion surgery (FuJourn): A multicentre exploration of the immediate post-operative period using qualitative patient diaries. PLoS ONE, 2020, 15, e0241931.	1.1	11
102	A self-management program for employees with complaints of the arm, neck, or shoulder (CANS): study protocol for a randomized controlled trial. Trials, 2013, 14, 258.	0.7	10
103	Shoulder Dynamic Control Ratio and Rotation Range of Motion in Female Junior Elite Handball Players and Controls. Clinical Journal of Sport Medicine, 2018, 28, 153-158.	0.9	10
104	Clinimetric properties of hip abduction strength measurements obtained using a handheld dynamometer in individuals with a lower extremity amputation. PLoS ONE, 2017, 12, e0179887.	1.1	10
105	Objective evaluation of muscle strength in infants with hypotonia and muscle weakness. Research in Developmental Disabilities, 2013, 34, 1160-1169.	1.2	9
106	Measuring individual hierarchy of anxiety invoking sports related activities: development and validation of the Photographic Series of Sports Activities for Anterior Cruciate Ligament Reconstruction (PHOSA-ACLR). BMC Musculoskeletal Disorders, 2017, 18, 287.	0.8	9
107	Development and validation of two clinical prediction models to inform clinical decision-making for lumbar spinal fusion surgery for degenerative disorders and rehabilitation following surgery: protocol for a prospective observational study. BMJ Open, 2018, 8, e021078.	0.8	9
108	Cross-cultural adaptation and measurement properties of the Dutch knee self efficacy scale (K-SES). BMC Sports Science, Medicine and Rehabilitation, 2019, 11, 3.	0.7	9

#	Article	IF	CITATIONS
109	Patient Safety in Primary Allied Health Care. Medical Care, 2011, 49, 1089-1096.	1.1	8
110	Development of a framework to describe goals and content of exercise interventions in physical therapy: a mixed method approach including a systematic review. Physical Therapy Reviews, 2014, 19, 1-14.	0.3	8
111	Development of a self-management program for employees with complaints of the arm, neck, and/or shoulder: an intervention mapping approach. Journal of Multidisciplinary Healthcare, 2015, 8, 307.	1.1	8
112	Experiences of Participants in a Self-Management Program for Employees with Complaints of the Arm, Neck or Shoulder (CANS): A Mixed Methods Study. Journal of Occupational Rehabilitation, 2017, 27, 35-48.	1.2	8
113	Clinical Interventions to Reduce Work Disability in Workers with Musculoskeletal Disorders or Mental Health Problems., 2013, , 317-334.		8
114	Reproducibility of and sex differences in common orthopaedic ankle and foot tests in runners. BMC Musculoskeletal Disorders, 2014, 15, 171.	0.8	7
115	Development of a self-management intervention for employees with complaints of the arm, neck and/or shoulder (CANS): a focus group study with experts. Journal of Occupational Medicine and Toxicology, 2015, 10, 9.	0.9	7
116	Natural course of pain and disability following primary lumbar discectomy: protocol for a systematic review and meta-analysis. BMJ Open, 2016, 6, e010571.	0.8	7
117	Patient views regarding the impact of hydrotherapy on critically ill ventilated patients: A qualitative exploration study. Journal of Critical Care, 2018, 48, 321-327.	1.0	7
118	Room for improvement in non-pharmacological systemic sclerosis care? — a cross-sectional online survey of 650 patients. BMC Rheumatology, 2020, 4, 43.	0.6	7
119	Effects of General Physical Activity Promoting Interventions on Functional Outcomes in Patients Hospitalized over 48 Hours: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. International Journal of Environmental Research and Public Health, 2021, 18, 1233.	1.2	7
120	Evidence and consensus-based recommendations for non-pharmacological treatment of fatigue, hand function loss, Raynaud's phenomenon and digital ulcers in patients with systemic sclerosis. Rheumatology, 2022, 61, 1476-1486.	0.9	7
121	Feasibility of a stratified blended physiotherapy intervention for patients with non-specific low back pain: a mixed methods study. Physiotherapy Theory and Practice, 2022, 38, 286-298.	0.6	7
122	Guideline adherence of physiotherapists in the treatment of patients with low back pain: A qualitative study. Journal of Evaluation in Clinical Practice, 2022, 28, 1147-1156.	0.9	7
123	What moves the rheumatologist? Unravelling decision making in the referral of systemic sclerosis patients to health professionals: a qualitative study. Rheumatology Advances in Practice, 2018, 2, rky027.	0.3	6
124	Stratified care integrated with eHealth versus usual primary care physiotherapy in patients with neck and/or shoulder complaints: protocol for a cluster randomized controlled trial. BMC Musculoskeletal Disorders, 2021, 22, 143.	0.8	6
125	Using beat frequency in music to adjust running cadence in recreational runners: A randomized multiple baseline design. European Journal of Sport Science, 2023, 23, 345-354.	1.4	6
126	Pain and disability following first-time lumbar fusion surgery for degenerative disorders: a systematic review protocol. Systematic Reviews, 2016, 5, 72.	2.5	5

#	Article	IF	Citations
127	Does motor expertise facilitate amplitude differentiation of lower limb-movements in an asymmetrical bipedal coordination task?. Human Movement Science, 2018, 59, 201-211.	0.6	5
128	Implementation of a Cost-Effective Physical Therapy Approach (Coach2Move) to Improve Physical Activity in Community-Dwelling Older Adults With Mobility Problems: Protocol for a Cluster-Randomized, Stepped Wedge Trial. Physical Therapy, 2020, 100, 653-661.	1.1	5
129	Use of Spinal Injections for Low Back Painâ€"Reply. JAMA - Journal of the American Medical Association, 2013, 310, 1736.	3.8	4
130	Pain exposure physical therapy in complex regional pain syndrome: promising enough to warrant further investigation. Canadian Journal of Anaesthesia, 2019, 66, 115-116.	0.7	4
131	The effects of integrating work-related factors and improving cooperation in musculoskeletal physical therapy practice: protocol for the †WORK TO BE DONE' cluster randomised controlled trial. BMC Musculoskeletal Disorders, 2020, 21, 360.	0.8	4
132	The influence of work and treatment related factors on clinical status and disability in patients with non-specific work-related upper limb disorders. Work, 2010, 37, 425-432.	0.6	3
133	Measurement of range-of-motion in infants with indications of upper cervical dysfunction using the Flexion-Rotation-Test and Lateral-Flexion-Test: a blinded inter-rater reliability study in a clinical practice setting. Journal of Manual and Manipulative Therapy, 2021, 29, 40-50.	0.7	3
134	A framework exploring the therapeutic alliance between elite athletes and physiotherapists: a qualitative study. BMC Sports Science, Medicine and Rehabilitation, 2021, 13, 122.	0.7	3
135	Therapists' experiences and needs with regard to providing work-focused care: a focus group study. BMC Musculoskeletal Disorders, 2021, 22, 923.	0.8	3
136	Opening the black box of non-pharmacological care in systemic sclerosis: a cross-sectional online survey of Dutch health professionals. Rheumatology International, 2021, 41, 1299-1310.	1.5	2
137	Prognostic factors for outcome following lumbar spine fusion surgery: a systematic review and narrative synthesis. European Spine Journal, 2022, 31, 623-668.	1.0	2
138	Reasons for continuing physiotherapy treatment after a high-intensity physyiotherapy program in patients after total knee arthroplasty: a mixed-methods study. Physiotherapy Theory and Practice, 2019, 37, 1-16.	0.6	1
139	Leg-amplitude differentiation guided by haptic and visual feedback to detect alterations in motor flexibility due to Total Knee Replacement. Human Movement Science, 2020, 71, 102623.	0.6	1
140	Is Fear of Harm (FoH) in Sports-Related Activities a Latent Trait? The Item Response Model Applied to the Photographic Series of Sports Activities for Anterior Cruciate Ligament Rupture (PHOSA-ACLR). International Journal of Environmental Research and Public Health, 2020, 17, 6764.	1.2	1
141	Changes in motor-flexibility following anterior cruciate ligament reconstruction as measured by means of a leg-amplitude differentiation task with haptic and visual feedback. Clinical Biomechanics, 2020, 80, 105186.	0.5	1
142	Back Pain in Adolescents. The Back Letter, 2002, 17, 121.	0.7	0
143	Graded Exercise. Medicine and Science in Sports and Exercise, 2005, 37, S414-S415.	0.2	0
144	Staal et al respond. Spine Journal, 2012, 12, 177.	0.6	0

#	Article	IF	CITATIONS
145	Serious gaming voor het vergroten van de adherentie van fysiotherapeuten en manueel therapeuten aan de richtlijn lage rugpijn. TSG: Tijdschrift Voor Gezondheidswetenschappen, 2016, 94, 266-273.	0.1	O
146	Author Response. Physical Therapy, 2019, 99, 120-120.	1.1	0
147	Title is missing!. , 2020, 15, e0241931.		O
148	Title is missing!. , 2020, 15, e0241931.		0
149	Title is missing!. , 2020, 15, e0241931.		O
150	Title is missing!. , 2020, 15, e0241931.		0