

J Bart Staal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2434381/publications.pdf>

Version: 2024-02-01

150
papers

8,584
citations

61945

43
h-index

46771

89
g-index

155
all docs

155
docs citations

155
times ranked

9744
citing authors

#	ARTICLE	IF	CITATIONS
1	Using beat frequency in music to adjust running cadence in recreational runners: A randomized multiple baseline design. <i>European Journal of Sport Science</i> , 2023, 23, 345-354.	1.4	6
2	Evidence and consensus-based recommendations for non-pharmacological treatment of fatigue, hand function loss, Raynaud's phenomenon and digital ulcers in patients with systemic sclerosis. <i>Rheumatology</i> , 2022, 61, 1476-1486.	0.9	7
3	Feasibility of a stratified blended physiotherapy intervention for patients with non-specific low back pain: a mixed methods study. <i>Physiotherapy Theory and Practice</i> , 2022, 38, 286-298.	0.6	7
4	Prognostic factors for outcome following lumbar spine fusion surgery: a systematic review and narrative synthesis. <i>European Spine Journal</i> , 2022, 31, 623-668.	1.0	2
5	Guideline adherence of physiotherapists in the treatment of patients with low back pain: A qualitative study. <i>Journal of Evaluation in Clinical Practice</i> , 2022, 28, 1147-1156.	0.9	7
6	Measurement of range-of-motion in infants with indications of upper cervical dysfunction using the Flexion-Rotation-Test and Lateral-Flexion-Test: a blinded inter-rater reliability study in a clinical practice setting. <i>Journal of Manual and Manipulative Therapy</i> , 2021, 29, 40-50.	0.7	3
7	Effects of General Physical Activity Promoting Interventions on Functional Outcomes in Patients Hospitalized over 48 Hours: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1233.	1.2	7
8	Stratified care integrated with eHealth versus usual primary care physiotherapy in patients with neck and/or shoulder complaints: protocol for a cluster randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 143.	0.8	6
9	Current Prehabilitation Programs Do Not Improve the Postoperative Outcomes of Patients Scheduled for Lumbar Spine Surgery: A Systematic Review With Meta-analysis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2021, 51, 103-114.	1.7	18
10	Lack of Consensus Across Clinical Guidelines Regarding the Role of Psychosocial Factors Within Low Back Pain Care: A Systematic Review. <i>Journal of Pain</i> , 2021, 22, 1545-1559.	0.7	15
11	Opening the black box of non-pharmacological care in systemic sclerosis: a cross-sectional online survey of Dutch health professionals. <i>Rheumatology International</i> , 2021, 41, 1299-1310.	1.5	2
12	A framework exploring the therapeutic alliance between elite athletes and physiotherapists: a qualitative study. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2021, 13, 122.	0.7	3
13	Therapists' experiences and needs with regard to providing work-focused care: a focus group study. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 923.	0.8	3
14	How should clinicians rehabilitate patients after ACL reconstruction? A systematic review of clinical practice guidelines (CPGs) with a focus on quality appraisal (AGREE II). <i>British Journal of Sports Medicine</i> , 2020, 54, 512-519.	3.1	112
15	The decline in physical activity in aging people is not modified by gender or the presence of cardiovascular disease. <i>European Journal of Public Health</i> , 2020, 30, 333-339.	0.1	12
16	Implementation of a Cost-Effective Physical Therapy Approach (Coach2Move) to Improve Physical Activity in Community-Dwelling Older Adults With Mobility Problems: Protocol for a Cluster-Randomized, Stepped Wedge Trial. <i>Physical Therapy</i> , 2020, 100, 653-661.	1.1	5
17	Exercise treatment effect modifiers in persistent low back pain: an individual participant data meta-analysis of 3514 participants from 27 randomised controlled trials. <i>British Journal of Sports Medicine</i> , 2020, 54, 1277-1278.	3.1	70
18	Self-management support for people with non-specific low back pain: A qualitative survey among physiotherapists and exercise therapists. <i>Musculoskeletal Science and Practice</i> , 2020, 50, 102269.	0.6	18

#	ARTICLE	IF	CITATIONS
19	Could Virtual Reality play a role in the rehabilitation after COVID-19 infection?. <i>BMJ Open Sport and Exercise Medicine</i> , 2020, 6, e000943.	1.4	34
20	Room for improvement in non-pharmacological systemic sclerosis care? â€” a cross-sectional online survey of 650 patients. <i>BMC Rheumatology</i> , 2020, 4, 43.	0.6	7
21	Leg-amplitude differentiation guided by haptic and visual feedback to detect alterations in motor flexibility due to Total Knee Replacement. <i>Human Movement Science</i> , 2020, 71, 102623.	0.6	1
22	Is Fear of Harm (FoH) in Sports-Related Activities a Latent Trait? The Item Response Model Applied to the Photographic Series of Sports Activities for Anterior Cruciate Ligament Rupture (PHOSA-ACLR). <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6764.	1.2	1
23	Changes in motor-flexibility following anterior cruciate ligament reconstruction as measured by means of a leg-amplitude differentiation task with haptic and visual feedback. <i>Clinical Biomechanics</i> , 2020, 80, 105186.	0.5	1
24	The effects of integrating work-related factors and improving cooperation in musculoskeletal physical therapy practice: protocol for the â€”WORK TO BE DONEâ€” cluster randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 360.	0.8	4
25	Patient journey following lumbar spinal fusion surgery (FuJourn): A multicentre exploration of the immediate post-operative period using qualitative patient diaries. <i>PLoS ONE</i> , 2020, 15, e0241931.	1.1	11
26	Title is missing!. , 2020, 15, e0241931.		0
27	Title is missing!. , 2020, 15, e0241931.		0
28	Title is missing!. , 2020, 15, e0241931.		0
29	Title is missing!. , 2020, 15, e0241931.		0
30	Risk factors for musculoskeletal injuries in elite junior tennis players: a systematic review. <i>Journal of Sports Sciences</i> , 2019, 37, 131-137.	1.0	12
31	Effectiveness of Supervised Home-Based Exercise Therapy Compared to a Control Intervention on Functions, Activities, and Participation in Older Patients After Hip Fracture: A Systematic Review and Meta-analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019, 100, 101-114.e6.	0.5	23
32	Pain exposure physical therapy in complex regional pain syndrome: promising enough to warrant further investigation. <i>Canadian Journal of Anaesthesia</i> , 2019, 66, 115-116.	0.7	4
33	Pain and disability after first-time spinal fusion for lumbar degenerative disorders: a systematic review and meta-analysis. <i>European Spine Journal</i> , 2019, 28, 696-709.	1.0	35
34	Spinal manual therapy in infants, children and adolescents: A systematic review and meta-analysis on treatment indication, technique and outcomes. <i>PLoS ONE</i> , 2019, 14, e0218940.	1.1	21
35	Symptoms of depression are associated with physical inactivity but not modified by gender or the presence of a cardiovascular disease; a cross-sectional study. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 95.	0.7	35
36	Cross-cultural adaptation and measurement properties of the Dutch knee self efficacy scale (K-SES). <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2019, 11, 3.	0.7	9

#	ARTICLE	IF	CITATIONS
37	Promoting the Use of Self-management Strategies for People With Persistent Musculoskeletal Disorders: The Role of Physical Therapists. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019, 49, 212-215.	1.7	69
38	Imaging versus no imaging for low back pain: a systematic review, measuring costs, healthcare utilization and absence from work. <i>European Spine Journal</i> , 2019, 28, 937-950.	1.0	55
39	Self-regulated learning in physical therapy education: a non-randomized experimental study comparing self-directed and instruction-based learning. <i>BMC Medical Education</i> , 2019, 19, 50.	1.0	14
40	Magnetic-resonance-imaging-based three-dimensional muscle reconstruction of hip abductor muscle volume in a person with a transfemoral bone-anchored prosthesis: A feasibility study. <i>Physiotherapy Theory and Practice</i> , 2019, 35, 495-504.	0.6	11
41	Reasons for continuing physiotherapy treatment after a high-intensity physiotherapy program in patients after total knee arthroplasty: a mixed-methods study. <i>Physiotherapy Theory and Practice</i> , 2019, 37, 1-16.	0.6	1
42	Author Response. <i>Physical Therapy</i> , 2019, 99, 120-120.	1.1	0
43	Patient journey following lumbar spinal fusion surgery (LSFS): protocol for a multicentre qualitative analysis of the patient rehabilitation experience (FuJourn). <i>BMJ Open</i> , 2018, 8, e020710.	0.8	11
44	Pain Exposure Physical Therapy versus conventional treatment in complex regional pain syndrome type 1â€™a cost-effectiveness analysis alongside a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2018, 32, 790-798.	1.0	11
45	Physical exercise prior to hematopoietic stem cell transplantation: A feasibility study. <i>Physiotherapy Theory and Practice</i> , 2018, 34, 747-756.	0.6	41
46	Clinical Practice Guideline for Physical Therapy Assessment and Treatment in Patients With Nonspecific Neck Pain. <i>Physical Therapy</i> , 2018, 98, 162-171.	1.1	144
47	Does motor expertise facilitate amplitude differentiation of lower limb-movements in an asymmetrical bipedal coordination task?. <i>Human Movement Science</i> , 2018, 59, 201-211.	0.6	5
48	Three-dimensional kinematics of the cervical spine using an electromagnetic tracking device. Differences between healthy subjects and subjects with non-specific neck pain and the effect of age. <i>Clinical Biomechanics</i> , 2018, 54, 111-117.	0.5	12
49	Shoulder Dynamic Control Ratio and Rotation Range of Motion in Female Junior Elite Handball Players and Controls. <i>Clinical Journal of Sport Medicine</i> , 2018, 28, 153-158.	0.9	10
50	What moves the rheumatologist? Unravelling decision making in the referral of systemic sclerosis patients to health professionals: a qualitative study. <i>Rheumatology Advances in Practice</i> , 2018, 2, rky027.	0.3	6
51	Patient views regarding the impact of hydrotherapy on critically ill ventilated patients: A qualitative exploration study. <i>Journal of Critical Care</i> , 2018, 48, 321-327.	1.0	7
52	Development and validation of two clinical prediction models to inform clinical decision-making for lumbar spinal fusion surgery for degenerative disorders and rehabilitation following surgery: protocol for a prospective observational study. <i>BMJ Open</i> , 2018, 8, e021078.	0.8	9
53	Intrarater reliability of the Humac NORM isokinetic dynamometer for strength measurements of the knee and shoulder muscles. <i>BMC Research Notes</i> , 2018, 11, 15.	0.6	47
54	Effectiveness of subgroup-specific pain rehabilitation: a randomized controlled trial in patients with chronic back pain. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2018, 54, 358-370.	1.1	15

#	ARTICLE	IF	CITATIONS
55	Experiences of Participants in a Self-Management Program for Employees with Complaints of the Arm, Neck or Shoulder (CANS): A Mixed Methods Study. <i>Journal of Occupational Rehabilitation</i> , 2017, 27, 35-48.	1.2	8
56	Patient reported outcome measures (PROMs) for goalsetting and outcome measurement in primary care physiotherapy, an explorative field study. <i>Physiotherapy</i> , 2017, 103, 66-72.	0.2	24
57	Gait rehabilitation for a patient with an osseointegrated prosthesis following transfemoral amputation. <i>Physiotherapy Theory and Practice</i> , 2017, 33, 147-161.	0.6	27
58	Are There Prognostic Factors for One-Year Outcome After Total Knee Arthroplasty? A Systematic Review. <i>Journal of Arthroplasty</i> , 2017, 32, 3840-3853.e1.	1.5	45
59	Physical therapists and importance of work participation in patients with musculoskeletal disorders: a focus group study. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 196.	0.8	17
60	Comparison of bone-anchored prostheses and socket prostheses for patients with a lower extremity amputation: a systematic review. <i>Disability and Rehabilitation</i> , 2017, 39, 1045-1058.	0.9	63
61	The effects of lumbar extensor strength on disability and mobility in patients with persistent low back pain. <i>Journal of Sports Medicine and Physical Fitness</i> , 2017, 57, 411-417.	0.4	12
62	Measuring individual hierarchy of anxiety invoking sports related activities: development and validation of the Photographic Series of Sports Activities for Anterior Cruciate Ligament Reconstruction (PHOSA-ACL). <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 287.	0.8	9
63	Assessing physical therapist students' self-efficacy: measurement properties of the Physiotherapist Self-Efficacy (PSE) questionnaire. <i>BMC Medical Education</i> , 2017, 17, 250.	1.0	13
64	Work participation of patients with musculoskeletal disorders: is this addressed in physical therapy practice?. <i>Journal of Occupational Medicine and Toxicology</i> , 2017, 12, 27.	0.9	16
65	The effectiveness of the use of a digital activity coaching system in addition to a two-week home-based exercise program in patients after total knee arthroplasty: study protocol for a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 290.	0.8	19
66	Clinimetric properties of hip abduction strength measurements obtained using a handheld dynamometer in individuals with a lower extremity amputation. <i>PLoS ONE</i> , 2017, 12, e0179887.	1.1	10
67	The 5- or 10-km Marikenloop Run: A Prospective Study of the Etiology of Running-Related Injuries in Women. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016, 46, 462-470.	1.7	33
68	Measurement Properties of the Quebec Back Pain Disability Scale in Patients With Nonspecific Low Back Pain: Systematic Review. <i>Physical Therapy</i> , 2016, 96, 1816-1831.	1.1	30
69	Natural course of pain and disability following primary lumbar discectomy: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2016, 6, e010571.	0.8	7
70	Long-term outcomes following lower extremity press-fit bone-anchored prosthesis surgery: a 5-year longitudinal study protocol. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 484.	0.8	15
71	Serious gaming voor het vergroten van de adherentie van fysiotherapeuten en manueel therapeuten aan de richtlijn lage rugpijn. <i>TSG: Tijdschrift Voor Gezondheidswetenschappen</i> , 2016, 94, 266-273.	0.1	0
72	Physical therapy aimed at self-management versus usual care physical therapy after hip arthroscopy for femoroacetabular impingement: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 91.	0.7	11

#	ARTICLE	IF	CITATIONS
73	Pain and disability following first-time lumbar fusion surgery for degenerative disorders: a systematic review protocol. <i>Systematic Reviews</i> , 2016, 5, 72.	2.5	5
74	Patient-centred physical therapy is (cost-) effective in increasing physical activity and reducing frailty in older adults with mobility problems: a randomized controlled trial with 6-months follow-up. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016, 7, 422-435.	2.9	79
75	Patient-reported Outcomes After Conservative or Surgical Management of Recurrent and Chronic Complaints of Diverticulitis: Systematic Review and Meta-analysis. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 183-190.	2.4	54
76	The Coach2Move Approach. <i>Journal of Geriatric Physical Therapy</i> , 2015, 38, 169-182.	0.6	22
77	Development of a self-management program for employees with complaints of the arm, neck, and/or shoulder: an intervention mapping approach. <i>Journal of Multidisciplinary Healthcare</i> , 2015, 8, 307.	1.1	8
78	Injuries in Runners; A Systematic Review on Risk Factors and Sex Differences. <i>PLoS ONE</i> , 2015, 10, e0114937.	1.1	242
79	Development of evidence-based clinical algorithms for prescription of exercise-based cardiac rehabilitation. <i>Netherlands Heart Journal</i> , 2015, 23, 563-575.	0.3	19
80	Pain exposure physical therapy (PEPT) compared to conventional treatment in complex regional pain syndrome type 1: a randomised controlled trial. <i>BMJ Open</i> , 2015, 5, e008283.	0.8	61
81	Exercise-based cardiac rehabilitation in patients with chronic heart failure: a Dutch practice guideline. <i>Netherlands Heart Journal</i> , 2015, 23, 6-17.	0.3	34
82	Development of a self-management intervention for employees with complaints of the arm, neck and/or shoulder (CANS): a focus group study with experts. <i>Journal of Occupational Medicine and Toxicology</i> , 2015, 10, 9.	0.9	7
83	Effect evaluation of a self-management programme for employees with complaints of the arm, neck or shoulder: a randomised controlled trial. <i>Occupational and Environmental Medicine</i> , 2015, 72, 852-861.	1.3	25
84	Are Pain-Related Fears Mediators for Reducing Disability and Pain in Patients with Complex Regional Pain Syndrome Type 1? An Explorative Analysis on Pain Exposure Physical Therapy. <i>PLoS ONE</i> , 2015, 10, e0123008.	1.1	12
85	Effectiveness of Peer Assessment for Implementing a Dutch Physical Therapy Low Back Pain Guideline: Cluster Randomized Controlled Trial. <i>Physical Therapy</i> , 2014, 94, 1396-1409.	1.1	47
86	Nutritional indicators for gastrointestinal symptoms in female runners: the 'Marikenloop study'. <i>BMJ Open</i> , 2014, 4, e005780-e005780.	0.8	16
87	Development of a framework to describe goals and content of exercise interventions in physical therapy: a mixed method approach including a systematic review. <i>Physical Therapy Reviews</i> , 2014, 19, 1-14.	0.3	8
88	Epidural Steroid Injections for Radicular Lumbosacral Pain. <i>Physical Medicine and Rehabilitation Clinics of North America</i> , 2014, 25, 471-489.e50.	0.7	45
89	Development and Measurement Properties of the Dutch Version of the Stanford Presenteeism Scale (SPS-6). <i>Journal of Occupational Rehabilitation</i> , 2014, 24, 268-277.	1.2	28
90	Dutch guidelines for physiotherapy in patients with stress urinary incontinence: an update. <i>International Urogynecology Journal</i> , 2014, 25, 171-179.	0.7	44

#	ARTICLE	IF	CITATIONS
91	Translation, Cross-cultural Adaptation, and Psychometric Properties of the German Version of the Hip Disability and Osteoarthritis Outcome Score. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2014, 44, 989-997.	1.7	28
92	Experiences of employees with arm, neck or shoulder complaints: a focus group study. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 141.	0.8	13
93	Reproducibility of and sex differences in common orthopaedic ankle and foot tests in runners. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 171.	0.8	7
94	Spinal Injection Therapy for Low Back Pain. <i>JAMA - Journal of the American Medical Association</i> , 2013, 309, 2439.	3.8	18
95	Objective evaluation of muscle strength in infants with hypotonia and muscle weakness. <i>Research in Developmental Disabilities</i> , 2013, 34, 1160-1169.	1.2	9
96	Exercise-based cardiac rehabilitation in patients with coronary heart disease: a practice guideline. <i>Netherlands Heart Journal</i> , 2013, 21, 429-438.	0.3	76
97	A self-management program for employees with complaints of the arm, neck, or shoulder (CANS): study protocol for a randomized controlled trial. <i>Trials</i> , 2013, 14, 258.	0.7	10
98	Physiotherapy to improve physical activity in community-dwelling older adults with mobility problems (Coach2Move): study protocol for a randomized controlled trial. <i>Trials</i> , 2013, 14, 434.	0.7	13
99	Spinal fusion for chronic low back pain: systematic review on the accuracy of tests for patient selection. <i>Spine Journal</i> , 2013, 13, 99-109.	0.6	67
100	Evaluative Frailty Index for Physical Activity (EFIP): A Reliable and Valid Instrument to Measure Changes in Level of Frailty. <i>Physical Therapy</i> , 2013, 93, 551-561.	1.1	35
101	Physical Exercise for Patients Undergoing Hematopoietic Stem Cell Transplantation: Systematic Review and Meta-Analyses of Randomized Controlled Trials. <i>Physical Therapy</i> , 2013, 93, 514-528.	1.1	129
102	Use of Spinal Injections for Low Back Pain—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 1736.	3.8	4
103	Clinical Interventions to Reduce Work Disability in Workers with Musculoskeletal Disorders or Mental Health Problems. , 2013, , 317-334.		8
104	The effect of growth hormone treatment or physical training on motor performance in Prader-Willi syndrome: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2012, 36, 1817-1838.	2.9	42
105	Staal et al respond. <i>Spine Journal</i> , 2012, 12, 177.	0.6	0
106	Effects of physical exercise therapy on mobility, physical functioning, physical activity and quality of life in community-dwelling older adults with impaired mobility, physical disability and/or multi-morbidity: A meta-analysis. <i>Ageing Research Reviews</i> , 2012, 11, 136-149.	5.0	297
107	Reliability of the Multidimensional Pain Inventory and stability of the MPI classification system in chronic back pain. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 155.	0.8	27
108	Differences in pain, function and coping in Multidimensional Pain Inventory subgroups of chronic back pain: a one-group pretest-posttest study. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 145.	0.8	21

#	ARTICLE	IF	CITATIONS
109	β2-Agonists and Physical Performance. <i>Sports Medicine</i> , 2011, 41, 39-57.	3.1	75
110	Outcome instruments to measure frailty: A systematic review. <i>Ageing Research Reviews</i> , 2011, 10, 104-114.	5.0	651
111	Symptoms of Neck, Shoulder, Forearms, and Hands. <i>Clinical Journal of Pain</i> , 2011, 27, 275-281.	0.8	13
112	Patient Safety in Primary Allied Health Care. <i>Medical Care</i> , 2011, 49, 1089-1096.	1.1	8
113	Effects of leg muscle botulinum toxin A injections on walking in children with spasticity-related cerebral palsy: a systematic review. <i>Developmental Medicine and Child Neurology</i> , 2011, 53, 210-216.	1.1	44
114	The influence of work and treatment related factors on clinical status and disability in patients with non-specific work-related upper limb disorders. <i>Work</i> , 2010, 37, 425-432.	0.6	3
115	The gait and balance of patients with diabetes can be improved: a randomised controlled trial. <i>Diabetologia</i> , 2010, 53, 458-466.	2.9	236
116	Prognostic factors for perceived recovery or functional improvement in non-specific low back pain: secondary analyses of three randomized clinical trials. <i>European Spine Journal</i> , 2010, 19, 650-659.	1.0	57
117	Pain Catastrophizing and Lower Physical Fitness in a Sample of Computer Screen Workers with Early Non-specific Upper Limb Disorders: A Case-control Study. <i>Industrial Health</i> , 2010, 48, 818-823.	0.4	11
118	The Course of Nonspecific Work-Related Upper Limb Disorders and the Influence of Demographic Factors, Psychologic Factors, and Physical Fitness on Clinical Status and Disability. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 862-867.	0.5	17
119	Accuracy of Diagnostic Ultrasound in Patients With Suspected Subacromial Disorders: A Systematic Review and Meta-Analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 1616-1625.	0.5	99
120	Does Classification of Persons with Fibromyalgia into Multidimensional Pain Inventory Subgroups Detect Differences in Outcome after a Standard Chronic Pain Management Program?. <i>Pain Research and Management</i> , 2009, 14, 445-453.	0.7	33
121	Effects of physiotherapy in patients with shoulder impingement syndrome: A systematic review of the literature. <i>Journal of Rehabilitation Medicine</i> , 2009, 41, 870-880.	0.8	140
122	Work Related Risk Factors for Neck, Shoulder and Arms Complaints: A Cohort Study Among Dutch Computer Office Workers. <i>Journal of Occupational Rehabilitation</i> , 2009, 19, 315-322.	1.2	122
123	Injection Therapy for Subacute and Chronic Low Back Pain. <i>Spine</i> , 2009, 34, 49-59.	1.0	232
124	Clinimetric evaluation of active range of motion measures in patients with non-specific neck pain: a systematic review. <i>European Spine Journal</i> , 2008, 17, 905-921.	1.0	144
125	Factorial validity and internal consistency of the PRAFAB questionnaire in women with stress urinary incontinence. <i>BMC Urology</i> , 2008, 8, 1.	0.6	18
126	Graded activity for workers with low back pain: Who benefits most and how does it work?. <i>Arthritis and Rheumatism</i> , 2008, 59, 642-649.	6.7	45

#	ARTICLE	IF	CITATIONS
127	Clinimetric evaluation of methods to measure muscle functioning in patients with non-specific neck pain: a systematic review. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 142.	0.8	65
128	Injection therapy for subacute and chronic low-back pain. <i>The Cochrane Library</i> , 2008, , CD001824.	1.5	134
129	Complaints of the arm, neck and shoulder among computer office workers in Sudan: a prevalence study with validation of an Arabic risk factors questionnaire. <i>Environmental Health</i> , 2008, 7, 33.	1.7	33
130	Isolated Lumbar Extensor Strengthening Versus Regular Physical Therapy in an Army Working Population With Nonacute Low Back Pain: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008, 89, 1675-1685.	0.5	37
131	No difference between postural exercises and strength and fitness exercises for early, non-specific, work-related upper limb disorders in visual display unit workers: a randomised trial. <i>Australian Journal of Physiotherapy</i> , 2008, 54, 95-101.	0.9	18
132	A high-intensity lumbar extensor strengthening program is little better than a low-intensity program or a waiting list control group for chronic low back pain: a randomised clinical trial. <i>Australian Journal of Physiotherapy</i> , 2008, 54, 23-31.	0.9	66
133	Health benefits of tennis. <i>British Journal of Sports Medicine</i> , 2007, 41, 760-768.	3.1	51
134	Prevalence of complaints of arm, neck and shoulder among computer office workers and psychometric evaluation of a risk factor questionnaire. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 68.	0.8	108
135	Aetiology and management of work-related upper extremity disorders. <i>Best Practice and Research in Clinical Rheumatology</i> , 2007, 21, 123-133.	1.4	77
136	Substantial sick-leave costs savings due to a graded activity intervention for workers with non-specific sub-acute low back pain. <i>European Spine Journal</i> , 2007, 16, 919-924.	1.0	58
137	Tennis injuries: occurrence, aetiology, and prevention. <i>British Journal of Sports Medicine</i> , 2006, 40, 415-423.	3.1	230
138	Chapter 4 European guidelines for the management of chronic nonspecific low back pain. <i>European Spine Journal</i> , 2006, 15, s192-s300.	1.0	1,955
139	Graded Exercise. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, S414-S415.	0.2	0
140	Physical Exercise Interventions to Improve Disability and Return to Work in Low Back Pain: Current Insights and Opportunities for Improvement. <i>Journal of Occupational Rehabilitation</i> , 2005, 15, 491-505.	1.2	56
141	The Effects of a Graded Activity Intervention for Low Back Pain in Occupational Health on Sick Leave, Functional Status and Pain: 12-Month Results of a Randomized Controlled Trial. <i>Journal of Occupational Rehabilitation</i> , 2005, 15, 569-580.	1.2	63
142	Effectiveness of a return-to-work intervention for subacute low-back pain. <i>Scandinavian Journal of Work, Environment and Health</i> , 2005, 31, 249-257.	1.7	47
143	Rationale and design of a multicenter randomized controlled trial on a 'minimal intervention' in Dutch army personnel with nonspecific low back pain [ISRCTN19334317]. <i>BMC Musculoskeletal Disorders</i> , 2004, 5, 40.	0.8	16
144	Comparison of a high-intensity and a low-intensity lumbar extensor training program as minimal intervention treatment in low back pain: a randomized trial. <i>European Spine Journal</i> , 2004, 13, 537-547.	1.0	69

#	ARTICLE	IF	CITATIONS
145	Graded Activity for Low Back Pain in Occupational Health Care. <i>Annals of Internal Medicine</i> , 2004, 140, 77.	2.0	176
146	Occupational health guidelines for the management of low back pain: an international comparison. <i>Occupational and Environmental Medicine</i> , 2003, 60, 618-626.	1.3	135
147	Back Pain in Adolescents. <i>The Back Letter</i> , 2002, 17, 121.	0.7	0
148	Return-to-Work Interventions for Low Back Pain. <i>Sports Medicine</i> , 2002, 32, 251-267.	3.1	88
149	Effectiveness of physical activity programs at worksites with respect to work-related outcomes. <i>Scandinavian Journal of Work, Environment and Health</i> , 2002, 28, 75-84.	1.7	131
150	Tracking of lung function parameters and the longitudinal relationship with lifestyle. <i>European Respiratory Journal</i> , 1998, 12, 627-634.	3.1	104