## Glenn B Mcgregor

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2434782/publications.pdf

Version: 2024-02-01

394421 330143 1,461 39 19 37 citations g-index h-index papers 39 39 39 2000 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Ecology and climate sensitivity of a groundwater-fed lake on subtropical North Stradbroke Island (Minjerribah), Queensland, Australia over the last 7500Âyears. Journal of Paleolimnology, 2022, 67, 75-93.	1.6	2
2	Cyanobacterial diversity and taxonomic uncertainty: polyphasic pathways to improved resolution. , 2022, , 7-45.		O
3	Relationships between algal primary productivity and environmental variables in tropical floodplain wetlands. Inland Waters, 2021, 11, 180-190.	2.2	7
4	<p><strong>True branching and phenotypic plasticity in the planktonic cyanobacterium <em>Dolichospermum brachiatum sp. nov.</em> (Nostocales, Aphanizomenonaceae), from south-eastern Australia</strong></p> . Phytotaxa, 2021, 491, 93-114.	0.3	9
5	Connectivity of fish communities in a tropical floodplain river system and predicted impacts of potential new dams. Science of the Total Environment, 2021, 788, 147785.	8.0	19
6	Fourier transform infrared spectroscopy as a tracer of organic matter sources in lake sediments. Palaeogeography, Palaeoclimatology, Palaeoecology, 2021, 581, 110622.	2.3	8
7	Insights into subtropical Australian aridity from Welsby Lagoon, north Stradbroke Island, over the past 80,000 years. Quaternary Science Reviews, 2020, 234, 106262.	3.0	26
8	Aquatic biota in hot water: thermal gradients in rheocrene hot spring discharges as analogues for the effects of climate warming. Knowledge and Management of Aquatic Ecosystems, 2020, , 49.	1.1	2
9	Reduced rainfall drives biomass limitation of longâ€term fire activity in Australia's subtropical sclerophyll forests. Journal of Biogeography, 2019, 46, 1974-1987.	3.0	14
10	Variation in leaf wax n-alkane characteristics with climate in the broad-leaved paperbark (Melaleuca) Tj ETQq0 0 (	) rgBT /O\	verlock 10 Tf 5
11	<p><strong><em>Potamosiphon australiensis</em> <em>gen. nov.</em>, <em>sp nov.</em> (Oscillatoriales), a new filamentous cyanobacterium from subtropical north-eastern Australia</strong></p> . Phytotaxa, 2019, 387, 77-93.	0.3	10
12	A Risk-Based Ecohydrological Approach to Assessing Environmental Flow Regimes. Environmental Management, 2018, 61, 358-374.	2.7	23
13	Cryptic diversity within the Scytonema complex: Characterization of the paralytic shellfish toxin producer Heterosyctonema crispum, and the establishment of the family Heteroscytonemataceae (Cyanobacteria/Nostocales). Harmful Algae, 2018, 80, 158-170.	4.8	21
14	Development of a southern hemisphere subtropical wetland (Welsby Lagoon, south-east Queensland,) Tj ETQq0	0 <u>g</u> .rgBT /	Overlock 10 T
15	Freshwater Cyanobacteria of North-Eastern Australia: 3. Nostocales. Phytotaxa, 2018, 359, 1.	0.3	12
16	A 25,000-year record of environmental change from Welsby Lagoon, North Stradbroke Island, in the Australian subtropics. Quaternary International, 2017, 449, 106-118.	1.5	18
17	Iningainema pulvinus gen nov., sp nov. (Cyanobacteria, Scytonemataceae) a new nodularin producer from Edgbaston Reserve, north-eastern Australia. Harmful Algae, 2017, 62, 10-19.	4.8	40
18	Ewamiania thermalis gen. et sp. nov. (Cyanobacteria, Scytonemataceae), a new cyanobacterium from Talaroo thermal springs, north-eastern Australia. Australian Systematic Botany, 2017, 30, 38.	0.9	12

#	Article	IF	Citations
19	Carbon isotope discrimination in leaves of the broadâ€leaved paperbark tree, Melaleuca quinquenervia , as a tool for quantifying past tropical and subtropical rainfall. Global Change Biology, 2016, 22, 3474-3486.	9.5	15
20	Phylogeny and toxicology of <i>Lyngbya wollei</i> (Cyanobacteria, Oscillatoriales) from northâ€eastern Australia, with a description of <i>Microseira</i> gen. nov Journal of Phycology, 2015, 51, 109-119.	2.3	52
21	Why Should We Care About Temporary Waterways?. Science, 2014, 343, 1080-1081.	12.6	270
22	Polyphasic identification of cyanobacterial isolates from Australia. Water Research, 2014, 59, 248-261.	11.3	27
23	Combining monitoring, models and palaeolimnology to assess ecosystem response to environmental change at monthly to millennial timescales: the stability of <scp>B</scp> lue <scp>L</scp> ake, <scp>N</scp> orth <scp>S</scp> tradbroke <scp>I</scp> sland, <scp>A</scp> ustralia. Freshwater Biology. 2013. 58. 1614-1630.	2.4	34
24	Komvophoron kgariisp. nov. (Oscillatoriales), a new epipelic cyanobacterium from subtropical eastern Australia. Phycologia, 2013, 52, 472-480.	1.4	8
25	Freshwater Cyanobacteria of North-Eastern Australia: 2. Chroococcales. Phytotaxa, 2013, 133, 1.	0.3	17
26	First Report of a Toxic Nodularia spumigena (Nostocales/ Cyanobacteria) Bloom in Sub-Tropical Australia. I. Phycological and Public Health Investigations. International Journal of Environmental Research and Public Health, 2012, 9, 2396-2411.	2.6	30
27	First Report of a Toxic Nodularia spumigena (Nostocales/ Cyanobacteria) Bloom in Sub-Tropical Australia. II. Bioaccumulation of Nodularin in Isolated Populations of Mullet (Mugilidae). International Journal of Environmental Research and Public Health, 2012, 9, 2412-2443.	2.6	24
28	Report of the cyanotoxins cylindrospermopsin and deoxy-cylindrospermopsin from Raphidiopsis mediterranea Skuja (Cyanobacteria/Nostocales). Harmful Algae, 2011, 10, 402-410.	4.8	65
29	Identification of a benthic microcystin-producing filamentous cyanobacterium (Oscillatoriales) associated with a dog poisoning in New Zealand. Toxicon, 2010, 55, 897-903.	1.6	88
30	Occupational and environmental hazard assessments for the isolation, purification and toxicity testing of cyanobacterial toxins. Environmental Health, 2009, 8, 52.	4.0	18
31	Cyanobacterial composition of microbial mats from an Australian thermal spring: a polyphasic evaluation. FEMS Microbiology Ecology, 2008, 63, 23-35.	2.7	51
32	Effect of spatial variation on salinity tolerance of macroinvertebrates in Eastern Australia and implications for ecosystem protection trigger values. Environmental Pollution, 2008, 151, 621-630.	7.5	69
33	First evidence for the production of cylindrospermopsin and deoxy-cylindrospermopsin by the freshwater benthic cyanobacterium, Lyngbya wollei (Farlow ex Gomont) Speziale and Dyck. Harmful Algae, 2007, 6, 73-80.	4.8	178
34	Spatial and temporal variation in algal-assemblage structure in isolated dryland river waterholes, Cooper Creek and Warrego River, Australia. Marine and Freshwater Research, 2006, 57, 453.	1.3	19
35	STUDIES ON THE DIATOMUROSOLENIAROUND & CRAWFORD (RHIZOSOLENIOPHYCIDEAE) PART 1. NEW AND RE-CLASSIFIED SPECIES FROM SUBTROPICAL AND TROPICAL FRESHWATERS. Diatom Research, 2006, 21, 105-124.	1,2	20
36	Investigations into the taxonomy, toxicity and ecology of benthic cyanobacterial accumulations in Myall Lake, Australia. Marine and Freshwater Research, 2005, 56, 45.	1.3	33

#	Article	IF	CITATIONS
37	MORPHOLOGICAL CHANGES DURING AKINETE GERMINATION INCYLINDROSPERMOPSIS RACIBORSKII(NOSTOCALES, CYANOBACTERIA). Journal of Phycology, 2004, 40, 1098-1105.	2.3	29
38	Dominance of Cylindrospermopsis raciborskii (Nostocales, Cyanoprokaryota) in Queensland tropical and subtropical reservoirs: Implications for monitoring and management. Lakes and Reservoirs: Research and Management, 2000, 5, 195-205.	0.9	144
39	Hydrological and Isotopic Variability of Perched Wetlands on North Stradbroke Island (Minjerribah), Australia: Implications for Understanding the Effects of Past and Future Climate Change. Frontiers in Environmental Science, 0, 10, .	3.3	3