Nan Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2438129/publications.pdf

Version: 2024-02-01

63 papers	4,129 citations	279798 23 h-index	57 g-index
71	71	71	5226
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	High Curie temperature bismuth-based piezo-/ferroelectric single crystals of complex perovskite structure: recent progress and perspectives. CrystEngComm, 2022, 24, 220-230.	2.6	13
2	Achieving Large Switchable Polarization and Enhanced Piezoelectric Response in BiFeO ₃ â€PbTiO ₃ Solid Solution Ceramics. Advanced Electronic Materials, 2022, 8, 2100883.	5.1	12
3	Single-Beam Acoustic Tweezer Prepared by Lead-Free KNN-Based Textured Ceramics. Micromachines, 2022, 13, 175.	2.9	4
4	Large-Area and Clean Graphene Transfer on Gold-Nanopyramid-Structured Substrates: Implications for Surface-Enhanced Raman Scattering Detection. ACS Applied Nano Materials, 2022, 5, 3878-3888.	5.0	2
5	Atomic reconfiguration among tri-state transition at ferroelectric/antiferroelectric phase boundaries in Pb(Zr,Ti)O3. Nature Communications, 2022, 13, 1390.	12.8	17
6	Giant strain responses and relaxor characteristics in lead-free (Bi _{0.5} Na _{0.5})TiO ₃ â€"BaZrO ₃ ferroelectric thin films. Journal of Materials Chemistry C, 2022, 10, 7449-7459.	5 . 5	8
7	Identification of a coherent twin relationship from high-resolution reciprocal-space maps. Acta Crystallographica Section A: Foundations and Advances, 2022, 78, 158-171.	0.1	2
8	Evolution of mesoscopic domain structure and macroscopic properties in lead-free Bi0.5Na0.5TiO3-BaTiO3 ferroelectric ceramics. Journal of Applied Physics, 2021, 129, .	2.5	23
9	Multiple structural components and their competition in the intermediate state of antiferroelectric <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:mi>Pb</mml:mi><mml:mo>(O<mml:mn>3</mml:mn>. Physical Review B,</mml:mo></mml:mrow></mml:math 	าo> 3.ट ักml:r	ni> Z r
10	Ferroelastic domain hierarchy in the intermediate state of PbZr0.98Ti0.02O3 single crystal. APL Materials, 2021, 9, .	5.1	9
11	Solid–liquid phase transition induced electrocatalytic switching from hydrogen evolution to highly selective CO2 reduction. Nature Catalysis, 2021, 4, 202-211.	34.4	89
12	Multiscale Domain Structures and Ferroic Properties of Dy-Modified BiFeO ₃ -PbTiO ₃ Single Crystals. Crystal Growth and Design, 2021, 21, 3082-3092.	3.0	5
13	Evolution of magnetic order in multiferroic Pb(Fe 2/3 W 1/3)O 3 â€BiFeO 3 solid solution. Journal of the American Ceramic Society, 2021, 104, 4585-4593.	3.8	0
14	In-situ domain structure characterization of Pb(Mg1/3Nb2/3)O3-PbTiO3 crystals under alternating current electric field poling. Acta Materialia, 2021, 210, 116853.	7.9	17
15	Subsize Pt-based intermetallic compound enables long-term cyclic mass activity for fuel-cell oxygen reduction. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	86
16	Surface microenvironment optimization―induced robust oxygen reduction for neutral zincâ€air batteries. Natural Sciences, 2021, 1, e20210005.	2.1	6
17	Constructing Graphiticâ€Nitrogenâ€Bonded Pentagons in Interlayerâ€Expanded Graphene Matrix toward Carbonâ€Based Electrocatalysts for Acidic Oxygen Reduction Reaction. Advanced Materials, 2021, 33, e2103133.	21.0	47
18	Exploring Structure-function Relationship of Two-dimensional Electrocatalysts with Synchrotron Radiation X-ray Absorption Spectrum. Current Chinese Science, 2021, 1, 22-42.	0.5	2

#	Article	IF	CITATIONS
19	High-purity pyrrole-type FeN ₄ sites as a superior oxygen reduction electrocatalyst. Energy and Environmental Science, 2020, 13, 111-118.	30.8	327
20	Two-Dimensional Hierarchical Fe–N–C Electrocatalyst for Zn-Air Batteries with Ultrahigh Specific Capacity. , 2020, 2, 35-41.		34
21	Nanopore Confinement of Electrocatalysts Optimizing Triple Transport for an Ultrahighâ€Powerâ€Đensity Zinc–Air Fuel Cell with Robust Stability. Advanced Materials, 2020, 32, e2003251.	21.0	104
22	Stepwise Hollow Prussian Blue Nanoframes/Carbon Nanotubes Composite Film as Ultrahigh Rate Sodium Ion Cathode. Advanced Functional Materials, 2020, 30, 2002624.	14.9	49
23	High-Density Planar-like Fe2N6 Structure Catalyzes Efficient Oxygen Reduction. Matter, 2020, 3, 509-521.	10.0	184
24	Coexistence of relaxor behavior and ferromagnetic order in multiferroic Pb(Fe _{0.5} 0.50.5)O ₃ –BiFeO ₃ solid solution. Journal of Materials Chemistry C, 2020, 8, 13306-13318.	5 . 5	5
25	Growth and characterization of ternary BiScO ₃ –Pb(Cd _{1/3} Nb _{2/3})O ₃ –PbTiO ₃ ferroelectric single crystals with high Curie temperature. CrystEngComm, 2020, 22, 4544-4551.	2.6	4
26	Effects of antiferroelectric substitution on the structure and ferroelectric properties of a complex perovskite solid solution. Journal of Materials Chemistry C, 2020, 8, 5795-5806.	5.5	11
27	Surface Nitrogen-Injection Engineering for High Formation Rate of CO ₂ Reduction to Formate. Nano Letters, 2020, 20, 6097-6103.	9.1	71
28	Transparent ferroelectric crystals with ultrahigh piezoelectricity. Nature, 2020, 577, 350-354.	27.8	360
29	Meso- to nano-scopic domain structures in high Curie-temperature piezoelectric BiScO ₃ –PbTiO ₃ single crystals of complex perovskite structure. Journal of Materials Chemistry C, 2020, 8, 7234-7243.	5.5	7
30	Surface/interface nanoengineering for rechargeable Zn–air batteries. Energy and Environmental Science, 2020, 13, 1132-1153.	30.8	344
31	New method to measure domain-wall motion contribution to piezoelectricity: the case of PbZr _{0.65} Ti _{0.35} O ₃ ferroelectric. Journal of Applied Crystallography, 2020, 53, 1039-1050.	4.5	8
32	A decade of development in advanced dielectrics research from JAD's perspectives. Journal of Advanced Dielectrics, 2020, 10, 2001001.	2.4	0
33	Research progress of the investigation of intrinsic and extrinsic origin of piezoelectric materials by X-ray diffraction. Wuli Xuebao/Acta Physica Sinica, 2020, 69, 127711.	0.5	0
34	Polar domain structural evolution under electric field and temperature in the (Bi _{0.5} Na _{0.5})TiO ₃ â€0.06BaTiO ₃ piezoceramics. Journal of the American Ceramic Society, 2019, 102, 437-447.	3.8	30
35	Chemically engineered multiferroic morphotropic phase boundary in BiFeO3-based single phase multiferroics. Journal of Applied Physics, 2019, 125, .	2.5	10
36	New Antiferroelectric Perovskite System with Ultrahigh Energy-Storage Performance at Low Electric Field. Chemistry of Materials, 2019, 31, 979-990.	6.7	108

#	Article	IF	Citations
37	Tailoring Electronic Structure of Atomically Dispersed Metal–N ₃ S ₁ Active Sites for Highly Efficient Oxygen Reduction Catalysis. , 2019, 1, 139-146.		34
38	Interfacial engineering of cobalt sulfide/graphene hybrids for highly efficient ammonia electrosynthesis. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 6635-6640.	7.1	242
39	Ultrathin Cobalt Oxide Layers as Electrocatalysts for Highâ€Performance Flexible Zn–Air Batteries. Advanced Materials, 2019, 31, e1807468.	21.0	227
40	Chemical ordering and relaxor properties in a novel solid solution of (1-x)Pb(Mg1/3Nb2/3)O3-xPb(Cd1/3Nb2/3)O3. Ferroelectrics, 2019, 553, 14-25.	0.6	0
41	Large Piezoelectric Strain with Superior Thermal Stability and Excellent Fatigue Resistance of Lead-Free Potassium Sodium Niobate-Based Grain Orientation-Controlled Ceramics. ACS Applied Materials & Amp; Interfaces, 2018, 10, 10220-10226.	8.0	51
42	A new kind of thermocouple made of p-type and n-type semi-conductive oxides with giant thermoelectric voltage for high temperature sensing. Journal of Materials Chemistry C, 2018, 6, 3206-3211.	5.5	23
43	Strong Anisotropy and Ultralow Percolation Threshold in Multiscale Composites Modified by Carbon Nanotubes Coated Hollow Glass Fiber. Advanced Engineering Materials, 2018, 20, 1800077.	3.5	2
44	Magnetic properties of multiferroic (1-x)PbTiO3-xDyFeO3 system. Ferroelectrics, 2018, 534, 206-211.	0.6	0
45	Impact of quenched random fields on the ferroelectric-to-relaxor crossover in the solid solution (1â°'x)BaTiO3â°'xDyFeO3. Physical Review B, 2018, 98, .	3.2	10
46	Dynamic Migration of Surface Fluorine Anions on Cobaltâ€Based Materials to Achieve Enhanced Oxygen Evolution Catalysis. Angewandte Chemie, 2018, 130, 15697-15701.	2.0	11
47	Dynamic Migration of Surface Fluorine Anions on Cobaltâ€Based Materials to Achieve Enhanced Oxygen Evolution Catalysis. Angewandte Chemie - International Edition, 2018, 57, 15471-15475.	13.8	178
48	Self-Polarization in Epitaxial Fully Matched Lead-Free Bismuth Sodium Titanate Based Ferroelectric Thin Films. ACS Applied Materials & Samp; Interfaces, 2018, 10, 23945-23951.	8.0	14
49	Single Crystal Growth and Hierarchical Ferroelectric Domain Structure of (1– <i>x</i>)BiFeO ₃ - <i>x</i> PbTiO ₃ Solid Solutions. Crystal Growth and Design, 2018, 18, 4503-4510.	3.0	10
50	Complex morphotropic domain structure and ferroelectric properties in high- <i>T</i> _C single crystals of a ternary perovskite solid solution. Journal of Materials Chemistry C, 2018, 6, 9216-9223.	5.5	7
51	Local structures and temperature-driven polarization rotation in Zr-rich PbZr1- <i>x</i> Ti <i>x</i> O3. Applied Physics Letters, 2018, 113, .	3.3	3
52	Monoclinic distortion, polarization rotation and piezoelectricity in the ferroelectric Na _{0.5} Bi _{0.5} TiO ₃ . IUCrJ, 2018, 5, 417-427.	2.2	17
53	Achieving Higher Strength and Sensitivity toward UV Light in Multifunctional Composites by Controlling the Thickness of Nanolayer on the Surface of Glass Fiber. ACS Applied Materials & Samp; Interfaces, 2018, 10, 23399-23405.	8.0	3
54	Local-scale structures across the morphotropic phase boundary in PbZr _{1â^'<i>x</i>} Ti <i>_x </i> O ₃ . IUCrJ, 2018, 5, 73-81.	2.2	24

#	Article	IF	CITATIONS
55	Determination of chemical ordering in the complex perovskite Pb(Cd _{1/3} Nb _{2/3})O ₃ . IUCrJ, 2018, 5, 808-815.	2.2	5
56	3D Nitrogenâ€Anionâ€Decorated Nickel Sulfides for Highly Efficient Overall Water Splitting. Advanced Materials, 2017, 29, 1701584.	21.0	478
57	Crystalline phase and electrical properties of leadâ€free piezoelectric <scp>KNN</scp> â€based films with different orientations. Journal of the American Ceramic Society, 2017, 100, 2965-2971.	3 . 8	18
58	Enhanced Catalytic Activity in Nitrogen-Anion Modified Metallic Cobalt Disulfide Porous Nanowire Arrays for Hydrogen Evolution. ACS Catalysis, 2017, 7, 7405-7411.	11.2	152
59	Recoverable Self-Polarization in Lead-Free Bismuth Sodium Titanate Piezoelectric Thin Films. ACS Applied Materials & Divided Hammann (2017), 9, 28716-28725.	8.0	26
60	The origin of ultrahigh piezoelectricity in relaxor-ferroelectric solid solution crystals. Nature Communications, 2016, 7, 13807.	12.8	510
61	Magnetoelectric relaxor and reentrant behaviours in multiferroic Pb(Fe2/3W1/3)O3 crystal. Scientific Reports, 2016, 6, 22327.	3.3	20
62	Carbon nanotubes introduced in different phases of C/PyC/SiC composites: Effect on microstructure and properties of the materials. Composites Science and Technology, 2015, 115, 28-33.	7.8	24
63	Strength and toughness improvement in a C/SiC composite reinforced with slurry-prone SiC whiskers. Ceramics International, 2014, 40, 14099-14104.	4.8	28