Hege Havstad Clemm

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2440498/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Development of lung diffusion to adulthood following extremely preterm birth. European Respiratory Journal, 2022, 59, 2004103.	6.7	13
2	Conundrums in the breathless athlete; exerciseâ€induced laryngeal obstruction or asthma?. Scandinavian Journal of Medicine and Science in Sports, 2022, 32, 1041-1049.	2.9	10
3	Lessons learned from the Tokyo games isolation hotel experience. British Journal of Sports Medicine, 2022, 56, 597-598.	6.7	3
4	Reliability of translaryngeal airway resistance measurements during maximal exercise. ERJ Open Research, 2022, 8, 00581-2021.	2.6	8
5	Clinical responses following inspiratory muscle training in exercise-induced laryngeal obstruction. European Archives of Oto-Rhino-Laryngology, 2022, 279, 2511-2522.	1.6	5
6	Tracking of lung function from 10 to 35 years after being born extremely preterm or with extremely low birth weight. Thorax, 2022, 77, 790-798.	5.6	23
7	Exercise-induced laryngeal obstruction (EILO) in athletes: a narrative review by a subgroup of the IOC Consensus on †̃acute respiratory illness in the athlete'. British Journal of Sports Medicine, 2022, 56, 622-629.	6.7	22
8	Adjustments of non-invasive ventilation and mechanically assisted cough by combining ultrasound imaging of the larynx with transnasal fibre-optic laryngoscopy: a protocol for an experimental study. BMJ Open, 2022, 12, e059234.	1.9	2
9	Diagnosis and management of nasal obstruction in the athlete. A narrative review by subgroup B of the IOC Consensus Group on "Acute Respiratory Illness in the Athlete". Journal of Sports Medicine and Physical Fitness, 2021, 61, 1144-1158.	0.7	7
10	Breathing patterns in people with exerciseâ€induced laryngeal obstruction. Physiological Reports, 2021, 9, e15086.	1.7	3
11	Changes in pulmonary function and feasibility of portable continuous laryngoscopy during maximal uphill running. BMJ Open Sport and Exercise Medicine, 2020, 6, e000815.	2.9	2
12	Severe Exercise-Induced Laryngeal Obstruction Treated With Supraglottoplasty. Frontiers in Surgery, 2019, 6, 44.	1.4	15
13	Laryngeal Responses to Mechanically Assisted Cough in Progressing Amyotrophic Lateral Sclerosis. Respiratory Care, 2018, 63, 538-549.	1.6	39
14	Bronchial hyper-responsiveness after preterm birth. Paediatric Respiratory Reviews, 2018, 26, 34-40.	1.8	17
15	Ventilatory Efficiency in Children and Adolescents Born Extremely Preterm. Frontiers in Physiology, 2017, 8, 499.	2.8	6
16	Adolescents who were born extremely preterm demonstrate modest decreases in exercise capacity. Acta Paediatrica, International Journal of Paediatrics, 2015, 104, 1174-1181.	1.5	26
17	Adult Respiratory Outcomes of Extreme Preterm Birth. A Regional Cohort Study. Annals of the American Thoracic Society, 2015, 12, 313-322.	3.2	75
18	Exercise Induced Inspiratory Stridor (EIIS) In Top Athletes. Medicine and Science in Sports and Exercise, 2014, 46, 741.	0.4	0

#	Article	IF	CITATIONS
19	Exercise Capacity after Extremely Preterm Birth. Development from Adolescence to Adulthood. Annals of the American Thoracic Society, 2014, 11, 537-545.	3.2	69
20	Exercise Induced Inspiratory Stridor (EIIS) -A Growing Challenge In Physical Activity. Medicine and Science in Sports and Exercise, 2014, 46, 542.	0.4	0