

Bo-Ying Bao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/244190/bo-ying-bao-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110
papers

2,261
citations

28
h-index

41
g-index

112
ext. papers

2,563
ext. citations

5.1
avg, IF

4.53
L-index

#	Paper	IF	Citations
110	Assessment of factors associated with PSA level in prostate cancer cases and controls from three geographical regions.. <i>Scientific Reports</i> , 2022 , 12, 55	4.9	1
109	TNFRSF13B is a potential contributor to prostate cancer.. <i>Cancer Cell International</i> , 2022 , 22, 180	6.4	
108	Association between the polygenic liabilities for prostate cancer and breast cancer with biochemical recurrence after radical prostatectomy for localized prostate cancer. <i>American Journal of Cancer Research</i> , 2021 , 11, 2331-2342	4.4	
107	Genetic Variant Influences the Efficacy of Androgen-Deprivation Therapy in Men with Prostate Cancer. <i>Biomedicines</i> , 2021 , 9,	4.8	2
106	Genetic variants in MAPK10 modify renal cell carcinoma susceptibility and clinical outcomes. <i>Life Sciences</i> , 2021 , 275, 119396	6.8	0
105	MST3 Involvement in Na and K Homeostasis with Increasing Dietary Potassium Intake. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
104	Genetic Variants Affect the Clinical Response to Androgen-deprivation Therapy in Patients With Prostate Cancer. <i>Cancer Genomics and Proteomics</i> , 2021 , 18, 325-334	3.3	0
103	Genetic Analysis Reveals a Significant Contribution of to Prostate Cancer Progression in Taiwanese Men. <i>Cancers</i> , 2020 , 12,	6.6	5
102	Occupational noise exposure and its association with incident hyperglycaemia: a retrospective cohort study. <i>Scientific Reports</i> , 2020 , 10, 8584	4.9	5
101	Polymorphism of nucleotide binding domain-like receptor protein 3 (NLRP3) increases susceptibility of total urinary arsenic to renal cell carcinoma. <i>Scientific Reports</i> , 2020 , 10, 6640	4.9	5
100	Genetic Association Analysis of Cell Cycle Regulators Reveals Has Prognostic Significance in Prostate Cancer. <i>Cancer Genomics and Proteomics</i> , 2020 , 17, 209-216	3.3	3
99	Genetic association analysis identifies a role for ANO5 in prostate cancer progression. <i>Cancer Medicine</i> , 2020 , 9, 2372-2378	4.8	7
98	Exposure to Indoor Volatile Organic Compounds and Hypertension among Thin Film Transistor Liquid Crystal Display Workers. <i>Atmosphere</i> , 2020 , 11, 718	2.7	2
97	Genetic Analysis Identifies the Role of in Renal Cell Carcinoma. <i>Cancer Genomics and Proteomics</i> , 2020 , 17, 827-833	3.3	2
96	Effect of genetic variants in cell adhesion pathways on the biochemical recurrence in prostate cancer patients with radical prostatectomy. <i>Cancer Medicine</i> , 2019 , 8, 2777-2783	4.8	5
95	MST3 is involved in ENaC-mediated hypertension. <i>American Journal of Physiology - Renal Physiology</i> , 2019 , 317, F30-F42	4.3	3
94	Genetic variants in the circadian rhythm pathway as indicators of prostate cancer progression. <i>Cancer Cell International</i> , 2019 , 19, 87	6.4	10

93	Prognostic Value of in Localised Prostate Cancer. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	5
92	A common regulatory variant in SLC35B4 influences the recurrence and survival of prostate cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 3661-3670	5.6	14
91	Short androgen receptor poly-glutamine-promoted endometrial cancer is associated with benzo[a]pyrene-mediated aryl hydrocarbon receptor activation. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 46-56	5.6	3
90	Clinical significance of glutamate metabotropic receptors in renal cell carcinoma risk and survival. <i>Cancer Medicine</i> , 2018 , 7, 6104-6111	4.8	6
89	Association of Genetic Variants of Small Non-Coding RNAs with Survival in Colorectal Cancer. <i>International Journal of Medical Sciences</i> , 2018 , 15, 217-222	3.7	1
88	Determination and Prediction of Respirable Dust and Crystalline-Free Silica in the Taiwanese Foundry Industry. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	6
87	MST3 (mammalian Ste20-like protein kinase 3), a novel gene involved in ion homeostasis and renal regulation of blood pressure in spontaneous hypertensive rats. <i>International Urology and Nephrology</i> , 2018 , 50, 2299-2307	2.3	3
86	Road Traffic Noise, Air Pollutants, and the Prevalence of Cardiovascular Disease in Taichung, Taiwan. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	8
85	Lower SHBG level is associated with higher leptin and lower adiponectin levels as well as metabolic syndrome, independent of testosterone. <i>Scientific Reports</i> , 2017 , 7, 2727	4.9	11
84	Associations of VEGF Gene Polymorphisms With Erectile Dysfunction and Related Risk Factors. <i>Journal of Sexual Medicine</i> , 2017 , 14, 510-517	1.1	4
83	Induction of apoptosis and ganoderic acid biosynthesis by cAMP signaling in <i>Ganoderma lucidum</i> . <i>Scientific Reports</i> , 2017 , 7, 318	4.9	24
82	Cancer Stem Cell Gene Variants Predict Disease Recurrence in Patients Treated with Radical Prostatectomy for Prostate Cancer. <i>International Journal of Medical Sciences</i> , 2017 , 14, 1301-1306	3.7	5
81	Polymorphisms in MicroRNA Binding Sites Predict Colorectal Cancer Survival. <i>International Journal of Medical Sciences</i> , 2017 , 14, 53-57	3.7	5
80	Vitamin D receptor-binding site variants affect prostate cancer progression. <i>Oncotarget</i> , 2017 , 8, 74119-74128	3.4	8
79	Temporal and spatial variations in road traffic noise for different frequency components in metropolitan Taichung, Taiwan. <i>Environmental Pollution</i> , 2016 , 219, 174-181	9.3	23
78	Genetic variants in ultraconserved regions associate with prostate cancer recurrence and survival. <i>Scientific Reports</i> , 2016 , 6, 22124	4.9	15
77	The association of endothelial nitric oxide synthase (eNOS) G894T gene polymorphism with responsiveness to a selective α -blocker in men with benign prostatic hyperplasia related lower urinary tract symptoms. <i>BJU International</i> , 2016 , 118, 313-9	5.6	1
76	Prognostic Value of Prostaglandin-endoperoxide Synthase 2 Polymorphisms in Prostate Cancer Recurrence after Radical Prostatectomy. <i>International Journal of Medical Sciences</i> , 2016 , 13, 696-700	3.7	1

75	Inherited Variants in Wnt Pathway Genes Influence Outcomes of Prostate Cancer Patients Receiving Androgen Deprivation Therapy. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	11
74	Prognostic Relevance of Methylenetetrahydrofolate Reductase Polymorphisms for Prostate Cancer. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	5
73	Occupational Noise Frequencies and the Incidence of Hypertension in a Retrospective Cohort Study. <i>American Journal of Epidemiology</i> , 2016 , 184, 120-8	3.8	24
72	Urinary melatonin-sulfate/cortisol ratio and the presence of prostate cancer: A case-control study. <i>Scientific Reports</i> , 2016 , 6, 29606	4.9	29
71	Short-term exposure to noise, fine particulate matter and nitrogen oxides on ambulatory blood pressure: A repeated-measure study. <i>Environmental Research</i> , 2015 , 140, 634-40	7.9	32
70	Acute effects of noise exposure on 24-h ambulatory blood pressure in hypertensive adults. <i>Journal of Hypertension</i> , 2015 , 33, 507-14; discussion 514	1.9	15
69	Genetic variants in the Hippo pathway predict biochemical recurrence after radical prostatectomy for localized prostate cancer. <i>Scientific Reports</i> , 2015 , 5, 8556	4.9	19
68	Genetic variants of the autophagy pathway as prognostic indicators for prostate cancer. <i>Scientific Reports</i> , 2015 , 5, 14045	4.9	24
67	The interaction of serum testosterone levels and androgen receptor CAG repeat polymorphism on the risk of erectile dysfunction in aging Taiwanese men. <i>Andrology</i> , 2015 , 3, 902-8	4.2	12
66	The Associations of Novel Vitamin D3 Metabolic Gene CYP27A1 Polymorphism, Adiponectin/Leptin Ratio, and Metabolic Syndrome in Middle-Aged Taiwanese Males. <i>International Journal of Endocrinology</i> , 2015 , 2015, 658151	2.7	3
65	Naphthoquinone derivative PPE8 induces endoplasmic reticulum stress in p53 null H1299 cells. <i>Oxidative Medicine and Cellular Longevity</i> , 2015 , 2015, 453679	6.7	10
64	Genetic interaction analysis of TCF7L2 for biochemical recurrence after radical prostatectomy in localized prostate cancer. <i>International Journal of Medical Sciences</i> , 2015 , 12, 243-7	3.7	9
63	Prognostic significance of genetic polymorphisms in disease progression and survival in prostate cancer after androgen deprivation therapy. <i>Urological Science</i> , 2015 , 26, 81-84	0.3	1
62	Road traffic noise frequency and prevalent hypertension in Taichung, Taiwan: a cross-sectional study. <i>Environmental Health</i> , 2014 , 13, 37	6	40
61	Genetic variants in microRNAs and microRNA target sites predict biochemical recurrence after radical prostatectomy in localized prostate cancer. <i>International Journal of Cancer</i> , 2014 , 135, 2661-7	7.5	35
60	Androgen receptor increases CD133 expression and progenitor-like population that associate with cisplatin resistance in endometrial cancer cell line. <i>Reproductive Sciences</i> , 2014 , 21, 386-94	3	12
59	Denbinobin, a phenanthrene from <i>Dendrobium nobile</i> , impairs prostate cancer migration by inhibiting Rac1 activity. <i>The American Journal of Chinese Medicine</i> , 2014 , 42, 1539-54	6	18
58	Genetic variations in TP53 binding sites are predictors of clinical outcomes in prostate cancer patients. <i>Archives of Toxicology</i> , 2014 , 88, 901-11	5.8	9

57	Vitamin D receptor gene variants and clinical outcomes after androgen-deprivation therapy for prostate cancer. <i>World Journal of Urology</i> , 2013 , 31, 281-7	4	11
56	Common variants in IGF1 pathway genes and clinical outcomes after radical prostatectomy. <i>Annals of Surgical Oncology</i> , 2013 , 20, 2446-52	3.1	16
55	Molecular markers in key steroidogenic pathways, circulating steroid levels, and prostate cancer progression. <i>Clinical Cancer Research</i> , 2013 , 19, 699-709	12.9	43
54	Genetic variants in nuclear factor-kappa B binding sites are associated with clinical outcomes in prostate cancer patients. <i>European Journal of Cancer</i> , 2013 , 49, 3729-37	7.5	16
53	Prognostic significance of cyclin D1 polymorphisms on prostate-specific antigen recurrence after radical prostatectomy. <i>Annals of Surgical Oncology</i> , 2013 , 20 Suppl 3, S492-9	3.1	16
52	Occupational noise exposure and incident hypertension in men: a prospective cohort study. <i>American Journal of Epidemiology</i> , 2013 , 177, 818-25	3.8	57
51	Impact of interleukin-10 gene polymorphisms on survival in patients with colorectal cancer. <i>Journal of Korean Medical Science</i> , 2013 , 28, 1302-6	4.7	9
50	Genetic polymorphisms of matrix metalloproteinases and clinical outcomes in colorectal cancer patients. <i>International Journal of Medical Sciences</i> , 2013 , 10, 1022-7	3.7	16
49	Molecular markers in sex hormone pathway genes associated with the efficacy of androgen-deprivation therapy for prostate cancer. <i>PLoS ONE</i> , 2013 , 8, e54627	3.7	18
48	Common genetic variants in Wnt signaling pathway genes as potential prognostic biomarkers for colorectal cancer. <i>PLoS ONE</i> , 2013 , 8, e56196	3.7	28
47	Genetic polymorphisms in oestrogen receptor-binding sites affect clinical outcomes in patients with prostate cancer receiving androgen-deprivation therapy. <i>Journal of Internal Medicine</i> , 2012 , 271, 499-509	10.8	35
46	The impact of androgen receptor CAG repeat polymorphism on andropausal symptoms in different serum testosterone levels. <i>Journal of Sexual Medicine</i> , 2012 , 9, 2429-37	1.1	19
45	Noise frequency components and the prevalence of hypertension in workers. <i>Science of the Total Environment</i> , 2012 , 416, 89-96	10.2	35
44	A modified Nordic prediction model of road traffic noise in a Taiwanese city with significant motorcycle traffic. <i>Science of the Total Environment</i> , 2012 , 432, 375-81	10.2	25
43	Significant associations of prostate cancer susceptibility variants with survival in patients treated with androgen-deprivation therapy. <i>International Journal of Cancer</i> , 2012 , 130, 876-84	7.5	20
42	Prognostic significance of genetic polymorphisms on prostate-specific antigen recurrence after a radical prostatectomy. <i>Urological Science</i> , 2012 , 23, 35-41	0.3	
41	Significant associations of prostate-specific antigen nadir and time to prostate-specific antigen nadir with survival in prostate cancer patients treated with androgen-deprivation therapy. <i>Aging Male</i> , 2012 , 15, 34-41	2.1	17
40	Effects of environmental noise exposure on 24-h ambulatory vascular properties in adults. <i>Environmental Research</i> , 2012 , 118, 112-7	7.9	14

39	Genetic variants in CASP3, BMP5, and IRS2 genes may influence survival in prostate cancer patients receiving androgen-deprivation therapy. <i>PLoS ONE</i> , 2012 , 7, e41219	3.7	15
38	Synthesis and cytotoxicity testing of new amido-substituted triazolopyrrolo[2,1-c][1,4]benzodiazepine (PBDT) derivatives. <i>Molecules</i> , 2012 , 17, 8762-72	4.8	7
37	Genetic polymorphisms in androgen receptor-binding sites predict survival in prostate cancer patients receiving androgen-deprivation therapy. <i>Annals of Oncology</i> , 2012 , 23, 707-713	10.3	44
36	A positive feedback signaling loop between ATM and the vitamin D receptor is critical for cancer chemoprevention by vitamin D. <i>Cancer Research</i> , 2012 , 72, 958-68	10.1	39
35	Genetic variation in the genome-wide predicted estrogen response element-related sequences is associated with breast cancer development. <i>Breast Cancer Research</i> , 2011 , 13, R13	8.3	28
34	Clinical significance of runt-related transcription factor 1 polymorphism in prostate cancer. <i>BJU International</i> , 2011 , 107, 486-92	5.6	27
33	Proteomics displays cytoskeletal proteins and chaperones involvement in Hedyotis corymbosa-induced photokilling in skin cancer cells. <i>Experimental Dermatology</i> , 2011 , 20, 653-8	4	7
32	Characterization of road traffic noise exposure and prevalence of hypertension in central Taiwan. <i>Science of the Total Environment</i> , 2011 , 409, 1053-7	10.2	45
31	SRD5A polymorphisms and biochemical failure after radical prostatectomy. <i>European Urology</i> , 2011 , 60, 1226-34	10.2	34
30	High-frequency hearing loss, occupational noise exposure and hypertension: a cross-sectional study in male workers. <i>Environmental Health</i> , 2011 , 10, 35	6	53
29	The roles of testicular nuclear receptor 4 (TR4) in male fertility-priapism and sexual behavior defects in TR4 knockout mice. <i>Reproductive Biology and Endocrinology</i> , 2011 , 9, 138	5	9
28	Impact of prostate-specific antigen (PSA) nadir and time to PSA nadir on disease progression in prostate cancer treated with androgen-deprivation therapy. <i>Prostate</i> , 2011 , 71, 1189-97	4.2	41
27	A new approach to prediction of radiotherapy of bladder cancer cells in small dataset analysis. <i>Expert Systems With Applications</i> , 2011 , 38, 7963-7969	7.8	18
26	The first bis-retrochalcone from <i>Fissistigma latifolium</i> . <i>Planta Medica</i> , 2011 , 77, 2019-22	3.1	11
25	Deletions of the androgen-metabolizing UGT2B genes have an effect on circulating steroid levels and biochemical recurrence after radical prostatectomy in localized prostate cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, E1550-7	5.6	48
24	Polymorphisms inside microRNAs and microRNA target sites predict clinical outcomes in prostate cancer patients receiving androgen-deprivation therapy. <i>Clinical Cancer Research</i> , 2011 , 17, 928-36	12.9	56
23	Rottlerin Inhibits <i>Lonicera japonica</i> -Induced Photokilling in Human Lung Cancer Cells through Cytoskeleton-Related Signaling Cascade. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011 , 2011, 193842	2.3	5
22	Down-regulation of NF-kappaB signals is involved in loss of 1alpha,25-dihydroxyvitamin D3 responsiveness. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2010 , 120, 11-21	5.1	9

21	Individual and cumulative association of prostate cancer susceptibility variants with clinicopathologic characteristics of the disease. <i>Clinica Chimica Acta</i> , 2010 , 411, 1232-7	6.2	25
20	Clinical significance of tumor necrosis factor receptor superfamily member 11b polymorphism in prostate cancer. <i>Annals of Surgical Oncology</i> , 2010 , 17, 1675-81	3.1	7
19	Association analysis of Wnt pathway genes on prostate-specific antigen recurrence after radical prostatectomy. <i>Annals of Surgical Oncology</i> , 2010 , 17, 312-22	3.1	50
18	Proteomic analysis reveals ATP-dependent steps and chaperones involvement in luteolin-induced lung cancer CH27 cell apoptosis. <i>European Journal of Pharmacology</i> , 2010 , 642, 19-27	5.3	14
17	Photodynamic activity of aloe-emodin induces resensitization of lung cancer cells to anoikis. <i>European Journal of Pharmacology</i> , 2010 , 648, 50-8	5.3	36
16	Exposure to volatile organic compounds and kidney dysfunction in thin film transistor liquid crystal display (TFT-LCD) workers. <i>Journal of Hazardous Materials</i> , 2010 , 178, 934-40	12.8	15
15	Prognostic significance of prostate cancer susceptibility variants on prostate-specific antigen recurrence after radical prostatectomy. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 3068-74	4	66
14	Oxidative stress stimulates testicular orphan receptor 4 through forkhead transcription factor forkhead box O3a. <i>Endocrinology</i> , 2008 , 149, 3490-9	4.8	22
13	Androgen receptor mediates the expression of UDP-glucuronosyltransferase 2 B15 and B17 genes. <i>Prostate</i> , 2008 , 68, 839-48	4.2	59
12	Protective role of 1 alpha, 25-dihydroxyvitamin D3 against oxidative stress in nonmalignant human prostate epithelial cells. <i>International Journal of Cancer</i> , 2008 , 122, 2699-706	7.5	118
11	A new prostate cancer therapeutic approach: combination of androgen ablation with COX-2 inhibitor. <i>International Journal of Cancer</i> , 2008 , 123, 195-201	7.5	23
10	Increased expression of corepressors in aggressive androgen-independent prostate cancer cells results in loss of 1alpha,25-dihydroxyvitamin D3 responsiveness. <i>Molecular Cancer Research</i> , 2007 , 5, 967-80	6.6	33
9	Docetaxel-induced growth inhibition and apoptosis in androgen independent prostate cancer cells are enhanced by 1alpha,25-dihydroxyvitamin D3. <i>Cancer Letters</i> , 2007 , 247, 122-9	9.9	35
8	Evaluation of C-2-substituted 19-nor-1alpha,25-dihydroxyvitamin D3 analogs as therapeutic agents for prostate cancer. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2007 , 103, 717-20	5.1	28
7	1alpha, 25-dihydroxyvitamin D3 suppresses interleukin-8-mediated prostate cancer cell angiogenesis. <i>Carcinogenesis</i> , 2006 , 27, 1883-93	4.6	135
6	1alpha,25-dihydroxyvitamin D3 inhibits prostate cancer cell invasion via modulation of selective proteases. <i>Carcinogenesis</i> , 2006 , 27, 32-42	4.6	85
5	VITAMIN D AND PROSTATE CANCER 2005 , 277-291		
4	Androgen-receptor coregulators mediate the suppressive effect of androgen signals on vitamin D receptor activity. <i>Endocrine</i> , 2005 , 26, 1-9		32

- 3 Androgen signaling is required for the vitamin D-mediated growth inhibition in human prostate cancer cells. *Oncogene*, **2004**, 23, 3350-60 9.2 56
- 2 Androgen suppresses PML protein expression in prostate cancer CWR22R cells. *Biochemical and Biophysical Research Communications*, **2004**, 314, 69-75 3.4 14
- 1 Modulation of the retinoic acid-induced cell apoptosis and differentiation by the human TR4 orphan nuclear receptor. *Biochemical and Biophysical Research Communications*, **2004**, 323, 876-83 3.4 13