

# Yulong He

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2441953/publications.pdf>

Version: 2024-02-01

45  
papers

4,316  
citations

201575

27  
h-index

289141

40  
g-index

48  
all docs

48  
docs citations

48  
times ranked

5655  
citing authors

#	ARTICLE	IF	CITATIONS
1	Suppression of Tumor Lymphangiogenesis and Lymph Node Metastasis by Blocking Vascular Endothelial Growth Factor Receptor 3 Signaling. <i>Journal of the National Cancer Institute</i> , 2002, 94, 819-825.	3.0	469
2	A Vascular Endothelial Growth Factor Antagonist Is Produced by the Human Placenta and Released into the Maternal Circulation. <i>Biology of Reproduction</i> , 1998, 59, 1540-1548.	1.2	367
3	Vascular Endothelial Cell Growth Factor Receptor 3-Mediated Activation of Lymphatic Endothelium Is Crucial for Tumor Cell Entry and Spread via Lymphatic Vessels. <i>Cancer Research</i> , 2005, 65, 4739-4746.	0.4	361
4	Normalization of Tumor Vessels by Tie2 Activation and Ang2 Inhibition Enhances Drug Delivery and Produces a Favorable Tumor Microenvironment. <i>Cancer Cell</i> , 2016, 30, 953-967.	7.7	259
5	Inhibition of Lymphogenous Metastasis Using Adeno-Associated Virus-Mediated Gene Transfer of a Soluble VEGFR-3 Decoy Receptor. <i>Cancer Research</i> , 2005, 65, 6901-6909.	0.4	234
6	Plastic roles of pericytes in the blood-retinal barrier. <i>Nature Communications</i> , 2017, 8, 15296.	5.8	210
7	Meningeal lymphatic vessels regulate brain tumor drainage and immunity. <i>Cell Research</i> , 2020, 30, 229-243.	5.7	209
8	Alternative Splicing of Vascular Endothelial Growth Factor (VEGF)-R1 (FLT-1) pre-mRNA Is Important for the Regulation of VEGF Activity. <i>Molecular Endocrinology</i> , 1999, 13, 537-545.	3.7	207
9	Preexisting Lymphatic Endothelium but not Endothelial Progenitor Cells Are Essential for Tumor Lymphangiogenesis and Lymphatic Metastasis. <i>Cancer Research</i> , 2004, 64, 3737-3740.	0.4	171
10	Distinct vascular endothelial growth factor signals for lymphatic vessel enlargement and sprouting. <i>Journal of Experimental Medicine</i> , 2007, 204, 1431-1440.	4.2	167
11	PDGF-D induces macrophage recruitment, increased interstitial pressure, and blood vessel maturation during angiogenesis. <i>Blood</i> , 2004, 104, 3198-3204.	0.6	157
12	Amelioration of sepsis by TIE2 activation-induced vascular protection. <i>Science Translational Medicine</i> , 2016, 8, 335ra55.	5.8	151
13	Activation of Vascular Endothelial Growth Factor Receptor-3 in Macrophages Restrains TLR4-NF- $\kappa$ B Signaling and Protects against Endotoxin Shock. <i>Immunity</i> , 2014, 40, 501-514.	6.6	147
14	VEGFR-3 ligand-binding and kinase activity are required for lymphangiogenesis but not for angiogenesis. <i>Cell Research</i> , 2010, 20, 1319-1331.	5.7	123
15	Angiotensin-2 exacerbates cardiac hypoxia and inflammation after myocardial infarction. <i>Journal of Clinical Investigation</i> , 2018, 128, 5018-5033.	3.9	107
16	Impaired angiotensin/Tie2 signaling compromises Schlemm's canal integrity and induces glaucoma. <i>Journal of Clinical Investigation</i> , 2017, 127, 3877-3896.	3.9	98
17	Role of lymphangiogenic factors in tumor metastasis. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2004, 1654, 3-12.	3.3	96
18	Akt/Protein Kinase B Is Required for Lymphatic Network Formation, Remodeling, and Valve Development. <i>American Journal of Pathology</i> , 2010, 177, 2124-2133.	1.9	95

#	ARTICLE	IF	CITATIONS
19	Tie2 Expression on Macrophages Is Required for Blood Vessel Reconstruction and Tumor Relapse after Chemotherapy. <i>Cancer Research</i> , 2016, 76, 6828-6838.	0.4	75
20	Grb-2-associated binder 1 (Gab1) regulates postnatal ischemic and VEGF-induced angiogenesis through the protein kinase A endothelial NOS pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 2957-2962.	3.3	66
21	Lymphatic endothelial cell-secreted CXCL1 stimulates lymphangiogenesis and metastasis of gastric cancer. <i>International Journal of Cancer</i> , 2012, 130, 787-797.	2.3	63
22	Angiopoietin receptor Tie2 is required for vein specification and maintenance via regulating COUP-TFII. <i>ELife</i> , 2016, 5, .	2.8	59
23	Angiopoietin-1 Overexpression Modulates Vascular Endothelium to Facilitate Tumor Cell Dissemination and Metastasis Establishment. <i>Cancer Research</i> , 2009, 69, 4656-4664.	0.4	57
24	Genetic Dissection of Tie Pathway in Mouse Lymphatic Maturation and Valve Development. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 1221-1230.	1.1	53
25	Distinct Architecture of Lymphatic Vessels Induced by Chimeric Vascular Endothelial Growth Factor-C/Vascular Endothelial Growth Factor Heparin-Binding Domain Fusion Proteins. <i>Circulation Research</i> , 2007, 100, 1468-1475.	2.0	34
26	Hypertensive stretch regulates endothelial exocytosis of Weibel-Palade bodies through VEGF receptor 2 signaling pathways. <i>Cell Research</i> , 2013, 23, 820-834.	5.7	31
27	Angiopoietin-2 integrin $\beta 5 \beta 1$ signaling enhances vascular fatty acid transport and prevents ectopic lipid-induced insulin resistance. <i>Nature Communications</i> , 2020, 11, 2980.	5.8	30
28	Imaging tumor-induced sentinel lymph node lymphangiogenesis with LyP-1 peptide. <i>Amino Acids</i> , 2012, 42, 2343-2351.	1.2	29
29	Lymphangiogenesis requires Ang2/Tie/PI3K signaling for VEGFR3 cell-surface expression. <i>Journal of Clinical Investigation</i> , 2022, 132, .	3.9	29
30	In Vivo MRI Tracking of Cell Invasion and Migration in a Rat Glioma Model. <i>Molecular Imaging and Biology</i> , 2011, 13, 695-701.	1.3	25
31	Loss-of-function mutations with circadian rhythm regulator Per1/Per2 lead to premature ovarian insufficiency. <i>Biology of Reproduction</i> , 2019, 100, 1066-1072.	1.2	23
32	Myosin IIa is critical for cAMP-mediated endothelial secretion of von Willebrand factor. <i>Blood</i> , 2018, 131, 686-698.	0.6	21
33	FLT4/VEGFR3 activates AMPK to coordinate glycometabolic reprogramming with autophagy and inflammasome activation for bacterial elimination. <i>Autophagy</i> , 2022, 18, 1385-1400.	4.3	18
34	Molecular Regulation of Lymphangiogenesis in Development and Tumor Microenvironment. <i>Cancer Microenvironment</i> , 2012, 5, 249-260.	3.1	17
35	Angiocrine FSTL1 (Follistatin-Like Protein 1) Insufficiency Leads to Atrial and Venous Wall Fibrosis via SMAD3 Activation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, 958-972.	1.1	10
36	Primary gastric malignant melanoma: challenge in preoperative diagnosis. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 6826-31.	0.5	7

#	ARTICLE	IF	CITATIONS
37	Steroids Enable Mesenchymal Stromal Cells to Promote CD8 <sup>+</sup> T Cell Proliferation Via VEGF. <i>Advanced Science</i> , 2021, 8, 2003712.	5.6	6
38	Angiopoietins and TIE Receptors in Lymphangiogenesis and Tumor Metastasis. , 2019, , 135-156.		4
39	A randomized, multicenter, controlled study to compare perioperative chemotherapy of oxaliplatin combined with TS-1 (SOX) versus SOX or oxaliplatin with capecitabine (XELOX) as post-operative chemotherapy in locally advanced gastric adenocarcinoma with D2 dissection (RESOLVE Trial).. <i>Journal of Clinical Oncology</i> , 2016, 34, TPS4136-TPS4136.	0.8	2
40	A Genetically Engineered Mouse Model of Venous Anomaly and Retinal Angioma-like Vascular Malformation. <i>Bio-protocol</i> , 2021, 11, e4117.	0.2	1
41	Peri/post-operative chemotherapy of oxaliplatin combined with S-1 (SOX) versus post-operative oxaliplatin with capecitabine (XELOX) in locally advanced gastric cancer: RESOLVE Trial.. <i>Journal of Clinical Oncology</i> , 2017, 35, e15519-e15519.	0.8	1
42	Angiogenesis and Vascular Endothelial Growth Factor (VEGF) in Reproduction. , 2002, , 115-128.		0
43	A prospective, multicenter, observational study of bevacizumab in combined with chemotherapy as first-line or second-line treatment in Chinese metastatic colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2016, 34, e15012-e15012.	0.8	0
44	Angiopoietins and TIE Receptors in Lymphangiogenesis and Tumor Metastasis. , 2019, , 1-22.		0
45	Med23 supports angiogenesis and maintains vascular integrity through negative regulation of angiopoietin2 expression. <i>Communications Biology</i> , 2022, 5, 374.	2.0	0