Jaime Bosch

List of Publications by Citations

Source: https://exaly.com/author-pdf/2442159/jaime-bosch-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134 papers

4,775 citations

35 h-index 65 g-index

141 ext. papers

6,014 ext. citations

avg, IF

5.54 L-index

#	Paper	IF	Citations
134	Multiple emergences of genetically diverse amphibian-infecting chytrids include a globalized hypervirulent recombinant lineage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 18732-6	11.5	318
133	Evidence of a chytrid fungus infection involved in the decline of the common midwife toad (Alytes obstetricans) in protected areas of central Spain. <i>Biological Conservation</i> , 2001 , 97, 331-337	6.2	305
132	Wildlife disease. Recent introduction of a chytrid fungus endangers Western Palearctic salamanders. <i>Science</i> , 2014 , 346, 630-1	33.3	302
131	Recent Asian origin of chytrid fungi causing global amphibian declines. <i>Science</i> , 2018 , 360, 621-627	33.3	229
130	Climate change and outbreaks of amphibian chytridiomycosis in a montane area of Central Spain; is there a link?. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2007 , 274, 253-60	4.4	169
129	Mitigating amphibian disease: strategies to maintain wild populations and control chytridiomycosis. <i>Frontiers in Zoology</i> , 2011 , 8, 8	2.8	166
128	Life history tradeoffs influence mortality associated with the amphibian pathogen Batrachochytrium dendrobatidis. <i>Oikos</i> , 2009 , 118, 783-791	4	157
127	Factors driving pathogenicity vs. prevalence of amphibian panzootic chytridiomycosis in Iberia. <i>Ecology Letters</i> , 2010 , 13, 372-82	10	140
126	Collapse of amphibian communities due to an introduced Ranavirus. <i>Current Biology</i> , 2014 , 24, 2586-91	6.3	134
125	Proteomic and phenotypic profiling of the amphibian pathogen Batrachochytrium dendrobatidis shows that genotype is linked to virulence. <i>Molecular Ecology</i> , 2009 , 18, 415-29	5.7	120
124	Global Amphibian Extinction Risk Assessment for the Panzootic Chytrid Fungus. <i>Diversity</i> , 2009 , 1, 52-60	62.5	115
123	Successful elimination of a lethal wildlife infectious disease in nature. Biology Letters, 2015, 11,	3.6	98
122	Mitigating amphibian chytridiomycoses in nature. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016 , 371,	5.8	94
121	Invasive pathogens threaten species recovery programs. Current Biology, 2008, 18, R853-4	6.3	93
120	Chytrid fungus infection related to unusual mortalities of Salamandra salamandra and Bufo bufo in the Pellara Natural Park, Spain. <i>Oryx</i> , 2006 , 40, 84-89	1.5	86
119	Chytrid fungus in Europe. <i>Emerging Infectious Diseases</i> , 2005 , 11, 1639-41	10.2	80
118	Amphibian chytridiomycosis outbreak dynamics are linked with host skin bacterial community structure. <i>Nature Communications</i> , 2018 , 9, 693	17.4	75

(2015-2007)

117	Environmental detection of Batrachochytrium dendrobatidis in a temperate climate. <i>Diseases of Aquatic Organisms</i> , 2007 , 77, 105-12	1.7	65	
116	Randomized placebo-controlled trial of emricasan for non-alcoholic steatohepatitis-related cirrhosis with severe portal hypertension. <i>Journal of Hepatology</i> , 2020 , 72, 885-895	13.4	65	
115	Are frog calls modulated by the environment? An analysis with anuran species from Bolivia. <i>Canadian Journal of Zoology</i> , 2004 , 82, 880-888	1.5	64	
114	Advertisement calls of Bolivian Leptodactylidae (Amphibia, Anura). <i>Journal of Zoology</i> , 1995 , 237, 313-3	3 <u>3</u> 6	57	
113	Simvastatin Prevents Progression of Acute on Chronic Liver Failure in Rats With Cirrhosis and Portal Hypertension. <i>Gastroenterology</i> , 2018 , 155, 1564-1577	13.3	57	
112	Male advertisement call and female preference in sympatric and allopatric midwife toads. <i>Animal Behaviour</i> , 1997 , 54, 1333-45	2.8	55	
111	Context-dependent amphibian host population response to an invading pathogen. <i>Ecology</i> , 2013 , 94, 1795-804	4.6	53	
110	Baveno VII - Renewing consensus in portal hypertension Journal of Hepatology, 2021,	13.4	53	
109	A non-invasive stress assay shows that tadpole populations infected with Batrachochytrium dendrobatidis have elevated corticosterone levels. <i>PLoS ONE</i> , 2013 , 8, e56054	3.7	51	
108	Signal variation and call preferences for whine frequency in the tfigara frog, Physalaemus pustulosus. <i>Behavioral Ecology and Sociobiology</i> , 2000 , 49, 62-66	2.5	45	
107	Climate forcing of an emerging pathogenic fungus across a montane multi-host community. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016 , 371,	5.8	45	
106	A non-invasive water-borne hormone assay for amphibians. <i>Amphibia - Reptilia</i> , 2013 , 34, 151-162	1.2	43	
105	Microplastics impair amphibian survival, body condition and function. <i>Chemosphere</i> , 2020 , 244, 125500	8.4	43	
104	Advertisement Calls of Bolivian Species of Hyla (Amphibia, Anura, Hylidae). <i>Biotropica</i> , 1993 , 25, 426	2.3	42	
103	The link between rapid enigmatic amphibian decline and the globally emerging chytrid fungus. <i>EcoHealth</i> , 2009 , 6, 358-72	3.1	41	
102	Female preference in complex acoustical environments in the midwife toads Alytes obstetricans and Alytes cisternasii. <i>Behavioral Ecology</i> , 1997 , 8, 588-594	2.3	41	
101	Cryptic diversity of a widespread global pathogen reveals expanded threats to amphibian conservation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 20382-20387	11.5	39	
100	Elevated Corticosterone Levels and Changes in Amphibian Behavior Are Associated with Batrachochytrium dendrobatidis (Bd) Infection and Bd Lineage. <i>PLoS ONE</i> , 2015 , 10, e0122685	3.7	37	

99	Impact of asynchronous emergence of two lethal pathogens on amphibian assemblages. <i>Scientific Reports</i> , 2017 , 7, 43260	4.9	32
98	Cirrhosis as new indication for statins. <i>Gut</i> , 2020 , 69, 953-962	19.2	32
97	Presence of Batrachochytrium dendrobatidis in feral populations of Xenopus laevis in Chile. <i>Biological Invasions</i> , 2010 , 12, 1641-1646	2.7	32
96	Effects of introduced salmonids on a montane population of Iberian frogs. <i>Conservation Biology</i> , 2006 , 20, 180-9	6	32
95	Demographic Trends and Community Stability in a Montane Amphibian Assemblage. <i>Conservation Biology</i> , 2003 , 17, 238-244	6	32
94	Effects of Early Placement of Transjugular Portosystemic Shunts in Patients With High-Risk Acute Variceal Bleeding: a Meta-analysis of Individual Patient Data. <i>Gastroenterology</i> , 2021 , 160, 193-205.e10	13.3	32
93	Fight Fungi with Fungi: Antifungal Properties of the Amphibian Mycobiome. <i>Frontiers in Microbiology</i> , 2017 , 8, 2494	5.7	31
92	Beta-blockers in cirrhosis: Evidence-based indications and limitations. <i>JHEP Reports</i> , 2020 , 2, 100063	10.3	30
91	Ambient ultraviolet B radiation and prevalence of infection by Batrachochytrium dendrobatidis in two amphibian species. <i>Conservation Biology</i> , 2011 , 25, 975-82	6	29
90	Female preference function related to precedence effect in an amphibian anuran (Alytes cisternasii): tests with non-overlapping calls. <i>Behavioral Ecology</i> , 2002 , 13, 149-153	2.3	28
89	Pan-PPAR agonist lanifibranor improves portal hypertension and hepatic fibrosis in experimental advanced chronic liver disease. <i>Journal of Hepatology</i> , 2021 , 74, 1188-1199	13.4	28
88	Case selection by a limnephilid caddisfly [Potamophylax latipennis (Curtis)] in response to different predators. <i>Behavioral Ecology and Sociobiology</i> , 2006 , 59, 364-372	2.5	27
87	Advertisement calls of the midwife toads Alytes (Amphibia, Anura, Discoglossidae) in continental Spain. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2009 , 33, 185-192	1.9	26
86	Variation in the Presence of Anti-Batrachochytrium dendrobatidis Bacteria of Amphibians Across Life Stages and Elevations in Ecuador. <i>EcoHealth</i> , 2015 , 12, 310-9	3.1	25
85	Routine habitat switching alters the likelihood and persistence of infection with a pathogenic parasite. <i>Functional Ecology</i> , 2018 , 32, 1262-1270	5.6	24
84	Rainbow trout (Oncorhynchus mykiss) threaten Andean amphibians. <i>Neotropical Biodiversity</i> , 2016 , 2, 26-36	0.7	24
83	Long-term monitoring of an amphibian community after a climate change- and infectious disease-driven species extirpation. <i>Global Change Biology</i> , 2018 , 24, 2622-2632	11.4	23
82	Chytridiomycosis-mediated expansion of Bufo bufo in a montane area of Central Spain: an indirect effect of the disease. <i>Diversity and Distributions</i> , 2008 , 14, 637-643	5	22

(2004-2013)

81	Evidence of chytrid-mediated population declines in common midwife toad in Serra da Estrela, Portugal. <i>Animal Conservation</i> , 2013 , 16, 306-315	3.2	21	
80	Intensity of female preference quantified through playback setpoints: call frequency versus call rate in midwife toads. <i>Animal Behaviour</i> , 2008 , 75, 159-166	2.8	21	
79	Short term minimum water temperatures determine levels of infection by the amphibian chytrid fungus in Alytes obstetricans tadpoles. <i>PLoS ONE</i> , 2015 , 10, e0120237	3.7	20	
78	Nonoptimal propagation of advertisement calls of midwife toads in Iberian habitats. <i>Journal of the Acoustical Society of America</i> , 2006 , 119, 1227-37	2.2	20	
77	Call Timing in Male-Male Acoustical Interactions and Female Choice in the Midwife ToadAlytes obstetricans. <i>Copeia</i> , 2001 , 2001, 169-177	1.1	20	
76	Delayed metamorphosis of amphibian larvae facilitates Batrachochytrium dendrobatidis transmission and persistence. <i>Diseases of Aquatic Organisms</i> , 2015 , 117, 85-92	1.7	19	
<i>75</i>	Development and worldwide use of non-lethal, and minimal population-level impact, protocols for the isolation of amphibian chytrid fungi. <i>Scientific Reports</i> , 2018 , 8, 7772	4.9	19	
74	Seasonal migrations, body temperature fluctuations, and infection dynamics in adult amphibians. <i>PeerJ</i> , 2018 , 6, e4698	3.1	18	
73	Mitigating Disease Impacts in Amphibian Populations: Capitalizing on the Thermal Optimum Mismatch Between a Pathogen and Its Host. <i>Frontiers in Ecology and Evolution</i> , 2019 , 7,	3.7	16	
72	Terrestrial Movement Patterns of the Common Toad (Bufo bufo) in Central Spain Reveal Habitat of Conservation Importance. <i>Journal of Herpetology</i> , 2012 , 46, 658-664	1.1	16	
71	Spatial scales for the management of amphibian populations. <i>Biodiversity and Conservation</i> , 2004 , 13, 409-420	3.4	16	
70	Factors Influencing Occupancy of Breeding Ponds in a Montane Amphibian Assemblage. <i>Journal of Herpetology</i> , 2003 , 37, 410-413	1.1	16	
69	ACOUSTICAL INTERFERENCE IN THE ADVERTISEMENT CALLS OF THE MIDWIFE TOADS (ALYTES OBSTETRICANS AND ALYTES CISTERNASII). <i>Behaviour</i> , 2000 , 137, 249-263	1.4	15	
68	Mitigating Batrachochytrium salamandrivorans in Europe. <i>Amphibia - Reptilia</i> , 2019 , 40, 265-290	1.2	15	
67	A Prognostic Strategy Based on Stage of Cirrhosis and HVPG to Improve Risk Stratification After Variceal Bleeding. <i>Hepatology</i> , 2020 , 72, 1353-1365	11.2	14	
66	The Effect of Riffle-Scale Environmental Variability on Macroinvertebrate Assemblages in a Tropical Stream. <i>Hydrobiologia</i> , 2004 , 524, 125-132	2.4	14	
65	Spatial and Temporal Variation of Macroinvertebrate Drift in Two Neotropical Streams1. <i>Biotropica</i> , 2002 , 34, 567-574	2.3	14	
64	Multiscale spatial variation of stone recolonization by macroinvertebrates in a Costa Rican stream. Journal of Tropical Ecology, 2004 , 20, 85-95	1.3	14	

63	RESPONSE TO VARIATION IN CHUCK FREQUENCY BY MALE AND FEMALE TNGARA FROGS. <i>Herpetologica</i> , 2002 , 58, 95-103	1.9	14
62	Acoustic Competition in Physalaemus pustulosus, a Differential Response to Calls of Relative Frequency. <i>Ethology</i> , 2000 , 106, 865-871	1.7	14
61	Advertisement Calls of Eight Bolivian Hylids (Amphibia, Anura). <i>Journal of Herpetology</i> , 1995 , 29, 113	1.1	14
60	Advertisement Calls of Four Microhylid Frogs from Bolivia (Amphibia, Anura). <i>American Midland Naturalist</i> , 1996 , 136, 418	0.7	14
59	Behavioural patterns, preference, and motivation of female midwife toads during phonotaxis tests. Journal of Ethology, 2003 , 21, 61-66	1.1	13
58	Skin-associated lactic acid bacteria from North American bullfrogs as potential control agents of Batrachochytrium dendrobatidis. <i>PLoS ONE</i> , 2019 , 14, e0223020	3.7	12
57	Evidence for plasticity in the frequency of skipped breeding opportunities in common toads. <i>Population Ecology</i> , 2013 , 55, 535-544	2.1	12
56	Female reciprocal calling in the Iberian midwife toad (Alytes cisternasii) varies with male call rate and dominant frequency: implications for sexual selection. <i>Die Naturwissenschaften</i> , 2001 , 88, 435-7	2	12
55	Infection and transmission heterogeneity of a multi-host pathogen (Batrachochytrium dendrobatidis) within an amphibian community. <i>Diseases of Aquatic Organisms</i> , 2016 , 118, 11-20	1.7	12
54	Eradication of introduced fish allows successful recovery of a stream-dwelling amphibian. <i>PLoS ONE</i> , 2019 , 14, e0216204	3.7	11
53	Early exposure to Batrachochytrium dendrobatidis causes profound immunosuppression in amphibians. <i>European Journal of Wildlife Research</i> , 2017 , 63, 1	2	11
52	Reproductive stage and phonotactic preferences of female midwife toads (Alytes cisternasii). <i>Behavioral Ecology and Sociobiology</i> , 2004 , 55, 251-256	2.5	11
51	Female Preference Intensities on Different Call Characteristics and Symmetry of Preference Above and Below the Mean in the Iberian Midwife Toad Alytes cisternasii. <i>Ethology</i> , 2005 , 111, 323-333	1.7	11
50	Are oral deformities in tadpoles accurate indicators of anuran chytridiomycosis?. <i>PLoS ONE</i> , 2018 , 13, e0190955	3.7	11
49	Stressed tadpoles mount more efficient glucocorticoid negative feedback in anthropogenic habitats due to phenotypic plasticity. <i>Science of the Total Environment</i> , 2021 , 753, 141896	10.2	11
48	Patients With Signs of Advanced Liver Disease and Clinically Significant Portal Hypertension Do Not Necessarily Have Cirrhosis. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 2101-2109.e1	6.9	10
47	The invasive red swamp crayfish (Procambarus clarkii) increases infection of the amphibian chytrid fungus (Batrachochytrium dendrobatidis). <i>Biological Invasions</i> , 2019 , 21, 3221-3231	2.7	9
46	Evidence for the introduction of lethal Chytridiomycosis affecting wild betic midwife toads (Alytes dickhilleni). <i>EcoHealth</i> , 2013 , 10, 82-9	3.1	9

(2006-2000)

45	TYMPANUM FLUCTUATING ASYMMETRY, BODY SIZE AND MATE CHOICE IN FEMALE MIDWIFE TOADS (ALYTES OBSTETRICANS). <i>Behaviour</i> , 2000 , 137, 1211-1222	1.4	9	
44	Latitude dictates plant diversity effects on instream decomposition. <i>Science Advances</i> , 2021 , 7,	14.3	9	
43	Genetic management of an amphibian population after a chytridiomycosis outbreak. <i>Conservation Genetics</i> , 2015 , 16, 103-111	2.6	8	
42	The functionality of female reciprocal calls in the Iberian midwife toad (Alytes cisternasii): female-female acoustic competition?. <i>Die Naturwissenschaften</i> , 2002 , 89, 575-8	2	8	
41	Female Courtship Call of the Iberian Midwife Toad (Alytes cisternasii). <i>Journal of Herpetology</i> , 2001 , 35, 647	1.1	8	
40	The advertisement calls of three South American poison frogs (Amphibia: Anura: Dendrobatidae), with comments on their taxonomy and distribution. <i>Journal of Natural History</i> , 1996 , 30, 1413-1420	0.5	8	
39	Joint effects of habitat, zooplankton, host stage structure and diversity on amphibian chytrid. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016 , 283,	4.4	7	
38	Double stimulation of the inner ear organs of an anuran species (Alytes cisternasii) with simple tonal advertisement calls. <i>Journal of Zoology</i> , 2003 , 260, 347-351	2	7	
37	Infection with Batrachochytrium dendrobatidis lowers heat tolerance of tadpole hosts and cannot be cleared by brief exposure to CTmax. <i>PLoS ONE</i> , 2019 , 14, e0216090	3.7	6	
36	Ecological inheritance for a post COVID-19 world. <i>Biodiversity and Conservation</i> , 2020 , 29, 1-4	3.4	6	
35	Heritability of Batrachochytrium dendrobatidis burden and its genetic correlation with development time in a population of Common toad (Bufo spinosus). <i>Evolution; International Journal of Organic Evolution</i> , 2016 , 70, 2346-2356	3.8	6	
34	Tracking the introduction history of Ichthyosaura alpestris in a protected area of Central Spain. <i>Conservation Genetics</i> , 2017 , 18, 867-876	2.6	5	
33	SOUND PRESSURE LEVEL OF ADVERTISEMENT CALLS OF ALYTES CISTERNASII AND ALYTES OBSTETRICANS (ANURA, DISCOGLOSSIDAE). <i>Bioacoustics</i> , 2006 , 16, 27-37	1.6	5	
32	Contrasting behavioural responses of grazing mayflies and detritivorous caddisflies to predatory fish. <i>Marine and Freshwater Research</i> , 2012 , 63, 9	2.2	5	
31	Differences in chytridiomycosis infection costs between two amphibian species from Central Europe. <i>Amphibia - Reptilia</i> , 2017 , 38, 250-256	1.2	4	
30	Demography of common toads after local extirpation of co-occurring midwife toads. <i>Amphibia - Reptilia</i> , 2014 , 35, 293-303	1.2	4	
29	Intensity of female preference for call source level in midwife toads Alytes cisternasii and A. obstetricans. <i>Behaviour</i> , 2010 , 147, 1185-1199	1.4	4	
28	Female Iberian midwife toads (Alytes cisternasii) use call order to reach particular males in dense choruses. <i>Journal of Ethology</i> , 2006 , 24, 291-295	1.1	4	

27	Precopulatory behaviour and the evolutionary relationships of Discoglossidae. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2003 , 41, 145-151	1.9	4
26	Microplastics increase susceptibility of amphibian larvae to the chytrid fungus Batrachochytrium dendrobatidis. <i>Scientific Reports</i> , 2021 , 11, 22438	4.9	4
25	Loss of Key Riparian Plant Species Impacts Stream Ecosystem Functioning. <i>Ecosystems</i> , 2021 , 24, 1436-1	449	4
24	Dissimilarities in auditory tuning in midwife toads of the genusAlytes(Amphibia: Anura). <i>Biological Journal of the Linnean Society</i> , 2015 , 116, 41-51	1.9	3
23	High pathogen prevalence in an amphibian and reptile assemblage at a site with risk factors for dispersal in Galicia, Spain. <i>PLoS ONE</i> , 2020 , 15, e0236803	3.7	3
22	Single infection with Batrachochytrium dendrobatidis or Ranavirus does not increase probability of co-infection in a montane community of amphibians. <i>Scientific Reports</i> , 2020 , 10, 21115	4.9	3
21	Long-Term Monitoring of Amphibian Populations of a National Park in Northern Spain Reveals Negative Persisting Effects of , but Not. <i>Frontiers in Veterinary Science</i> , 2021 , 8, 645491	3.1	3
20	Impacts of detritivore diversity loss on instream decomposition are greatest in the tropics. <i>Nature Communications</i> , 2021 , 12, 3700	17.4	3
19	Increased tropospheric ozone levels enhance pathogen infection levels of amphibians. <i>Science of the Total Environment</i> , 2021 , 759, 143461	10.2	3
18	Host contribution to parasite persistence is consistent between parasites and over time, but varies spatially. <i>Ecological Applications</i> , 2021 , 31, e02256	4.9	3
17	Sex-biased disease dynamics increase extinction risk by impairing population recovery. <i>Animal Conservation</i> , 2019 , 22, 579-588	3.2	2
16	TEMPORAL ENCODING OF INFORMATION IN THE ADVERTISEMENT CALL OF THE IBERIAN MIDWIFE TOAD (ALYTES CISTERNASII). THE IMPORTANCE OF RISE TIME. <i>Behaviour</i> , 2003 , 140, 113-123	1.4	2
15	Signal discrimination by female Iberian midwife toads (Alytes cisternasii). <i>Ethology Ecology and Evolution</i> , 2002 , 14, 217-226	0.7	2
14	Sex-related differences in aging rate are associated with sex chromosome system in amphibians. <i>Evolution; International Journal of Organic Evolution</i> , 2021 ,	3.8	2
13	Effects of coexistence and predator experience on antipredatory responses of montane amphibian larvae towards native and introduced salmonids. <i>Biological Invasions</i> , 2020 , 22, 379-390	2.7	2
12	Triple dermocystid-chytrid fungus-ranavirus co-infection in a Lissotriton helveticus. <i>European Journal of Wildlife Research</i> , 2020 , 66, 1	2	2
11	Threat to the Iberian Urodele Hotspot. Journal of Fungi (Basel, Switzerland), 2021, 7,	5.6	2
10	Microbiome function predicts amphibian chytridiomycosis disease dynamics <i>Microbiome</i> , 2022 , 10, 44	16.6	2

LIST OF PUBLICATIONS

9	In-situ severe breeding habitat intervention only achieves temporary success in reducing Batrachochytrium dendrobatidis infection. <i>Amphibia - Reptilia</i> , 2020 , 41, 261-267	1.2	1	
8	Joint effects of rising temperature and the presence of introduced predatory fish on montane amphibian populations. <i>Animal Conservation</i> , 2017 , 20, 128-134	3.2	1	
7	Significant reductions of host abundance weakly impact infection intensity of Batrachochytrium dendrobatidis. <i>PLoS ONE</i> , 2020 , 15, e0242913	3.7	1	
6	Itraconazole and thiophanate-methyl fail to clear tadpoles naturally infected with the hypervirulent lineage of Batrachochytrium dendrobatidis. <i>Diseases of Aquatic Organisms</i> , 2018 , 131, 73-78	1.7	1	
5	Alpine Newts (Ichthyosaura alpestris) Avoid Habitats Previously Used by Parasite-Exposed Conspecifics. <i>Frontiers in Ecology and Evolution</i> , 2021 , 9,	3.7	1	
4	Rapid spread of a virulent amphibian pathogen in nature. <i>Biological Invasions</i> , 2021 , 23, 3151-3160	2.7	1	
3	Fatal chytridiomycosis in the Moroccan midwife toad Alytes maurus and potential distribution of Batrachochytrium dendrobatidis across Morocco. <i>African Journal of Herpetology</i> ,1-11	0.6	О	
2	Emerging infectious diseases of amphibians in Poland: distribution and environmental drivers. <i>Diseases of Aquatic Organisms</i> , 2021 , 147, 1-12	1.7	O	
1	Temperature and duration of exposure drive infection intensity with the amphibian pathogen <i>PeerJ</i> , 2022 , 10, e12889	3.1		