

# Matthew R Farren

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/244293/publications.pdf>

Version: 2024-02-01

22  
papers

1,059  
citations

586496

16  
h-index

799663

21  
g-index

23  
all docs

23  
docs citations

23  
times ranked

2364  
citing authors

#	ARTICLE	IF	CITATIONS
1	Heat Shock Protein-90 Inhibition Alters Activation of Pancreatic Stellate Cells and Enhances the Efficacy of PD-1 Blockade in Pancreatic Cancer. <i>Molecular Cancer Therapeutics</i> , 2021, 20, 150-160.	1.9	30
2	A multi-center, single-arm, phase Ib study of pembrolizumab (MK-3475) in combination with chemotherapy for patients with advanced colorectal cancer: HCRN GI14-186. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 3337-3348.	2.0	16
3	Suppressive myeloid cells are expanded by biliary tract cancer-derived cytokines in vitro and associate with aggressive disease. <i>British Journal of Cancer</i> , 2020, 123, 1377-1386.	2.9	4
4	Napabucasin (BBI 608), a potent chemoradiosensitizer in rectal cancer. <i>Cancer</i> , 2020, 126, 3360-3371.	2.0	18
5	Immunologic alterations in the pancreatic cancer microenvironment of patients treated with neoadjuvant chemotherapy and radiotherapy. <i>JCI Insight</i> , 2020, 5, .	2.3	31
6	Soy isoflavones and their metabolites modulate cytokine-induced natural killer cell function. <i>Scientific Reports</i> , 2019, 9, 5068.	1.6	40
7	Circulating interleukin-6 is associated with disease progression, but not cachexia in pancreatic cancer. <i>Pancreatology</i> , 2019, 19, 80-87.	0.5	24
8	Circulating monocyte chemoattractant protein-1 (MCP-1) is associated with cachexia in treatment-naïve pancreatic cancer patients. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2018, 9, 358-368.	2.9	73
9	The Exportin-1 Inhibitor Selinexor Exerts Superior Antitumor Activity when Combined with T-Cell Checkpoint Inhibitors. <i>Molecular Cancer Therapeutics</i> , 2017, 16, 417-427.	1.9	16
10	Signaling pathways as therapeutic targets in biliary tract cancer. <i>Expert Opinion on Therapeutic Targets</i> , 2017, 21, 485-498.	1.5	4
11	Lipocalin-2 Promotes Pancreatic Ductal Adenocarcinoma by Regulating Inflammation in the Tumor Microenvironment. <i>Cancer Research</i> , 2017, 77, 2647-2660.	0.4	113
12	Inhibiting heat shock protein 90 and the ubiquitin-proteasome pathway impairs metabolic homeostasis and leads to cell death in human pancreatic cancer cells. <i>Cancer</i> , 2017, 123, 4924-4933.	2.0	20
13	Dual Inhibition of MEK and PI3K/Akt Rescues Cancer Cachexia through both Tumor-Extrinsic and -Intrinsic Activities. <i>Molecular Cancer Therapeutics</i> , 2017, 16, 344-356.	1.9	31
14	Randomized Phase 2 Trial of the Oncolytic Virus Pelareorep (Reolysin) in Upfront Treatment of Metastatic Pancreatic Adenocarcinoma. <i>Molecular Therapy</i> , 2016, 24, 1150-1158.	3.7	114
15	Systemic Immune Activity Predicts Overall Survival in Treatment-Naïve Patients with Metastatic Pancreatic Cancer. <i>Clinical Cancer Research</i> , 2016, 22, 2565-2574.	3.2	80
16	CD28 Promotes Plasma Cell Survival, Sustained Antibody Responses, and BLIMP-1 Upregulation through Its Distal PYAP Proline Motif. <i>Journal of Immunology</i> , 2015, 194, 4717-4728.	0.4	56
17	Correlation of changes in lean muscle weight with outcome in metastatic pancreatic adenocarcinoma (mPDAC) who undergo taxane-based chemotherapy (CT).. <i>Journal of Clinical Oncology</i> , 2015, 33, e15243-e15243.	0.8	0
18	Stressful Presentations: Mild Cold Stress in Laboratory Mice Influences Phenotype of Dendritic Cells in Naïve and Tumor-Bearing Mice. <i>Frontiers in Immunology</i> , 2014, 5, 23.	2.2	49

#	ARTICLE	IF	CITATIONS
19	Tumor-Induced STAT3 Signaling in Myeloid Cells Impairs Dendritic Cell Generation by Decreasing PKC $\beta$ II Abundance. <i>Science Signaling</i> , 2014, 7, ra16.	1.6	45
20	Autocrine GM-CSF transcription in the leukemic progenitor cell line KG1a is mediated by the transcription factor ETS1 and is negatively regulated through SECTM1 mediated ligation of CD7. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014, 1840, 1004-1013.	1.1	4
21	Myeloid-derived suppressor cell development is regulated by a STAT/IRF-8 axis. <i>Journal of Clinical Investigation</i> , 2013, 123, 4464-4478.	3.9	261
22	Tumor-mediated inhibition of dendritic cell differentiation is mediated by down regulation of protein kinase C beta II expression. <i>Immunologic Research</i> , 2010, 46, 165-176.	1.3	26