

Duncan Lambie

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2443527/publications.pdf>

Version: 2024-02-01

44
papers

891
citations

586496

16
h-index

536525

29
g-index

46
all docs

46
docs citations

46
times ranked

1958
citing authors

#	ARTICLE	IF	CITATIONS
1	BRAF mutation testing for patients diagnosed with stage III or stage IV melanoma: practical guidance for the Australian setting. <i>Pathology</i> , 2022, 54, 6-19.	0.3	3
2	Genome-Scale DNA Methylation Analysis Identifies Repeat Element Alterations that Modulate the Genomic Stability of Melanocytic Nevi. <i>Journal of Investigative Dermatology</i> , 2022, 142, 1893-1902.e7.	0.3	14
3	Heterotopic ossification within the gallbladder – First reported Australian case. <i>International Journal of Surgery Case Reports</i> , 2021, 81, 105787.	0.2	1
4	A case of omalizumab as a successful treatment for telangiectasia macularis eruptiva perstans. <i>Australasian Journal of Dermatology</i> , 2021, , .	0.4	1
5	Unexpected High Levels of BRN2/POU3F2 Expression in Human Dermal Melanocytic Nevi. <i>Journal of Investigative Dermatology</i> , 2020, 140, 1299-1302.e4.	0.3	3
6	An Ex Vivo Human Tumor Assay Shows Distinct Patterns of EGFR Trafficking in Squamous Cell Carcinoma Correlating to Therapeutic Outcomes. <i>Journal of Investigative Dermatology</i> , 2019, 139, 213-223.	0.3	19
7	Keratinocyte Sonic Hedgehog Upregulation Drives the Development of Giant Congenital Nevi via Paracrine Endothelin-1 Secretion. <i>Journal of Investigative Dermatology</i> , 2018, 138, 893-902.	0.3	9
8	Whole-Exome Sequencing of Acquired Nevi Identifies Mechanisms for Development and Maintenance of Benign Neoplasms. <i>Journal of Investigative Dermatology</i> , 2018, 138, 1636-1644.	0.3	43
9	The <i>BRAF</i> and <i>NRAS</i> mutation prevalence in dermoscopic subtypes of acquired naevi reveals constitutive mitogen-activated protein kinase pathway activation. <i>British Journal of Dermatology</i> , 2018, 178, 191-197.	1.4	30
10	Focal regression of a primary melanoma, fading lentiginos and poliosis in metastatic melanoma treated with anti-PD-1. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e176-e177.	1.3	5
11	Microbiopsy Biomarker Profiling in a Superficial Melanoma Resembling a Pigmented Basal Cell Carcinoma. <i>JAMA Dermatology</i> , 2017, 153, 334.	2.0	11
12	Genome-Wide Overexpression Screen Identifies Genes Able to Bypass p16-Mediated Senescence in Melanoma. <i>SLAS Discovery</i> , 2017, 22, 298-308.	1.4	9
13	Positive regulatory interactions between YAP and Hedgehog signalling in skin homeostasis and BCC development in mouse skin in vivo. <i>PLoS ONE</i> , 2017, 12, e0183178.	1.1	23
14	RNA-seq reveals more consistent reference genes for gene expression studies in human non-melanoma skin cancers. <i>PeerJ</i> , 2017, 5, e3631.	0.9	39
15	Histopathology and reflectance confocal microscopy features of photodamaged skin and actinic keratosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1901-1911.	1.3	18
16	Multiparameter analysis of naevi and primary melanomas identifies a subset of naevi with elevated markers of transformation. <i>Pigment Cell and Melanoma Research</i> , 2016, 29, 444-452.	1.5	3
17	Molecular markers to complement sentinel node status in predicting survival in patients with high-risk locally invasive melanoma. <i>International Journal of Cancer</i> , 2016, 139, 664-672.	2.3	7
18	Expression profiling of cutaneous squamous cell carcinoma with perineural invasion implicates the p53 pathway in the process. <i>Scientific Reports</i> , 2016, 6, 34081.	1.6	21

#	ARTICLE	IF	CITATIONS
19	A pilot study to compare the detection of HPV-16 biomarkers in salivary oral rinses with tumour p16INK4a expression in head and neck squamous cell carcinoma patients. <i>BMC Cancer</i> , 2016, 16, 178.	1.1	65
20	A distinct expression profile separates Turkish and Australian melanocytic naevi. <i>Histopathology</i> , 2016, 69, 151-154.	1.6	0
21	Galectin-1 is associated with poor prognosis in patients with cutaneous head and neck cancer with perineural spread. <i>Cancer Immunology, Immunotherapy</i> , 2016, 65, 213-222.	2.0	12
22	Current trends in the etiology and diagnosis of HPV-related head and neck cancers. <i>Cancer Medicine</i> , 2015, 4, 596-607.	1.3	98
23	Expression of Bcl-xL and Mcl-1 in the Nonmelanoma Skin Cancers of Renal Transplant Recipients. <i>American Journal of Clinical Pathology</i> , 2015, 143, 514-526.	0.4	4
24	BRAF Wild-Type Melanoma in Situ Arising In a BRAF V600E Mutant Dysplastic Nevus. <i>JAMA Dermatology</i> , 2015, 151, 417.	2.0	13
25	Histopathological features of clinical perineural invasion of cutaneous squamous cell carcinoma of the head and neck and the potential implications for treatment. <i>Head and Neck</i> , 2014, 36, 1611-1618.	0.9	44
26	BRAF V600E Mutation Status of Involuting and Stable Nevi in Dabrafenib Therapy With or Without Trametinib. <i>JAMA Dermatology</i> , 2014, 150, 1079.	2.0	26
27	BRAF mutation status is an independent prognostic factor for resected stage IIIB and IIIC melanoma: Implications for melanoma staging and adjuvant therapy. <i>European Journal of Cancer</i> , 2014, 50, 2668-2676.	1.3	67
28	Regional odontodysplasia: literature review and report of an unusual case located in the mandible. <i>Pediatric Dentistry (discontinued)</i> , 2014, 36, 62-7.	0.4	12
29	A potent Chk1 inhibitor is selectively cytotoxic in melanomas with high levels of replicative stress. <i>Oncogene</i> , 2013, 32, 788-796.	2.6	79
30	The Use of Frozen Section in the Excision of Cutaneous Malignancy. <i>Annals of Plastic Surgery</i> , 2013, 71, 386-389.	0.5	12
31	Effects of Ex Vivo Skin Microbiopsy on Histopathologic Diagnosis in Melanocytic Skin Lesions. <i>JAMA Dermatology</i> , 2013, 149, 1107.	2.0	11
32	Pituitary metastases from papillary carcinoma of thyroid: a case report and literature review. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , 2013, 2013, 130024.	0.2	3
33	An innovative approach for locally advanced stage III cutaneous melanoma. <i>Melanoma Research</i> , 2012, 22, 257-262.	0.6	13
34	Confocal features of equivocal facial lesions on severely sun-damaged skin: Four case studies with dermatoscopic, confocal, and histopathologic correlation. <i>Journal of the American Academy of Dermatology</i> , 2012, 66, 463-473.	0.6	41
35	The fallacy of skip lesions as an example of misinterpretations being propagated in the scientific literature. <i>Oral Oncology</i> , 2012, 48, e33-e34.	0.8	2
36	Evidence for Steroidogenic Potential in Human Prostate Cell Lines and Tissues. <i>American Journal of Pathology</i> , 2012, 181, 1078-1087.	1.9	29

#	ARTICLE	IF	CITATIONS
37	A blueprint for staging of murine melanocytic lesions based on the <i>Cdk4</i> ^{R24C/R24C} :: <i>Tyr</i> ^{NRAS} ^Q model. <i>Experimental Dermatology</i> , 2012, 21, 676-681.	6.1	16
38	First experiences using reflectance confocal microscopy on equivocal skin lesions in Queensland. <i>Australasian Journal of Dermatology</i> , 2011, 52, 89-97.	0.4	22
39	Effectiveness and limitations of reflectance confocal microscopy in detecting persistence of basal cell carcinomas: A preliminary study. <i>Australasian Journal of Dermatology</i> , 2011, 52, 179-185.	0.4	28
40	Columnar cell lesions of the breast: a case review illustrating the spectrum of changes. <i>Pathology</i> , 2010, 42, S67-S68.	0.3	0
41	Multinucleate epithelial change in colorectal hyperplastic polyps: a review of 27 cases. <i>Journal of Clinical Pathology</i> , 2008, 61, 611-614.	1.0	10
42	Microscopic colitis with giant cells: a clinico-pathological review of 11 cases and comparison with microscopic colitis without giant cells. <i>Pathology</i> , 2008, 40, 671-675.	0.3	17
43	Macroscopic vascular invasion in synovial sarcoma evident on MRI. <i>Skeletal Radiology</i> , 2006, 35, 783-786.	1.2	4
44	Forgotten but not gone: urinary tract tuberculosis. <i>Pathology</i> , 2005, 37, 392-393.	0.3	3