

Richard I Lindley

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2444451/richard-i-lindley-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

289
papers

17,122
citations

56
h-index

127
g-index

306
ext. papers

20,351
ext. citations

7.9
avg, IF

6.53
L-index

#	Paper	IF	Citations
289	Neuroimaging standards for research into small vessel disease and its contribution to ageing and neurodegeneration. <i>Lancet Neurology, The</i> , 2013 , 12, 822-38	24.1	2662
288	Effect of treatment delay, age, and stroke severity on the effects of intravenous thrombolysis with alteplase for acute ischaemic stroke: a meta-analysis of individual patient data from randomised trials. <i>Lancet, The</i> , 2014 , 384, 1929-35	40	1415
287	Rapid blood-pressure lowering in patients with acute intracerebral hemorrhage. <i>New England Journal of Medicine</i> , 2013 , 368, 2355-65	59.2	988
286	The benefits and harms of intravenous thrombolysis with recombinant tissue plasminogen activator within 6 h of acute ischaemic stroke (the third international stroke trial [IST-3]): a randomised controlled trial. <i>Lancet, The</i> , 2012 , 379, 2352-63	40	841
285	Recombinant tissue plasminogen activator for acute ischaemic stroke: an updated systematic review and meta-analysis. <i>Lancet, The</i> , 2012 , 379, 2364-72	40	695
284	Intensive blood pressure reduction in acute cerebral haemorrhage trial (INTERACT): a randomised pilot trial. <i>Lancet Neurology, The</i> , 2008 , 7, 391-9	24.1	623
283	Efficacy and safety of very early mobilisation within 24 h of stroke onset (AVERT): a randomised controlled trial. <i>Lancet, The</i> , 2015 , 386, 46-55	40	440
282	Aspirin for prevention of cardiovascular events in a general population screened for a low ankle brachial index: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 303, 841-8	27.4	416
281	Intensive lowering of LDL cholesterol with 80 mg versus 20 mg simvastatin daily in 12,064 survivors of myocardial infarction: a double-blind randomised trial. <i>Lancet, The</i> , 2010 , 376, 1658-69	40	416
280	Effectiveness of thigh-length graduated compression stockings to reduce the risk of deep vein thrombosis after stroke (CLOTS trial 1): a multicentre, randomised controlled trial. <i>Lancet, The</i> , 2009 , 373, 1958-65	40	340
279	Distinguishing between stroke and mimic at the bedside: the brain attack study. <i>Stroke</i> , 2006 , 37, 769-756.7		313
278	Low-Dose versus Standard-Dose Intravenous Alteplase in Acute Ischemic Stroke. <i>New England Journal of Medicine</i> , 2016 , 374, 2313-23	59.2	259
277	Effects of homocysteine-lowering with folic acid plus vitamin B12 vs placebo on mortality and major morbidity in myocardial infarction survivors: a randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 303, 2486-94	27.4	235
276	Medium intensity oral anticoagulants versus aspirin after cerebral ischaemia of arterial origin (ESPRIT): a randomised controlled trial. <i>Lancet Neurology, The</i> , 2007 , 6, 115-24	24.1	178
275	Cluster randomised trial of a targeted multifactorial intervention to prevent falls among older people in hospital. <i>BMJ, The</i> , 2008 , 336, 758-60	5.9	161
274	Blood pressure variability and outcome after acute intracerebral haemorrhage: a post-hoc analysis of INTERACT2, a randomised controlled trial. <i>Lancet Neurology, The</i> , 2014 , 13, 364-73	24.1	158
273	Antithrombotic therapy in acute ischaemic stroke: an overview of the completed randomised trials. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1993 , 56, 17-25	5.5	149

272	Chronic kidney disease and the risk of stroke: a systematic review and meta-analysis. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1162-9	4.3	146
271	Sensory and cognitive association in older persons: findings from an older Australian population. <i>Gerontology</i> , 2006 , 52, 386-94	5.5	141
270	Effects of Alteplase for Acute Stroke on the Distribution of Functional Outcomes: A Pooled Analysis of 9 Trials. <i>Stroke</i> , 2016 , 47, 2373-9	6.7	132
269	Prespecified dose-response analysis for A Very Early Rehabilitation Trial (AVERT). <i>Neurology</i> , 2016 , 86, 2138-45	6.5	126
268	Retinal microvasculature in acute lacunar stroke: a cross-sectional study. <i>Lancet Neurology, The</i> , 2009 , 8, 628-34	24.1	123
267	Association between brain imaging signs, early and late outcomes, and response to intravenous alteplase after acute ischaemic stroke in the third International Stroke Trial (IST-3): secondary analysis of a randomised controlled trial. <i>Lancet Neurology, The</i> , 2015 , 14, 485-96	24.1	122
266	Thigh-length versus below-knee stockings for deep venous thrombosis prophylaxis after stroke: a randomized trial. <i>Annals of Internal Medicine</i> , 2010 , 153, 553-62	8	120
265	Interobserver reliability of a clinical classification of acute cerebral infarction. <i>Stroke</i> , 1993 , 24, 1801-4	6.7	120
264	Risk of intracerebral haemorrhage with alteplase after acute ischaemic stroke: a secondary analysis of an individual patient data meta-analysis. <i>Lancet Neurology, The</i> , 2016 , 15, 925-933	24.1	118
263	Intensive blood pressure reduction with intravenous thrombolysis therapy for acute ischaemic stroke (ENCHANTED): an international, randomised, open-label, blinded-endpoint, phase 3 trial. <i>Lancet, The</i> , 2019 , 393, 877-888	40	117
262	Immunological responses to pneumococcal vaccine in frail older people. <i>Vaccine</i> , 2009 , 27, 1628-36	4.1	108
261	Can Simple Questions Assess Outcome after Stroke?. <i>Cerebrovascular Diseases</i> , 1994 , 4, 314-324	3.2	106
260	Effect of thrombolysis with alteplase within 6 h of acute ischaemic stroke on long-term outcomes (the third International Stroke Trial [IST-3]): 18-month follow-up of a randomised controlled trial. <i>Lancet Neurology, The</i> , 2013 , 12, 768-76	24.1	103
259	Cost-effectiveness of thrombolysis with recombinant tissue plasminogen activator for acute ischemic stroke assessed by a model based on UK NHS costs. <i>Stroke</i> , 2004 , 35, 1490-7	6.7	101
258	The second (main) phase of an open, randomised, multicentre study to investigate the effectiveness of an intensive blood pressure reduction in acute cerebral haemorrhage trial (INTERACT2). <i>International Journal of Stroke</i> , 2010 , 5, 110-6	6.3	100
257	MR diffusion-weighted imaging and outcome prediction after ischemic stroke. <i>Neurology</i> , 2006 , 66, 1159-63	6.3	98
256	Cluster-Randomized, Crossover Trial of Head Positioning in Acute Stroke. <i>New England Journal of Medicine</i> , 2017 , 376, 2437-2447	59.2	97
255	A phase II multicentered, single-blind, randomized, controlled trial of the stroke self-management program. <i>Stroke</i> , 2011 , 42, 1673-9	6.7	85

254	Family-led rehabilitation after stroke in India (ATTEND): a randomised controlled trial. <i>Lancet, The</i> , 2017 , 390, 588-599	4.0	80
253	Retinal fractals and acute lacunar stroke. <i>Annals of Neurology</i> , 2010 , 68, 107-11	9.4	79
252	Thrombolysis for acute ischaemic stroke: consumer involvement in design of new randomised controlled trial. <i>BMJ, The</i> , 2002 , 325, 415	5.9	79
251	Difficulties in recruiting older people in clinical trials: an examination of barriers and solutions. <i>Vaccine</i> , 2010 , 28, 901-6	4.1	78
250	Frequency and risk factors for spontaneous hemorrhagic transformation of cerebral infarction. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2004 , 13, 235-46	2.8	74
249	The validity of a simple clinical classification of acute ischaemic stroke. <i>Journal of Neurology</i> , 1996 , 243, 274-9	5.5	74
248	Third international stroke trial (IST-3) of thrombolysis for acute ischaemic stroke. <i>Trials</i> , 2008 , 9, 37	2.8	72
247	Sensitivity and specificity of the hyperdense artery sign for arterial obstruction in acute ischemic stroke. <i>Stroke</i> , 2015 , 46, 102-7	6.7	71
246	Intracerebral hemorrhage location and outcome among INTERACT2 participants. <i>Neurology</i> , 2017 , 88, 1408-1414	6.5	70
245	Optimal achieved blood pressure in acute intracerebral hemorrhage: INTERACT2. <i>Neurology</i> , 2015 , 84, 464-71	6.5	70
244	Lifetime cost effectiveness of simvastatin in a range of risk groups and age groups derived from a randomised trial of 20,536 people. <i>BMJ, The</i> , 2006 , 333, 1145	5.9	70
243	Rationale, design, and progress of the ENhanced Control of Hypertension ANd Thrombolysis stroke stuDY (ENCHANTED) trial: An international multicenter 2 X 2 quasi-factorial randomized controlled trial of low- vs. standard-dose rt-PA and early intensive vs. guideline-recommended blood pressure lowering in patients with acute ischaemic stroke eligible for thrombolysis treatment. <i>International Journal of Stroke</i> , 2017 , 12, 102-11	6.3	69
242	Magnetic resonance brain imaging in patients with acute stroke: feasibility and patient related difficulties. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005 , 76, 1525-7	5.5	68
241	6-PACK programme to decrease fall injuries in acute hospitals: cluster randomised controlled trial. <i>BMJ, The</i> , 2016 , 352, h6781	5.9	65
240	Low dose aspirin and cognitive function in middle aged to elderly adults: randomised controlled trial. <i>BMJ, The</i> , 2008 , 337, a1198	5.9	64
239	Returning to paid employment after stroke: the Psychosocial Outcomes In Stroke (POISE) cohort study. <i>PLoS ONE</i> , 2012 , 7, e41795	3.7	62
238	Ischaemic heart disease, influenza and influenza vaccination: a prospective case control study. <i>Heart</i> , 2013 , 99, 1843-8	5.1	61
237	Barricades and brickwalls--a qualitative study exploring perceptions of medication use and deprescribing in long-term care. <i>BMC Geriatrics</i> , 2016 , 16, 15	4.1	61

236	A Very Early Rehabilitation Trial (AVERT). <i>International Journal of Stroke</i> , 2006 , 1, 169-71	6.3	60
235	Effects of Blood Pressure and Blood Pressure-Lowering Treatment During the First 24 Hours Among Patients in the Third International Stroke Trial of Thrombolytic Treatment for Acute Ischemic Stroke. <i>Stroke</i> , 2015 , 46, 3362-9	6.7	58
234	Mobilisation in bedPis not mobilisation. <i>Cerebrovascular Diseases</i> , 2007 , 24, 157-8; author reply 159	3.2	56
233	METACOHORTS for the study of vascular disease and its contribution to cognitive decline and neurodegeneration: An initiative of the Joint Programme for Neurodegenerative Disease Research. <i>Alzheimer's and Dementia</i> , 2016 , 12, 1235-1249	1.2	54
232	Randomized trial of treadmill training to improve walking in community-dwelling people after stroke: the AMBULATE trial. <i>International Journal of Stroke</i> , 2013 , 8, 436-44	6.3	53
231	Targeting recombinant tissue-type plasminogen activator in acute ischemic stroke based on risk of intracranial hemorrhage or poor functional outcome: an analysis of the third international stroke trial. <i>Stroke</i> , 2014 , 45, 1000-6	6.7	52
230	Alteplase for acute ischemic stroke: outcomes by clinically important subgroups in the Third International Stroke Trial. <i>Stroke</i> , 2015 , 46, 746-56	6.7	50
229	Sex differences in treatment and outcome after stroke: Pooled analysis including 19,000 participants. <i>Neurology</i> , 2019 , 93, e2170-e2180	6.5	50
228	Safety and efficacy of fluoxetine on functional outcome after acute stroke (AFFINITY): a randomised, double-blind, placebo-controlled trial. <i>Lancet Neurology</i> , 2020 , 19, 651-660	24.1	48
227	The challenges of clinical trials in the exclusion zone: the case of the frail elderly. <i>Australasian Journal on Ageing</i> , 2008 , 27, 61-6	1.5	47
226	Third international stroke trial. <i>International Journal of Stroke</i> , 2006 , 1, 172-6	6.3	47
225	Interobserver agreement for the bedside clinical assessment of suspected stroke. <i>Stroke</i> , 2006 , 37, 776-807	6.7	46
224	Significance of Hematoma Shape and Density in Intracerebral Hemorrhage: The Intensive Blood Pressure Reduction in Acute Intracerebral Hemorrhage Trial Study. <i>Stroke</i> , 2016 , 47, 1227-32	6.7	44
223	Older age is a strong predictor for poor outcome in intracerebral haemorrhage: the INTERACT2 study. <i>Age and Ageing</i> , 2015 , 44, 422-7	3	43
222	Retinal microvascular signs and cognitive impairment. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 1892-6	5.6	43
221	Mannitol and Outcome in Intracerebral Hemorrhage: Propensity Score and Multivariable Intensive Blood Pressure Reduction in Acute Cerebral Hemorrhage Trial 2 Results. <i>Stroke</i> , 2015 , 46, 2762-7	6.7	41
220	Retinal microvascular changes and subsequent vascular events after ischemic stroke. <i>Neurology</i> , 2011 , 77, 896-903	6.5	39
219	Significance of Cerebral Small-Vessel Disease in Acute Intracerebral Hemorrhage. <i>Stroke</i> , 2016 , 47, 701-707	6.7	38

218	Differences in attitudes, beliefs and knowledge of hospital health care workers and community doctors to vaccination of older people. <i>Vaccine</i> , 2008 , 26, 5633-40	4.1	38
217	Cerebral White Matter Hypoperfusion Increases with Small-Vessel Disease Burden. Data From the Third International Stroke Trial. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017 , 26, 1506-1513	2.8	36
216	Incidence, risk factors and economic burden of fall-related injuries in older Chinese people: a systematic review. <i>Injury Prevention</i> , 2019 , 25, 4-12	3.2	36
215	Retinal microvascular signs may provide clues to the underlying vasculopathy in patients with deep intracerebral hemorrhage. <i>Stroke</i> , 2010 , 41, 618-23	6.7	36
214	Improving community ambulation after stroke: the AMBULATE Trial. <i>BMC Neurology</i> , 2009 , 9, 8	3.1	36
213	Lack of pneumococcal carriage in the hospitalised elderly. <i>Vaccine</i> , 2010 , 28, 3902-4	4.1	35
212	Effects of a perindopril-based blood pressure lowering regimen on cardiac outcomes among patients with cerebrovascular disease. <i>European Heart Journal</i> , 2003 , 24, 475-84	9.5	35
211	Effect of Intravenous Recombinant Tissue-Type Plasminogen Activator in Patients With Mild Stroke in the Third International Stroke Trial-3: Post Hoc Analysis. <i>Stroke</i> , 2015 , 46, 2325-7	6.7	34
210	Vision and hearing impairment in aged care clients. <i>Ophthalmic Epidemiology</i> , 2005 , 12, 199-205	1.9	33
209	Low- Versus Standard-Dose Alteplase in Patients on Prior Antiplatelet Therapy: The ENCHANTED Trial (Enhanced Control of Hypertension and Thrombolysis Stroke Study). <i>Stroke</i> , 2017 , 48, 1877-1883	6.7	32
208	Stroke management: updated recommendations for treatment along the care continuum. <i>Internal Medicine Journal</i> , 2012 , 42, 562-9	1.6	32
207	Getting your life back on track after stroke? a Phase II multi-centered, single-blind, randomized, controlled trial of the Stroke Self-Management Program vs. the Stanford Chronic Condition Self-Management Program or standard care in stroke survivors. <i>International Journal of Stroke</i> , 2009 , 4, 127-34	6.3	32
206	Does Early Reperfusion of a Cerebral Infarct Influence Cerebral Infarct Swelling in the Acute Stage or the Final Clinical Outcome?. <i>Cerebrovascular Diseases</i> , 1993 , 3, 86-93	3.2	32
205	Canagliflozin and Stroke in Type 2 Diabetes Mellitus. <i>Stroke</i> , 2019 , 50, 396-404	6.7	32
204	Caregiver-Delivered Stroke Rehabilitation in Rural China. <i>Stroke</i> , 2019 , 50, 1825-1830	6.7	31
203	Update on the third international stroke trial (IST-3) of thrombolysis for acute ischaemic stroke and baseline features of the 3035 patients recruited. <i>Trials</i> , 2011 , 12, 252	2.8	31
202	The timing, extent, progression and regression of deep vein thrombosis in immobile stroke patients: observational data from the CLOTS multicenter randomized trials. <i>Journal of Thrombosis and Haemostasis</i> , 2011 , 9, 2193-200	15.4	31
201	Hospital services for patients with acute stroke in the United Kingdom: the Stroke Association Survey of consultant opinion. <i>Age and Ageing</i> , 1995 , 24, 525-32	3	31

200	Effects of alteplase on survival after ischaemic stroke (IST-3): 3 year follow-up of a randomised, controlled, open-label trial. <i>Lancet Neurology, The</i> , 2016 , 15, 1028-34	24.1	30
199	Factors associated with pneumococcal immunisation among hospitalised elderly persons: a survey of patient's perception, attitude, and knowledge. <i>Vaccine</i> , 2008 , 26, 234-40	4.1	30
198	Observer reliability of CT angiography in the assessment of acute ischaemic stroke: data from the Third International Stroke Trial. <i>Neuroradiology</i> , 2015 , 57, 1-9	3.2	29
197	Statistical analysis plan for the third International Stroke Trial (IST-3); part of a PreheadPoF reports of the trial. <i>International Journal of Stroke</i> , 2012 , 7, 186-7	6.3	29
196	Differential associations of cortical and subcortical cerebral atrophy with retinal vascular signs in patients with acute stroke. <i>Stroke</i> , 2010 , 41, 2143-50	6.7	29
195	Impact of stroke syndrome and stroke severity on the process of consent in the Third International Stroke Trial. <i>Cerebrovascular Diseases</i> , 2006 , 21, 348-52	3.2	29
194	Oxfordshire community stroke project clinical stroke syndrome and appearances of tissue and vascular lesions on pretreatment ct in hyperacute ischemic stroke among the first 510 patients in the Third International Stroke Trial (IST-3). <i>Stroke</i> , 2009 , 40, 743-8	6.7	28
193	Stress-related primary intracerebral hemorrhage: autopsy clues to underlying mechanism. <i>Stroke</i> , 2000 , 31, 1426-8	6.7	28
192	Risk of Stroke in Patients with ESRD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 1585-92	6.9	27
191	Family-Led Rehabilitation after Stroke in INDia: the ATTEND pilot study. <i>International Journal of Stroke</i> , 2015 , 10, 609-14	6.3	27
190	Drug trials for older people. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2012 , 67, 152-7	6.4	27
189	Treating and preventing influenza in aged care facilities: a cluster randomised controlled trial. <i>PLoS ONE</i> , 2012 , 7, e46509	3.7	27
188	Prognostic Significance of Hyponatremia in Acute Intracerebral Hemorrhage: Pooled Analysis of the Intensive Blood Pressure Reduction in Acute Cerebral Hemorrhage Trial Studies. <i>Critical Care Medicine</i> , 2016 , 44, 1388-94	1.4	26
187	Statistical analysis plan for evaluating low- vs. standard-dose alteplase in the ENhanced Control of Hypertension and Thrombolysis strokeE stuDy (ENCHANTED). <i>International Journal of Stroke</i> , 2015 , 10, 1313-5	6.3	26
186	Transient ischemic attack and acute ischemic stroke: associations with retinal microvascular signs. <i>Stroke</i> , 2011 , 42, 404-8	6.7	26
185	Effects of alteplase for acute stroke according to criteria defining the European Union and United States marketing authorizations: Individual-patient-data meta-analysis of randomized trials. <i>International Journal of Stroke</i> , 2018 , 13, 175-189	6.3	26
184	The speed of ultraearly hematoma growth in acute intracerebral hemorrhage. <i>Neurology</i> , 2014 , 83, 2232-8	6.5	25
183	A randomized clinical trial of the immunogenicity of 7-valent pneumococcal conjugate vaccine compared to 23-valent polysaccharide vaccine in frail, hospitalized elderly. <i>PLoS ONE</i> , 2014 , 9, e94578	3.7	25

182	Retinal vascular caliber and extracranial carotid disease in patients with acute ischemic stroke: the Multi-Centre Retinal Stroke (MCRS) study. <i>Stroke</i> , 2009 , 40, 3695-9	6.7	24
181	Influence of Renal Impairment on Outcome for Thrombolysis-Treated Acute Ischemic Stroke: ENCHANTED (Enhanced Control of Hypertension and Thrombolysis Stroke Study) Post Hoc Analysis. <i>Stroke</i> , 2017 , 48, 2605-2609	6.7	24
180	Arterial Obstruction on Computed Tomographic or Magnetic Resonance Angiography and Response to Intravenous Thrombolytics in Ischemic Stroke. <i>Stroke</i> , 2017 , 48, 353-360	6.7	23
179	Effect of alteplase on the CT hyperdense artery sign and outcome after ischemic stroke. <i>Neurology</i> , 2016 , 86, 118-25	6.5	23
178	Thrombolysis for acute stroke in Australia: outcomes from the Safe Implementation of Thrombolysis in Stroke registry (2002-2008). <i>Medical Journal of Australia</i> , 2010 , 193, 439-43	4	23
177	Incompletely matched influenza vaccine still provides protection in frail elderly. <i>Vaccine</i> , 2010 , 28, 864-74.1	4.1	23
176	Trials of thrombolysis in acute ischemic stroke: does the choice of primary outcome measure really matter?. <i>Stroke</i> , 2000 , 31, 1133-5	6.7	23
175	Resuming anticoagulants after anticoagulation-associated intracranial haemorrhage: systematic review and meta-analysis. <i>BMJ Open</i> , 2018 , 8, e019672	3	23
174	Determinants and Prognostic Significance of Hematoma Sedimentation Levels in Acute Intracerebral Hemorrhage. <i>Cerebrovascular Diseases</i> , 2016 , 41, 80-6	3.2	22
173	Estimated GFR and the Effect of Intensive Blood Pressure Lowering After Acute Intracerebral Hemorrhage. <i>American Journal of Kidney Diseases</i> , 2016 , 68, 94-102	7.4	22
172	Head Position in Stroke Trial (HeadPoST)--sitting-up vs lying-flat positioning of patients with acute stroke: study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2015 , 16, 256	2.8	22
171	Thrombolysis for acute ischemic stroke: a consensus statement of the 3rd Karolinska Stroke Update, October 30-31, 2000. <i>Stroke</i> , 2001 , 32, 2717-8	6.7	22
170	Effect of Right Insular Involvement on Death and Functional Outcome After Acute Ischemic Stroke in the IST-3 Trial (Third International Stroke Trial). <i>Stroke</i> , 2016 , 47, 2959-2965	6.7	21
169	Management of hip fractures in older people in Beijing: a retrospective audit and comparison with evidence-based guidelines and practice in the UK. <i>Osteoporosis International</i> , 2016 , 27, 677-81	5.3	21
168	Statistical analysis plan (SAP) for A Very Early Rehabilitation Trial (AVERT): an international trial to determine the efficacy and safety of commencing out of bed standing and walking training (very early mobilization) within 24 h of stroke onset vs. usual stroke unit care. <i>International Journal of Stroke</i> , 2015 , 10, 23-4	6.3	21
167	Retinal microvascular signs: a key to understanding the underlying pathophysiology of different stroke subtypes?. <i>International Journal of Stroke</i> , 2008 , 3, 297-305	6.3	21
166	Patients with transient ischemic attack do not need to be admitted to hospital for urgent evaluation and treatment: against. <i>Stroke</i> , 2006 , 37, 1139-40	6.7	21
165	Determinants of Early Versus Delayed Neurological Deterioration in Intracerebral Hemorrhage. <i>Stroke</i> , 2019 , 50, 1409-1414	6.7	20

164	Protocol for the perfusion and angiography imaging sub-study of the Third International Stroke Trial (IST-3) of alteplase treatment within six-hours of acute ischemic stroke. <i>International Journal of Stroke</i> , 2015 , 10, 956-68	6.3	20
163	Factors influencing deprescribing for residents in Advanced Care Facilities: insights from General Practitioners in Australia and Sweden. <i>BMC Family Practice</i> , 2016 , 17, 152	2.6	20
162	Associations of retinal microvascular signs and intracranial large artery disease. <i>Stroke</i> , 2011 , 42, 812-4	6.7	20
161	Pandemic influenza: clinical issues. <i>Medical Journal of Australia</i> , 2006 , 185, S44-7	4	20
160	Thrombolysis for acute ischemic stroke: still a treatment for the few by the few. <i>Western Journal of Medicine</i> , 2002 , 176, 198-9		20
159	Effect of affordable technology on physical activity levels and mobility outcomes in rehabilitation: a protocol for the Activity and MObility UsiNg Technology (AMOUNT) rehabilitation trial. <i>BMJ Open</i> , 2016 , 6, e012074	3	20
158	Better outcomes for hospitalized patients with TIA when in stroke units: An observational study. <i>Neurology</i> , 2016 , 86, 2042-8	6.5	20
157	Clinical Utility of Electronic Alberta Stroke Program Early Computed Tomography Score Software in the ENCHANTED Trial Database. <i>Stroke</i> , 2018 , 49, 1407-1411	6.7	20
156	The effect of a multidisciplinary co-management program for the older hip fracture patients in Beijing: a "pre- and post-" retrospective study. <i>Archives of Osteoporosis</i> , 2019 , 14, 43	2.9	19
155	Family-led rehabilitation after stroke in India: the ATTEND trial, study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 13	2.8	19
154	Thrombolysis ImPlementation in Stroke (TIPS): evaluating the effectiveness of a strategy to increase the adoption of best evidence practice—protocol for a cluster randomised controlled trial in acute stroke care. <i>Implementation Science</i> , 2014 , 9, 38	8.4	19
153	Differing associations of white matter lesions and lacunar infarction with retinal microvascular signs. <i>International Journal of Stroke</i> , 2014 , 9, 921-5	6.3	19
152	Retinopathy and lobar intracerebral hemorrhage: insights into pathogenesis. <i>Archives of Neurology</i> , 2010 , 67, 1224-30		19
151	Delays in stroke referrals. <i>Lancet, The</i> , 1999 , 354, 47-8	40	18
150	Associations with health-related quality of life after intracerebral haemorrhage: pooled analysis of INTERACT studies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017 , 88, 70-75	5.5	17
149	Psychosocial Outcomes in Stroke: the POISE observational stroke study protocol. <i>BMC Neurology</i> , 2009 , 9, 24	3.1	17
148	Low-Dose vs Standard-Dose Alteplase for Patients With Acute Ischemic Stroke: Secondary Analysis of the ENCHANTED Randomized Clinical Trial. <i>JAMA Neurology</i> , 2017 , 74, 1328-1335	17.2	16
147	Treadmill training provides greater benefit to the subgroup of community-dwelling people after stroke who walk faster than 0.4m/s: a randomised trial. <i>Journal of Physiotherapy</i> , 2014 , 60, 97-101	2.9	16

146	Details of a prospective protocol for a collaborative meta-analysis of individual participant data from all randomized trials of intravenous rt-PA vs. control: statistical analysis plan for the Stroke Thrombolysis TrialistsPCollaborative meta-analysis. <i>International Journal of Stroke</i> , 2013 , 8, 278-83	6.3	16
145	The relationship between aortic stiffness and changes in retinal microvessels among Asian ischemic stroke patients. <i>Journal of Human Hypertension</i> , 2012 , 26, 716-22	2.6	16
144	Sensory impairment, use of community support services, and quality of life in aged care clients. <i>Journal of Aging and Health</i> , 2007 , 19, 229-41	2.6	16
143	Predictors of pneumococcal vaccination uptake in hospitalized patients aged 65 years and over shortly following the commencement of a publicly funded national pneumococcal vaccination program in Australia. <i>Hum Vaccin</i> , 2007 , 3, 83-6		16
142	Prognostic significance of delayed intraventricular haemorrhage in the INTERACT studies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017 , 88, 19-24	5.5	15
141	Stroke Prevention in the Very Elderly. <i>Stroke</i> , 2018 , 49, 796-802	6.7	15
140	Early mobilization and quality of life after stroke: Findings from AVERT. <i>Neurology</i> , 2019 , 93, e717-e728	6.5	15
139	Exploring threats to generalisability in a large international rehabilitation trial (AVERT). <i>BMJ Open</i> , 2015 , 5, e008378	3	15
138	Effect of alteplase within 6 hours of acute ischemic stroke on all-cause mortality (third International Stroke Trial). <i>Stroke</i> , 2014 , 45, 3612-7	6.7	15
137	How are household economic circumstances affected after a stroke? The Psychosocial Outcomes In Stroke (POISE) Study. <i>Stroke</i> , 2012 , 43, 3110-3	6.7	15
136	Methodology of the Stroke Self-Management Rehabilitation Trial: an international, multisite pilot trial. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015 , 24, 297-303	2.8	14
135	A randomized controlled trial on rehabilitation through caregiver-delivered nurse-organized service programs for disabled stroke patients in rural china (the RECOVER trial): design and rationale. <i>International Journal of Stroke</i> , 2016 , 11, 823-30	6.3	14
134	AVERT2 (a very early rehabilitation trial, a very effective reproductive trigger): retrospective observational analysis of the number of babies born to trial staff. <i>BMJ, The</i> , 2015 , 351, h6432	5.9	14
133	Utility of the Addenbrooke's Cognitive Examination--Revised for the diagnosis of dementia syndromes. <i>Australasian Journal on Ageing</i> , 2011 , 30, 113-8	1.5	14
132	Frequency, determinants, and effects of early seizures after thrombolysis for acute ischemic stroke: The ENCHANTED trial. <i>Neurology: Clinical Practice</i> , 2017 , 7, 324-332	1.7	13
131	The implementation of intravenous tissue plasminogen activator in acute ischaemic stroke--a scientific position statement from the National Stroke Foundation and the Stroke Society of Australasia. <i>Internal Medicine Journal</i> , 2009 , 39, 317-24	1.6	13
130	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial. <i>PLoS Medicine</i> , 2020 , 17, e1003029	11.6	12
129	Early blood pressure lowering in patients with intracerebral haemorrhage and prior use of antithrombotic agents: pooled analysis of the INTERACT studies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016 , 87, 1330-1335	5.5	12

128	Early Cognitive Impairment after Intracerebral Hemorrhage in the INTERACT1 Study. <i>Cerebrovascular Diseases</i> , 2017 , 44, 320-324	3.2	11
127	Community-based InterVentions to prevent serlous Complications (CIVIC) following spinal cord injury in Bangladesh: protocol of a randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e010350	3	11
126	Do cognitive, language, or physical impairments affect participation in a trial of self-management programs for stroke?. <i>International Journal of Stroke</i> , 2016 , 11, 77-84	6.3	11
125	A qualitative study to assess the perceived benefits and barriers to the pneumococcal vaccine in hospitalised older people. <i>Vaccine</i> , 2009 , 27, 3775-9	4.1	11
124	Alteplase and ischaemic stroke: have new reviews of old data helped?. <i>Lancet Neurology, The</i> , 2005 , 4, 249-53	24.1	11
123	Effect of SGLT2 Inhibitors on Stroke and Atrial Fibrillation in Diabetic Kidney Disease: Results From the CREDENCE Trial and Meta-Analysis. <i>Stroke</i> , 2021 , 52, 1545-1556	6.7	11
122	Health coaching and pedometers to enhance physical activity and prevent falls in community-dwelling people aged 60 years and over: study protocol for the Coaching for Healthy AGEing (CHANGE) cluster randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e012277	3	11
121	Protocol for process evaluation of a randomised controlled trial of family-led rehabilitation post stroke (ATTEND) in India. <i>BMJ Open</i> , 2016 , 6, e012027	3	11
120	Driving in stroke survivors aged 18-65 years: The Psychosocial Outcomes In Stroke (POISE) Cohort Study. <i>International Journal of Stroke</i> , 2016 , 11, 799-806	6.3	11
119	Infratentorial Intracerebral Hemorrhage. <i>Stroke</i> , 2019 , 50, 1257-1259	6.7	10
118	Higher mortality in patients with right hemispheric intracerebral haemorrhage: INTERACT1 and 2. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2015 , 86, 1319-23	5.5	10
117	Cluster-Randomized Trial of Thrombolysis Implementation Support in Metropolitan and Regional Australian Stroke Centers: Lessons for Individual and Systems Behavior Change. <i>Journal of the American Heart Association</i> , 2020 , 9, e012732	6	10
116	Treatment with exenatide in acute ischemic stroke trial protocol: A prospective, randomized, open label, blinded end-point study of exenatide vs. standard care in post stroke hyperglycemia. <i>International Journal of Stroke</i> , 2018 , 13, 857-862	6.3	10
115	The burden of infectious gastroenteritis in elderly residents and staff of long-term care facilities, Australia. <i>Infection Control and Hospital Epidemiology</i> , 2010 , 31, 860-3	2	10
114	Eye care service utilization in older people seeking aged care. <i>Clinical and Experimental Ophthalmology</i> , 2006 , 34, 141-5	2.4	10
113	Neuroprotection disappointment yet aGAIN. <i>Lancet, The</i> , 2000 , 356, 597	40	10
112	Comparison of a Simple Isotope Method of Predicting Likely Middle Cerebral Artery Occlusion with Transcranial Doppler Ultrasound in Acute Ischaemic Stroke. <i>Cerebrovascular Diseases</i> , 1996 , 6, 32-39	3.2	10
111	Low Ambient Temperature and Intracerebral Hemorrhage: The INTERACT2 Study. <i>PLoS ONE</i> , 2016 , 11, e0149040	3.7	10

110	Prophylactic heparin in acute intracerebral hemorrhage: a propensity score-matched analysis of the INTERACT2 study. <i>International Journal of Stroke</i> , 2016 , 11, 549-56	6.3	10
109	NIHSS cut point for predicting outcome in supra- vs infratentorial acute ischemic stroke. <i>Neurology</i> , 2018 , 91, e1695-e1701	6.5	10
108	Disparities in Antihypertensive Prescribing After Stroke: Linked Data From the Australian Stroke Clinical Registry. <i>Stroke</i> , 2019 , 50, 3592-3599	6.7	9
107	Thrombolysis for acute stroke in the United Kingdom. <i>Age and Ageing</i> , 2002 , 31 Suppl 3, 28-30	3	9
106	Factors Associated With 90-Day Readmission After Stroke or Transient Ischemic Attack: Linked Data From the Australian Stroke Clinical Registry. <i>Stroke</i> , 2020 , 51, 571-578	6.7	9
105	Statistical analysis plan for evaluating different intensities of blood pressure control in the ENhanced Control of Hypertension And Thrombolysis strokeE stuDy. <i>International Journal of Stroke</i> , 2019 , 14, 555-558	6.3	9
104	Patterns of Use and Discontinuation of Secondary Prevention Medications After Stroke. <i>Neurology</i> , 2021 , 96, e30-e41	6.5	9
103	Practice Patterns for Neurosurgical Utilization and Outcome in Acute Intracerebral Hemorrhage: Intensive Blood Pressure Reduction in Acute Cerebral Hemorrhage Trials 1 and 2 Studies. <i>Neurosurgery</i> , 2017 , 81, 980-985	3.2	8
102	Informal Caregiving: A Growing Need for Inclusion in Stroke Rehabilitation. <i>Stroke</i> , 2016 , 47, 3057-3062	6.7	8
101	A practical assessment of magnetic resonance diffusion-perfusion mismatch in acute stroke: observer variation and outcome. <i>Journal of Neurology</i> , 2009 , 256, 1832-8	5.5	8
100	Comparative effects of intensive-blood pressure versus standard-blood pressure-lowering treatment in patients with severe ischemic stroke in the ENCHANTED trial. <i>Journal of Hypertension</i> , 2021 , 39, 280-285	1.9	8
99	Risk Factors for Stroke in People with End-Stage Kidney Disease: A Cohort Study. <i>Cerebrovascular Diseases</i> , 2016 , 42, 428-438	3.2	7
98	Protocol-based management of older adults with hip fractures in Delhi, India: a feasibility study. <i>Pilot and Feasibility Studies</i> , 2016 , 2, 15	1.9	7
97	Incorporating vision and hearing tests into aged care assessment: methods and the pilot study. <i>Ophthalmic Epidemiology</i> , 2004 , 11, 427-36	1.9	7
96	Thrombolysis in elderly people. Observational data insufficient to change treatment. <i>BMJ, The</i> , 2011 , 342, d306; author reply d312	5.9	7
95	Effect of IV alteplase on the ischemic brain lesion at 24-48 hours after ischemic stroke. <i>Neurology</i> , 2018 , 91, e2067-e2077	6.5	7
94	Impact of Evidence-Based Stroke Care on Patient Outcomes: A Multilevel Analysis of an International Study. <i>Journal of the American Heart Association</i> , 2019 , 8, e012640	6	6
93	Off-Hour Admission and Outcomes in Patients with Acute Intracerebral Hemorrhage in the INTERACT2 Trial. <i>Cerebrovascular Diseases</i> , 2015 , 40, 114-20	3.2	6

92	Statistical analysis plan for the second INTensive blood pressure Reduction in Acute Cerebral hemorrhage Trial (INTERACT2): a large-scale investigation to solve longstanding controversy over the most appropriate management of elevated blood pressure in the hyperacute phase of intracerebral hemorrhage. <i>International Journal of Stroke</i> , 2013 , 8, 327-8	6.3	6
91	EPITHEt--where next?. <i>Lancet Neurology, The</i> , 2008 , 7, 570-1; author reply 571-3	24.1	6
90	Who will benefit more from low-dose alteplase in acute ischemic stroke?. <i>International Journal of Stroke</i> , 2020 , 15, 39-45	6.3	6
89	Thrombolysis Outcomes in Acute Ischemic Stroke by Fluid-Attenuated Inversion Recovery Hyperintense Arteries. <i>Stroke</i> , 2020 , 51, 2240-2243	6.7	5
88	Comparative effects of low-dose versus standard-dose alteplase in ischemic patients with prior stroke and/or diabetes mellitus: The ENCHANTED trial. <i>Journal of the Neurological Sciences</i> , 2018 , 387, 1-5	3.2	5
87	Family-led rehabilitation in India (ATTEND)-Findings from the process evaluation of a randomized controlled trial. <i>International Journal of Stroke</i> , 2019 , 14, 53-60	6.3	5
86	Is intraarterial tPA within 3 hours the treatment of choice for selected stroke patients?: No. <i>Stroke</i> , 2009 , 40, 2613-4	6.7	5
85	Low- versus Standard-Dose Intravenous Alteplase in the Context of Bridging Therapy for Acute Ischemic Stroke: A Korean ENCHANTED Study. <i>Journal of Stroke</i> , 2018 , 20, 131-139	5.6	5
84	Brain imaging abnormalities and outcome after acute ischaemic stroke: the ENCHANTED trial. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 , 91, 1290-1296	5.5	5
83	Intensive versus guideline-recommended blood pressure reduction in acute lacunar stroke with intravenous thrombolysis therapy: The ENCHANTED trial. <i>European Journal of Neurology</i> , 2021 , 28, 783-793	6.6	5
82	Low-Dose vs Standard-Dose Alteplase in Acute Lacunar Ischemic Stroke: The ENCHANTED Trial. <i>Neurology</i> , 2021 , 96, e1512-e1526	6.5	5
81	Clinical stroke research in resource limited settings: Tips and hints. <i>International Journal of Stroke</i> , 2018 , 13, 129-137	6.3	5
80	The potential health and economic impact of improving stroke care standards for Australia. <i>International Journal of Stroke</i> , 2017 , 12, 875-885	6.3	4
79	Clinical prognosis of FLAIR hyperintense arteries in ischaemic stroke patients: a systematic review and meta-analysis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 , 91, 475-482	5.5	4
78	Statistical analysis plan for the family-led rehabilitation after stroke in India (ATTEND) trial: A multicenter randomized controlled trial of a new model of stroke rehabilitation compared to usual care. <i>International Journal of Stroke</i> , 2017 , 12, 208-210	6.3	4
77	Withdrawal of active treatment after intracerebral haemorrhage in the INTERACT2 study. <i>Age and Ageing</i> , 2017 , 46, 329-332	3	4
76	Coronary catheterisation does not lead to retinal artery emboli in short-term follow-up of cardiac patients. <i>Stroke</i> , 2007 , 38, 2370-52	6.7	4
75	Prediction of outcome after stroke. <i>Lancet, The</i> , 2001 , 358, 1552-3; author reply 1553-4	40	4

74	Activity and MObility UsiNg Technology (AMOUNT) rehabilitation trial - description of device use and physiotherapy support in the post-hospital phase. <i>Disability and Rehabilitation</i> , 2021 , 43, 3454-3460	2.4	4
73	The Impact of Frailty on the Effectiveness and Safety of Intensive Glucose Control and Blood Pressure-Lowering Therapy for People With Type 2 Diabetes: Results From the ADVANCE Trial. <i>Diabetes Care</i> , 2021 , 44, 1622-1629	14.6	4
72	Validation of the simplified modified Rankin scale for stroke trials: Experience from the ENCHANTED alteplase-dose arm. <i>International Journal of Stroke</i> , 2021 , 16, 222-228	6.3	4
71	Fatal and non-fatal events within 14 days after early, intensive mobilization post stroke. <i>Neurology</i> , 2020 ,	6.5	4
70	COVID-19 Pandemic Impact on Care for Stroke in Australia: Emerging Evidence From the Australian Stroke Clinical Registry. <i>Frontiers in Neurology</i> , 2021 , 12, 621495	4.1	4
69	Greater Adherence to Secondary Prevention Medications Improves Survival After Stroke or Transient Ischemic Attack: A Linked Registry Study. <i>Stroke</i> , 2021 , 52, 3569-3577	6.7	4
68	Understanding how a community-based intervention for people with spinal cord injury in Bangladesh was delivered as part of a randomised controlled trial: a process evaluation. <i>Spinal Cord</i> , 2020 , 58, 1166-1175	2.7	3
67	Utility-Weighted Modified Rankin Scale Scores for the Assessment of Stroke Outcome: Pooled Analysis of 20 000+ Patients. <i>Stroke</i> , 2020 , 51, 2411-2417	6.7	3
66	Are rehabilitation services following stroke accessed equitably in Australia?: findings from the psychosocial outcomes in stroke (POISE) cohort study. <i>BMC Public Health</i> , 2013 , 13, 884	4.1	3
65	Where are we now with intravenous thrombolysis for acute ischaemic stroke?. <i>International Journal of Stroke</i> , 2010 , 5, 381-2	6.3	3
64	The assessment of frailty in older people in acute care. <i>Australasian Journal on Ageing</i> , 2009 , 28, 170	1.5	3
63	Response to "A graphic reanalysis of the NINDS Trial". <i>Annals of Emergency Medicine</i> , 2010 , 55, 227-9; author reply 229	2.1	3
62	Hyperdense artery sign, symptomatic infarct swelling and effect of alteplase in acute ischaemic stroke. <i>Stroke and Vascular Neurology</i> , 2021 , 6, 238-243	9.1	3
61	Feasibility and diagnostic accuracy of using brain attenuation changes on CT to estimate time of ischemic stroke onset. <i>Neuroradiology</i> , 2021 , 63, 869-878	3.2	3
60	A community-based intervention to prevent serious complications and death 2 years after discharge in people with spinal cord injury in Bangladesh (CIVIC): a randomised trial. <i>Spinal Cord</i> , 2021 , 59, 649-658	2.7	3
59	Smoking influences outcome in patients who had thrombolysed ischaemic stroke: the ENCHANTED study. <i>Stroke and Vascular Neurology</i> , 2021 , 6, 395-401	9.1	3
58	Protocol for process evaluation of CIVIC randomised controlled trial: Community-based Interventions to prevent serious Complications following spinal cord injury in Bangladesh. <i>BMJ Open</i> , 2018 , 8, e024226	3	3
57	Utility of the Hospital Frailty Risk Score Derived From Administrative Data and the Association With Stroke Outcomes. <i>Stroke</i> , 2021 , 52, 2874-2881	6.7	3

56	Characteristics, management and response to alteplase in China versus non-China participants of the ENCHANTED trial. <i>Stroke and Vascular Neurology</i> , 2017 , 2, 53-58	9.1	2
55	EFFECTS OF CANAGLIFLOZIN ON STROKE IN THE CREDENCE TRIAL. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 215	15.1	2
54	Pupil Dilation May Affect Retinal Vessel Caliber Measures. <i>Ophthalmic Epidemiology</i> , 2018 , 25, 234-237	1.9	2
53	Blood pressure variability and leukoaraiosis in acute ischemic stroke. <i>International Journal of Stroke</i> , 2018 , 13, 473-480	6.3	2
52	Planning trials in older patients with stroke: data from the International Stroke Trial. <i>Age and Ageing</i> , 2011 , 40, 395-8	3	2
51	Improving onset to needle time: knowledge is not enough. <i>Stroke</i> , 2008 , 39, 1667	6.7	2
50	Stroke Rehabilitation. <i>Brain Impairment</i> , 2008 , 9, 97-102	1	2
49	Commentary on NICE guidelines for alteplase for the treatment of acute ischaemic stroke. <i>Heart</i> , 2007 , 93, 1617-8	5.1	2
48	John Rankin (1923-1981). <i>Journal of Neurology</i> , 2001 , 248, 1007-8	5.5	2
47	Effect of X-Ray Attenuation of Arterial Obstructions on Intravenous Thrombolysis and Outcome after Ischemic Stroke. <i>PLoS ONE</i> , 2015 , 10, e0145683	3.7	2
46	Interaction of Blood Pressure Lowering and Alteplase Dose in Acute Ischemic Stroke: Results of the Enhanced Control of Hypertension and Thrombolysis Stroke Study. <i>Cerebrovascular Diseases</i> , 2019 , 48, 207-216	3.2	2
45	Apolipoprotein E and Health in Older Men: The Concord Health and Ageing in Men Project. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 1858-1862	6.4	1
44	Thrombolysis in acute ischaemic stroke [AuthorsPreply. <i>Lancet, The</i> , 2012 , 380, 1054-1055	4.0	1
43	Identifying seminal papers in the Australasian Journal on Ageing 1982-2011: a Delphi consensus approach. <i>Australasian Journal on Ageing</i> , 2013 , 32 Suppl 2, 6-11	1.5	1
42	Influenza in aged care facilities. <i>Reviews in Clinical Gerontology</i> , 2011 , 21, 91-97		1
41	Stroke medicine for the geriatrician. <i>Reviews in Clinical Gerontology</i> , 1999 , 9, 23-38		1
40	Effect of the Coronavirus Disease 2019 Pandemic on the Quality of Stroke Care in Stroke Units and Alternative Wards: A National Comparative Analysis.. <i>Journal of Stroke</i> , 2022 , 24, 79-87	5.6	1
39	Ethnicity and Other Determinants of Quality of Functional Outcome in Acute Ischemic Stroke: The ENCHANTED Trial. <i>Stroke</i> , 2020 , 51, 588-593	6.7	1

38	Brain Imaging Signs and Health-Related Quality of Life after Acute Ischemic Stroke: Analysis of ENCHANTED Alteplase Dose Arm. <i>Cerebrovascular Diseases</i> , 2020 , 49, 427-436	3.2	1
37	Frailty should now be measured in all randomized controlled trials including older people. <i>Journal of Hypertension</i> , 2021 , 39, 419-420	1.9	1
36	Associations of an Abnormal Physiological Score With Outcomes in Acute Intracerebral Hemorrhage: INTERACT2 Study. <i>Stroke</i> , 2021 , 52, 722-725	6.7	1
35	Secondary Prevention of Stroke: Study Protocol for a Telehealth-Delivered Physical Activity and Diet Pilot Randomized Trial (ENABLE-Pilot). <i>Cerebrovascular Diseases</i> , 2021 , 50, 605-611	3.2	1
34	Disparities between Asian and Non-Asian Thrombolysed Acute Ischemic Stroke Patients in the Enhanced Control of Hypertension and Thrombolysis Stroke Trial. <i>Cerebrovascular Diseases</i> , 2021 , 50, 560-566	3.2	1
33	Alteplase for ischaemic stroke--responses. <i>Lancet, The</i> , 2014 , 384, 660-1	4.0	0
32	Positive impact of the participation in the ENCHANTED trial in reducing Door-to-Needle Time. <i>Scientific Reports</i> , 2017 , 7, 14168	4.9	0
31	Uncertainties about thrombolysis for stroke should be addressed with large-scale randomized trials. <i>Stroke</i> , 2006 , 37, 2662; author reply 2664-5	6.7	0
30	Triple Therapy Prevention of Recurrent Intracerebral Disease Events Trial: Rationale, design and progress.. <i>International Journal of Stroke</i> , 2022 , 17474930211068671	6.3	0
29	Use of health and aged care services in Australia following hospital admission for myocardial infarction, stroke or heart failure. <i>BMC Geriatrics</i> , 2021 , 21, 538	4.1	0
28	Associations of Early Systolic Blood Pressure Control and Outcome After Thrombolysis-Eligible Acute Ischemic Stroke: Results From the ENCHANTED Study. <i>Stroke</i> , 2021 , STROKEAHA121034580	6.7	0
27	Combined utility of blood glucose and white blood cell in predicting outcome after acute ischemic stroke: The ENCHANTED trial. <i>Clinical Neurology and Neurosurgery</i> , 2020 , 198, 106254	2	0
26	Factors influencing the use of different methods of consent in a randomized acute stroke trial: The Third International Stroke Trial (IST-3). <i>International Journal of Stroke</i> , 2021 , 17474930211037123	6.3	0
25	IST-3 stroke trial data available. <i>Lancet, The</i> , 2016 , 387, 1904	4.0	0
24	Returning to Unpaid Work after Stroke: The Psychosocial Outcomes in Stroke Cohort Study. <i>Cerebrovascular Diseases</i> , 2019 , 47, 1-7	3.2	0
23	Regional Differences in Early BP Management After Acute Ischemic Stroke in the ENCHANTED International Randomized Controlled Trials. <i>Frontiers in Neurology</i> , 2021 , 12, 687862	4.1	0
22	FP332RISK FACTORS FOR STROKE IN PEOPLE WITH END-STAGE KIDNEY DISEASE: A COHORT STUDY OF 10,745 PEOPLE. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, iii179-iii179	4.3	
21	Odds of favourable 3-month outcome following ischaemic stroke are greatest when treatment with intravenous alteplase is initiated up to 90 min following event, with no benefit seen if alteplase is given after 270 min. <i>Evidence-Based Medicine</i> , 2011 , 16, 22-3		

20	Thrombolysis in acute ischaemic stroke: a guide to patient selection. <i>CNS Drugs</i> , 2005 , 19, 539-51	6.7
19	Drug therapy for acute ischaemic stroke: risks versus benefits. <i>Drug Safety</i> , 1998 , 19, 373-82	5.1
18	Antithrombotic therapy in acute ischaemic stroke: an overview of the completed randomised trials.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1994 , 57, 254-255	5.5
17	Patient-Led Mass Screening for Atrial Fibrillation in the Older Population Using Handheld Electrocardiographic Devices Integrated With a Clinician-Coordinated Remote Central Monitoring System: Protocol for a Randomized Controlled Trial and Process Evaluation.. <i>JMIR Research Protocols</i> , 2022 , 11, e34778	2
16	Stroke care in Australia: why is it still the poor cousin of health care?. <i>Medical Journal of Australia</i> , 2013 , 199, 166, 168	4
15	It's time for clinical guidelines to enter the digital age. <i>Medical Journal of Australia</i> , 2014 , 200, 388	4
14	Balancing the benefits and harms of oral anticoagulation in non-valvular atrial fibrillation. <i>Australian Prescriber</i> , 2021 , 44, 49-52	1.4
13	Thrombolysis outcomes according to arterial characteristics of acute ischemic stroke by alteplase dose and blood pressure target. <i>International Journal of Stroke</i> , 2021 , 17474930211025436	6.3
12	SP301 PROGNOSIS FOLLOWING ISCHAEMIC STROKE IN PEOPLE WITH CHRONIC KIDNEY DISEASE: A COHORT STUDY OF 650 PEOPLE. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, i190-i190	4.3
11	The cost of providing a community-based model of care to people with spinal cord injury, and the healthcare costs and economic burden to households of spinal cord injury in Bangladesh. <i>Spinal Cord</i> , 2021 , 59, 833-841	2.7
10	Early decompressive hemicraniectomy in thrombolysed acute ischemic stroke patients from the international ENCHANTED trial. <i>Scientific Reports</i> , 2021 , 11, 16495	4.9
9	Do valproate preparations improve agitation in dementia? A Cochrane Review summary with commentary. <i>Australasian Journal on Ageing</i> , 2021 , 40, 336-338	1.5
8	Community care after stroke. <i>Australian Family Physician</i> , 2007 , 36, 914-7	
7	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial 2020 , 17, e1003029	
6	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial 2020 , 17, e1003029	
5	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial 2020 , 17, e1003029	
4	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial 2020 , 17, e1003029	
3	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial 2020 , 17, e1003029	

2 Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial **2020**, 17, e1003029

1 Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial **2020**, 17, e1003029