

Richard I Lindley

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2444451/richard-i-lindley-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

289
papers

17,122
citations

56
h-index

127
g-index

306
ext. papers

20,351
ext. citations

7.9
avg, IF

6.53
L-index

#	Paper	IF	Citations
289	Triple Therapy Prevention of Recurrent Intracerebral Disease Events Trial: Rationale, design and progress.. <i>International Journal of Stroke</i> , 2022 , 17474930211068671	6.3	0
288	Effect of the Coronavirus Disease 2019 Pandemic on the Quality of Stroke Care in Stroke Units and Alternative Wards: A National Comparative Analysis.. <i>Journal of Stroke</i> , 2022 , 24, 79-87	5.6	1
287	Patient-Led Mass Screening for Atrial Fibrillation in the Older Population Using Handheld Electrocardiographic Devices Integrated With a Clinician-Coordinated Remote Central Monitoring System: Protocol for a Randomized Controlled Trial and Process Evaluation.. <i>JMIR Research Protocols</i> , 2022 , 11, e31778	2	
286	Use of health and aged care services in Australia following hospital admission for myocardial infarction, stroke or heart failure. <i>BMC Geriatrics</i> , 2021 , 21, 538	4.1	0
285	Associations of Early Systolic Blood Pressure Control and Outcome After Thrombolysis-Eligible Acute Ischemic Stroke: Results From the ENCHANTED Study. <i>Stroke</i> , 2021 , STROKEAHA121034580	6.7	0
284	Comparative effects of intensive-blood pressure versus standard-blood pressure-lowering treatment in patients with severe ischemic stroke in the ENCHANTED trial. <i>Journal of Hypertension</i> , 2021 , 39, 280-285	1.9	8
283	Activity and MObility UsiNg Technology (AMOUNT) rehabilitation trial - description of device use and physiotherapy support in the post-hospital phase. <i>Disability and Rehabilitation</i> , 2021 , 43, 3454-3460	2.4	4
282	Hyperdense artery sign, symptomatic infarct swelling and effect of alteplase in acute ischaemic stroke. <i>Stroke and Vascular Neurology</i> , 2021 , 6, 238-243	9.1	3
281	Frailty should now be measured in all randomized controlled trials including older people. <i>Journal of Hypertension</i> , 2021 , 39, 419-420	1.9	1
280	Balancing the benefits and harms of oral anticoagulation in non-valvular atrial fibrillation. <i>Australian Prescriber</i> , 2021 , 44, 49-52	1.4	
279	The Impact of Frailty on the Effectiveness and Safety of Intensive Glucose Control and Blood Pressure-Lowering Therapy for People With Type 2 Diabetes: Results From the ADVANCE Trial. <i>Diabetes Care</i> , 2021 , 44, 1622-1629	14.6	4
278	Effect of SGLT2 Inhibitors on Stroke and Atrial Fibrillation in Diabetic Kidney Disease: Results From the CREDENCE Trial and Meta-Analysis. <i>Stroke</i> , 2021 , 52, 1545-1556	6.7	11
277	Thrombolysis outcomes according to arterial characteristics of acute ischemic stroke by alteplase dose and blood pressure target. <i>International Journal of Stroke</i> , 2021 , 17474930211025436	6.3	
276	Factors influencing the use of different methods of consent in a randomized acute stroke trial: The Third International Stroke Trial (IST-3). <i>International Journal of Stroke</i> , 2021 , 17474930211037123	6.3	0
275	Validation of the simplified modified Rankin scale for stroke trials: Experience from the ENCHANTED alteplase-dose arm. <i>International Journal of Stroke</i> , 2021 , 16, 222-228	6.3	4
274	Intensive versus guideline-recommended blood pressure reduction in acute lacunar stroke with intravenous thrombolysis therapy: The ENCHANTED trial. <i>European Journal of Neurology</i> , 2021 , 28, 783-793	6	5
273	Patterns of Use and Discontinuation of Secondary Prevention Medications After Stroke. <i>Neurology</i> , 2021 , 96, e30-e41	6.5	9

272	Feasibility and diagnostic accuracy of using brain attenuation changes on CT to estimate time of ischemic stroke onset. <i>Neuroradiology</i> , 2021 , 63, 869-878	3.2	3
271	A community-based intervention to prevent serious complications and death 2 years after discharge in people with spinal cord injury in Bangladesh (CIVIC): a randomised trial. <i>Spinal Cord</i> , 2021 , 59, 649-658	2.7	3
270	The cost of providing a community-based model of care to people with spinal cord injury, and the healthcare costs and economic burden to households of spinal cord injury in Bangladesh. <i>Spinal Cord</i> , 2021 , 59, 833-841	2.7	
269	Associations of an Abnormal Physiological Score With Outcomes in Acute Intracerebral Hemorrhage: INTERACT2 Study. <i>Stroke</i> , 2021 , 52, 722-725	6.7	1
268	COVID-19 Pandemic Impact on Care for Stroke in Australia: Emerging Evidence From the Australian Stroke Clinical Registry. <i>Frontiers in Neurology</i> , 2021 , 12, 621495	4.1	4
267	Smoking influences outcome in patients who had thrombolysed ischaemic stroke: the ENCHANTED study. <i>Stroke and Vascular Neurology</i> , 2021 , 6, 395-401	9.1	3
266	Low-Dose vs Standard-Dose Alteplase in Acute Lacunar Ischemic Stroke: The ENCHANTED Trial. <i>Neurology</i> , 2021 , 96, e1512-e1526	6.5	5
265	Greater Adherence to Secondary Prevention Medications Improves Survival After Stroke or Transient Ischemic Attack: A Linked Registry Study. <i>Stroke</i> , 2021 , 52, 3569-3577	6.7	4
264	Early decompressive hemicraniectomy in thrombolysed acute ischemic stroke patients from the international ENCHANTED trial. <i>Scientific Reports</i> , 2021 , 11, 16495	4.9	
263	Do valproate preparations improve agitation in dementia? A Cochrane Review summary with commentary. <i>Australasian Journal on Ageing</i> , 2021 , 40, 336-338	1.5	
262	Regional Differences in Early BP Management After Acute Ischemic Stroke in the ENCHANTED International Randomized Controlled Trials. <i>Frontiers in Neurology</i> , 2021 , 12, 687862	4.1	0
261	Utility of the Hospital Frailty Risk Score Derived From Administrative Data and the Association With Stroke Outcomes. <i>Stroke</i> , 2021 , 52, 2874-2881	6.7	3
260	Secondary Prevention of Stroke: Study Protocol for a Telehealth-Delivered Physical Activity and Diet Pilot Randomized Trial (ENABLE-Pilot). <i>Cerebrovascular Diseases</i> , 2021 , 50, 605-611	3.2	1
259	Disparities between Asian and Non-Asian Thrombolysed Acute Ischemic Stroke Patients in the Enhanced Control of Hypertension and Thrombolysis Stroke Trial. <i>Cerebrovascular Diseases</i> , 2021 , 50, 560-566	3.2	1
258	EFFECTS OF CANAGLIFLOZIN ON STROKE IN THE CREDENCE TRIAL. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 215	15.1	2
257	Thrombolysis Outcomes in Acute Ischemic Stroke by Fluid-Attenuated Inversion Recovery Hyperintense Arteries. <i>Stroke</i> , 2020 , 51, 2240-2243	6.7	5
256	Understanding how a community-based intervention for people with spinal cord injury in Bangladesh was delivered as part of a randomised controlled trial: a process evaluation. <i>Spinal Cord</i> , 2020 , 58, 1166-1175	2.7	3
255	Utility-Weighted Modified Rankin Scale Scores for the Assessment of Stroke Outcome: Pooled Analysis of 20 000+ Patients. <i>Stroke</i> , 2020 , 51, 2411-2417	6.7	3

254	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial. <i>PLoS Medicine</i> , 2020 , 17, e1003029	11.6	12
253	Cluster-Randomized Trial of Thrombolysis Implementation Support in Metropolitan and Regional Australian Stroke Centers: Lessons for Individual and Systems Behavior Change. <i>Journal of the American Heart Association</i> , 2020 , 9, e012732	6	10
252	Apolipoprotein E and Health in Older Men: The Concord Health and Ageing in Men Project. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 1858-1862	6.4	1
251	Clinical prognosis of FLAIR hyperintense arteries in ischaemic stroke patients: a systematic review and meta-analysis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 , 91, 475-482	5.5	4
250	Ethnicity and Other Determinants of Quality of Functional Outcome in Acute Ischemic Stroke: The ENCHANTED Trial. <i>Stroke</i> , 2020 , 51, 588-593	6.7	1
249	Factors Associated With 90-Day Readmission After Stroke or Transient Ischemic Attack: Linked Data From the Australian Stroke Clinical Registry. <i>Stroke</i> , 2020 , 51, 571-578	6.7	9
248	Combined utility of blood glucose and white blood cell in predicting outcome after acute ischemic stroke: The ENCHANTED trial. <i>Clinical Neurology and Neurosurgery</i> , 2020 , 198, 106254	2	0
247	Brain imaging abnormalities and outcome after acute ischaemic stroke: the ENCHANTED trial. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 , 91, 1290-1296	5.5	5
246	Safety and efficacy of fluoxetine on functional outcome after acute stroke (AFFINITY): a randomised, double-blind, placebo-controlled trial. <i>Lancet Neurology</i> , 2020 , 19, 651-660	24.1	48
245	Brain Imaging Signs and Health-Related Quality of Life after Acute Ischemic Stroke: Analysis of ENCHANTED Alteplase Dose Arm. <i>Cerebrovascular Diseases</i> , 2020 , 49, 427-436	3.2	1
244	Who will benefit more from low-dose alteplase in acute ischemic stroke?. <i>International Journal of Stroke</i> , 2020 , 15, 39-45	6.3	6
243	Fatal and non-fatal events within 14 days after early, intensive mobilization post stroke. <i>Neurology</i> , 2020 ,	6.5	4
242	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial 2020 , 17, e1003029		
241	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial 2020 , 17, e1003029		
240	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial 2020 , 17, e1003029		
239	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial 2020 , 17, e1003029		
238	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial 2020 , 17, e1003029		
237	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial 2020 , 17, e1003029		

236	Digitally enabled aged care and neurological rehabilitation to enhance outcomes with Activity and MObility UsiNg Technology (AMOUNT) in Australia: A randomised controlled trial 2020 , 17, e1003029		
235	Incidence, risk factors and economic burden of fall-related injuries in older Chinese people: a systematic review. <i>Injury Prevention</i> , 2019 , 25, 4-12	3.2	36
234	Impact of Evidence-Based Stroke Care on Patient Outcomes: A Multilevel Analysis of an International Study. <i>Journal of the American Heart Association</i> , 2019 , 8, e012640	6	6
233	Caregiver-Delivered Stroke Rehabilitation in Rural China. <i>Stroke</i> , 2019 , 50, 1825-1830	6.7	31
232	Determinants of Early Versus Delayed Neurological Deterioration in Intracerebral Hemorrhage. <i>Stroke</i> , 2019 , 50, 1409-1414	6.7	20
231	Infratentorial Intracerebral Hemorrhage. <i>Stroke</i> , 2019 , 50, 1257-1259	6.7	10
230	The effect of a multidisciplinary co-management program for the older hip fracture patients in Beijing: a "pre- and post-" retrospective study. <i>Archives of Osteoporosis</i> , 2019 , 14, 43	2.9	19
229	Intensive blood pressure reduction with intravenous thrombolysis therapy for acute ischaemic stroke (ENCHANTED): an international, randomised, open-label, blinded-endpoint, phase 3 trial. <i>Lancet, The</i> , 2019 , 393, 877-888	40	117
228	Family-led rehabilitation in India (ATTEND)-Findings from the process evaluation of a randomized controlled trial. <i>International Journal of Stroke</i> , 2019 , 14, 53-60	6.3	5
227	Early mobilization and quality of life after stroke: Findings from AVERT. <i>Neurology</i> , 2019 , 93, e717-e728	6.5	15
226	Disparities in Antihypertensive Prescribing After Stroke: Linked Data From the Australian Stroke Clinical Registry. <i>Stroke</i> , 2019 , 50, 3592-3599	6.7	9
225	Sex differences in treatment and outcome after stroke: Pooled analysis including 19,000 participants. <i>Neurology</i> , 2019 , 93, e2170-e2180	6.5	50
224	Interaction of Blood Pressure Lowering and Alteplase Dose in Acute Ischemic Stroke: Results of the Enhanced Control of Hypertension and Thrombolysis Stroke Study. <i>Cerebrovascular Diseases</i> , 2019 , 48, 207-216	3.2	2
223	Canagliflozin and Stroke in Type 2 Diabetes Mellitus. <i>Stroke</i> , 2019 , 50, 396-404	6.7	32
222	Returning to Unpaid Work after Stroke: The Psychosocial Outcomes in Stroke Cohort Study. <i>Cerebrovascular Diseases</i> , 2019 , 47, 1-7	3.2	0
221	Statistical analysis plan for evaluating different intensities of blood pressure control in the ENhanced Control of Hypertension And Thrombolysis strokE stuDy. <i>International Journal of Stroke</i> , 2019 , 14, 555-558	6.3	9
220	Stroke Prevention in the Very Elderly. <i>Stroke</i> , 2018 , 49, 796-802	6.7	15
219	Comparative effects of low-dose versus standard-dose alteplase in ischemic patients with prior stroke and/or diabetes mellitus: The ENCHANTED trial. <i>Journal of the Neurological Sciences</i> , 2018 , 387, 1-5	3.2	5

218	Pupil Dilation May Affect Retinal Vessel Caliber Measures. <i>Ophthalmic Epidemiology</i> , 2018 , 25, 234-237	1.9	2
217	Blood pressure variability and leukoaraiosis in acute ischemic stroke. <i>International Journal of Stroke</i> , 2018 , 13, 473-480	6.3	2
216	Treatment with exenatide in acute ischemic stroke trial protocol: A prospective, randomized, open label, blinded end-point study of exenatide vs. standard care in post stroke hyperglycemia. <i>International Journal of Stroke</i> , 2018 , 13, 857-862	6.3	10
215	Effects of alteplase for acute stroke according to criteria defining the European Union and United States marketing authorizations: Individual-patient-data meta-analysis of randomized trials. <i>International Journal of Stroke</i> , 2018 , 13, 175-189	6.3	26
214	Low- versus Standard-Dose Intravenous Alteplase in the Context of Bridging Therapy for Acute Ischemic Stroke: A Korean ENCHANTED Study. <i>Journal of Stroke</i> , 2018 , 20, 131-139	5.6	5
213	Clinical stroke research in resource limited settings: Tips and hints. <i>International Journal of Stroke</i> , 2018 , 13, 129-137	6.3	5
212	Protocol for process evaluation of CIVIC randomised controlled trial: Community-based InterVentions to prevent serlous Complications following spinal cord injury in Bangladesh. <i>BMJ Open</i> , 2018 , 8, e024226	3	3
211	NIHSS cut point for predicting outcome in supra- vs infratentorial acute ischemic stroke. <i>Neurology</i> , 2018 , 91, e1695-e1701	6.5	10
210	Effect of IV alteplase on the ischemic brain lesion at 24-48 hours after ischemic stroke. <i>Neurology</i> , 2018 , 91, e2067-e2077	6.5	7
209	Resuming anticoagulants after anticoagulation-associated intracranial haemorrhage: systematic review and meta-analysis. <i>BMJ Open</i> , 2018 , 8, e019672	3	23
208	Clinical Utility of Electronic Alberta Stroke Program Early Computed Tomography Score Software in the ENCHANTED Trial Database. <i>Stroke</i> , 2018 , 49, 1407-1411	6.7	20
207	Prognostic significance of delayed intraventricular haemorrhage in the INTERACT studies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017 , 88, 19-24	5.5	15
206	Intracerebral hemorrhage location and outcome among INTERACT2 participants. <i>Neurology</i> , 2017 , 88, 1408-1414	6.5	70
205	Associations with health-related quality of life after intracerebral haemorrhage: pooled analysis of INTERACT studies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017 , 88, 70-75	5.5	17
204	Low- Versus Standard-Dose Alteplase in Patients on Prior Antiplatelet Therapy: The ENCHANTED Trial (Enhanced Control of Hypertension and Thrombolysis Stroke Study). <i>Stroke</i> , 2017 , 48, 1877-1883	6.7	32
203	Cluster-Randomized, Crossover Trial of Head Positioning in Acute Stroke. <i>New England Journal of Medicine</i> , 2017 , 376, 2437-2447	59.2	97
202	The potential health and economic impact of improving stroke care standards for Australia. <i>International Journal of Stroke</i> , 2017 , 12, 875-885	6.3	4
201	Practice Patterns for Neurosurgical Utilization and Outcome in Acute Intracerebral Hemorrhage: Intensive Blood Pressure Reduction in Acute Cerebral Hemorrhage Trials 1 and 2 Studies. <i>Neurosurgery</i> , 2017 , 81, 980-985	3.2	8

200	Cerebral White Matter Hypoperfusion Increases with Small-Vessel Disease Burden. Data From the Third International Stroke Trial. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017 , 26, 1506-1513	2.8	36
199	Arterial Obstruction on Computed Tomographic or Magnetic Resonance Angiography and Response to Intravenous Thrombolytics in Ischemic Stroke. <i>Stroke</i> , 2017 , 48, 353-360	6.7	23
198	Early Cognitive Impairment after Intracerebral Hemorrhage in the INTERACT1 Study. <i>Cerebrovascular Diseases</i> , 2017 , 44, 320-324	3.2	11
197	Low-Dose vs Standard-Dose Alteplase for Patients With Acute Ischemic Stroke: Secondary Analysis of the ENCHANTED Randomized Clinical Trial. <i>JAMA Neurology</i> , 2017 , 74, 1328-1335	17.2	16
196	Characteristics, management and response to alteplase in China versus non-China participants of the ENCHANTED trial. <i>Stroke and Vascular Neurology</i> , 2017 , 2, 53-58	9.1	2
195	Frequency, determinants, and effects of early seizures after thrombolysis for acute ischemic stroke: The ENCHANTED trial. <i>Neurology: Clinical Practice</i> , 2017 , 7, 324-332	1.7	13
194	Positive impact of the participation in the ENCHANTED trial in reducing Door-to-Needle Time. <i>Scientific Reports</i> , 2017 , 7, 14168	4.9	0
193	Family-led rehabilitation after stroke in India (ATTEND): a randomised controlled trial. <i>Lancet, The</i> , 2017 , 390, 588-599	40	80
192	Statistical analysis plan for the family-led rehabilitation after stroke in India (ATTEND) trial: A multicenter randomized controlled trial of a new model of stroke rehabilitation compared to usual care. <i>International Journal of Stroke</i> , 2017 , 12, 208-210	6.3	4
191	Withdrawal of active treatment after intracerebral haemorrhage in the INTERACT2 study. <i>Age and Ageing</i> , 2017 , 46, 329-332	3	4
190	Influence of Renal Impairment on Outcome for Thrombolysis-Treated Acute Ischemic Stroke: ENCHANTED (Enhanced Control of Hypertension and Thrombolysis Stroke Study) Post Hoc Analysis. <i>Stroke</i> , 2017 , 48, 2605-2609	6.7	24
189	A randomized controlled trial on rehabilitation through caregiver-delivered nurse-organized service programs for disabled stroke patients in rural china (the RECOVER trial): design and rationale. <i>International Journal of Stroke</i> , 2016 , 11, 823-30	6.3	14
188	Risk Factors for Stroke in People with End-Stage Kidney Disease: A Cohort Study. <i>Cerebrovascular Diseases</i> , 2016 , 42, 428-438	3.2	7
187	Effects of Alteplase for Acute Stroke on the Distribution of Functional Outcomes: A Pooled Analysis of 9 Trials. <i>Stroke</i> , 2016 , 47, 2373-9	6.7	132
186	Informal Caregiving: A Growing Need for Inclusion in Stroke Rehabilitation. <i>Stroke</i> , 2016 , 47, 3057-3062	6.7	8
185	Effect of Right Insular Involvement on Death and Functional Outcome After Acute Ischemic Stroke in the IST-3 Trial (Third International Stroke Trial). <i>Stroke</i> , 2016 , 47, 2959-2965	6.7	21
184	Effects of alteplase on survival after ischaemic stroke (IST-3): 3 year follow-up of a randomised, controlled, open-label trial. <i>Lancet Neurology, The</i> , 2016 , 15, 1028-34	24.1	30
183	Factors influencing deprescribing for residents in Advanced Care Facilities: insights from General Practitioners in Australia and Sweden. <i>BMC Family Practice</i> , 2016 , 17, 152	2.6	20

182	6-PACK programme to decrease fall injuries in acute hospitals: cluster randomised controlled trial. <i>BMJ, The</i> , 2016 , 352, h6781	5.9	65
181	Community-based InterVentions to prevent serlous Complications (CIVIC) following spinal cord injury in Bangladesh: protocol of a randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e010350	3	11
180	Prognostic Significance of Hyponatremia in Acute Intracerebral Hemorrhage: Pooled Analysis of the Intensive Blood Pressure Reduction in Acute Cerebral Hemorrhage Trial Studies. <i>Critical Care Medicine</i> , 2016 , 44, 1388-94	1.4	26
179	Protocol-based management of older adults with hip fractures in Delhi, India: a feasibility study. <i>Pilot and Feasibility Studies</i> , 2016 , 2, 15	1.9	7
178	Family-led rehabilitation after stroke in India: the ATTEND trial, study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 13	2.8	19
177	Risk of intracerebral haemorrhage with alteplase after acute ischaemic stroke: a secondary analysis of an individual patient data meta-analysis. <i>Lancet Neurology, The</i> , 2016 , 15, 925-933	24.1	118
176	Determinants and Prognostic Significance of Hematoma Sedimentation Levels in Acute Intracerebral Hemorrhage. <i>Cerebrovascular Diseases</i> , 2016 , 41, 80-6	3.2	22
175	Significance of Cerebral Small-Vessel Disease in Acute Intracerebral Hemorrhage. <i>Stroke</i> , 2016 , 47, 701-76.7		38
174	Prespecified dose-response analysis for A Very Early Rehabilitation Trial (AVERT). <i>Neurology</i> , 2016 , 86, 2138-45	6.5	126
173	Do cognitive, language, or physical impairments affect participation in a trial of self-management programs for stroke?. <i>International Journal of Stroke</i> , 2016 , 11, 77-84	6.3	11
172	Estimated GFR and the Effect of Intensive Blood Pressure Lowering After Acute Intracerebral Hemorrhage. <i>American Journal of Kidney Diseases</i> , 2016 , 68, 94-102	7.4	22
171	Effect of alteplase on the CT hyperdense artery sign and outcome after ischemic stroke. <i>Neurology</i> , 2016 , 86, 118-25	6.5	23
170	Management of hip fractures in older people in Beijing: a retrospective audit and comparison with evidence-based guidelines and practice in the UK. <i>Osteoporosis International</i> , 2016 , 27, 677-81	5.3	21
169	Low Ambient Temperature and Intracerebral Hemorrhage: The INTERACT2 Study. <i>PLoS ONE</i> , 2016 , 11, e0149040	3.7	10
168	SP301PROGNOSIS FOLLOWING ISCHAEMIC STROKE IN PEOPLE WITH CHRONIC KIDNEY DISEASE: A COHORT STUDY OF 650 PEOPLE. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, i190-i190	4.3	
167	Effect of affordable technology on physical activity levels and mobility outcomes in rehabilitation: a protocol for the Activity and MObility UsiNg Technology (AMOUNT) rehabilitation trial. <i>BMJ Open</i> , 2016 , 6, e012074	3	20
166	Health coaching and pedometers to enhance physical activity and prevent falls in community-dwelling people aged 60 years and over: study protocol for the Coaching for Healthy AGEing (CHANGE) cluster randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e012277	3	11
165	Protocol for process evaluation of a randomised controlled trial of family-led rehabilitation post stroke (ATTEND) in India. <i>BMJ Open</i> , 2016 , 6, e012027	3	11

164	Early blood pressure lowering in patients with intracerebral haemorrhage and prior use of antithrombotic agents: pooled analysis of the INTERACT studies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016 , 87, 1330-1335	5.5	12
163	Driving in stroke survivors aged 18-65 years: The Psychosocial Outcomes In Stroke (POISE) Cohort Study. <i>International Journal of Stroke</i> , 2016 , 11, 799-806	6.3	11
162	IST-3 stroke trial data available. <i>Lancet, The</i> , 2016 , 387, 1904	4.0	0
161	Barricades and brickwalls--a qualitative study exploring perceptions of medication use and deprescribing in long-term care. <i>BMC Geriatrics</i> , 2016 , 16, 15	4.1	61
160	Significance of Hematoma Shape and Density in Intracerebral Hemorrhage: The Intensive Blood Pressure Reduction in Acute Intracerebral Hemorrhage Trial Study. <i>Stroke</i> , 2016 , 47, 1227-32	6.7	44
159	Prophylactic heparin in acute intracerebral hemorrhage: a propensity score-matched analysis of the INTERACT2 study. <i>International Journal of Stroke</i> , 2016 , 11, 549-56	6.3	10
158	Low-Dose versus Standard-Dose Intravenous Alteplase in Acute Ischemic Stroke. <i>New England Journal of Medicine</i> , 2016 , 374, 2313-23	59.2	259
157	Better outcomes for hospitalized patients with TIA when in stroke units: An observational study. <i>Neurology</i> , 2016 , 86, 2042-8	6.5	20
156	METACOHORTS for the study of vascular disease and its contribution to cognitive decline and neurodegeneration: An initiative of the Joint Programme for Neurodegenerative Disease Research. <i>Alzheimer's and Dementia</i> , 2016 , 12, 1235-1249	1.2	54
155	Higher mortality in patients with right hemispheric intracerebral haemorrhage: INTERACT1 and 2. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2015 , 86, 1319-23	5.5	10
154	Chronic kidney disease and the risk of stroke: a systematic review and meta-analysis. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1162-9	4.3	146
153	Older age is a strong predictor for poor outcome in intracerebral haemorrhage: the INTERACT2 study. <i>Age and Ageing</i> , 2015 , 44, 422-7	3	43
152	Observer reliability of CT angiography in the assessment of acute ischaemic stroke: data from the Third International Stroke Trial. <i>Neuroradiology</i> , 2015 , 57, 1-9	3.2	29
151	Off-Hour Admission and Outcomes in Patients with Acute Intracerebral Hemorrhage in the INTERACT2 Trial. <i>Cerebrovascular Diseases</i> , 2015 , 40, 114-20	3.2	6
150	Association between brain imaging signs, early and late outcomes, and response to intravenous alteplase after acute ischaemic stroke in the third International Stroke Trial (IST-3): secondary analysis of a randomised controlled trial. <i>Lancet Neurology, The</i> , 2015 , 14, 485-96	24.1	122
149	Efficacy and safety of very early mobilisation within 24 h of stroke onset (AVERT): a randomised controlled trial. <i>Lancet, The</i> , 2015 , 386, 46-55	4.0	440
148	Alteplase for acute ischemic stroke: outcomes by clinically important subgroups in the Third International Stroke Trial. <i>Stroke</i> , 2015 , 46, 746-56	6.7	50
147	Rationale, design, and progress of the ENhanced Control of Hypertension ANd Thrombolysis stroke stuDY (ENCHANTED) trial: An international multicenter 2x2 quasi-factorial randomized controlled trial of low- vs. standard-dose rt-PA and early intensive vs. guideline-recommended blood pressure lowering in patients with acute ischaemic stroke eligible for thrombolysis treatment. <i>International Journal of Stroke</i> , 2015 , 10, 778-88	6.3	69

146	Effects of Blood Pressure and Blood Pressure-Lowering Treatment During the First 24 Hours Among Patients in the Third International Stroke Trial of Thrombolytic Treatment for Acute Ischemic Stroke. <i>Stroke</i> , 2015 , 46, 3362-9	6.7	58
145	Mannitol and Outcome in Intracerebral Hemorrhage: Propensity Score and Multivariable Intensive Blood Pressure Reduction in Acute Cerebral Hemorrhage Trial 2 Results. <i>Stroke</i> , 2015 , 46, 2762-7	6.7	41
144	Risk of Stroke in Patients with ESRD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 1585-92	6.9	27
143	Effect of Intravenous Recombinant Tissue-Type Plasminogen Activator in Patients With Mild Stroke in the Third International Stroke Trial-3: Post Hoc Analysis. <i>Stroke</i> , 2015 , 46, 2325-7	6.7	34
142	Methodology of the Stroke Self-Management Rehabilitation Trial: an international, multisite pilot trial. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015 , 24, 297-303	2.8	14
141	Sensitivity and specificity of the hyperdense artery sign for arterial obstruction in acute ischemic stroke. <i>Stroke</i> , 2015 , 46, 102-7	6.7	71
140	Protocol for the perfusion and angiography imaging sub-study of the Third International Stroke Trial (IST-3) of alteplase treatment within six-hours of acute ischemic stroke. <i>International Journal of Stroke</i> , 2015 , 10, 956-68	6.3	20
139	Family-Led Rehabilitation after Stroke in India: the ATTEND pilot study. <i>International Journal of Stroke</i> , 2015 , 10, 609-14	6.3	27
138	AVERT2 (a very early rehabilitation trial, a very effective reproductive trigger): retrospective observational analysis of the number of babies born to trial staff. <i>BMJ, The</i> , 2015 , 351, h6432	5.9	14
137	FP332RISK FACTORS FOR STROKE IN PEOPLE WITH END-STAGE KIDNEY DISEASE: A COHORT STUDY OF 10,745 PEOPLE. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, iii179-iii179	4.3	
136	Head Position in Stroke Trial (HeadPoST)--sitting-up vs lying-flat positioning of patients with acute stroke: study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2015 , 16, 256	2.8	22
135	Statistical analysis plan for evaluating low- vs. standard-dose alteplase in the ENhanced Control of Hypertension and Thrombolysis stroke stuDY (ENCHANTED). <i>International Journal of Stroke</i> , 2015 , 10, 1313-5	6.3	26
134	Exploring threats to generalisability in a large international rehabilitation trial (AVERT). <i>BMJ Open</i> , 2015 , 5, e008378	3	15
133	Optimal achieved blood pressure in acute intracerebral hemorrhage: INTERACT2. <i>Neurology</i> , 2015 , 84, 464-71	6.5	70
132	Statistical analysis plan (SAP) for A Very Early Rehabilitation Trial (AVERT): an international trial to determine the efficacy and safety of commencing out of bed standing and walking training (very early mobilization) within 24 h of stroke onset vs. usual stroke unit care. <i>International Journal of Stroke</i> , 2015 , 10, 23-4	6.3	21
131	Effect of X-Ray Attenuation of Arterial Obstructions on Intravenous Thrombolysis and Outcome after Ischemic Stroke. <i>PLoS ONE</i> , 2015 , 10, e0145683	3.7	2
130	Blood pressure variability and outcome after acute intracerebral haemorrhage: a post-hoc analysis of INTERACT2, a randomised controlled trial. <i>Lancet Neurology, The</i> , 2014 , 13, 364-73	24.1	158
129	Alteplase for ischaemic stroke--responses. <i>Lancet, The</i> , 2014 , 384, 660-1	40	0

128	Effect of treatment delay, age, and stroke severity on the effects of intravenous thrombolysis with alteplase for acute ischaemic stroke: a meta-analysis of individual patient data from randomised trials. <i>Lancet, The</i> , 2014 , 384, 1929-35	4.0	1415
127	Treadmill training provides greater benefit to the subgroup of community-dwelling people after stroke who walk faster than 0.4m/s: a randomised trial. <i>Journal of Physiotherapy</i> , 2014 , 60, 97-101	2.9	16
126	Thrombolysis Implementation in Stroke (TIPS): evaluating the effectiveness of a strategy to increase the adoption of best evidence practice--protocol for a cluster randomised controlled trial in acute stroke care. <i>Implementation Science</i> , 2014 , 9, 38	8.4	19
125	Targeting recombinant tissue-type plasminogen activator in acute ischemic stroke based on risk of intracranial hemorrhage or poor functional outcome: an analysis of the third international stroke trial. <i>Stroke</i> , 2014 , 45, 1000-6	6.7	52
124	The speed of ultraearly hematoma growth in acute intracerebral hemorrhage. <i>Neurology</i> , 2014 , 83, 2232-6	8.5	25
123	Effect of alteplase within 6 hours of acute ischemic stroke on all-cause mortality (third International Stroke Trial). <i>Stroke</i> , 2014 , 45, 3612-7	6.7	15
122	Differing associations of white matter lesions and lacunar infarction with retinal microvascular signs. <i>International Journal of Stroke</i> , 2014 , 9, 921-5	6.3	19
121	A randomized clinical trial of the immunogenicity of 7-valent pneumococcal conjugate vaccine compared to 23-valent polysaccharide vaccine in frail, hospitalized elderly. <i>PLoS ONE</i> , 2014 , 9, e94578	3.7	25
120	It's time for clinical guidelines to enter the digital age. <i>Medical Journal of Australia</i> , 2014 , 200, 388	4	
119	Are rehabilitation services following stroke accessed equitably in Australia?: findings from the psychosocial outcomes in stroke (POISE) cohort study. <i>BMC Public Health</i> , 2013 , 13, 884	4.1	3
118	Neuroimaging standards for research into small vessel disease and its contribution to ageing and neurodegeneration. <i>Lancet Neurology, The</i> , 2013 , 12, 822-38	24.1	2662
117	Rapid blood-pressure lowering in patients with acute intracerebral hemorrhage. <i>New England Journal of Medicine</i> , 2013 , 368, 2355-65	59.2	988
116	Effect of thrombolysis with alteplase within 6 h of acute ischaemic stroke on long-term outcomes (the third International Stroke Trial [IST-3]): 18-month follow-up of a randomised controlled trial. <i>Lancet Neurology, The</i> , 2013 , 12, 768-76	24.1	103
115	Ischaemic heart disease, influenza and influenza vaccination: a prospective case control study. <i>Heart</i> , 2013 , 99, 1843-8	5.1	61
114	Details of a prospective protocol for a collaborative meta-analysis of individual participant data from all randomized trials of intravenous rt-PA vs. control: statistical analysis plan for the Stroke Thrombolysis TrialistsPCollaborative meta-analysis. <i>International Journal of Stroke</i> , 2013 , 8, 278-83	6.3	16
113	Statistical analysis plan for the second INTENSive blood pressure Reduction in Acute Cerebral hemorrhage Trial (INTERACT2): a large-scale investigation to solve longstanding controversy over the most appropriate management of elevated blood pressure in the hyperacute phase of intracerebral hemorrhage. <i>International Journal of Stroke</i> , 2013 , 8, 327-8	6.3	6
112	Randomized trial of treadmill training to improve walking in community-dwelling people after stroke: the AMBULATE trial. <i>International Journal of Stroke</i> , 2013 , 8, 436-44	6.3	53
111	Identifying seminal papers in the Australasian Journal on Ageing 1982-2011: a Delphi consensus approach. <i>Australasian Journal on Ageing</i> , 2013 , 32 Suppl 2, 6-11	1.5	1

110	Stroke care in Australia: why is it still the poor cousin of health care?. <i>Medical Journal of Australia</i> , 2013 , 199, 166, 168	4	
109	Statistical analysis plan for the third International Stroke Trial (IST-3); part of a RthreadPof reports of the trial. <i>International Journal of Stroke</i> , 2012 , 7, 186-7	6.3	29
108	Stroke management: updated recommendations for treatment along the care continuum. <i>Internal Medicine Journal</i> , 2012 , 42, 562-9	1.6	32
107	Recombinant tissue plasminogen activator for acute ischaemic stroke: an updated systematic review and meta-analysis. <i>Lancet, The</i> , 2012 , 379, 2364-72	40	695
106	The benefits and harms of intravenous thrombolysis with recombinant tissue plasminogen activator within 6 h of acute ischaemic stroke (the third international stroke trial [IST-3]): a randomised controlled trial. <i>Lancet, The</i> , 2012 , 379, 2352-63	40	841
105	Thrombolysis in acute ischaemic stroke [AuthorsPreply. <i>Lancet, The</i> , 2012 , 380, 1054-1055	40	1
104	Returning to paid employment after stroke: the Psychosocial Outcomes In Stroke (POISE) cohort study. <i>PLoS ONE</i> , 2012 , 7, e41795	3.7	62
103	Drug trials for older people. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2012 , 67, 152-7	6.4	27
102	The relationship between aortic stiffness and changes in retinal microvessels among Asian ischemic stroke patients. <i>Journal of Human Hypertension</i> , 2012 , 26, 716-22	2.6	16
101	How are household economic circumstances affected after a stroke? The Psychosocial Outcomes In Stroke (POISE) Study. <i>Stroke</i> , 2012 , 43, 3110-3	6.7	15
100	Treating and preventing influenza in aged care facilities: a cluster randomised controlled trial. <i>PLoS ONE</i> , 2012 , 7, e46509	3.7	27
99	Update on the third international stroke trial (IST-3) of thrombolysis for acute ischaemic stroke and baseline features of the 3035 patients recruited. <i>Trials</i> , 2011 , 12, 252	2.8	31
98	The timing, extent, progression and regression of deep vein thrombosis in immobile stroke patients: observational data from the CLOTS multicenter randomized trials. <i>Journal of Thrombosis and Haemostasis</i> , 2011 , 9, 2193-200	15.4	31
97	Utility of the Addenbrooke's Cognitive Examination--Revised for the diagnosis of dementia syndromes. <i>Australasian Journal on Ageing</i> , 2011 , 30, 113-8	1.5	14
96	Transient ischemic attack and acute ischemic stroke: associations with retinal microvascular signs. <i>Stroke</i> , 2011 , 42, 404-8	6.7	26
95	Planning trials in older patients with stroke: data from the International Stroke Trial. <i>Age and Ageing</i> , 2011 , 40, 395-8	3	2
94	Odds of favourable 3-month outcome following ischaemic stroke are greatest when treatment with intravenous alteplase is initiated up to 90 min following event, with no benefit seen if alteplase is given after 270 min. <i>Evidence-Based Medicine</i> , 2011 , 16, 22-3		
93	Influenza in aged care facilities. <i>Reviews in Clinical Gerontology</i> , 2011 , 21, 91-97		1

92	Retinal microvascular changes and subsequent vascular events after ischemic stroke. <i>Neurology</i> , 2011 , 77, 896-903	6.5	39
91	Associations of retinal microvascular signs and intracranial large artery disease. <i>Stroke</i> , 2011 , 42, 812-4	6.7	20
90	A phase II multicentered, single-blind, randomized, controlled trial of the stroke self-management program. <i>Stroke</i> , 2011 , 42, 1673-9	6.7	85
89	Thrombolysis in elderly people. Observational data insufficient to change treatment. <i>BMJ, The</i> , 2011 , 342, d306; author reply d312	5.9	7
88	The second (main) phase of an open, randomised, multicentre study to investigate the effectiveness of an intensive blood pressure reduction in acute cerebral haemorrhage trial (INTERACT2). <i>International Journal of Stroke</i> , 2010 , 5, 110-6	6.3	100
87	Where are we now with intravenous thrombolysis for acute ischaemic stroke?. <i>International Journal of Stroke</i> , 2010 , 5, 381-2	6.3	3
86	Thrombolysis for acute stroke in Australia: outcomes from the Safe Implementation of Thrombolysis in Stroke registry (2002-2008). <i>Medical Journal of Australia</i> , 2010 , 193, 439-43	4	23
85	Effects of homocysteine-lowering with folic acid plus vitamin B12 vs placebo on mortality and major morbidity in myocardial infarction survivors: a randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 303, 2486-94	27.4	235
84	Aspirin for prevention of cardiovascular events in a general population screened for a low ankle brachial index: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 303, 841-8	27.4	416
83	Retinal microvascular signs may provide clues to the underlying vasculopathy in patients with deep intracerebral hemorrhage. <i>Stroke</i> , 2010 , 41, 618-23	6.7	36
82	Differential associations of cortical and subcortical cerebral atrophy with retinal vascular signs in patients with acute stroke. <i>Stroke</i> , 2010 , 41, 2143-50	6.7	29
81	Retinopathy and lobar intracerebral hemorrhage: insights into pathogenesis. <i>Archives of Neurology</i> , 2010 , 67, 1224-30		19
80	Incompletely matched influenza vaccine still provides protection in frail elderly. <i>Vaccine</i> , 2010 , 28, 864-74.1	4.1	23
79	Difficulties in recruiting older people in clinical trials: an examination of barriers and solutions. <i>Vaccine</i> , 2010 , 28, 901-6	4.1	78
78	Lack of pneumococcal carriage in the hospitalised elderly. <i>Vaccine</i> , 2010 , 28, 3902-4	4.1	35
77	Intensive lowering of LDL cholesterol with 80 mg versus 20 mg simvastatin daily in 12,064 survivors of myocardial infarction: a double-blind randomised trial. <i>Lancet, The</i> , 2010 , 376, 1658-69	40	416
76	The burden of infectious gastroenteritis in elderly residents and staff of long-term care facilities, Australia. <i>Infection Control and Hospital Epidemiology</i> , 2010 , 31, 860-3	2	10
75	Thigh-length versus below-knee stockings for deep venous thrombosis prophylaxis after stroke: a randomized trial. <i>Annals of Internal Medicine</i> , 2010 , 153, 553-62	8	120

74	Retinal fractals and acute lacunar stroke. <i>Annals of Neurology</i> , 2010 , 68, 107-11	9.4	79
73	Response to "A graphic reanalysis of the NINDS Trial". <i>Annals of Emergency Medicine</i> , 2010 , 55, 227-9; author reply 229	2.1	3
72	Retinal vascular caliber and extracranial carotid disease in patients with acute ischemic stroke: the Multi-Centre Retinal Stroke (MCRS) study. <i>Stroke</i> , 2009 , 40, 3695-9	6.7	24
71	Is intraarterial tPA within 3 hours the treatment of choice for selected stroke patients?: No. <i>Stroke</i> , 2009 , 40, 2613-4	6.7	5
70	Psychosocial Outcomes in Stroke: the POISE observational stroke study protocol. <i>BMC Neurology</i> , 2009 , 9, 24	3.1	17
69	Improving community ambulation after stroke: the AMBULATE Trial. <i>BMC Neurology</i> , 2009 , 9, 8	3.1	36
68	Retinal microvasculature in acute lacunar stroke: a cross-sectional study. <i>Lancet Neurology</i> , 2009 , 8, 628-34	24.1	123
67	A practical assessment of magnetic resonance diffusion-perfusion mismatch in acute stroke: observer variation and outcome. <i>Journal of Neurology</i> , 2009 , 256, 1832-8	5.5	8
66	The assessment of frailty in older people in acute care. <i>Australasian Journal on Ageing</i> , 2009 , 28, 170	1.5	3
65	Getting your life back on track after stroke—a Phase II multi-centered, single-blind, randomized, controlled trial of the Stroke Self-Management Program vs. the Stanford Chronic Condition Self-Management Program or standard care in stroke survivors. <i>International Journal of Stroke</i> , 2009 , 4, 127-34	6.3	32
64	The implementation of intravenous tissue plasminogen activator in acute ischaemic stroke—a scientific position statement from the National Stroke Foundation and the Stroke Society of Australasia. <i>Internal Medicine Journal</i> , 2009 , 39, 317-24	1.6	13
63	Retinal microvascular signs and cognitive impairment. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 1892-6	5.6	43
62	Immunological responses to pneumococcal vaccine in frail older people. <i>Vaccine</i> , 2009 , 27, 1628-36	4.1	108
61	A qualitative study to assess the perceived benefits and barriers to the pneumococcal vaccine in hospitalised older people. <i>Vaccine</i> , 2009 , 27, 3775-9	4.1	11
60	Effectiveness of thigh-length graduated compression stockings to reduce the risk of deep vein thrombosis after stroke (CLOTS trial 1): a multicentre, randomised controlled trial. <i>Lancet</i> , 2009 , 373, 1958-65	4.0	34.0
59	Oxfordshire community stroke project clinical stroke syndrome and appearances of tissue and vascular lesions on pretreatment ct in hyperacute ischemic stroke among the first 510 patients in the Third International Stroke Trial (IST-3). <i>Stroke</i> , 2009 , 40, 743-8	6.7	28
58	Intensive blood pressure reduction in acute cerebral haemorrhage trial (INTERACT): a randomised pilot trial. <i>Lancet Neurology</i> , 2008 , 7, 391-9	24.1	623
57	EPITHET—where next?. <i>Lancet Neurology</i> , 2008 , 7, 570-1; author reply 571-3	24.1	6

56	Factors associated with pneumococcal immunisation among hospitalised elderly persons: a survey of patient's perception, attitude, and knowledge. <i>Vaccine</i> , 2008 , 26, 234-40	4.1	30
55	Differences in attitudes, beliefs and knowledge of hospital health care workers and community doctors to vaccination of older people. <i>Vaccine</i> , 2008 , 26, 5633-40	4.1	38
54	Improving onset to needle time: knowledge is not enough. <i>Stroke</i> , 2008 , 39, 1667	6.7	2
53	Cluster randomised trial of a targeted multifactorial intervention to prevent falls among older people in hospital. <i>BMJ, The</i> , 2008 , 336, 758-60	5.9	161
52	Stroke Rehabilitation. <i>Brain Impairment</i> , 2008 , 9, 97-102	1	2
51	Low dose aspirin and cognitive function in middle aged to elderly adults: randomised controlled trial. <i>BMJ, The</i> , 2008 , 337, a1198	5.9	64
50	Third international stroke trial (IST-3) of thrombolysis for acute ischaemic stroke. <i>Trials</i> , 2008 , 9, 37	2.8	72
49	Retinal microvascular signs: a key to understanding the underlying pathophysiology of different stroke subtypes?. <i>International Journal of Stroke</i> , 2008 , 3, 297-305	6.3	21
48	The challenges of clinical trials in the exclusion zone: the case of the frail elderly. <i>Australasian Journal on Ageing</i> , 2008 , 27, 61-6	1.5	47
47	Medium intensity oral anticoagulants versus aspirin after cerebral ischaemia of arterial origin (ESPRIT): a randomised controlled trial. <i>Lancet Neurology, The</i> , 2007 , 6, 115-24	24.1	178
46	Commentary on NICE guidelines for alteplase for the treatment of acute ischaemic stroke. <i>Heart</i> , 2007 , 93, 1617-8	5.1	2
45	Sensory impairment, use of community support services, and quality of life in aged care clients. <i>Journal of Aging and Health</i> , 2007 , 19, 229-41	2.6	16
44	Coronary catheterisation does not lead to retinal artery emboli in short-term follow-up of cardiac patients. <i>Stroke</i> , 2007 , 38, 2370-52	6.7	4
43	Predictors of pneumococcal vaccination uptake in hospitalized patients aged 65 years and over shortly following the commencement of a publicly funded national pneumococcal vaccination program in Australia. <i>Hum Vaccin</i> , 2007 , 3, 83-6		16
42	Mobilisation in bed is not mobilisation. <i>Cerebrovascular Diseases</i> , 2007 , 24, 157-8; author reply 159	3.2	56
41	Community care after stroke. <i>Australian Family Physician</i> , 2007 , 36, 914-7		
40	Eye care service utilization in older people seeking aged care. <i>Clinical and Experimental Ophthalmology</i> , 2006 , 34, 141-5	2.4	10
39	Sensory and cognitive association in older persons: findings from an older Australian population. <i>Gerontology</i> , 2006 , 52, 386-94	5.5	141

38	Lifetime cost effectiveness of simvastatin in a range of risk groups and age groups derived from a randomised trial of 20,536 people. <i>BMJ, The</i> , 2006 , 333, 1145	5.9	70
37	Distinguishing between stroke and mimic at the bedside: the brain attack study. <i>Stroke</i> , 2006 , 37, 769-756.7		313
36	Interobserver agreement for the bedside clinical assessment of suspected stroke. <i>Stroke</i> , 2006 , 37, 776-807		46
35	Patients with transient ischemic attack do not need to be admitted to hospital for urgent evaluation and treatment: against. <i>Stroke</i> , 2006 , 37, 1139-40	6.7	21
34	Impact of stroke syndrome and stroke severity on the process of consent in the Third International Stroke Trial. <i>Cerebrovascular Diseases</i> , 2006 , 21, 348-52	3.2	29
33	MR diffusion-weighted imaging and outcome prediction after ischemic stroke. <i>Neurology</i> , 2006 , 66, 1159-63	6.3	98
32	Pandemic influenza: clinical issues. <i>Medical Journal of Australia</i> , 2006 , 185, S44-7	4	20
31	Uncertainties about thrombolysis for stroke should be addressed with large-scale randomized trials. <i>Stroke</i> , 2006 , 37, 2662; author reply 2664-5	6.7	0
30	Third international stroke trial. <i>International Journal of Stroke</i> , 2006 , 1, 172-6	6.3	47
29	A Very Early Rehabilitation Trial (AVERT). <i>International Journal of Stroke</i> , 2006 , 1, 169-71	6.3	60
28	Vision and hearing impairment in aged care clients. <i>Ophthalmic Epidemiology</i> , 2005 , 12, 199-205	1.9	33
27	Thrombolysis in acute ischaemic stroke: a guide to patient selection. <i>CNS Drugs</i> , 2005 , 19, 539-51	6.7	
26	Alteplase and ischaemic stroke: have new reviews of old data helped?. <i>Lancet Neurology, The</i> , 2005 , 4, 249-53	24.1	11
25	Magnetic resonance brain imaging in patients with acute stroke: feasibility and patient related difficulties. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005 , 76, 1525-7	5.5	68
24	Incorporating vision and hearing tests into aged care assessment: methods and the pilot study. <i>Ophthalmic Epidemiology</i> , 2004 , 11, 427-36	1.9	7
23	Frequency and risk factors for spontaneous hemorrhagic transformation of cerebral infarction. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2004 , 13, 235-46	2.8	74
22	Cost-effectiveness of thrombolysis with recombinant tissue plasminogen activator for acute ischemic stroke assessed by a model based on UK NHS costs. <i>Stroke</i> , 2004 , 35, 1490-7	6.7	101
21	Effects of a perindopril-based blood pressure lowering regimen on cardiac outcomes among patients with cerebrovascular disease. <i>European Heart Journal</i> , 2003 , 24, 475-84	9.5	35

20	Thrombolysis for acute ischaemic stroke: consumer involvement in design of new randomised controlled trial. <i>BMJ, The</i> , 2002 , 325, 415	5.9	79
19	Thrombolysis for acute stroke in the United Kingdom. <i>Age and Ageing</i> , 2002 , 31 Suppl 3, 28-30	3	9
18	Thrombolysis for acute ischemic stroke: still a treatment for the few by the few. <i>Western Journal of Medicine</i> , 2002 , 176, 198-9		20
17	Thrombolysis for acute ischemic stroke: a consensus statement of the 3rd Karolinska Stroke Update, October 30-31, 2000. <i>Stroke</i> , 2001 , 32, 2717-8	6.7	22
16	John Rankin (1923-1981). <i>Journal of Neurology</i> , 2001 , 248, 1007-8	5.5	2
15	Prediction of outcome after stroke. <i>Lancet, The</i> , 2001 , 358, 1552-3; author reply 1553-4	4.0	4
14	Trials of thrombolysis in acute ischemic stroke: does the choice of primary outcome measure really matter?. <i>Stroke</i> , 2000 , 31, 1133-5	6.7	23
13	Stress-related primary intracerebral hemorrhage: autopsy clues to underlying mechanism. <i>Stroke</i> , 2000 , 31, 1426-8	6.7	28
12	Neuroprotection disappointment yet aGAIN. <i>Lancet, The</i> , 2000 , 356, 597	4.0	10
11	Delays in stroke referrals. <i>Lancet, The</i> , 1999 , 354, 47-8	4.0	18
10	Stroke medicine for the geriatrician. <i>Reviews in Clinical Gerontology</i> , 1999 , 9, 23-38		1
9	Drug therapy for acute ischaemic stroke: risks versus benefits. <i>Drug Safety</i> , 1998 , 19, 373-82	5.1	
8	Comparison of a Simple Isotope Method of Predicting Likely Middle Cerebral Artery Occlusion with Transcranial Doppler Ultrasound in Acute Ischaemic Stroke. <i>Cerebrovascular Diseases</i> , 1996 , 6, 32-39	3.2	10
7	The validity of a simple clinical classification of acute ischaemic stroke. <i>Journal of Neurology</i> , 1996 , 243, 274-9	5.5	74
6	Hospital services for patients with acute stroke in the United Kingdom: the Stroke Association Survey of consultant opinion. <i>Age and Ageing</i> , 1995 , 24, 525-32	3	31
5	Can Simple Questions Assess Outcome after Stroke?. <i>Cerebrovascular Diseases</i> , 1994 , 4, 314-324	3.2	106
4	Antithrombotic therapy in acute ischaemic stroke: an overview of the completed randomised trials.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1994 , 57, 254-255	5.5	
3	Does Early Reperfusion of a Cerebral Infarct Influence Cerebral Infarct Swelling in the Acute Stage or the Final Clinical Outcome?. <i>Cerebrovascular Diseases</i> , 1993 , 3, 86-93	3.2	32

- 2 Antithrombotic therapy in acute ischaemic stroke: an overview of the completed randomised trials. *Journal of Neurology, Neurosurgery and Psychiatry*, **1993**, 56, 17-25 5.5 149
- 1 Interobserver reliability of a clinical classification of acute cerebral infarction. *Stroke*, **1993**, 24, 1801-4 6.7 120