

Frank A Gomez

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2444628/frank-a-gomez-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

1,913
citations

22
h-index

39
g-index

108
ext. papers

2,112
ext. citations

4
avg, IF

5.09
L-index

#	Paper	IF	Citations
99	Production of a NiO/Al primary battery employing powder-based electrodes. <i>Electrophoresis</i> , 2020 , 41, 131-136	3.6	4
98	Thread- and Capillary Tube-Based Electrodes for the Detection of Glucose and Acetylthiocholine. <i>Micromachines</i> , 2020 , 11,	3.3	2
97	Microfluidic Paper-based Analytical Devices (PADs): Miniaturization and Enzyme Storage Studies. <i>Analytical Sciences</i> , 2019 , 35, 379-384	1.7	4
96	Cord-Based Microfluidic Chips as A Platform for ELISA and Glucose Assays. <i>Micromachines</i> , 2019 , 10,	3.3	3
95	Paper-based microfluidic devices for glucose assays employing a metal-organic framework (MOF). <i>Analytica Chimica Acta</i> , 2019 , 1055, 74-80	6.6	26
94	An all-printed 3D-Zn/Fe ₃ O ₄ paper battery. <i>Sensors and Actuators B: Chemical</i> , 2019 , 289, 226-233	8.5	6
93	An optimized microfluidic paper-based NiOOH/Zn alkaline battery. <i>Electrophoresis</i> , 2019 , 40, 469-472	3.6	5
92	3D Multilayered paper- and thread/paper-based microfluidic devices for bioassays. <i>Electrophoresis</i> , 2019 , 40, 296-303	3.6	16
91	A colorimetric assay system for dopamine using microfluidic paper-based analytical devices. <i>Talanta</i> , 2019 , 194, 171-176	6.2	36
90	Thread/paper- and paper-based microfluidic devices for glucose assays employing artificial neural networks. <i>Electrophoresis</i> , 2018 , 39, 1443-1451	3.6	17
89	Thread- paper, and fabric enzyme-linked immunosorbent assays (ELISA). <i>Methods</i> , 2018 , 146, 58-65	4.6	8
88	A microfluidic glucose sensor incorporating a novel thread-based electrode system. <i>Electrophoresis</i> , 2018 , 39, 2131-2135	3.6	14
87	Enzyme Chemotaxis on Paper-based Devices. <i>Analytical Sciences</i> , 2018 , 34, 115-119	1.7	11
86	Miniaturized Al/AgO coin shape and self-powered battery featuring painted paper electrodes for portable applications. <i>Sensors and Actuators B: Chemical</i> , 2018 , 273, 101-107	8.5	5
85	Enzyme-linked immunosorbent assays (ELISA) based on thread, paper, and fabric. <i>Electrophoresis</i> , 2018 , 39, 476-484	3.6	13
84	Microfluidic thread-based electrode system to detect glucose and acetylthiocholine. <i>Electrophoresis</i> , 2018 , 39, 3082-3086	3.6	2
83	Fabric-based alkaline direct formate microfluidic fuel cells. <i>Electrophoresis</i> , 2017 , 38, 1224-1231	3.6	16

82	Thread-based microfluidic chips as a platform to assess acetylcholinesterase activity. <i>Electrophoresis</i> , 2017 , 38, 996-1001	3.6	20
81	Use of chemometrics to optimize a glucose assay on a paper microfluidic platform. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 2697-2703	4.4	21
80	A microfluidic paper-based device to assess acetylcholinesterase activity. <i>Electrophoresis</i> , 2017 , 38, 1002-1006	3.6	15
79	Point of care testing: The impact of nanotechnology. <i>Biosensors and Bioelectronics</i> , 2017 , 87, 373-387	11.8	227
78	Experimental Analysis of Fabrication Parameters in the Development of Microfluidic Paper-Based Analytical Devices (µPADs). <i>Micromachines</i> , 2017 , 8, 99	3.3	6
77	An Inexpensive Paper-Based Aluminum-Air Battery. <i>Micromachines</i> , 2017 , 8,	3.3	17
76	Mixed thread/paper-based microfluidic chips as a platform for glucose assays. <i>Electrophoresis</i> , 2016 , 37, 1685-90	3.6	34
75	Easily Fabricated Microfluidic Devices Using Permanent Marker Inks for Enzyme Assays. <i>Micromachines</i> , 2016 , 7,	3.3	17
74	An improved alkaline direct formate paper microfluidic fuel cell. <i>Electrophoresis</i> , 2016 , 37, 504-10	3.6	40
73	A microfluidic galvanic cell on a single layer of paper. <i>Journal of Power Sources</i> , 2016 , 318, 163-169	8.9	28
72	Microscale bioanalysis. <i>Bioanalysis</i> , 2016 , 8, 859-62	2.1	2
71	A microfluidic direct formate fuel cell on paper. <i>Electrophoresis</i> , 2015 , 36, 1825-9	3.6	40
70	Development of microfluidic-based assays to estimate the binding between osteocalcin (BGLAP) and fluorescent antibodies. <i>Talanta</i> , 2015 , 132, 676-9	6.2	4
69	Application of a computational neural network to optimize the fluorescence signal from a receptor-ligand interaction on a microfluidic chip. <i>Electrophoresis</i> , 2015 , 36, 393-7	3.6	2
68	Development of a microfluidic-based assay on a novel nitrocellulose platform. <i>Electrophoresis</i> , 2015 , 36, 884-8	3.6	17
67	How can chemometrics improve microfluidic research?. <i>Analytical Chemistry</i> , 2015 , 87, 3544-55	7.8	15
66	Paper microfluidic-based enzyme catalyzed double microreactor. <i>Electrophoresis</i> , 2014 , 35, 2417-9	3.6	20
65	Use of surface plasmon resonance to study the adsorption of detergents on poly(dimethylsiloxane) surfaces. <i>Electrophoresis</i> , 2013 , 34, 1249-52	3.6	2

64	Microchip Capillary Electrophoresis to Study the Binding of Ligands to Teicoplanin Derivatized on Magnetic Beads 2013 , 359-365		
63	Application of surface plasmon resonance spectroscopy for adsorption studies of different types of components on poly(dimethylsiloxane). <i>Analytica Chimica Acta</i> , 2013 , 777, 72-7	6.6	9
62	Implementation of a genetically tuned neural platform in optimizing fluorescence from receptor-ligand binding interactions on microchips. <i>Electrophoresis</i> , 2012 , 33, 2711-7	3.6	4
61	Development of an ultra-low volume flow cell for surface plasmon resonance detection in a miniaturized capillary electrophoresis system. <i>Electrophoresis</i> , 2012 , 33, 1723-8	3.6	8
60	Facile fabrication of an interface for online coupling of microchip CE to surface plasmon resonance. <i>Bioanalysis</i> , 2012 , 4, 373-9	2.1	4
59	Microfluidics in protein chromatography. <i>Methods in Molecular Biology</i> , 2011 , 681, 137-50	1.4	7
58	Bioanalytical applications in microfluidics. <i>Bioanalysis</i> , 2010 , 2, 1661-2	2.1	6
57	Microfluidic "thin chips" for chemical separations. <i>Electrophoresis</i> , 2010 , 31, 2520-5	3.6	2
56	Use of magnetic beads to study the interaction of ristocetin with peptides and bacteria. <i>Bioanalysis</i> , 2009 , 1, 721-7	2.1	2
55	Microchip frontal affinity chromatography to study the binding of a ligand to teicoplanin-derivatized microbeads. <i>Electrophoresis</i> , 2009 , 30, 1194-7	3.6	7
54	Application of artificial neural networks in the prediction of product distribution in electrophoretically mediated microanalysis. <i>Electrophoresis</i> , 2009 , 30, 2385-9	3.6	6
53	Fabrication of a microfluidic enzyme reactor utilizing magnetic beads. <i>Electrophoresis</i> , 2009 , 30, 2129-33	3.6	10
52	Recent advances in affinity capillary electrophoresis (2007). <i>Journal of Pharmaceutical Sciences</i> , 2009 , 98, 394-410	3.9	43
51	Frontal analysis microchip capillary electrophoresis to study the binding of ligands to receptors derivatized on magnetic beads. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 393, 615-21	4.4	10
50	Development of microfluidic chips for heterogeneous receptor-ligand interaction studies. <i>Analytical Chemistry</i> , 2009 , 81, 5095-8	7.8	14
49	On-capillary derivatization using a hybrid artificial neural network-genetic algorithm approach. <i>Analyst, The</i> , 2009 , 134, 2067-70	5	4
48	Microfluidic polymerase chain reaction. <i>Applied Physics Letters</i> , 2008 , 93, 243901	3.4	16
47	Chemometric experimental design based optimization techniques in capillary electrophoresis: a critical review of modern applications. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 390, 169-79	4.4	46

46	Magnetic microsphere-based methods to study the interaction of teicoplanin with peptides and bacteria. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 392, 877-86	4.4	11
45	Magnetically controlled valve for flow manipulation in polymer microfluidic devices. <i>Microfluidics and Nanofluidics</i> , 2008 , 4, 525-531	2.8	19
44	Response surface examination of the relationship between experimental conditions and product distribution in electrophoretically mediated microanalysis. <i>Electrophoresis</i> , 2008 , 29, 375-80	3.6	13
43	Electrochromatography in microchips packed with conventional reversed-phase silica particles. <i>Electrophoresis</i> , 2008 , 29, 1638-42	3.6	21
42	Use of chemometric methodology in optimizing conditions for competitive binding partial filling affinity capillary electrophoresis. <i>Electrophoresis</i> , 2008 , 29, 3325-32	3.6	15
41	Chemometrical examination of active parameters and interactions in flow injection-capillary electrophoresis. <i>Electrophoresis</i> , 2008 , 29, 3779-85	3.6	2
40	On-column ligand/receptor derivatization coupled to affinity capillary electrophoresis. <i>Methods in Molecular Biology</i> , 2008 , 384, 647-60	1.4	
39	Implementation of chemometric methodology in ACE: predictive investigation of protein-ligand binding. <i>Electrophoresis</i> , 2007 , 28, 2853-60	3.6	12
38	Fabrication of fritless chromatographic microchips packed with conventional reversed-phase silica particles. <i>Analytical Chemistry</i> , 2007 , 79, 7906-9	7.8	53
37	Multiple-injection affinity capillary electrophoresis to examine binding constants between glycopeptide antibiotics and peptides. <i>Journal of Chromatography A</i> , 2006 , 1105, 59-65	4.5	17
36	1-[Ferrocenyl(hydroxy)methyl]-1,7-dicarba-closo-dodecaborane: Synthesis and X-ray crystal structure. <i>Journal of Chemical Crystallography</i> , 2006 , 37, 55-62	0.5	4
35	Partial-filling affinity capillary electrophoresis techniques to probe the binding of glycopeptide antibiotics to D-Ala-D-Ala terminus peptides. <i>Journal of Capillary Electrophoresis and Microchip Technology</i> , 2006 , 9, 101-17		2
34	Optimization of conditions for flow-through partial-filling affinity capillary electrophoresis to estimate binding constants of ligands to receptors. <i>Analytica Chimica Acta</i> , 2005 , 540, 403-410	6.6	14
33	Multiple-injection affinity capillary electrophoresis to estimate binding constants of receptors to ligands. <i>Analytical and Bioanalytical Chemistry</i> , 2005 , 383, 625-31	4.4	16
32	Affinity capillary electrophoresis to examine receptor-ligand interactions. <i>Methods in Molecular Biology</i> , 2004 , 276, 153-68	1.4	7
31	Estimation of binding constants between ristocetin and teicoplanin and peptides using on-column ligand derivatization coupled to affinity capillary electrophoresis. <i>Analytical and Bioanalytical Chemistry</i> , 2004 , 379, 149-55	4.4	12
30	On-column synthesis coupled to affinity capillary electrophoresis for the determination of binding constants of peptides to glycopeptide antibiotics. <i>Journal of Chromatography A</i> , 2004 , 1027, 193-202	4.5	10
29	Estimation of binding constants for the substrate and activator of <i>Rhodobacter sphaeroides</i> adenosine 5' diphosphate-glucose pyrophosphorylase using affinity capillary electrophoresis. <i>Analytical Biochemistry</i> , 2004 , 327, 252-60	3.1	12

28	Partial-filling affinity capillary electrophoresis. <i>Analytical and Bioanalytical Chemistry</i> , 2003 , 376, 822-31	4.4	25
27	On-column derivatization of the antibiotics teicoplanin and ristocetin coupled to affinity capillary electrophoresis. <i>Electrophoresis</i> , 2003 , 24, 808-15	3.6	18
26	Flow-through partial-filling affinity capillary electrophoresis can estimate binding constants of neutral ligands to receptors via a competitive assay technique. <i>Electrophoresis</i> , 2003 , 24, 1105-10	3.6	27
25	On-column enzyme-catalyzed microreactions using capillary electrophoresis: quantitative studies. <i>Journal of Capillary Electrophoresis and Microchip Technology</i> , 2002 , 7, 1-9		1
24	On-column ligand synthesis coupled to partial-filling affinity capillary electrophoresis to estimate binding constants of ligands to a receptor. <i>Journal of Chromatography A</i> , 2001 , 928, 233-41	4.5	25
23	Estimation of receptor-ligand interactions by the use of a two-marker system in affinity capillary electrophoresis. <i>Analytical Biochemistry</i> , 2000 , 280, 209-15	3.1	34
22	On-column derivatization and analysis of amino acids, peptides, and alkylamines by anhydrides using capillary electrophoresis. <i>Electrophoresis</i> , 2000 , 21, 3305-10	3.6	35
21	Multiple-step ligand injection affinity capillary electrophoresis for determining binding constants of ligands to receptors. <i>Journal of Chromatography A</i> , 2000 , 897, 339-47	4.5	36
20	Use of capillary electrophoresis and indirect detection to quantitate in-capillary enzyme-catalyzed microreactions. <i>Analyst, The</i> , 2000 , 125, 685-8	5	16
19	Optimization of capillary electrophoresis conditions for in-capillary enzyme-catalyzed microreactions. <i>Analytica Chimica Acta</i> , 1999 , 397, 183-190	6.6	18
18	Use of a partial-filling technique in affinity capillary electrophoresis for determining binding constants of ligands to receptors. <i>Journal of Chromatography A</i> , 1999 , 840, 261-8	4.5	69
17	Double enzyme-catalyzed microreactors using capillary electrophoresis. <i>Electrophoresis</i> , 1998 , 19, 420-6	3.6	22
16	Use of mobility ratios to estimate binding constants of ligands to proteins in affinity capillary electrophoresis. <i>Biomedical Applications</i> , 1998 , 715, 203-10		54
15	Multiple-plug binding assays using affinity capillary electrophoresis. <i>Journal of Chromatography A</i> , 1996 , 727, 291-299	4.5	42
14	Determination of the binding of ligands containing the N-2,4-dinitrophenyl group to bivalent monoclonal rat anti-DNP antibody using affinity capillary electrophoresis. <i>Analytical Chemistry</i> , 1995 , 67, 3526-35	7.8	79
13	Determination of binding constants of ligands to proteins by affinity capillary electrophoresis: compensation for electroosmotic flow. <i>Analytical Chemistry</i> , 1994 , 66, 1785-91	7.8	158
12	Experimental Design in Method Optimization and Robustness Testing	11-74	4
11	Chemometrical Modeling of Electrophoretic Mobilities in Capillary Electrophoresis	323-343	

- 10 Application of Chemometrics in Capillary Electrophoresis Analysis of Herbal Medicines227-242 1
- 9 Multivariate Curve Resolution Based on Alternating Least Squares in Capillary Electrophoresis199-226 2
- 8 Exploratory Data Analysis and Classification of Capillary Electrophoretic Data291-321
- 7 Assessment of Solute-Micelle Interactions in Electrokinetic Chromatography Using Quantitative Structure-Retention Relationships345-366
- 6 Chemometrical Analysis of Cheese Proteolysis Profiles by Capillary Electrophoresis: Prediction of Ripening Times367-388
- 5 Chemometrical Experimental Design-Based Optimization Studies in Capillary Electrophoresis Applications75-91
- 4 Optimization of Micellar Electrokinetic Chromatography Separation Conditions by Chemometric Methods113-131
- 3 Chemometric Methods for the Optimization of CE and CE-MS in Pharmaceutical, Environmental, and Food Analysis133-168
- 2 Optimization of the Separation of Amino Acids by Capillary Electrophoresis Using Artificial Neural Networks169-180
- 1 Development of Capillary Electrophoresis Fingerprints and Multivariate Statistics for the Differentiation of Opium and Poppy Straw Samples181-197