

Li Jiang, Da

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2445235/publications.pdf>

Version: 2024-02-01

55
papers

1,486
citations

535685

17
h-index

388640

36
g-index

64
all docs

64
docs citations

64
times ranked

2759
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between Latent Trajectories of Fluid Balance and Clinical Outcomes in Critically Ill Patients with Acute Kidney Injury: A Prospective Multicenter Observational Study. <i>Kidney Diseases (Basel, Switzerland)</i> , 2022, 8, 82-92.	1.2	2
2	Gender- and age-based differences in outcomes of mechanically ventilated ICU patients: a Chinese multicentre retrospective study. <i>BMC Anesthesiology</i> , 2022, 22, 18.	0.7	9
3	The predictive value of the Oxford Acute Severity of Illness Score for clinical outcomes in patients with acute kidney injury. <i>Renal Failure</i> , 2022, 44, 320-328.	0.8	8
4	Efficacy and Safety of SARS-CoV-2 Neutralizing Antibody JS016 in Hospitalized Chinese Patients with COVID-19: a Phase 2/3, Multicenter, Randomized, Open-Label, Controlled Trial. <i>Antimicrobial Agents and Chemotherapy</i> , 2022, 66, AAC0204521.	1.4	6
5	Long-term outcomes of hepatectomy or radiofrequency ablation associated with splenectomy for treatment of hepatocellular carcinoma and esophagogastric variceal bleeding. <i>Asian Journal of Surgery</i> , 2022, 45, 1607-1607.	0.2	0
6	Which Frailty Evaluation Method Can Better Improve the Predictive Ability of the SASA for Postoperative Complications of Patients Undergoing Elective Abdominal Surgery?. <i>Therapeutics and Clinical Risk Management</i> , 2022, Volume 18, 541-550.	0.9	1
7	Prognosis of endotherapy versus splenectomy and devascularization for variceal bleeding in patients with hepatitis B-related cirrhosis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021, 35, 2620-2628.	1.3	4
8	Comparison of three frailty measures for 90-day outcomes of elderly patients undergoing elective abdominal surgery. <i>ANZ Journal of Surgery</i> , 2021, 91, 335-340.	0.3	6
9	Anti-PD-1 antibody SHR-1210 combined with apatinib as adjuvant treatment in patients with hepatocellular carcinoma at high risk of recurrence after radical resection: Preliminary results from a multicenter, randomized, controlled phase II trial.. <i>Journal of Clinical Oncology</i> , 2021, 39, 285-285.	0.8	1
10	COVID-19-associated coagulopathy: thromboembolism prophylaxis and poor prognosis in ICU. <i>Experimental Hematology and Oncology</i> , 2021, 10, 6.	2.0	12
11	Association of D-dimer elevation with inflammation and organ dysfunction in ICU patients with COVID-19 in Wuhan, China: a retrospective observational study. <i>Aging</i> , 2021, 13, 4794-4810.	1.4	9
12	Prognosis and Risk Factors of Sepsis Patients in Chinese ICUs: A Retrospective Analysis of a Cohort Database. <i>Shock</i> , 2021, 56, 921-926.	1.0	14
13	Hyperlactacidemia as a risk factor for intensive care unit-acquired weakness in critically ill adult patients. <i>Muscle and Nerve</i> , 2021, 64, 77-82.	1.0	4
14	Clinical characteristics and outcomes of mechanically ventilated elderly patients in intensive care units: a Chinese multicentre retrospective study. <i>Journal of Thoracic Disease</i> , 2021, 13, 2148-2159.	0.6	1
15	Sequential non-invasive following short-term invasive mechanical ventilation in the treatment of tuberculosis with respiratory failure: a randomized controlled study. <i>BMC Pulmonary Medicine</i> , 2021, 21, 203.	0.8	1
16	Association of fluid balance trajectories with clinical outcomes in patients with septic shock: a prospective multicenter cohort study. <i>Military Medical Research</i> , 2021, 8, 40.	1.9	3
17	Severe COVID-19 has a distinct phenotype from bacterial sepsis: a retrospective cohort study in deceased patients. <i>Annals of Translational Medicine</i> , 2021, 9, 1054-1054.	0.7	4
18	Secondary infection in severe and critical COVID-19 patients in China: a multicenter retrospective study. <i>Annals of Palliative Medicine</i> , 2021, 10, 8557-8570.	0.5	25

#	ARTICLE	IF	CITATIONS
19	Effect of glycemic gap upon mortality in critically ill patients with diabetes. <i>Journal of Diabetes Investigation</i> , 2021, 12, 2212-2220.	1.1	12
20	Clinical characteristics and outcomes of critically ill patients with coronavirus disease 2019 with hypotension in China: a retrospective cohort study. <i>Annals of Palliative Medicine</i> , 2021, 10, 8536-8546.	0.5	3
21	Association between the modified Nutrition Risk in Critically Ill (mNUTRIC) score and clinical outcomes in the intensive care unit: a secondary analysis of a large prospective observational study. <i>BMC Anesthesiology</i> , 2021, 21, 220.	0.7	15
22	Delayed Initiation of ECMO Is Associated With Poor Outcomes in Patients With Severe COVID-19: A Multicenter Retrospective Cohort Study. <i>Frontiers in Medicine</i> , 2021, 8, 716086.	1.2	17
23	Coagulation dysfunction in ICU patients with coronavirus disease 2019 in Wuhan, China: a retrospective observational study of 75 fatal cases. <i>Aging</i> , 2021, 13, 1591-1607.	1.4	3
24	Utilizing reclassification to explore characteristics and prognosis of KDIGO Cr AKI subgroups: a retrospective analysis of a multicenter prospective cohort study. <i>Renal Failure</i> , 2021, 43, 1569-1576.	0.8	0
25	Intravenous Immunoglobulin Therapy for Critically Ill COVID-19 Patients With Different Inflammatory Phenotypes: A Multicenter, Retrospective Study. <i>Frontiers in Immunology</i> , 2021, 12, 738532.	2.2	7
26	Simultaneous radiofrequency ablation combined with laparoscopic splenectomy: a safe and effective way for patients with hepatocellular carcinoma complicated with cirrhosis and hypersplenism. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2020, 29, 177-184.	0.6	2
27	SEPT9 Gene Methylation as a Noninvasive Marker for Hepatocellular Carcinoma. <i>Disease Markers</i> , 2020, 2020, 1-9.	0.6	19
28	Effects of the Lower Airway Secretions on Airway Opening Pressures and Suction Pressures in Critically Ill COVID-19 Patients: A Computational Simulation. <i>Annals of Biomedical Engineering</i> , 2020, 48, 3003-3013.	1.3	18
29	Clinical characteristics and outcomes of critically ill patients with novel coronavirus infectious disease (COVID-19) in China: a retrospective multicenter study. <i>Intensive Care Medicine</i> , 2020, 46, 1863-1872.	3.9	145
30	The Prevalence, Risk Factors, and Outcomes of Sepsis in Critically Ill Patients in China: A Multicenter Prospective Cohort Study. <i>Frontiers in Medicine</i> , 2020, 7, 593808.	1.2	14
31	The incidence, risk factors and prognosis of acute kidney injury in severe and critically ill patients with COVID-19 in mainland China: a retrospective study. <i>BMC Pulmonary Medicine</i> , 2020, 20, 290.	0.8	33
32	Machine learning-based development and validation of a scoring system for progression-free survival in liver cancer. <i>Hepatology International</i> , 2020, 14, 567-576.	1.9	19
33	SPARC Negatively Correlates With Prognosis After Transarterial Chemoembolization and Facilitates Proliferation and Metastasis of Hepatocellular Carcinoma via ERK/MMP Signaling Pathways. <i>Frontiers in Oncology</i> , 2020, 10, 813.	1.3	11
34	Treatment of patients with nonsevere and severe coronavirus disease 2019: an evidence-based guideline. <i>Cmaj</i> , 2020, 192, E536-E545.	0.9	45
35	Lung Recruitment, Individualized PEEP, and Prone Position Ventilation for COVID-19-Associated Severe ARDS: A Single Center Observational Study. <i>Frontiers in Medicine</i> , 2020, 7, 603943.	1.2	12
36	Dose-response association between fluid overload and in-hospital mortality in critically ill patients: a multicentre, prospective, observational cohort study. <i>BMJ Open</i> , 2020, 10, e039875.	0.8	9

#	ARTICLE	IF	CITATIONS
37	Management of critically ill patients with COVID-19 in ICU: statement from front-line intensive care experts in Wuhan, China. <i>Annals of Intensive Care</i> , 2020, 10, 73.	2.2	151
38	Elevated plasma histone H4 level predicts increased risk of mortality in patients with sepsis. <i>Annals of Palliative Medicine</i> , 2020, 9, 1084-1091.	0.5	12
39	Epidemiology of acute kidney injury in intensive care units in Beijing: the multi-center BAKIT study. <i>BMC Nephrology</i> , 2019, 20, 468.	0.8	45
40	Epidemiological characteristics of and risk factors for patients with postoperative acute kidney injury: a multicenter prospective study in 30 Chinese intensive care units. <i>International Urology and Nephrology</i> , 2018, 50, 1319-1328.	0.6	17
41	Effect of timing of renal replacement therapy on outcomes of critically ill patients in the intensive care unit. <i>Nephrology</i> , 2018, 23, 405-410.	0.7	5
42	P(v-a)CO ₂ /C(a-v)O ₂ -directed resuscitation does not improve prognosis compared with SvO ₂ in severe sepsis and septic shock: A prospective multicenter randomized controlled clinical study. <i>Journal of Critical Care</i> , 2018, 48, 314-320.	1.0	13
43	Risk factors for intensive care unit-acquired weakness: A systematic review and meta-analysis. <i>Acta Neurologica Scandinavica</i> , 2018, 138, 104-114.	1.0	112
44	Corticosteroid use and intensive care unit-acquired weakness: a systematic review and meta-analysis. <i>Critical Care</i> , 2018, 22, 187.	2.5	57
45	Does training improve diagnostic accuracy and inter-rater agreement in applying the Berlin radiographic definition of acute respiratory distress syndrome? A multicenter prospective study. <i>Critical Care</i> , 2017, 21, 12.	2.5	35
46	Exploring the best predictors of fluid responsiveness in patients with septic shock. <i>American Journal of Emergency Medicine</i> , 2017, 35, 1258-1261.	0.7	31
47	Detection of circulating tumor cells by reverse transcription-quantitative polymerase chain reaction and magnetic activated cell sorting in the peripheral blood of patients with hepatocellular carcinoma. <i>Molecular Medicine Reports</i> , 2017, 16, 5894-5900.	1.1	10
48	Value of Kidney Disease Improving Global Outcomes Urine Output Criteria in Critically Ill Patients. <i>Chinese Medical Journal</i> , 2016, 129, 2050-2057.	0.9	15
49	Deleted in malignant brain tumors 1 protein is a potential biomarker of acute respiratory distress syndrome induced by pneumonia. <i>Biochemical and Biophysical Research Communications</i> , 2016, 478, 1344-1349.	1.0	14
50	Fluid balance and mortality in critically ill patients with acute kidney injury: a multicenter prospective epidemiological study. <i>Critical Care</i> , 2015, 19, 371.	2.5	182
51	Effect of a quality improvement program on weaning from mechanical ventilation: a cluster randomized trial. <i>Intensive Care Medicine</i> , 2015, 41, 1781-1790.	3.9	20
52	Weaning critically ill patients from mechanical ventilation: A prospective cohort study. <i>Journal of Critical Care</i> , 2015, 30, 862.e7-862.e13.	1.0	31
53	Effect of oral melatonin and wearing earplugs and eye masks on nocturnal sleep in healthy subjects in a simulated intensive care unit environment: which might be a more promising strategy for ICU sleep deprivation?. <i>Critical Care</i> , 2015, 19, 124.	2.5	76
54	Epidemiology and Outcome of Severe Sepsis and Septic Shock in Intensive Care Units in Mainland China. <i>PLoS ONE</i> , 2014, 9, e107181.	1.1	147

#	ARTICLE	IF	CITATIONS
55	Risk Factors for Mortality in Patients with Septic Acute Kidney Injury in Intensive Care Units in Beijing, China: A Multicenter Prospective Observational Study. BioMed Research International, 2014, 2014, 1-10.	0.9	9