Silvia Antolin Novoa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2447174/publications.pdf

Version: 2024-02-01

29 papers 935 citations

16 h-index 30 g-index

34 all docs

34 docs citations

times ranked

34

1999 citing authors

#	Article	IF	CITATIONS
1	Intrinsic Subtypes and Gene Expression Profiles in Primary and Metastatic Breast Cancer. Cancer Research, 2017, 77, 2213-2221.	0.4	168
2	Triple negative breast cancer subtypes and pathologic complete response rate to neoadjuvant chemotherapy. Oncotarget, 2018, 9, 26406-26416.	0.8	136
3	Circulating miR-200c and miR-141 and outcomes in patients with breast cancer. BMC Cancer, 2015, 15, 297.	1.1	72
4	Prospective evaluation of the conversion rate in the receptor status between primary breast cancer and metastasis: results from the GEICAM 2009-03 ConvertHER study. Breast Cancer Research and Treatment, 2014, 143, 507-515.	1.1	60
5	Lower Breast Cancer Risk among Women following the World Cancer Research Fund and American Institute for Cancer Research Lifestyle Recommendations: EpiGEICAM Case-Control Study. PLoS ONE, 2015, 10, e0126096.	1.1	56
6	Multicenter Phase II Study of Lurbinectedin in <i>BRCA</i> Mutated and Unselected Metastatic Advanced Breast Cancer and Biomarker Assessment Substudy. Journal of Clinical Oncology, 2018, 36, 3134-3143.	0.8	43
7	Physical activity and breast cancer risk by pathological subtype. Gynecologic Oncology, 2017, 144, 577-585.	0.6	34
8	Efficacy and safety of dasatinib with trastuzumab and paclitaxel in first line HER2-positive metastatic breast cancer: results from the phase II GEICAM/2010-04 study. Breast Cancer Research and Treatment, 2019, 174, 693-701.	1.1	34
9	A phase Ib study of sonidegib (LDE225), an oral small molecule inhibitor of smoothened or Hedgehog pathway, in combination with docetaxel in triple negative advanced breast cancer patients: GEICAM/2012–12 (EDALINE) study. Investigational New Drugs, 2019, 37, 98-108.	1.2	33
10	NSABP FB-7: a phase II randomized neoadjuvant trial with paclitaxel + trastuzumab and/or neratinib followed by chemotherapy and postoperative trastuzumab in HER2+ breast cancer. Breast Cancer Research, 2019, 21, 133.	2.2	30
11	Evaluating the Applicability of Data-Driven Dietary Patterns to Independent Samples with a Focus on Measurement Tools for Pattern Similarity. Journal of the Academy of Nutrition and Dietetics, 2016, 116, 1914-1924.e6.	0.4	26
12	Exemestane versus anastrozole as frontâ€line endocrine therapy in postmenopausal patients with hormone receptorâ€positive, advanced breast cancer. Cancer, 2012, 118, 241-247.	2.0	25
13	A phase I study of the SRC kinase inhibitor dasatinib with trastuzumab and paclitaxel as first line therapy for patients with HER2-overexpressing advanced breast cancer. GEICAM/2010-04 study. Oncotarget, 2017, 8, 73144-73153.	0.8	24
14	Overeating, caloric restriction and breast cancer risk by pathologic subtype: the EPIGEICAM study. Scientific Reports, 2019, 9, 3904.	1.6	23
15	Phase III evaluating the addition of fulvestrant (F) to anastrozole (A) as adjuvant therapy in postmenopausal women with hormone receptor-positive HER2-negative (HR+/HER2â°') early breast cancer (EBC): results from the GEICAM/2006–10 study. Breast Cancer Research and Treatment, 2019, 177, 115-125.	1.1	20
16	Diagnostic accuracy of small breast epithelial mucin mRNA as a marker for bone marrow micrometastasis in breast cancer: a pilot study. Journal of Cancer Research and Clinical Oncology, 2009, 135, 1185-1195.	1.2	18
17	Dynamic clonal remodelling in breast cancer metastases is associated with subtype conversion. European Journal of Cancer, 2019, 120, 54-64.	1.3	18
18	Trajectories of alcohol consumption during life and the risk of developing breast cancer. British Journal of Cancer, 2021, 125, 1168-1176.	2.9	17

#	Article	IF	CITATIONS
19	Combining Wire Localization of Clipped Nodes with Sentinel Lymph Node Biopsy After Neoadjuvant Chemotherapy in Node-Positive Breast Cancer: Preliminary Results from a Prospective Study. Annals of Surgical Oncology, 2021, 28, 958-967.	0.7	15
20	Neoadjuvant Therapy with Weekly Nanoparticle Albumin-Bound Paclitaxel for Luminal Early Breast Cancer Patients: Results from the NABRAX Study (GEICAM/2011-02), a Multicenter, Non-Randomized, Phase II Trial, with a Companion Biomarker Analysis. Oncologist, 2017, 22, 1301-1308.	1.9	13
21	Serum Phospholipids Fatty Acids and Breast Cancer Risk by Pathological Subtype. Nutrients, 2020, 12, 3132.	1.7	11
22	Primary breast cancer and health related quality of life in Spanish women: The EpiGEICAM case-control study. Scientific Reports, 2020, 10, 7741.	1.6	9
23	Is there a correlation between HER2 gene amplification level and response to neoadjuvant treatment with trastuzumab and chemotherapy in HER2-positive breast cancer?. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2021, 479, 853-857.	1.4	9
24	Primary systemic therapy in HER2-positive operable breast cancer using trastuzumab and chemotherapy: efficacy data, cardiotoxicity and long-term follow-up in 142 patients diagnosed from 2005 to 2016 at a single institution. Breast Cancer: Targets and Therapy, 2018, Volume 11, 29-42.	1.0	6
25	Angiosarcoma radioinducido de mama en paciente con sÃndrome de Li-Fraumeni. CirugÃa Española, 2019, 97, 114-116.	0.1	4
26	Locally advanced breast cancer: pulmonary toxicity secondary to gemcitabine. Clinical and Translational Oncology, 2010, 12, 450-452.	1.2	3
27	A dose-dense schedule of docetaxel followed by doxorubicin and cyclophosphamide as neoadjuvant treatment for breast cancer: results from a phase II study. Clinical and Translational Oncology, 2011, 13, 686-691.	1.2	3
28	Type does matter. Use VIRGIN olive oil as your preferred fat to reduce your risk of breast cancer: case-control EpiGEICAM study. European Journal of Clinical Nutrition, 2022, 76, 1343-1346.	1.3	3
29	Genomic alterations driving breast cancer (BC) metastases and their relationship with the subtype switch in the GEICAM ConvertHER study Journal of Clinical Oncology, 2017, 35, 1017-1017.	0.8	2