

Katsuyuki Hotta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2448024/publications.pdf>

Version: 2024-02-01

188
papers

18,092
citations

126907

33
h-index

13771

129
g-index

192
all docs

192
docs citations

192
times ranked

16103
citing authors

#	ARTICLE	IF	CITATIONS
1	Pulmonary Aspergilloma and Allergic Bronchopulmonary Aspergillosis Following the 2018 Heavy Rain Event in Western Japan. <i>Internal Medicine</i> , 2022, 61, 379-383.	0.7	1
2	Identification of targetable kinases in idiopathic pulmonary fibrosis. <i>Respiratory Research</i> , 2022, 23, 20.	3.6	8
3	First-line nivolumab plus ipilimumab combined with two cycles of chemotherapy in advanced non-small cell lung cancer: a subanalysis of Asian patients in CheckMate 9LA. <i>International Journal of Clinical Oncology</i> , 2022, 27, 695-706.	2.2	11
4	First and repeat rebiopsy for detecting EGFR T790M mutation in non-small-cell lung cancer: CS-Lung-003 prospective observational registry study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 1869-1877.	2.5	5
5	Pembrolizumab in advanced NSCLC patients with poor performance status and high PD-L1 expression: OLCSCG 1801. <i>International Journal of Clinical Oncology</i> , 2022, 27, 1139-1144.	2.2	7
6	Successful and Prompt Treatment with Tepotinib for Lung Adenocarcinoma Harboring MET Exon 14 Skipping Mutation Combined with Lung Abscess Formation: A Case Report. <i>Case Reports in Oncology</i> , 2022, 15, 494-498.	0.7	1
7	Three doses of mRNA COVID-19 vaccine protects from SARS-CoV-2 infections in Japan. <i>Journal of Internal Medicine</i> , 2022, 292, 687-689.	6.0	2
8	Preventive effect of goshajinkigan against peripheral neuropathy induced by paclitaxel-containing chemotherapy: An open-label, randomized, phase II study. <i>Journal of Clinical Oncology</i> , 2022, 40, TPS12141-TPS12141.	1.6	0
9	CD8+ T-cell Responses Are Boosted by Dual PD-1/VEGFR2 Blockade after EGFR Inhibition in EGFR-Mutant Lung Cancer. <i>Cancer Immunology Research</i> , 2022, 10, 1111-1126.	3.4	10
10	Characteristics of patients with EGFR-mutant non-small-cell lung cancer who benefited from immune checkpoint inhibitors. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 101-106.	4.2	26
11	Impact of previous thoracic radiation therapy on the efficacy of immune checkpoint inhibitors in advanced non-small-cell lung cancer. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 279-286.	1.3	7
12	Durvalumab, with or without tremelimumab, plus platinum-etoposide versus platinum-etoposide alone in first-line treatment of extensive-stage small-cell lung cancer (CASPIAN): updated results from a randomised, controlled, open-label, phase 3 trial. <i>Lancet Oncology</i> , 2021, 22, 51-65.	10.7	356
13	Randomized study comparing mannitol with furosemide for the prevention of cisplatin-induced renal toxicity in non-small cell lung cancer: The OLCSCG1406 trial. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2021, 17, 101-108.	1.1	7
14	Novel prospective umbrella-type lung cancer registry study for clarifying clinical practice patterns: CS-Lung-003 study protocol. <i>Thoracic Cancer</i> , 2021, 12, 725-731.	1.9	2
15	Japanese Lung Cancer Society Guidelines for Stage IV NSCLC With EGFR Mutations. <i>JTO Clinical and Research Reports</i> , 2021, 2, 100107.	1.1	15
16	An Evaluation of the Safety and Feasibility of Adenosine-assisted Clipping Surgery for Unruptured Cerebral Aneurysms: Study Protocol. <i>Neurologia Medico-Chirurgica</i> , 2021, 61, 393-396.	2.2	4
17	A randomized trial of sodium alginate prevention of esophagitis in LA-NSCLC receiving chemoradiotherapy: OLCSCG1401. <i>Supportive Care in Cancer</i> , 2021, 29, 5237-5244.	2.2	0
18	Comparison of bronchoscopy and computed tomography-guided needle biopsy for re-biopsy in non-small cell lung cancer patients. <i>Respiratory Investigation</i> , 2021, 59, 240-246.	1.8	3

#	ARTICLE	IF	CITATIONS
19	Significance of PD-L1 expression in the cytological samples of non-small cell lung cancer patients treated with immune checkpoint inhibitors. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 3749-3755.	2.5	6
20	VEGFR2 blockade augments the effects of tyrosine kinase inhibitors by inhibiting angiogenesis and oncogenic signaling in oncogene-driven non-small cell lung cancers. <i>Cancer Science</i> , 2021, 112, 1853-1864.	3.9	29
21	Classification and Treatment of Oligometastatic Disease in Non-Small-Cell Lung Cancer. <i>Japanese Journal of Lung Cancer</i> , 2021, 61, 95-99.	0.1	0
22	First-line durvalumab plus platinum-etoposide in extensive-stage small-cell lung cancer: CASPIAN Japan subgroup analysis. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1073-1082.	2.2	9
23	A novel osimertinib-resistant human lung adenocarcinoma cell line harbouring mutant <i>EGFR</i> and activated IGF1R. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 956-965.	1.3	6
24	Randomized phase II study of daily and alternate-day administration of S-1 for adjuvant chemotherapy in completely-resected stage I non-small cell lung cancer: results of the Setouchi Lung Cancer Group Study 1301. <i>BMC Cancer</i> , 2021, 21, 506.	2.6	3
25	Impact on second-line treatment after failure of immune checkpoint inhibitor (ICI) combination chemotherapy in extensive-disease small cell lung cancer: Experience of the Okayama Lung Cancer Study Group. <i>Journal of Clinical Oncology</i> , 2021, 39, e20590-e20590.	1.6	0
26	The effects of antibiotics on the efficacy of immune checkpoint inhibitors in patients with non-small-cell lung cancer differ based on PD-L1 expression. <i>European Journal of Cancer</i> , 2021, 149, 73-81.	2.8	34
27	A case of dramatic reduction in cancer-associated thrombus following initiation of pembrolizumab in patient with a poor performance status and PD-L1+ lung adenocarcinoma harboring <i>CCDC6</i> - <i>RET</i> fusion gene and <i>NF1/TP53</i> mutations. <i>Lung Cancer</i> , 2021, 156, 1-4.	2.0	7
28	SHP2 Inhibition Enhances the Effects of Tyrosine Kinase Inhibitors in Preclinical Models of Treatment-naïve <i>ALK</i> , <i>ROS1</i> , or <i>EGFR</i> -altered Non-small Cell Lung Cancer. <i>Molecular Cancer Therapeutics</i> , 2021, 20, 1653-1662.	4.1	7
29	Survival of chemo-naïve patients with <i>EGFR</i> mutation-positive advanced non-small cell lung cancer after treatment with afatinib and bevacizumab: updates from the Okayama Lung Cancer Study Group Trial 1404. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 1269-1276.	1.3	7
30	Triple therapy with osimertinib, bevacizumab and cetuximab in <i>EGFR</i> mutant lung cancer with <i>HIF1α</i> /TGF β expression. <i>Oncology Letters</i> , 2021, 22, 639.	1.8	1
31	Five-Year Outcomes With Pembrolizumab Versus Chemotherapy for Metastatic Non-small-Cell Lung Cancer With PD-L1 Tumor Proportion Score \geq 50%. <i>Journal of Clinical Oncology</i> , 2021, 39, 2339-2349.	1.6	468
32	Response to letter re: The effects of antibiotics on the efficacy of immune-checkpoint inhibitors in non-small cell lung cancer patients differ according to PD-L1 expression. <i>European Journal of Cancer</i> , 2021, 157, 523-524.	2.8	0
33	First-line pembrolizumab vs chemotherapy in metastatic non-small cell lung cancer: KEYNOTE-024 Japan subset*. <i>Cancer Science</i> , 2021, 112, 5000-5010.	3.9	6
34	Protocol for a multi-site, cluster-randomized, phase III, comparative clinical trial of geriatric assessment of older patients with non-small cell lung cancer: the ENSURE-GA study. <i>BMC Geriatrics</i> , 2021, 21, 74.	2.7	5
35	Crizotinib for recurring non-small cell lung cancer with <i>EML4</i> - <i>ALK</i> fusion genes previously treated with alectinib: A phase II trial. <i>Thoracic Cancer</i> , 2021, 12, 643-649.	1.9	5
36	A phase I/II study of osimertinib in <i>EGFR</i> exon 20 insertion mutation-positive non-small cell lung cancer. <i>Lung Cancer</i> , 2021, 162, 140-146.	2.0	32

#	ARTICLE	IF	CITATIONS
37	JME-001 phase II trial of first-line combination chemotherapy with cisplatin, pemetrexed, and nivolumab for unresectable malignant pleural mesothelioma. , 2021, 9, e003288.		9
38	Patients'™ preferences and perceptions of lung cancer treatment decision making: results from Okayama lung cancer study group trial 1406. Acta Oncol³gica, 2020, 59, 324-328.	1.8	2
39	Successful Re-administration of Osimertinib in Osimertinib-induced Interstitial Lung Disease with an Organizing Pneumonia Pattern: A Case Report and Literature Review. Internal Medicine, 2020, 59, 823-828.	0.7	9
40	The impact of body mass index on the efficacy of anti-PD-1/PD-L1 antibodies in patients with non-small cell lung cancer. Lung Cancer, 2020, 139, 140-145.	2.0	68
41	Nivolumab for the treatment of unresectable pleural mesothelioma. Expert Opinion on Biological Therapy, 2020, 20, 109-114.	3.1	11
42	Influence of age on the efficacy of immune checkpoint inhibitors in advanced cancers: a systematic review and meta-analysis. Acta Oncol³gica, 2020, 59, 249-256.	1.8	28
43	Final progression-free survival results from the J-ALEX study of alectinib versus crizotinib in ALK-positive non-small-cell lung cancer. Lung Cancer, 2020, 139, 195-199.	2.0	100
44	Beneficial effect of erlotinib and trastuzumab emtansine combination in lung tumors harboring EGFR mutations. Biochemical and Biophysical Research Communications, 2020, 532, 341-346.	2.1	10
45	Utility of immune checkpoint inhibitors in non-€small-€cell lung cancer patients with poor performance status. Cancer Science, 2020, 111, 3739-3746.	3.9	20
46	Impact of HER2 expression on EGFR-TKI treatment outcomes in lung tumors harboring EGFR mutations: A HER2-CS study subset analysis. Lung Cancer, 2020, 150, 83-89.	2.0	9
47	Immune checkpoint inhibitor efficacy and safety in older non-small cell lung cancer patients. Japanese Journal of Clinical Oncology, 2020, 50, 1447-1453.	1.3	14
48	Patient-reported outcomes with first-line durvalumab plus platinum-etoposide versus platinum-etoposide in extensive-stage small-cell lung cancer (CASPIAN): a randomized, controlled, open-label, phase III study. Lung Cancer, 2020, 149, 46-52.	2.0	28
49	Current evidence and future perspectives of immune-checkpoint inhibitors in unresectable malignant pleural mesothelioma. , 2020, 8, e000461.		26
50	Pilot evaluation of a HER2 testing in non-small-cell lung cancer. Journal of Clinical Pathology, 2020, 73, 353-357.	2.0	12
51	Durvalumab ± tremelimumab + platinum-etoposide in first-line extensive-stage SCLC (ES-SCLC): Updated results from the phase III CASPIAN study.. Journal of Clinical Oncology, 2020, 38, 9002-9002.	1.6	36
52	First-line durvalumab plus platinum-etoposide in extensive-stage (ES)-SCLC (CASPIAN): Impact of brain metastases on treatment patterns and outcomes.. Journal of Clinical Oncology, 2020, 38, 9068-9068.	1.6	10
53	Detection of epidermal growth factor receptor mutations in exhaled breath condensate using droplet digital polymerase chain reaction. Oncology Letters, 2020, 20, 1-1.	1.8	4
54	Revision of Lung Cancer Clinical Practice Guidelines -Focusing on the Area of Pharmacotherapy-. Japanese Journal of Lung Cancer, 2020, 60, 910-912.	0.1	0

#	ARTICLE	IF	CITATIONS
55	A Long-term Response to Nivolumab in a Case of PD-L1-negative Lung Adenocarcinoma with an EGFR Mutation and Surrounding PD-L1-positive Tumor-associated Macrophages. <i>Internal Medicine</i> , 2019, 58, 3033-3037.	0.7	7
56	Impact of pathological stage and histological subtype on clinical outcome of adjuvant chemotherapy of paclitaxel plus carboplatin versus oral uracil-tegafur for non-small cell lung cancer: subanalysis of SLCG0401 trial. <i>International Journal of Clinical Oncology</i> , 2019, 24, 1367-1376.	2.2	4
57	Rapid Acquisition of Alectinib Resistance in ALK-Positive Lung Cancer With High Tumor Mutation Burden. <i>Journal of Thoracic Oncology</i> , 2019, 14, 2009-2018.	1.1	22
58	EGFR-TKI acquired resistance in lung cancers harboring EGFR mutations in immunocompetent C57BL/6j mice. <i>Lung Cancer</i> , 2019, 136, 86-93.	2.0	7
59	Durvalumab plus platinum-etoposide versus platinum-etoposide in first-line treatment of extensive-stage small-cell lung cancer (CASPIAN): a randomised, controlled, open-label, phase 3 trial. <i>Lancet, The</i> , 2019, 394, 1929-1939.	13.7	1,274
60	Rapid and Long-term Response of Pulmonary Pleomorphic Carcinoma to Nivolumab. <i>Internal Medicine</i> , 2019, 58, 985-989.	0.7	25
61	Beneficial Effect of Osimertinib Readministration in Non-small-cell Lung Cancer Harboring an Epidermal Growth Factor Receptor (EGFR) Mutation with a History of Acquired Resistance to Osimertinib. <i>Internal Medicine</i> , 2019, 58, 1625-1627.	0.7	3
62	Programmed cell death-ligand 1 expression and efficacy of cisplatin-based chemotherapy in lung cancer: A sub-analysis of data from the two Okayama Lung Cancer Study Group prospective feasibility studies. <i>Respiratory Investigation</i> , 2019, 57, 460-465.	1.8	2
63	Physician requests by patients with malignant pleural mesothelioma in Japan. <i>BMC Cancer</i> , 2019, 19, 383.	2.6	7
64	A Prospective Cohort Study to Define the Clinical Features and Outcome of Lung Cancers Harboring HER2 Aberration in Japan (HER2-CS STUDY). <i>Chest</i> , 2019, 156, 357-366.	0.8	25
65	The effect and safety of immune checkpoint inhibitor rechallenge in non-small cell lung cancer. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 762-765.	1.3	43
66	Recent trends in the treatment of unresectable stage III non-small-cell lung cancer. <i>Respiratory Investigation</i> , 2019, 57, 330-336.	1.8	5
67	Recent treatment strategy for advanced squamous cell carcinoma of the lung in Japan. <i>International Journal of Clinical Oncology</i> , 2019, 24, 461-467.	2.2	7
68	Chemoradiotherapy for locally advanced lung cancer patients with interstitial lung abnormalities. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 458-464.	1.3	17
69	A phase I/II trial of weekly nab-paclitaxel for pretreated non-small cell lung cancer patients without epidermal growth factor receptor mutations and anaplastic lymphoma kinase rearrangement. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2019, 15, 250-256.	1.1	3
70	Pembrolizumab versus chemotherapy for previously untreated, PD-L1-expressing, locally advanced or metastatic non-small-cell lung cancer (KEYNOTE-042): a randomised, open-label, controlled, phase 3 trial. <i>Lancet, The</i> , 2019, 393, 1819-1830.	13.7	2,347
71	Updated Analysis of KEYNOTE-024: Pembrolizumab Versus Platinum-Based Chemotherapy for Advanced Non-Small-Cell Lung Cancer With PD-L1 Tumor Proportion Score of 50% or Greater. <i>Journal of Clinical Oncology</i> , 2019, 37, 537-546.	1.6	1,144
72	Re-administration of osimertinib in osimertinib-acquired resistant non-small-cell lung cancer. <i>Lung Cancer</i> , 2019, 132, 54-58.	2.0	15

#	ARTICLE	IF	CITATIONS
73	Significance of re-biopsy of histological tumor samples in advanced non-small-cell lung cancer in clinical practice. <i>International Journal of Clinical Oncology</i> , 2019, 24, 41-45.	2.2	5
74	Phase 2 Study of Afatinib Alone or Combined With Bevacizumab in Chemo-naïve Patients With Advanced Non-Small-Cell Lung Cancer Harboring EGFR Mutations: AfaBev-CS Study Protocol. <i>Clinical Lung Cancer</i> , 2019, 20, 134-138.	2.6	19
75	Necitumumab plus gemcitabine and cisplatin versus gemcitabine and cisplatin alone as first-line treatment for stage IV squamous non-small cell lung cancer: A phase 1b and randomized, open-label, multicenter, phase 2 trial in Japan. <i>Lung Cancer</i> , 2019, 129, 55-62.	2.0	29
76	Revision of Lung Cancer Clinical Practice Guidelines -Focusing on the Area of Pharmacotherapy-. <i>Japanese Journal of Lung Cancer</i> , 2019, 59, 1076-1078.	0.1	0
77	Second primary cancer in survivors of locally advanced non-small cell lung cancer treated with concurrent chemoradiation followed by surgery. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 287-290.	1.3	3
78	MET or NRAS amplification is an acquired resistance mechanism to the third-generation EGFR inhibitor naquotinib. <i>Scientific Reports</i> , 2018, 8, 1955.	3.3	34
79	A Phase II Study of Trastuzumab Emtansine in HER2-Positive Non-Small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2018, 13, 273-279.	1.1	119
80	Quality of life of survivors of malignant pleural mesothelioma in Japan: a cross sectional study. <i>BMC Cancer</i> , 2018, 18, 350.	2.6	8
81	A Multicenter Randomized Controlled Study of Paclitaxel plus Carboplatin versus Oral Uracil-Tegafur as the Adjuvant Chemotherapy in Resected Non-Small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2018, 13, 699-706.	1.1	24
82	A phase I trial of afatinib and bevacizumab in chemo-naïve patients with advanced non-small-cell lung cancer harboring EGFR mutations: Okayama Lung Cancer Study Group Trial 1404. <i>Lung Cancer</i> , 2018, 115, 103-108.	2.0	25
83	Potential influence of interleukin-6 on the therapeutic effect of gefitinib in patients with advanced non-small cell lung cancer harbouring EGFR mutations. <i>Biochemical and Biophysical Research Communications</i> , 2018, 495, 360-367.	2.1	15
84	Is Surgery after Chemoradiotherapy Feasible in Lung Cancer Patients with Superior Vena Cava Invasion?. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2018, 24, 131-138.	0.8	2
85	Exploration of resistance mechanisms for epidermal growth factor receptor tyrosine kinase inhibitors based on plasma analysis by digital polymerase chain reaction and next-generation sequencing. <i>Cancer Science</i> , 2018, 109, 3921-3933.	3.9	27
86	Combined effect of cabozantinib and gefitinib in crizotinib-resistant lung tumors harboring ROS1 fusions. <i>Cancer Science</i> , 2018, 109, 3149-3158.	3.9	20
87	Pembrolizumab for the first-line treatment of non-small cell lung cancer. <i>Expert Opinion on Biological Therapy</i> , 2018, 18, 1015-1021.	3.1	18
88	A Phase II Trial of First-Line Combination Chemotherapy With Cisplatin, Pemetrexed, and Nivolumab for Unresectable Malignant Pleural Mesothelioma: A Study Protocol. <i>Clinical Lung Cancer</i> , 2018, 19, e705-e707.	2.6	23
89	Phase II study of ceritinib in alectinib-pretreated patients with anaplastic lymphoma kinase-rearranged metastatic non-small cell lung cancer in Japan: ASCEND-9. <i>Cancer Science</i> , 2018, 109, 2863-2872.	3.9	42
90	Study Protocol: Phase-Ib Trial of Nivolumab Combined With Metformin for Refractory/Recurrent Solid Tumors. <i>Clinical Lung Cancer</i> , 2018, 19, e861-e864.	2.6	27

#	ARTICLE	IF	CITATIONS
91	Gemcitabine-cisplatin (GC) + necitumumab (N) versus GC as first-line treatment for stage IV squamous cell lung cancer (SqCLC): An open-label randomized multicenter phase Ib-II trial in Japan.. Journal of Clinical Oncology, 2018, 36, 9038-9038.	1.6	2
92	Clinical significance of repeat rebiopsy in detecting the EGFR T790M secondary mutation in patients with non-small cell lung cancer. Oncotarget, 2018, 9, 29525-29531.	1.8	28
93	Alectinib versus crizotinib in patients with ALK -positive non-small-cell lung cancer (J-ALEX): an open-label, randomised phase 3 trial. Lancet, The, 2017, 390, 29-39.	13.7	753
94	Discomfort during bronchoscopy performed after endobronchial intubation with fentanyl and midazolam: a prospective study. Japanese Journal of Clinical Oncology, 2017, 47, 434-437.	1.3	6
95	Advantage of Induction Chemoradiotherapy for Lung Cancer in Securing Cancer-Free Bronchial Margin. Annals of Thoracic Surgery, 2017, 104, 971-978.	1.3	5
96	Triplet therapy with afatinib, cetuximab, and bevacizumab induces deep remission in lung cancer cells harboring EGFR T790M in vivo. Molecular Oncology, 2017, 11, 670-681.	4.6	14
97	PL04a.01: Health-Related Quality of Life for Pembrolizumab vs Chemotherapy in Advanced NSCLC with PD-L1 TPS ≥50%: Data from KEYNOTE-024. Journal of Thoracic Oncology, 2017, 12, S8-S9.	1.1	11
98	Three-Arm Randomized Trial of Sodium Alginate for Preventing Radiation-Induced Esophagitis in Locally Advanced Non-Small Cell Lung Cancer Receiving Concurrent Chemoradiotherapy: The OLCSG1401 Study Protocol. Clinical Lung Cancer, 2017, 18, 245-249.	2.6	8
99	A phase II trial of carboplatin plus S-1 for elderly patients with advanced non-small-cell lung cancer with wild-type epidermal growth factor receptor: The Okayama Lung Cancer Study Group Trial 1202. Lung Cancer, 2017, 112, 188-194.	2.0	5
100	Health-related quality-of-life results for pembrolizumab versus chemotherapy in advanced, PD-L1-positive NSCLC (KEYNOTE-024): a multicentre, international, randomised, open-label phase 3 trial. Lancet Oncology, The, 2017, 18, 1600-1609.	10.7	282
101	Phase II Study of the EGFR-TKI Rechallenge With Afatinib in Patients With Advanced NSCLC Harboring Sensitive EGFR Mutation Without T790M: Okayama Lung Cancer Study Group Trial OLCSCG 1403. Clinical Lung Cancer, 2017, 18, 241-244.	2.6	9
102	Trastuzumab Emtansine in HER2+ Recurrent Metastatic Non-Small-Cell Lung Cancer: Study Protocol. Clinical Lung Cancer, 2017, 18, 92-95.	2.6	19
103	Treatment Rationale and Design for J-AXEL: A Randomized Phase 3 Study Comparing Nab-Paclitaxel With Docetaxel in Patients With Previously Treated Advanced Non-Small-Cell Lung Cancer. Clinical Lung Cancer, 2017, 18, 100-103.	2.6	9
104	Induction chemoradiotherapy using docetaxel and cisplatin with definitive-dose radiation followed by surgery for locally advanced non-small cell lung cancer. Journal of Thoracic Disease, 2017, 9, 3076-3086.	1.4	4
105	Progression after the next line of therapy (PFS2) and updated OS among patients (pts) with advanced NSCLC and PD-L1 tumor proportion score (TPS) ≥50% enrolled in KEYNOTE-024.. Journal of Clinical Oncology, 2017, 35, 9000-9000.	1.6	43
106	Updated efficacy and safety of the j-aLEX study comparing alectinib (ALC) with crizotinib (CRZ) in ALK-inhibitor naïve ALK+ fusion positive non-small cell lung cancer (ALK+ NSCLC).. Journal of Clinical Oncology, 2017, 35, 9064-9064.	1.6	14
107	Impact of Maintenance Therapy for Patients with Non-small Cell Lung Cancer in a Real-world Setting. Anticancer Research, 2017, 37, 1507-1514.	1.1	7
108	Clinical features of squamous cell lung cancer with targetable gene alterations in a nationwide genomic screening network in Japan (LC-SCRUM-Japan).. Journal of Clinical Oncology, 2017, 35, 9057-9057.	1.6	0

#	ARTICLE	IF	CITATIONS
109	Efficacy of multimodal treatment for leptomeningeal metastases in a lung cancer harboring an EGFR mutation. <i>OncoTargets and Therapy</i> , 2016, 9, 1753.	2.0	4
110	Safety and discomfort during bronchoscopy performed under sedation with fentanyl and midazolam: a prospective study. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 871-874.	1.3	17
111	Pharmacologic study (NCT028927) of alectinib in Japanese patients with ALK+ non-small cell lung cancer with or without prior crizotinib therapy. <i>Cancer Science</i> , 2016, 107, 1642-1646.	3.9	15
112	Randomized feasibility study of S-1 for adjuvant chemotherapy in completely resected Stage IA non-small cell lung cancer: results of the Setouchi Lung Cancer Group Study 0701. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 741-747.	1.3	8
113	Potential influence of being overweight on the development of hepatic dysfunction in Japanese patients with EGFR-mutated non-small cell lung cancer undergoing gefitinib monotherapy: the Okayama Lung Cancer Study Group experience. <i>Cancer Chemotherapy and Pharmacology</i> , 2016, 78, 941-947.	2.3	6
114	Pembrolizumab versus Chemotherapy for PD-L1 Positive Non-Small-Cell Lung Cancer. <i>New England Journal of Medicine</i> , 2016, 375, 1823-1833.	27.0	7,847
115	A phase II study of topotecan and cisplatin with sequential thoracic radiotherapy in elderly patients with small-cell lung cancer: Okayama Lung Cancer Study Group 0102. <i>Cancer Chemotherapy and Pharmacology</i> , 2016, 78, 769-774.	2.3	7
116	Protocol Design for the Bench to Bed Trial in Alectinib-Refractory Non-Small-Cell Lung Cancer Patients Harboring the EML4-ALK Fusion Gene (ALRIGHT/OLCSG1405). <i>Clinical Lung Cancer</i> , 2016, 17, 602-605.	2.6	10
117	The Feasibility of Median Sternotomy With or Without Thoracotomy for Locally Advanced Non-Small Cell Lung Cancer Treated With Induction Chemoradiotherapy. <i>Annals of Thoracic Surgery</i> , 2016, 102, 985-992.	1.3	7
118	Development of a skin rash within the first week and the therapeutic effect in afatinib monotherapy for EGFR-mutant non-small cell lung cancer (NSCLC): Okayama Lung Cancer Study Group experience. <i>Cancer Chemotherapy and Pharmacology</i> , 2016, 77, 1005-1009.	2.3	14
119	Endobronchial ultrasound-guided transbronchial needle aspiration of hilar and mediastinal lymph nodes detected on ¹⁸ F-fluorodeoxyglucose positron emission tomography/computed tomography. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 529-533.	1.3	2
120	Non-Small Cell Lung Cancer Cells Acquire Resistance to the ALK Inhibitor Alectinib by Activating Alternative Receptor Tyrosine Kinases. <i>Cancer Research</i> , 2016, 76, 1506-1516.	0.9	115
121	Gefitinib Combined With Standard Chemoradiotherapy in EGFR-Mutant Locally Advanced Non-Small-Cell Lung Cancer: The LOGIK0902/OLCSG0905 Intergroup Study Protocol. <i>Clinical Lung Cancer</i> , 2016, 17, 75-79.	2.6	13
122	Short-term low-volume hydration in cisplatin-based chemotherapy for patients with lung cancer: the second prospective feasibility study in the Okayama Lung Cancer Study Group Trial 1201. <i>International Journal of Clinical Oncology</i> , 2016, 21, 81-87.	2.2	26
123	Alectinib (ALC) versus crizotinib (CRZ) in ALK-inhibitor naive ALK-positive non-small cell lung cancer (ALK+ NSCLC): Primary results from the J-ALEX study. <i>Journal of Clinical Oncology</i> , 2016, 34, 9008-9008.	1.6	58
124	Second primary cancer in survivors of locally advanced NSCLC treated with concurrent chemoradiation followed by surgery. <i>Journal of Clinical Oncology</i> , 2016, 34, 10100-10100.	1.6	0
125	Reappraisal of short-term low-volume hydration in cisplatin-based chemotherapy; hoping for it as a public domain. <i>Japanese Journal of Clinical Oncology</i> , 2015, 45, 603-4.	1.3	12
126	Downregulation of TBXAS 1 in an iron-induced malignant mesothelioma model. <i>Cancer Science</i> , 2015, 106, 1296-1302.	3.9	14

#	ARTICLE	IF	CITATIONS
127	Lower lobe origin is a poor prognostic factor in locally advanced non-small-cell lung cancer patients treated with induction chemoradiotherapy. <i>Molecular and Clinical Oncology</i> , 2015, 3, 706-712.	1.0	18
128	Magnitude of the Benefit of Progression-Free Survival as a Potential Surrogate Marker in Phase 3 Trials Assessing Targeted Agents in Molecularly Selected Patients with Advanced Non-Small Cell Lung Cancer: Systematic Review. <i>PLoS ONE</i> , 2015, 10, e0121211.	2.5	16
129	Endobronchial ultrasound-guided transbronchial biopsy with or without a guide sheath for diagnosis of lung Cancer. <i>Respiratory Investigation</i> , 2015, 53, 93-97.	1.8	18
130	A phase II study of cisplatin plus S-1 with concurrent thoracic radiotherapy for locally advanced non-small-cell lung cancer: The Okayama Lung Cancer Study Group Trial 0501. <i>Lung Cancer</i> , 2015, 87, 141-147.	2.0	30
131	Impact of body surface area on survival in EGFR-mutant non-small cell lung cancer patients treated with gefitinib monotherapy: observational study of the Okayama Lung Cancer Study Group 0703. <i>Cancer Chemotherapy and Pharmacology</i> , 2015, 76, 251-256.	2.3	11
132	Phase II study of topotecan and cisplatin with sequential radiotherapy in elderly small cell lung cancer patients (Okayama Lung Cancer Study Group; OLCSG 0102).. <i>Journal of Clinical Oncology</i> , 2015, 33, 7572-7572.	1.6	1
133	Development of skin rash within the 1st week is a potential surrogate marker of therapeutic effect in afatinib monotherapy in patients with EGFR-mt non-small-cell lung cancer (NSCLC): Okayama Lung Cancer Study Group Experience.. <i>Journal of Clinical Oncology</i> , 2015, 33, e19051-e19051.	1.6	1
134	Publication of Lung Cancer Clinical Trials in Japan. <i>Japanese Journal of Lung Cancer</i> , 2015, 55, 1070-1074.	0.1	0
135	A prospective cohort study to define the clinical and pathological features of lung cancers harboring HER2 gene aberrations (the HER2-CS Study) and a phase II study of trastuzumab emtansine (recombinant) in patients with HER2-positive non-small cell lung cancer who recurred, progressed after standard chemotherapy, or were primarily refractory to standard chemotherapy. <i>Okayama Lung Cancer Study Group</i> , 2015, 137, 127-132.	0.0	1
136	Three-arm randomized trial of sodium alginate, orally administered mucoprotective agent, for preventing radiation esophagitis in pts with locally advanced non-small-cell lung cancer (LA-NSCLC) receiving concurrent chemoradiotherapy (CRT): Okayama Lung Cancer Study Group 1401.. <i>Journal of Clinical Oncology</i> , 2015, 33, TPS9641-TPS9641.	1.6	0
137	Cisplatin-induced hyponatremia in malignancy: comparison between brand-name and generic formulation. <i>Drug Design, Development and Therapy</i> , 2014, 8, 2401.	4.3	3
138	Rapid on-site evaluation with BIOEVALUATOR [®] during endobronchial ultrasound-guided transbronchial needle aspiration for diagnosing pulmonary and mediastinal diseases. <i>Annals of Thoracic Medicine</i> , 2014, 9, 14.	1.8	12
139	Current status and future perspectives of cooperative study groups for lung cancer in Japan. <i>Respiratory Investigation</i> , 2014, 52, 339-347.	1.8	3
140	A New Human Lung Adenocarcinoma Cell Line Harboring the EML4-ALK Fusion Gene. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 963-968.	1.3	11
141	A phase II study of S-1 chemotherapy with concurrent thoracic radiotherapy in elderly patients with locally advanced non-small-cell lung cancer: The Okayama Lung Cancer Study Group Trial 0801. <i>European Journal of Cancer</i> , 2014, 50, 2783-2790.	2.8	18
142	Factor associated with failure to administer subsequent treatment after progression in the first-line chemotherapy in EGFR-mutant non-small cell lung cancer: Okayama Lung Cancer Study Group experience. <i>Cancer Chemotherapy and Pharmacology</i> , 2014, 73, 943-950.	2.3	8
143	A Survey of Japanese Thoracic Oncologists' Perception of Diagnostic and Treatment Strategies for EGFR Mutant or EML4-ALK Fusion Non-small Cell Lung Cancer. <i>Chest</i> , 2014, 146, e222-e225.	0.8	4
144	Antitumor activity of alectinib (CH5424802/RO5424802) for ALK-rearranged NSCLC with or without prior crizotinib treatment in bioequivalence study.. <i>Journal of Clinical Oncology</i> , 2014, 32, 8103-8103.	1.6	6

#	ARTICLE	IF	CITATIONS
145	Factors affecting PS deterioration at the time of relapse after the first-line EGFR-TKI therapy in EGFR-mutant advanced NSCLC.. Journal of Clinical Oncology, 2014, 32, e19102-e19102.	1.6	0
146	Time trend in the survival advantage in phase III trials investigating molecular-targeted agents for advanced non-small cell lung cancer (NSCLC) during the past decade.. Journal of Clinical Oncology, 2014, 32, e19084-e19084.	1.6	0
147	A phase II study of S-1 and concurrent thoracic radiotherapy (TRT) for elderly pts with locally advanced non-small cell lung cancer (LA-NSCLC): Okayama Lung Cancer Study Group trial 0801.. Journal of Clinical Oncology, 2014, 32, 7576-7576.	1.6	0
148	Impact of physical size on gefitinib efficacy in patients with non-small cell lung cancer harboring EGFR mutations. Lung Cancer, 2013, 81, 435-439.	2.0	28
149	Progression-free survival and overall survival in phase III trials of molecular-targeted agents in advanced non-small-cell lung cancer. Lung Cancer, 2013, 79, 20-26.	2.0	39
150	Reappraisal of Short-term Low-volume Hydration in Cisplatin-based Chemotherapy: Results of a Prospective Feasibility Study in Advanced Lung Cancer in the Okayama Lung Cancer Study Group Trial 1002. Japanese Journal of Clinical Oncology, 2013, 43, 1115-1123.	1.3	48
151	Impact of concomitant use of anti-acid agents on efficacy of gefitinib in EGFR-mutant non-small-cell lung cancer (NSCLC).. Journal of Clinical Oncology, 2013, 31, e19008-e19008.	1.6	1
152	Impact of body surface area (BSA) on efficacy of gefitinib in patients with non-small cell lung cancer (NSCLC).. Journal of Clinical Oncology, 2013, 31, e19167-e19167.	1.6	0
153	Survival analysis of induction cisplatin (CDDP)-docetaxel (DOC)-bevacizumab (BEV) chemotherapy followed by maintenance BEV-pemetrexed (PEM) therapy in advanced nonsquamous non-small cell lung cancer (NonSq NSCLC): A phase II trial from Okayama Lung Cancer Study Group 0903.. Journal of Clinical Oncology, 2013, 31, e19040-e19040.	1.6	0
154	Prospective cohort study of serum sialylated glycoprotein (KL-6) as a prognostic marker in patients (pts) with non-small cell lung cancer (NSCLC) receiving gefitinib monotherapy: Okayama Lung Cancer Study Group 0703.. Journal of Clinical Oncology, 2013, 31, e19023-e19023.	1.6	0
155	A survey on Japanese thoracic oncologists's preference on treatment strategy for EGFR-mutant or EML4-ALK-mutant non-small cell lung cancer (NSCLC).. Journal of Clinical Oncology, 2013, 31, e19124-e19124.	1.6	0
156	Impact of body surface area on efficacy of gefitinib in patients with non-small cell lung cancer harboring activating epidermal growth factor receptor mutation.. Journal of Clinical Oncology, 2012, 30, 2607-2607.	1.6	1
157	A phase II trial of induction gefitinib monotherapy followed by cisplatin-docetaxel and concurrent thoracic irradiation in patients with EGFR-mutant locally advanced non-small-cell lung cancer (LA-NSCLC): LOGIK0902/OLCSG0905 intergroup trial.. Journal of Clinical Oncology, 2012, 30, 7045-7045.	1.6	2
158	Survival post-progression (SPP) in phase III trials of chemotherapy in advanced NSCLC: Its potentially different impact on OS in the first-line and salvage settings.. Journal of Clinical Oncology, 2012, 30, e18027-e18027.	1.6	0
159	Difference in incidence and pattern of salvage treatment after failure to first-line epidermal growth factor receptor-tyrosine kinase inhibitor (EGFR-TKI) monotherapy and standard cytotoxic chemotherapy in pts with advanced non-small cell lung cancer (NSCLC) harboring EGFR mutations: Okayama Lung Cancer Study Group experience.. Journal of Clinical Oncology, 2012, 30, 7576-7576.	1.6	0
160	Role of Survival Post-Progression in Phase III Trials of Systemic Chemotherapy in Advanced Non-Small-Cell Lung Cancer: A Systemic Review. PLoS ONE, 2011, 6, e26646.	2.5	66
161	Cure- or Care-Oriented Regimen for Stage III Non-Small-Cell Lung Cancer?. Journal of Clinical Oncology, 2011, 29, e320-e320.	1.6	6
162	Safety profiles of erlotinib therapy in patients with advanced non-small-cell lung cancer. Expert Review of Anticancer Therapy, 2011, 11, 993-999.	2.4	5

#	ARTICLE	IF	CITATIONS
163	Comparison of the Incidence and Pattern of Interstitial Lung Disease During Erlotinib and Gefitinib Treatment in Japanese Patients with Non-small Cell Lung Cancer: The Okayama Lung Cancer Study Group Experience. <i>Journal of Thoracic Oncology</i> , 2010, 5, 179-184.	1.1	69
164	A Phase II Trial of Erlotinib Monotherapy in Pretreated Patients with Advanced Non-small Cell Lung Cancer Who Do Not Possess Active EGFR Mutations: Okayama Lung Cancer Study Group Trial 0705. <i>Journal of Thoracic Oncology</i> , 2010, 5, 99-104.	1.1	67
165	Desire for Information and Involvement in Treatment Decisions: Lung Cancer Patients' Preferences and Their Physicians' Perceptions: Results from Okayama Lung Cancer Study Group Trial 0705. <i>Journal of Thoracic Oncology</i> , 2010, 5, 1668-1672.	1.1	18
166	Phase III Trial Comparing Docetaxel and Cisplatin Combination Chemotherapy With Mitomycin, Vindesine, and Cisplatin Combination Chemotherapy With Concurrent Thoracic Radiotherapy in Locally Advanced Non-Small-Cell Lung Cancer: OLCSG 0007. <i>Journal of Clinical Oncology</i> , 2010, 28, 3299-3306.	1.6	225
167	Association between poor performance status and risk for toxicity during erlotinib monotherapy in Japanese patients with non-small cell lung cancer: Okayama Lung Cancer Study Group experience. <i>Lung Cancer</i> , 2010, 70, 308-312.	2.0	8
168	A case of advanced non-small-cell lung cancer who responded slowly to gefitinib monotherapy after long-term disease stabilization. <i>Acta Oncologica</i> , 2009, 48, 471-473.	1.8	1
169	Sex difference in the influence of smoking status on the responsiveness to gefitinib monotherapy in adenocarcinoma of the lung: Okayama Lung Cancer Study Group experience. <i>Journal of Cancer Research and Clinical Oncology</i> , 2009, 135, 117-123.	2.5	7
170	Time to Progression as a Surrogate Marker for Overall Survival in Patients with Advanced Non-small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2009, 4, 311-317.	1.1	55
171	Association of the benefit from gefitinib monotherapy with smoking status in Japanese patients with non-small-cell lung cancer. <i>Lung Cancer</i> , 2008, 62, 236-241.	2.0	9
172	Impact of HER2 Gene and Protein Status on the Treatment Outcome of Cisplatin-Based Chemoradiotherapy for Locally Advanced Non-small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2008, 3, 477-482.	1.1	49
173	Relationship between Response and Survival in More Than 50,000 Patients with Advanced Non-small Cell Lung Cancer Treated with Systemic Chemotherapy in 143 Phase III Trials. <i>Journal of Thoracic Oncology</i> , 2007, 2, 402-407.	1.1	67
174	Clinical Significance of Epidermal Growth Factor Receptor Gene Mutations on Treatment Outcome after First-line Cytotoxic Chemotherapy in Japanese Patients with Non-small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2007, 2, 632-637.	1.1	62
175	Being overweight influences the development of hepatic dysfunction in Japanese patients with non-small-cell lung cancer undergoing cytotoxic chemotherapy. <i>Lung Cancer</i> , 2007, 55, 343-348.	2.0	5
176	Long-Standing Debate on Cisplatin- Versus Carboplatin-Based Chemotherapy in the Treatment of Advanced Non-small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2007, 2, 96.	1.1	35
177	Recent improvement in the survival of patients with advanced nonsmall cell lung cancer enrolled in phase III trials of first-line, systemic chemotherapy. <i>Cancer</i> , 2007, 109, 939-948.	4.1	44
178	Author reply to recent improvement in the survival of patients with advanced nonsmall cell lung cancer enrolled in phase III trials of first-line, systemic chemotherapy. <i>Cancer</i> , 2007, 110, 2594-2594.	4.1	1
179	Gefitinib induces premature senescence in non-small cell lung cancer cells with or without EGFR gene mutation. <i>Oncology Reports</i> , 2007, 17, 313-7.	2.6	23
180	Role of early serial change in serum carcinoembryonic antigen levels as a predictive marker for radiological response to gefitinib in Japanese patients with non-small cell lung cancer. <i>Anticancer Research</i> , 2007, 27, 1737-41.	1.1	3

#	ARTICLE	IF	CITATIONS
181	Advances in our understanding of postoperative adjuvant chemotherapy in resectable non-small-cell lung cancer. <i>Current Opinion in Oncology</i> , 2006, 18, 144-150.	2.4	8
182	A phase I study of 3-day topotecan and cisplatin in elderly patients with small-cell lung cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2006, 57, 755-760.	2.3	5
183	Interstitial Lung Disease in Japanese Patients With Non-Small Cell Lung Cancer Receiving Gefitinib. <i>Cancer Journal (Sudbury, Mass)</i> , 2005, 11, 417-424.	2.0	68
184	Safety and efficacy of gefitinib treatment in elderly patients with non-small-cell lung cancer: Okayama Lung Cancer Study Group Experience. <i>Acta Oncologica</i> , 2005, 44, 717-722.	1.8	19
185	Gefitinib should be cautiously administered to poor performance status patients with non-small-cell lung cancer: Results from a prospective feasibility study. <i>Lung Cancer</i> , 2005, 50, 413-415.	2.0	9
186	Meta-Analysis of Randomized Clinical Trials Comparing Cisplatin to Carboplatin in Patients With Advanced Non-Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2004, 22, 3852-3859.	1.6	373
187	Effect of gefitinib (Iressa™, ZD1839) on brain metastases in patients with advanced non-small-cell lung cancer. <i>Lung Cancer</i> , 2004, 46, 255-261.	2.0	175
188	An overview of 48 elderly-specific clinical trials of systemic chemotherapy for advanced non-small cell lung cancer. <i>Lung Cancer</i> , 2004, 46, 61-76.	2.0	30