William E Klunk

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/244878/publications.pdf

Version: 2024-02-01

230 papers

47,490 citations

9428 76 h-index 206 g-index

248 all docs 248 docs citations

times ranked

248

33116 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Biomarker clustering in autosomal dominant Alzheimer's disease. Alzheimer's and Dementia, 2023, 19, 274-284. | 0.4 | 2 |
| 2 | Direct Comparison of the Tau PET Tracers ¹⁸ F-Flortaucipir and ¹⁸ F-MK-6240 in Human Subjects. Journal of Nuclear Medicine, 2022, 63, 108-116. | 2.8 | 39 |
| 3 | Prevalence Estimates of Amyloid Abnormality Across the Alzheimer Disease Clinical Spectrum. JAMA Neurology, 2022, 79, 228. | 4.5 | 97 |
| 4 | White matter microstructure associations to amyloid burden in adults with Down syndrome. Neurolmage: Clinical, 2022, 33, 102908. | 1.4 | 1 |
| 5 | Variant-dependent heterogeneity in amyloid \hat{l}^2 burden in autosomal dominant Alzheimer's disease: cross-sectional and longitudinal analyses of an observational study. Lancet Neurology, The, 2022, 21, 140-152. | 4.9 | 34 |
| 6 | Cortical atrophy and amyloid and tau deposition in Down syndrome: A longitudinal study. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2022, 14, e12288. | 1.2 | 2 |
| 7 | Support vector machine learning and diffusion-derived structural networks predict amyloid quantity and cognition in adults with Down's syndrome. Neurobiology of Aging, 2022, 115, 112-121. | 1.5 | 2 |
| 8 | Brain health correlates of mobility-related confidence. Experimental Gerontology, 2022, 163, 111776. | 1.2 | 1 |
| 9 | 11C-PiB PET can underestimate brain amyloid- \hat{l}^2 burden when cotton wool plaques are numerous. Brain, 2022, 145, 2161-2176. | 3.7 | 8 |
| 10 | Jointâ€label fusion brain atlases for dementia research in Down syndrome. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2022, 14, . | 1.2 | 1 |
| 11 | Detection of Brain Tau Pathology in Down Syndrome Using Plasma Biomarkers. JAMA Neurology, 2022, 79, 797. | 4.5 | 17 |
| 12 | Alzheimer's disease pathology in a community-based sample of older adults without dementia: The MYHAT neuroimaging study. Brain Imaging and Behavior, 2021, 15, 1355-1363. | 1.1 | 7 |
| 13 | Development of a PET radioligand selective for cerebral amyloid angiopathy. Nuclear Medicine and Biology, 2021, 92, 85-96. | 0.3 | 6 |
| 14 | Genome-wide association study of brain amyloid deposition as measured by Pittsburgh Compound-B (PiB)-PET imaging. Molecular Psychiatry, 2021, 26, 309-321. | 4.1 | 47 |
| 15 | Radiosynthesis, <i>In Vitro</i> and <i>In Vivo</i> Evaluation of [¹⁸ F]CBD-2115 as a First-in-Class Radiotracer for Imaging 4R-Tauopathies. ACS Chemical Neuroscience, 2021, 12, 596-602. | 1.7 | 29 |
| 16 | Neurofibrillary tau depositions emerge with subthreshold cerebral beta-amyloidosis in down syndrome. NeuroImage: Clinical, 2021, 31, 102740. | 1.4 | 9 |
| 17 | PET measurement of longitudinal amyloid load identifies the earliest stages of amyloid-beta accumulation during Alzheimer's disease progression in Down syndrome. Neurolmage, 2021, 228, 117728. | 2.1 | 15 |
| 18 | Robust White Matter Hyperintensity Segmentation On Unseen Domain., 2021, 2021, 1047-1051. | | 5 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Multi-Domain Learning By Meta-Learning: Taking Optimal Steps In Multi-Domain Loss Landscapes By Inner-Loop Learning., 2021, 2021, 650-654. | | 3 |
| 20 | An Effect of Education on Memory-Encoding Activation in Subjective Cognitive Decline. Journal of Alzheimer's Disease, 2021, 81, 1065-1078. | 1.2 | 5 |
| 21 | Characterization of point-spread function specification error on Geometric Transfer Matrix partial volume correction in [11C]PiB amyloid imaging. EJNMMI Physics, 2021, 8, 54. | 1.3 | 0 |
| 22 | Comparing amyloid- \hat{l}^2 plaque burden with antemortem PiB PET in autosomal dominant and late-onset Alzheimer disease. Acta Neuropathologica, 2021, 142, 689-706. | 3.9 | 15 |
| 23 | Peripheral inflammatory biomarkers predict the deposition and progression of amyloid- \hat{l}^2 in cognitively unimpaired older adults. Brain, Behavior, and Immunity, 2021, 95, 178-189. | 2.0 | 22 |
| 24 | Comparison of CSF biomarkers in Down syndrome and autosomal dominant Alzheimer's disease: a cross-sectional study. Lancet Neurology, The, 2021, 20, 615-626. | 4.9 | 26 |
| 25 | Comparing Pathological Risk Factors for Dementia between Cognitively Normal Japanese and Americans. Brain Sciences, 2021, 11, 1180. | 1.1 | 0 |
| 26 | Predicting Symptom Onset in Sporadic Alzheimer Disease With Amyloid PET. Neurology, 2021, 97, e1823-e1834. | 1.5 | 35 |
| 27 | Physical activity and cognitive and imaging biomarkers of Alzheimer's disease in down syndrome. Neurobiology of Aging, 2021, 107, 118-127. | 1.5 | 17 |
| 28 | What Is T+? A Gordian Knot of Tracers, Thresholds, and Topographies. Journal of Nuclear Medicine, 2021, 62, 614-619. | 2.8 | 21 |
| 29 | A multi-scanner neuroimaging data harmonization using RAVEL and ComBat. Neurolmage, 2021, 245, 118703. | 2.1 | 31 |
| 30 | The effect of amyloid deposition on longitudinal resting-state functional connectivity in cognitively normal older adults. Alzheimer's Research and Therapy, 2020, 12, 7. | 3.0 | 14 |
| 31 | Improving brain age prediction models: incorporation of amyloid status in Alzheimer's disease. Neurobiology of Aging, 2020, 87, 44-48. | 1.5 | 38 |
| 32 | Cerebrospinal fluid biomarkers of Alzheimer's disease in a cohort of adults with Down syndrome. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2020, 12, e12057. | 1,2 | 15 |
| 33 | Associations between NIH Toolbox Cognition Battery and <i>in vivo</i> brain amyloid and tau pathology in nonâ€demented older adults. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2020, 12, e12018. | 1.2 | 17 |
| 34 | Predicting resistance to amyloid-beta deposition and cognitive resilience in the oldest-old. Neurology, 2020, 95, e984-e994. | 1.5 | 14 |
| 35 | Hippocampal sclerosis, TDPâ€43, and the duration of the symptoms of dementia of AD patients. Annals of Clinical and Translational Neurology, 2020, 7, 1546-1556. | 1.7 | 15 |
| 36 | Post-mortem analyses of PiB and flutemetamol in diffuse and cored amyloid-β plaques in Alzheimer's disease. Acta Neuropathologica, 2020, 140, 463-476. | 3.9 | 34 |

| # | Article | lF | Citations |
|----|--|-----|-----------|
| 37 | White matter microstructure and episodic memory in adults with down syndrome: A Tractâ€Based Spatial Statistics (TBSS) Study. Alzheimer's and Dementia, 2020, 16, e044673. | 0.4 | 1 |
| 38 | Evaluation of amyloid and tau PET quantitation methods using a 3Dâ€printed anatomically accurate brain phantom. Alzheimer's and Dementia, 2020, 16, e045455. | 0.4 | 0 |
| 39 | Amyloid accumulation in Down syndrome measured with amyloid load. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2020, 12, e12020. | 1.2 | 19 |
| 40 | The roles of study setting, response bias, and personality in subjective memory complaints of cognitively normal older adults. International Psychogeriatrics, 2020, 33, 1-12. | 0.6 | 3 |
| 41 | A randomized controlled trial of amyloid positron emission tomography results disclosure in mild cognitive impairment. Alzheimer's and Dementia, 2020, 16, 1330-1337. | 0.4 | 19 |
| 42 | Influence of apolipoprotein-E genotype on brain amyloid load and longitudinal trajectories. Neurobiology of Aging, 2020, 94, 111-120. | 1.5 | 15 |
| 43 | Relationship of amyloid-l̂21–42 in blood and brain amyloid: Ginkgo Evaluation of Memory Study. Brain Communications, 2020, 2, fcz038. | 1.5 | 10 |
| 44 | Association of sleep with cognition and beta amyloid accumulation in adults with Down syndrome. Neurobiology of Aging, 2020, 93, 44-51. | 1.5 | 24 |
| 45 | Metabolic correlates of prevalent mild cognitive impairment and Alzheimer's disease in adults with Down syndrome. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2020, 12, e12028. | 1.2 | 12 |
| 46 | Cognitive indicators of transition to preclinical and prodromal stages of Alzheimer's disease in Down syndrome. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2020, 12, e12096. | 1.2 | 20 |
| 47 | Patterns of glucose hypometabolism in Down syndrome resemble sporadic Alzheimer's disease except for the putamen. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2020, 12, e12138. | 1.2 | 7 |
| 48 | Statistical Methods for Processing Neuroimaging Data from Two Different Sites with a Down Syndrome Population Application. Communications in Computer and Information Science, 2020, , 367-379. | 0.4 | 1 |
| 49 | Imaging neurodegeneration in Down syndrome: brain templates for amyloid burden and tissue segmentation. Brain Imaging and Behavior, 2019, 13, 345-353. | 1.1 | 21 |
| 50 | Neuropathological correlates of amyloid PET imaging in Down syndrome. Developmental Neurobiology, 2019, 79, 750-766. | 1.5 | 34 |
| 51 | Research Use of Ecological Momentary Assessment for Adverse Event Monitoring Following Amyloid- \hat{l}^2 Results Disclosure. Journal of Alzheimer's Disease, 2019, 71, 1071-1079. | 1.2 | 7 |
| 52 | Investigating Gains in Neurocognition in an Intervention Trial of Exercise (IGNITE): Protocol. Contemporary Clinical Trials, 2019, 85, 105832. | 0.8 | 26 |
| 53 | Comparison of Pittsburgh compound B and florbetapir in crossâ€sectional and longitudinal studies. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2019, 11, 180-190. | 1.2 | 84 |
| 54 | Association Between Amyloid- \hat{l}^2 , Small-vessel Disease, and Neurodegeneration Biomarker Positivity, and Progression to Mild Cognitive Impairment in Cognitively Normal Individuals. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1753-1760. | 1.7 | 8 |

| # | Article | IF | CITATIONS |
|----|---|-------|-----------|
| 55 | Leisure Activity, Brain βâ€amyloid, and Episodic Memory in Adults with Down Syndrome. Developmental Neurobiology, 2019, 79, 738-749. | 1.5 | 14 |
| 56 | P4â€631: ALZHEIMER'S DISEASE PATHOLOGY IN A COMMUNITYâ€BASED SAMPLE OF OLDER ADULTS WITHOUT DEMENTIA: A POPULATIONâ€NEUROSCIENCE APPROACH. Alzheimer's and Dementia, 2019, 15, P1569. | 0.4 | 0 |
| 57 | Longitudinal trajectories of amyloid deposition, cortical thickness, and tau in Down syndrome: A deepâ€phenotyping case report. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2019, 11, 654-658. | 1.2 | 13 |
| 58 | ICâ€06â€03: SPATIAL ASSOCIATIONS OF Aβ WITH TAU DEPOSITION IN DOWN SYNDROME. Alzheimer's and Dementia, 2019, 15, P11. | 0.4 | 0 |
| 59 | ICâ€06â€04: SLEEP, COGNITION, AND βâ€AMYLOID IN ADULTS WITH DOWN SYNDROME. Alzheimer's and Deme 2019, 15, P12. | ntią, | 1 |
| 60 | ICâ€06â€02: ASSOCIATIONS BETWEEN AÎ 2 AND TAU IN ADULTS WITH DOWN SYNDROME. Alzheimer's and Dementia, 2019, 15, P11. | 0.4 | 0 |
| 61 | ICâ€06â€01: ASSESSMENT OF LONGITUDINAL AMYLOID LOAD CHANGE IN DOWN SYNDROME. Alzheimer's and Dementia, 2019, 15, P10. | 0.4 | O |
| 62 | Fluid and PET biomarkers for amyloid pathology in Alzheimer's disease. Molecular and Cellular Neurosciences, 2019, 97, 3-17. | 1.0 | 82 |
| 63 | Multisite study of the relationships between <i>antemortem</i> [¹¹ C]PIBâ€PET Centiloid values and <i>postmortem</i> measures of Alzheimer's disease neuropathology. Alzheimer's and Dementia, 2019, 15, 205-216. | 0.4 | 155 |
| 64 | Comparison of longitudinal $\hat{Al^2}$ in nondemented elderly and Down syndrome. Neurobiology of Aging, 2019, 73, 171-176. | 1.5 | 13 |
| 65 | Distinct cytokine profiles in human brains resilient to Alzheimer's pathology. Neurobiology of Disease, 2019, 121, 327-337. | 2.1 | 79 |
| 66 | Amyloid deposition is associated with different patterns of hippocampal connectivity in men versus women. Neurobiology of Aging, 2019, 76, 141-150. | 1.5 | 6 |
| 67 | Amyloid deposition and brain structure as long-term predictors of MCI, dementia, and mortality. Neurology, 2018, 90, e1920-e1928. | 1.5 | 36 |
| 68 | Prevalence of the apolipoprotein E $\hat{l}\mu4$ allele in amyloid \hat{l}^2 positive subjects across the spectrum of Alzheimer's disease. Alzheimer's and Dementia, 2018, 14, 913-924. | 0.4 | 58 |
| 69 | Molecular imaging: What is right and what is an illusion?. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 217-220. | 1.2 | 11 |
| 70 | Association of Cerebral Amyloid- \hat{l}^2 Aggregation With Cognitive Functioning in Persons Without Dementia. JAMA Psychiatry, 2018, 75, 84. | 6.0 | 133 |
| 71 | Amyloid \hat{l}^2 Deposition and Suspected Non-Alzheimer Pathophysiology and Cognitive Decline Patterns for 12 Years in Oldest Old Participants Without Dementia. JAMA Neurology, 2018, 75, 88. | 4.5 | 33 |
| 72 | P3â€440: COMPARING THE CENTILOID SCALE FOR PITTSBURGH COMPOUND B AND FLORBETAPIR IN LONGITUDINAL PET STUDIES OF SPORADIC AD. Alzheimer's and Dementia, 2018, 14, P1283. | 0.4 | 0 |

| # | Article | IF | CITATIONS |
|----|---|------------------|-----------|
| 73 | O2â€03â€06: PREDICTING RESILIENCY AGAINST AMYLOIDâ€BETA DEPOSITION, COGNITIVE IMPAIRMENT, AND THE COMBINATION IN THE OLDESTâ€OLD. Alzheimer's and Dementia, 2018, 14, P619. | IEIR O.4 | O |
| 74 | ICâ€Pâ€210: COMPARISON OF IN VIVO [Fâ€18]AVâ€1451 OFFâ€TARGET RETENTION IN AFRICANâ€AMERICANS A CAUCASIANS. Alzheimer's and Dementia, 2018, 14, P173. | AND 0.4 | 0 |
| 75 | P1â€421: COMPARISON OF STRIATAL LONGITUDINAL CHANGES IN AMYLOID DEPOSITION IN NONâ€DEMENTED ELDERLY AND DOWN SYNDROME. Alzheimer's and Dementia, 2018, 14, P467. | 0.4 | O |
| 76 | ICâ€Pâ€009: COMPARING THE CENTILOID SCALE FOR PITTSBURGH COMPOUND B AND FLORBETAPIR IN LONGITUDINAL PET STUDIES OF SPORADIC AD. Alzheimer's and Dementia, 2018, 14, P19. | 0.4 | 0 |
| 77 | ICâ€Pâ€020: PREDICTING RESILIENCY AGAINST AMYLOIDâ€BETA DEPOSITION, COGNITIVE IMPAIRMENT, AND THE COMBINATION IN THE OLDESTâ€OLD. Alzheimer's and Dementia, 2018, 14, P25. | EIR 0.4 | O |
| 78 | ICâ€Pâ€004: AMYLOID BURDEN AND CORTICAL ATROPHY IN NONâ€DEMENTED DOWN SYNDROME. Alzheimer's Dementia, 2018, 14, P16. | and | 0 |
| 79 | P1â€437: PULSE WAVE VELOCITY IS ASSOCIATED WITH INCIDENT DEMENTIA AND AMYLOID DEPOSITION IN THE BRAINS OF ELDERLY ADULTS. Alzheimer's and Dementia, 2018, 14, P477. | 0.4 | О |
| 80 | P1â€429: COMPARISON OF IN VIVO [Fâ€18]AVâ€1451 OFFâ€TARGET RETENTION IN AFRICAN AMERICANS AND CAUCASIANS. Alzheimer's and Dementia, 2018, 14, P473. | 0.4 | 0 |
| 81 | P1â€445: AMYLOID BURDEN AND CORTICAL ATROPHY IN NONâ€DEMENTED DOWN SYNDROME. Alzheimer's and Dementia, 2018, 14, P484. | d _{0.4} | О |
| 82 | FTS3â€01â€01: HISTORY OF AMYLOID PET. Alzheimer's and Dementia, 2018, 14, P1004. | 0.4 | 0 |
| 83 | Synergism of antihypertensives and cholinesterase inhibitors in Alzheimer's disease. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2018, 4, 542-555. | 1.8 | 10 |
| 84 | The use of Centiloids for applying [¹¹ C]PiB classification cutoffs across regionâ€ofâ€interest delineation methods. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 332-339. | 1.2 | 22 |
| 85 | Utilizing the Centiloid scale in cross-sectional and longitudinal PiB PET studies. NeuroImage: Clinical, 2018, 19, 406-416. | 1.4 | 76 |
| 86 | Impact of partial volume correction on the regional correspondence between in vivo [C-11]PiB PET and postmortem measures of ${\rm A}^{\hat{1}^2}$ load. NeuroImage: Clinical, 2018, 19, 182-189. | 1.4 | 13 |
| 87 | Sleep moderates the relationship between amyloid beta and memory recall. Neurobiology of Aging, 2018, 71, 142-148. | 1.5 | 31 |
| 88 | Quantitative PET and Histology of Brain Biopsy Reveal Lack of Selective Pittsburgh Compound-B Binding to Intracerebral Amyloidoma. Journal of Alzheimer's Disease, 2018, 65, 71-77. | 1.2 | 2 |
| 89 | Standardization of amyloid quantitation with florbetapir standardized uptake value ratios to the Centiloid scale. Alzheimer's and Dementia, 2018, 14, 1565-1571. | 0.4 | 98 |
| 90 | Longitudinal changes in amyloid positron emission tomography and volumetric magnetic resonance imaging in the nondemented Down syndrome population. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2017, 9, 1-9. | 1.2 | 49 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 91 | Pathological correlations of [Fâ€18]â€AVâ€1451 imaging in nonâ€alzheimer tauopathies. Annals of Neurology, 2017, 81, 117-128. | 2.8 | 174 |
| 92 | Small-molecule PET Tracers for Imaging Proteinopathies. Seminars in Nuclear Medicine, 2017, 47, 553-575. | 2.5 | 91 |
| 93 | Cognitive decline and brain amyloid- \hat{l}^2 accumulation across 3 years in adults with Down syndrome. Neurobiology of Aging, 2017, 58, 68-76. | 1.5 | 59 |
| 94 | Association of Brain Amyloid-β With Slow Gait in Elderly Individuals Without Dementia. JAMA Neurology, 2017, 74, 82. | 4.5 | 66 |
| 95 | Alzheimer-Like Pattern of Hypometabolism Emerges with Elevated Amyloid-Î ² Burden in Down Syndrome. Journal of Alzheimer's Disease, 2017, 61, 631-644. | 1,2 | 23 |
| 96 | Quantitative Amyloid Imaging in Autosomal Dominant Alzheimer's Disease: Results from the DIAN Study Group. PLoS ONE, 2016, 11, e0152082. | 1.1 | 45 |
| 97 | [Fâ€18]AVâ€1451 positron emission tomography retention in choroid plexus: More than "offâ€target― binding. Annals of Neurology, 2016, 80, 307-308. | 2.8 | 66 |
| 98 | Cerebral Amyloid Deposition and Dual-Tasking in Cognitively Normal, Mobility Unimpaired Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 72, glw211. | 1.7 | 12 |
| 99 | Tenascin-C Is Associated with Cored Amyloid- \hat{l}^2 Plaques in Alzheimer Disease and Pathology Burdened Cognitively Normal Elderly. Journal of Neuropathology and Experimental Neurology, 2016, 75, 868-876. | 0.9 | 31 |
| 100 | Development of a Standardized Approach to Disclosing Amyloid Imaging Research Results in Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2016, 52, 17-24. | 1.2 | 35 |
| 101 | Post-mortem histopathology underlying \hat{l}^2 -amyloid PET imaging following flutemetamol F 18 injection. Acta Neuropathologica Communications, 2016, 4, 130. | 2.4 | 76 |
| 102 | The effects of normal aging on amyloidâ€Î² deposition in nondemented adults with Down syndrome as imaged by carbon 11–labeled Pittsburgh compound B. Alzheimer's and Dementia, 2016, 12, 380-390. | 0.4 | 65 |
| 103 | Comparison of qualitative and quantitative imaging characteristics of [11 C]PiB and [18 F]flutemetamol in normal control and Alzheimer's subjects. NeuroImage: Clinical, 2015, 9, 592-598. | 1.4 | 48 |
| 104 | A survey of attitudes toward clinical trials and genetic disclosure in autosomal dominant Alzheimer's disease. Alzheimer's Research and Therapy, 2015, 7, 50. | 3.0 | 10 |
| 105 | Validating novel tau positron emission tomography tracer <scp>[Fâ€18]â€AVâ€1451 (T807)</scp> on postmortem brain tissue. Annals of Neurology, 2015, 78, 787-800. | 2.8 | 535 |
| 106 | Amyloid- \hat{l}^2 Imaging in Older Adults Presenting to a Memory Clinic with Subjective Cognitive Decline: A Pilot Study. Journal of Alzheimer's Disease, 2015, 48, S151-S159. | 1.2 | 80 |
| 107 | More evidence for association of a rare TREM2 mutation (R47H) with Alzheimer's disease risk. Neurobiology of Aging, 2015, 36, 2443.e21-2443.e26. | 1.5 | 39 |
| 108 | The Centiloid Project: Standardizing quantitative amyloid plaque estimation by PET. Alzheimer's and Dementia, $2015,11,1.$ | 0.4 | 603 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 109 | Endogenous murine $\hat{A^2}$ increases amyloid deposition in APP23 but not in APPPS1 transgenic mice. Neurobiology of Aging, 2015, 36, 2241-2247. | 1.5 | 9 |
| 110 | Longitudinal assessment of neuroimaging and clinical markers in autosomal dominant Alzheimer's disease: a prospective cohort study. Lancet Neurology, The, 2015, 14, 804-813. | 4.9 | 91 |
| 111 | Where is hippocampal activity in the cascade of Alzheimer's disease biomarkers?. Brain, 2015, 138, 831-833. | 3.7 | 8 |
| 112 | Incidental Cerebral Microbleeds and Cerebral Blood Flow in Elderly Individuals. JAMA Neurology, 2015, 72, 1021. | 4.5 | 71 |
| 113 | Subjective Cognitive Complaints, Personality and Brain Amyloid-beta inÂCognitively Normal Older Adults. American Journal of Geriatric Psychiatry, 2015, 23, 985-993. | 0.6 | 112 |
| 114 | Prevalence of Cerebral Amyloid Pathology in Persons Without Dementia. JAMA - Journal of the American Medical Association, 2015, 313, 1924. | 3.8 | 1,166 |
| 115 | Prevalence of Amyloid PET Positivity in Dementia Syndromes. JAMA - Journal of the American Medical Association, 2015, 313, 1939. | 3.8 | 501 |
| 116 | Relative ¹¹ C-PiB Delivery as a Proxy of Relative CBF: Quantitative Evaluation Using Single-Session ¹⁵ O-Water and ¹¹ C-PiB PET. Journal of Nuclear Medicine, 2015, 56, 1199-1205. | 2.8 | 62 |
| 117 | Amyloid- \hat{l}^2 ^{11} C-PiB-PET imaging results from 2 randomized bapineuzumab phase 3 AD trials. Neurology, 2015, 85, 692-700. | 1.5 | 136 |
| 118 | Hyperphosphorylated Tau is Elevated in Alzheimer's Disease with Psychosis. Journal of Alzheimer's Disease, 2014, 39, 759-773. | 1.2 | 46 |
| 119 | Amyloid Imaging With Carbon 11–Labeled Pittsburgh Compound B for Traumatic Brain Injury. JAMA Neurology, 2014, 71, 23. | 4.5 | 132 |
| 120 | Arterial Stiffness and \hat{I}^2 -Amyloid Progression in Nondemented Elderly Adults. JAMA Neurology, 2014, 71, 562. | 4.5 | 152 |
| 121 | Early detection of Alzheimer's disease using PiB and FDG PET. Neurobiology of Disease, 2014, 72, 117-122. | 2.1 | 164 |
| 122 | Markers of cholesterol transport are associated with amyloid deposition in the brain. Neurobiology of Aging, 2014, 35, 802-807. | 1.5 | 62 |
| 123 | Amyloid, neurodegeneration, and small vessel disease as predictors of dementia in the oldest-old. Neurology, 2014, 83, 1804-1811. | 1.5 | 46 |
| 124 | Cognitive functioning in relation to brain amyloid- \hat{l}^2 in healthy adults with Down syndrome. Brain, 2014, 137, 2556-2563. | 3.7 | 87 |
| 125 | Amyloid burden and neural function in people at risk for Alzheimer's Disease. Neurobiology of Aging, 2014, 35, 576-584. | 1.5 | 166 |
| 126 | Development and Screening of Contrast Agents for In Vivo Imaging of Parkinson's Disease. Molecular Imaging and Biology, 2013, 15, 585-595. | 1.3 | 21 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 127 | Amyloid and neurodegeneration. Neurology, 2013, 81, 1728-1729. | 1.5 | 6 |
| 128 | Cognitive aging in persons with minimal amyloid- \hat{l}^2 and white matter hyperintensities. Neuropsychologia, 2013, 51, 2202-2209. | 0.7 | 31 |
| 129 | Disclosure of amyloid imaging results to research participants: Has the time come?. Alzheimer's and Dementia, 2013, 9, 741. | 0.4 | 37 |
| 130 | Classification of amyloid-positivity in controls: Comparison of visual read and quantitative approaches. NeuroImage, 2013, 71, 207-215. | 2.1 | 77 |
| 131 | Imaging Tau Deposits InÂVivo: Progress in Viewing More of The Proteopathy Picture. Neuron, 2013, 79, 1035-1037. | 3.8 | 13 |
| 132 | Cognitive trajectories associated with \hat{l}^2 -amyloid deposition in the oldest-old without dementia. Neurology, 2013, 80, 1378-1384. | 1.5 | 77 |
| 133 | Pulse wave velocity is associated with \hat{l}^2 -amyloid deposition in the brains of very elderly adults. Neurology, 2013, 81, 1711-1718. | 1.5 | 156 |
| 134 | Positron emission tomography radioligands for <i>in vivo</i> imaging of A <i>\hat{l}^2</i> plaques. Journal of Labelled Compounds and Radiopharmaceuticals, 2013, 56, 89-95. | 0.5 | 53 |
| 135 | In vivo assessment of amyloidâ€Î² deposition in nondemented very elderly subjects. Annals of Neurology, 2013, 73, 751-761. | 2.8 | 89 |
| 136 | Anomalous PiB enhancement in the Superior Sagittal and Transverse Venous Sinuses. Alzheimer Disease and Associated Disorders, 2012, 26, 186-190. | 0.6 | 1 |
| 137 | Using Pittsburgh Compound B for In Vivo PET Imaging of Fibrillar Amyloid-Beta. Advances in Pharmacology, 2012, 64, 27-81. | 1.2 | 78 |
| 138 | Developing an international network for Alzheimer's research: the Dominantly Inherited Alzheimer Network. Clinical Investigation, 2012, 2, 975-984. | 0.0 | 180 |
| 139 | Brain Imaging in Alzheimer Disease. Cold Spring Harbor Perspectives in Medicine, 2012, 2, a006213-a006213. | 2.9 | 502 |
| 140 | Clinical and Biomarker Changes in Dominantly Inherited Alzheimer's Disease. New England Journal of Medicine, 2012, 367, 795-804. | 13.9 | 3,005 |
| 141 | Correspondence between in vivo 11C-PiB-PET amyloid imaging and postmortem, region-matched assessment of plaques. Acta Neuropathologica, 2012, 124, 823-831. | 3.9 | 98 |
| 142 | Amyloid imaging in dementias with atypical presentation., 2012, 8, 389-398. | | 46 |
| 143 | Imaging brain amyloid in nondemented young adults with Down syndrome using Pittsburgh compound B. Alzheimer's and Dementia, 2012, 8, 496-501. | 0.4 | 116 |
| 144 | \hat{l}^2 -Amyloid 42/40 ratio and kalirin expression in Alzheimer disease with psychosis. Neurobiology of Aging, 2012, 33, 2807-2816. | 1.5 | 40 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Development of Positron Emission Tomography \hat{l}^2 -Amyloid Plaque Imaging Agents. Seminars in Nuclear Medicine, 2012, 42, 423-432. | 2.5 | 155 |
| 146 | Mechanism of Amyloid Removal in Patients With Alzheimer Disease Treated With Gantenerumab. Archives of Neurology, 2012, 69, 198. | 4.9 | 349 |
| 147 | Positron emission tomography imaging of amyloid-beta plaque deposition: a decade of translation. Journal of Translational Medicine, 2012, 10, . | 1.8 | 1 |
| 148 | Aβ Imaging: feasible, pertinent, and vital to progress in Alzheimer's disease. European Journal of Nuclear Medicine and Molecular Imaging, 2012, 39, 209-219. | 3.3 | 55 |
| 149 | Early AD pathology in a [C-11]PiB-negative case: a PiB-amyloid imaging, biochemical, and immunohistochemical study. Acta Neuropathologica, 2012, 123, 433-447. | 3.9 | 78 |
| 150 | Inter-rater reliability of manual and automated region-of-interest delineation for PiB PET. NeuroImage, 2011, 55, 933-941. | 2.1 | 47 |
| 151 | Neuroimaging markers for the prediction and early diagnosis of Alzheimer's disease dementia. Trends in Neurosciences, 2011, 34, 430-442. | 4.2 | 309 |
| 152 | Lack of association between 11C-PiB and longitudinal brain atrophy in non-demented older individuals. Neurobiology of Aging, 2011, 32, 2123-2130. | 1.5 | 39 |
| 153 | Amyloid imaging as a biomarker for cerebral \hat{l}^2 -amyloidosis and risk prediction for Alzheimer dementia. Neurobiology of Aging, 2011, 32, S20-S36. | 1.5 | 120 |
| 154 | The diagnosis of dementia due to Alzheimer's disease: Recommendations from the National Institute on Agingâ€Alzheimer's Association workgroups on diagnostic guidelines for Alzheimer's disease. Alzheimer's and Dementia, 2011, 7, 263-269. | 0.4 | 12,681 |
| 155 | Longitudinal assessment of $\hat{Al^2}$ and cognition in aging and Alzheimer disease. Annals of Neurology, 2011, 69, 181-192. | 2.8 | 730 |
| 156 | In Vivo Fibrillar Î ² -Amyloid Detected Using [11C]PiB Positron Emission Tomography and Neuropathologic Assessment in Older Adults. Archives of Neurology, 2011, 68, 232-40. | 4.9 | 102 |
| 157 | The diagnosis of dementia due to Alzheimer's disease: Recommendations from the National Institute on Aging-Alzheimer's Association workgroups on diagnostic guidelines for Alzheimer's disease., 2011, 7, 263. | | 1 |
| 158 | 11C-PiB PET assessment of change in fibrillar amyloid- \hat{l}^2 load in patients with Alzheimer's disease treated with bapineuzumab: a phase 2, double-blind, placebo-controlled, ascending-dose study. Lancet Neurology, The, 2010, 9, 363-372. | 4.9 | 674 |
| 159 | Progression of Cerebral Amyloid Load Is Associated with the Apolipoprotein E Îμ4 Genotype in Alzheimer's Disease. Biological Psychiatry, 2010, 68, 879-884. | 0.7 | 103 |
| 160 | Consideration of Optimal Time Window for Pittsburgh Compound B PET Summed Uptake Measurements. Journal of Nuclear Medicine, 2009, 50, 348-355. | 2.8 | 108 |
| 161 | Basal Cerebral Metabolism May Modulate the Cognitive Effects of $A\hat{I}^2$ in Mild Cognitive Impairment: An Example of Brain Reserve. Journal of Neuroscience, 2009, 29, 14770-14778. | 1.7 | 217 |
| 162 | Fibrillar amyloid- \hat{l}^2 burden in cognitively normal people at 3 levels of genetic risk for Alzheimer's disease. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 6820-6825. | 3.3 | 700 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Absence of Pittsburgh Compound B Detection of Cerebral Amyloid \hat{l}^2 in a Patient With Clinical, Cognitive, and Cerebrospinal Fluid Markers of Alzheimer Disease. Archives of Neurology, 2009, 66, 1557-62. | 4.9 | 188 |
| 164 | Amyloid imaging in mild cognitive impairment subtypes. Annals of Neurology, 2009, 65, 557-568. | 2.8 | 309 |
| 165 | Update on amyloid imaging: From healthy aging to Alzheimer's disease. Current Neurology and Neuroscience Reports, 2009, 9, 345-352. | 2.0 | 55 |
| 166 | PK11195 labels activated microglia in Alzheimer's disease and in vivo in a mouse model using PET. Neurobiology of Aging, 2009, 30, 1217-1226. | 1.5 | 118 |
| 167 | Clinical severity of Alzheimer's disease is associated with PIB uptake in PET. Neurobiology of Aging, 2009, 30, 1902-1909. | 1.5 | 89 |
| 168 | Beta Amyloid in Alzheimer's Disease: Increased Deposition in Brain Is Reflected in Reduced Concentration in Cerebrospinal Fluid. Biological Psychiatry, 2009, 65, 927-934. | 0.7 | 256 |
| 169 | Amyloid Imaging with PET in Alzheimer's Disease, Mild Cognitive Impairment, and Clinically Unimpaired Subjects. , 2009, , 119-147. | | 9 |
| 170 | 14 Amyloid Imaging and (What is "Normal�) Aging. , 2009, , 191-244. | | 2 |
| 171 | Measuring Target Effect of Proposed Disease-Modifying Therapies in Alzheimer's Disease. Neurotherapeutics, 2008, 5, 381-390. | 2.1 | 23 |
| 172 | Characterizing regional correlation, laterality and symmetry of amyloid deposition in mild cognitive impairment and Alzheimer's disease with Pittsburgh Compound B. Journal of Neuroscience Methods, 2008, 172, 277-282. | 1.3 | 75 |
| 173 | Imaging of amyloid plaques and cerebral glucose metabolism in semantic dementia and Alzheimer's disease. NeuroImage, 2008, 39, 619-633. | 2.1 | 201 |
| 174 | Frequent Amyloid Deposition Without Significant Cognitive Impairment Among the Elderly. Archives of Neurology, 2008, 65, 1509. | 4.9 | 923 |
| 175 | Biopsy Support for the Validity of Pittsburgh Compound B Positron Emission Tomography With a Twist. Archives of Neurology, 2008, 65, 1281-3. | 4.9 | 11 |
| 176 | Post-mortem correlates of in vivo PiB-PET amyloid imaging in a typical case of Alzheimer's disease. Brain, 2008, 131, 1630-1645. | 3.7 | 837 |
| 177 | Longitudinal Cerebral Blood Flow and Amyloid Deposition: An Emerging Pattern?. Journal of Nuclear Medicine, 2008, 49, 1465-1471. | 2.8 | 59 |
| 178 | 11C PiB and structural MRI provide complementary information in imaging of Alzheimer's disease and amnestic mild cognitive impairment. Brain, 2008, 131, 665-680. | 3.7 | 819 |
| 179 | Imaging Alzheimer Pathology in Late-Life Depression With PET and Pittsburgh Compound-B. Alzheimer Disease and Associated Disorders, 2008, 22, 261-268. | 0.6 | 119 |
| 180 | Whatever Happened to Pittsburgh Compound-A?. Alzheimer Disease and Associated Disorders, 2008, 22, 198-203. | 0.6 | 9 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 181 | The future of amyloid-beta imaging: a tale of radionuclides and tracer proliferation. Current Opinion in Neurology, 2008, 21, 683-687. | 1.8 | 85 |
| 182 | Â-amyloid imaging and memory in non-demented individuals: evidence for preclinical Alzheimer's disease. Brain, 2007, 130, 2837-2844. | 3.7 | 739 |
| 183 | Amyloid Deposition Begins in the Striatum of Presenilin-1 Mutation Carriers from Two Unrelated Pedigrees. Journal of Neuroscience, 2007, 27, 6174-6184. | 1.7 | 358 |
| 184 | Molecular Imaging With Pittsburgh Compound B Confirmed at Autopsy. Archives of Neurology, 2007, 64, 431. | 4.9 | 326 |
| 185 | Impact of amyloid imaging on drug development in Alzheimer's disease. Nuclear Medicine and Biology, 2007, 34, 809-822. | 0.3 | 115 |
| 186 | Using a reference tissue model with spatial constraint to quantify [11C]Pittsburgh compound B PET for early diagnosis of Alzheimer's disease. NeuroImage, 2007, 36, 298-312. | 2.1 | 96 |
| 187 | Imaging of amyloid burden and distribution in cerebral amyloid angiopathy. Annals of Neurology, 2007, 62, 229-234. | 2.8 | 465 |
| 188 | Evaluation of voxel-based methods for the statistical analysis of PIB PET amyloid imaging studies in Alzheimer's disease. NeuroImage, 2006, 33, 94-102. | 2.1 | 116 |
| 189 | Inverse relation between in vivo amyloid imaging load and cerebrospinal fluid AÎ 2 42in humans. Annals of Neurology, 2006, 59, 512-519. | 2.8 | 1,190 |
| 190 | Two-year follow-up of amyloid deposition in patients with Alzheimer's disease. Brain, 2006, 129, 2805-2807. | 3.7 | 54 |
| 191 | Xâ€34 Labeling of Abnormal Protein Aggregates During the Progression of Alzheimer's Disease. Methods in Enzymology, 2006, 412, 123-144. | 0.4 | 52 |
| 192 | Kinetic Modeling of Amyloid Binding in Humans using PET Imaging and Pittsburgh Compound-B. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, 1528-1547. | 2.4 | 622 |
| 193 | In Vivo Optical Imaging of Amyloid Aggregates in Brain: Design of Fluorescent Markers. Angewandte Chemie - International Edition, 2005, 44, 5452-5456. | 7.2 | 303 |
| 194 | Imaging Technology for Neurodegenerative Diseases. Archives of Neurology, 2005, 62, 196. | 4.9 | 69 |
| 195 | Role of biomarkers in studies of presymptomatic Alzheimer's disease. , 2005, 1, 145-151. | | 23 |
| 196 | Commentary on "Diagnosis of Alzheimer's disease: Two decades of progress.―Diagnosis of Alzheimer's disease: Walking a well-paved path. , 2005, 1, 99-100. | | 0 |
| 197 | Molecular, Structural, and Functional Characterization of Alzheimer's Disease: Evidence for a Relationship between Default Activity, Amyloid, and Memory. Journal of Neuroscience, 2005, 25, 7709-7717. | 1.7 | 1,839 |
| 198 | Binding of the Positron Emission Tomography Tracer Pittsburgh Compound-B Reflects the Amount of Amyloid-Â in Alzheimer's Disease Brain But Not in Transgenic Mouse Brain. Journal of Neuroscience, 2005, 25, 10598-10606. | 1.7 | 357 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Simplified quantification of PIB amyloid imaging PET studies. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, S589-S589. | 2.4 | 3 |
| 200 | Anti- $\hat{Al^2}$ antibody treatment promotes the rapid recovery of amyloid-associated neuritic dystrophy in PDAPP transgenic mice. Journal of Clinical Investigation, 2005, 115, 428-433. | 3.9 | 161 |
| 201 | Simplified quantification of Pittsburgh Compound B amyloid imaging PET studies: a comparative analysis. Journal of Nuclear Medicine, 2005, 46, 1959-72. | 2.8 | 398 |
| 202 | Imaging brain amyloid in Alzheimer's disease with Pittsburgh Compound-B. Annals of Neurology, 2004, 55, 306-319. | 2.8 | 3,777 |
| 203 | Targeting Prion Amyloid Deposits In Vivo. Journal of Neuropathology and Experimental Neurology, 2004, 63, 775-784. | 0.9 | 32 |
| 204 | Synthesis and Evaluation of 11C-Labeled 6-Substituted 2-Arylbenzothiazoles as Amyloid Imaging Agents. Journal of Medicinal Chemistry, 2003, 46, 2740-2754. | 2.9 | 921 |
| 205 | Imaging the pathology of Alzheimer's disease: amyloid-imaging with positron emission tomography. Neuroimaging Clinics of North America, 2003, 13, 781-789. | 0.5 | 74 |
| 206 | Four-dimensional multiphoton imaging of brain entry, amyloid binding, and clearance of an amyloid-Â ligand in transgenic mice. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 12462-12467. | 3.3 | 253 |
| 207 | The Binding of 2-(4′-Methylaminophenyl)Benzothiazole to Postmortem Brain Homogenates Is Dominated by the Amyloid Component. Journal of Neuroscience, 2003, 23, 2086-2092. | 1.7 | 269 |
| 208 | Imaging $\hat{Al^2}$ Plaques in Living Transgenic Mice with Multiphoton Microscopy and Methoxy-X04, a Systemically Administered Congo Red Derivative. Journal of Neuropathology and Experimental Neurology, 2002, 61, 797-805. | 0.9 | 366 |
| 209 | Apolipoprotein E and Alpha-1-Antichymotrypsin Genotypes Do Not Predict Time to Psychosis in Alzheimer's Disease. Journal of Geriatric Psychiatry and Neurology, 2002, 15, 24-30. | 1.2 | 20 |
| 210 | Blood and CSF biomarkers for AD revisited: what's new, what's good, and is this where we should be looking?. Neurobiology of Aging, 2002, 23, 517-519. | 1.5 | 9 |
| 211 | Psychosis in Alzheimer disease: postmortem magnetic resonance spectroscopy evidence of excess neuronal and membrane phospholipid pathology. Neurobiology of Aging, 2002, 23, 547-553. | 1.5 | 60 |
| 212 | Synthesis and 11C-labelling of (E,E)-1-(3?,4?-dihydroxystyryl)-4-(3?-methoxy-4?-hydroxystyryl) benzene for PET imaging of amyloid deposits?. Journal of Labelled Compounds and Radiopharmaceuticals, 2002, 45, 647-664. | 0.5 | 22 |
| 213 | A lipophilic thioflavin-T derivative for positron emission tomography (PET) imaging of amyloid in brain. Bioorganic and Medicinal Chemistry Letters, 2002, 12, 295-298. | 1.0 | 343 |
| 214 | Visualization of fibrillar amyloid deposits in living, transgenic Caenorhabditis elegans animals using the sensitive amyloid dye, X-34. Neurobiology of Aging, 2001, 22, 217-226. | 1.5 | 147 |
| 215 | Uncharged thioflavin-T derivatives bind to amyloid-beta protein with high affinity and readily enter the brain. Life Sciences, 2001, 69, 1471-1484. | 2.0 | 408 |
| 216 | The 5-HTTPR Polymorphism Confers Liability to a Combined Phenotype of Psychotic and Aggressive Behavior in Alzheimer Disease. International Psychogeriatrics, 2001, 13, 401-409. | 0.6 | 103 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Psychotic Symptoms in Alzheimer's Disease Are Not Associated With More Severe Neuropathologic Features. International Psychogeriatrics, 2000, 12, 547-558. | 0.6 | 56 |
| 218 | X-34, A Fluorescent Derivative of Congo Red: A Novel Histochemical Stain for Alzheimer's Disease Pathology. Journal of Histochemistry and Cytochemistry, 2000, 48, 1223-1232. | 1.3 | 253 |
| 219 | Quantifying Amyloid β-Peptide (Aβ) Aggregation Using the Congo Red-Aβ (CR–Aβ) Spectrophotometric Assay. Analytical Biochemistry, 1999, 266, 66-76. | 1.1 | 283 |
| 220 | Effect of phosphomonoesters, phosphodiesters, and phosphocreatine on glutamate uptake by synaptic vesicles. Molecular and Chemical Neuropathology, 1997, 32, 89-99. | 1.0 | 5 |
| 221 | Aggregation of βâ€Amyloid Peptide Is Promoted by Membrane Phospholipid Metabolites Elevated in Alzheimer's Disease Brain. Journal of Neurochemistry, 1997, 69, 266-272. | 2.1 | 25 |
| 222 | Magnetic Resonance Spectroscopy of Neural Tissue. Methods in Neurosciences, 1996, , 178-208. | 0.5 | 1 |
| 223 | Structural determinants of activity at the GABAB receptor. Molecular and Chemical Neuropathology, 1995, 26, 15-30. | 1.0 | 9 |
| 224 | Development of small molecule probes for the Beta-amyloid protein of Alzheimer's Disease. Neurobiology of Aging, 1994, 15, 691-698. | 1.5 | 171 |
| 225 | Alterations of cerebral metabolism in probable Alzheimer's disease: A preliminary study. Neurobiology of Aging, 1994, 15, 117-132. | 1.5 | 171 |
| 226 | Analysis of magnetic resonance spectra by mole percent: Comparison to absolute units. Neurobiology of Aging, 1994, 15, 133-140. | 1.5 | 76 |
| 227 | NMR Identification of the Formic Acidâ€Modified Residue in Alzheimer's Amyloid Protein. Journal of Neurochemistry, 1994, 62, 349-354. | 2.1 | 15 |
| 228 | L-Phosphoserine, a Metabolite Elevated in Alzheimer's Disease, Interacts with Specific L-Glutamate Receptor Subtypes. Journal of Neurochemistry, 1991, 56, 1997-2003. | 2.1 | 30 |
| 229 | Alzheimer's ?-Amyloid Protein Is Covalently Modified when Dissolved in Formic Acid. Journal of Neurochemistry, 1990, 54, 2050-2056. | 2.1 | 26 |
| 230 | CSF Biomarkers in Down Syndrome and Autosomal Dominant Alzheimer Disease. SSRN Electronic Journal, 0, , . | 0.4 | O |