

# Johann Waringer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2449012/publications.pdf>

Version: 2024-02-01

99  
papers

1,034  
citations

471061

17  
h-index

500791

28  
g-index

101  
all docs

101  
docs citations

101  
times ranked

899  
citing authors

| #  | ARTICLE                                                                                                                                                                                                                                                                                                                                                                    | IF  | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1  | Ecological integrity of river-floodplain systems?assessment by dragonfly surveys (Insecta: Odonata). <i>River Research and Applications</i> , 2001, 17, 493-507.                                                                                                                                                                                                           | 1.2 | 111       |
| 2  | Grazers, shredders and filtering carnivoresâ€”The evolution of feeding ecology in Drusinae (Trichoptera: Limnephilidae): Insights from a molecular phylogeny. <i>Molecular Phylogenetics and Evolution</i> , 2008, 46, 776-791.                                                                                                                                            | 1.2 | 80        |
| 3  | Integrative taxonomy by molecular species delimitation: multi-locus data corroborate a new species of Balkan Drusinae micro-endemics. <i>BMC Evolutionary Biology</i> , 2017, 17, 129.                                                                                                                                                                                     | 3.2 | 53        |
| 4  | Vertical Distribution of Benthic Macroinvertebrates in Riffles versus Deep Runs with Differing Contents of Fine Sediments (Weidlingbach, Austria). <i>International Review of Hydrobiology</i> , 2003, 88, 304-313.                                                                                                                                                        | 0.5 | 47        |
| 5  | Key and bibliography of the genera of European Trichoptera larvae. <i>Zootaxa</i> , 2013, 3640, 101-51.                                                                                                                                                                                                                                                                    | 0.2 | 41        |
| 6  | Hydrologic Variability Affects Invertebrate Grazing on Phototrophic Biofilms in Stream Microcosms. <i>PLoS ONE</i> , 2013, 8, e60629.                                                                                                                                                                                                                                      | 1.1 | 41        |
| 7  | Landscape structure affects distribution of potential disease vectors (Diptera: Culicidae). <i>Parasites and Vectors</i> , 2017, 10, 205.                                                                                                                                                                                                                                  | 1.0 | 40        |
| 8  | Lateral connectivity of a fragmented large river system: assessment on a macroscale by dragonfly surveys(Insecta: Odonata). <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2004, 14, 163-178.                                                                                                                                                             | 0.9 | 38        |
| 9  | Flow history explains temporal and spatial variation of carbon fractionation in stream periphyton. <i>Limnology and Oceanography</i> , 2005, 50, 706-712.                                                                                                                                                                                                                  | 1.6 | 31        |
| 10 | A hairy case: The evolution of filtering carnivorous Drusinae (Limnephilidae, Trichoptera). <i>Molecular Phylogenetics and Evolution</i> , 2015, 93, 249-260.                                                                                                                                                                                                              | 1.2 | 26        |
| 11 | DNA based association and description of the larval stage of <i>Drusus melanchaetes</i> McLachlan, 1876 (Trichoptera: Limnephilidae: Drusinae) with notes on ecology and zoogeography. <i>Limnologica</i> , 2008, 38, 34-42.                                                                                                                                               | 0.7 | 24        |
| 12 | Cryptic diversity of caddisflies in the Balkans: the curious case of species (Trichoptera: Limnephilidae). <i>Arthropod Systematics and Phylogeny</i> , 2014, 72, 309-329.                                                                                                                                                                                                 | 5.5 | 24        |
| 13 | The larva and life cycle of <i>Annitella apfelbecki</i> (KlapÄlek, 1899), including a redescription of <i>Melampophylax nepos</i> (McLachlan, 1880) (Trichoptera: Limnephilidae). <i>Aquatic Insects</i> , 2009, 31, 71-80.                                                                                                                                               | 0.6 | 20        |
| 14 | Larval morphology and phylogenetic position of <i>Drusus balcanicus</i> , <i>D. botosaneanui</i> , <i>D. serbicus</i> and <i>D. tenellus</i> (Trichoptera: Limnephilidae: Drusinae). <i>European Journal of Entomology</i> , 2015, 112, 344-361.                                                                                                                           | 1.2 | 20        |
| 15 | Description of a new species of <i>Wormaldia</i> from Sardinia and a new <i>Drusus</i> species from the Western Balkans (Trichoptera, Philopotamidae, Limnephilidae). <i>ZooKeys</i> , 2015, 496, 85-103.                                                                                                                                                                  | 0.5 | 20        |
| 16 | Abundance and microhabitats of freshwater sponges (Spongillidae) in a Danubean floodplain in Austria. <i>Freshwater Biology</i> , 2007, 52, 998-1008.                                                                                                                                                                                                                      | 1.2 | 19        |
| 17 | The Larva of <i>Metanoea rhaetica</i> Schmid, 1955 (Trichoptera: Limnephilidae: Drusinae) from a small Austrian Mountain Brook. <i>Aquatic Insects</i> , 1985, 7, 243-248.                                                                                                                                                                                                 | 0.6 | 17        |
| 18 | Larval description, genetic and ecological features of <i>Drusus radovanovici radovanovici</i> MarinkoviÄ-ĀospodnetiÄ, 1971 (Trichoptera, Limnephilidae) with some phylogenetic and taxonomic data on the bosnicus group in the Balkan Peninsula. <i>Mitteilungen Aus Dem Museum Fur Naturkunde in Berlin - Deutsche Entomologische Zeitschrift</i> , 2011, 58, 135-153. | 0.3 | 17        |

| #  | ARTICLE                                                                                                                                                                                                                                                                                                                        | IF  | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | New records for the Kosovo caddisfly fauna with the description of a new species, <i>Drusus dardanicus</i> sp. nov. (Trichoptera: Limnephilidae). <i>Zootaxa</i> , 2015, 4032, 551-68.                                                                                                                                         | 0.2 | 16        |
| 20 | Description of two new filtering carnivore <i>Drusus</i> species (Limnephilidae, Drusinae) from the Western Balkans. <i>ZooKeys</i> , 2015, 513, 79-104.                                                                                                                                                                       | 0.5 | 16        |
| 21 | <i>Drusus sharrensis</i> sp. n. (Trichoptera, Limnephilidae), a new species from Sharr National Park in Kosovo, with molecular and ecological notes. <i>ZooKeys</i> , 2016, 559, 107-124.                                                                                                                                      | 0.5 | 16        |
| 22 | Habitat traits, population structure and host specificity of the freshwater pearl mussel <i>Margaritifera margaritifera</i> in the Waldaist River (Upper Austria). <i>Biologia (Poland)</i> , 2013, 68, 922-931.                                                                                                               | 0.8 | 15        |
| 23 | The larva of <i>Diplectronea magna</i> Mosely, 1930 (Trichoptera: Hydropsychidae). <i>Aquatic Insects</i> , 2009, 31, 19-24.                                                                                                                                                                                                   | 0.6 | 13        |
| 24 | The Larva of <i>Metanoea flavipennis</i> Pictet, 1834 (Trichoptera: Limnephilidae: Drusinae). <i>Aquatic Insects</i> , 2000, 22, 66-70.                                                                                                                                                                                        | 0.6 | 12        |
| 25 | The larva, ecology and distribution of <i>Tinodes braueri</i> McLachlan 1878 (Trichoptera: Psychomyiidae). <i>Aquatic Insects</i> , 2008, 30, 295-299.                                                                                                                                                                         | 0.6 | 12        |
| 26 | The larvae of <i>Drusus franzressli</i> Malicky 1974 and <i>Drusus spelaeus</i> (Ulmer 1920) (Trichoptera: Limnephilidae: Drusinae) with notes on ecology and zoogeography. <i>Zootaxa</i> , 2013, 3637, 1-16.                                                                                                                 | 0.2 | 10        |
| 27 | The larva of <i>Ecclisopteryx malickyi</i> Moretti, 1991 (Trichoptera: Limnephilidae: Drusinae), with comments on the genus. <i>Zoosymposia</i> , 2011, 5, 136-142.                                                                                                                                                            | 0.3 | 10        |
| 28 | The larva of <i>Drusus chrysotus</i> (Rambur, 1842) (Trichoptera: Limnephilidae: Drusinae) from an Austrian mountain brook. <i>Aquatic Insects</i> , 1987, 9, 21-25.                                                                                                                                                           | 0.6 | 9         |
| 29 | Identification of the larvae and pupae of <i>Sisyrta fuscata</i> (Fabricius, 1793) and <i>Sisyrta terminalis</i> curtis, 1854 (Insecta: Planipennia: Sisyridae), based on Austrian material. <i>Aquatic Insects</i> , 1994, 16, 147-155.                                                                                       | 0.6 | 9         |
| 30 | Transport and Metabolic Fate of Sewage Particles in a Recipient Stream. <i>Journal of Environmental Quality</i> , 2005, 34, 1591-1599.                                                                                                                                                                                         | 1.0 | 9         |
| 31 | The larva of <i>Rhyacophila ferox</i> Graf, 2006 (Trichoptera: Rhyacophilidae) from the Eastern Alps (Carinthia, Austria). <i>Aquatic Insects</i> , 2009, 31, 111-117.                                                                                                                                                         | 0.6 | 9         |
| 32 | The larvae of <i>Drusus improvisus</i> McLachlan, 1884, <i>Drusus camerinus</i> Moretti, 1981 and <i>Drusus aprutiensis</i> Moretti, 1981 (Trichoptera: Limnephilidae: Drusinae). <i>Aquatic Insects</i> , 2008, 30, 269-279.                                                                                                  | 0.6 | 8         |
| 33 | Problems associated with extrapolating ecological traits to higher-than-species level exemplified in the description of the larvae of <i>Potamophylax haidukorum</i> Malicky, 1999, <i>Potamophylax winneguthi</i> (Klapálek, 1902) and <i>Melampophylax austriacus</i> Malicky, 1990. <i>Limnologica</i> , 2013, 43, 441-450. | 0.7 | 8         |
| 34 | The larva of <i>Drusus vinconi</i> Sipahiler, 1992 (Trichoptera, Limnephilidae, Drusinae). <i>ZooKeys</i> , 2013, 317, 69-80.                                                                                                                                                                                                  | 0.5 | 8         |
| 35 | Description of the larvae of <i>Limnephilus femoratus</i> (Zetterstedt, 1840) and <i>Limnephilus subnitidus</i> McLachlan, 1875, with additional notes on <i>Limnephilus picturatus</i> McLachlan, 1875 (Trichoptera: Limnephilidae). <i>Aquatic Insects</i> , 2011, 33, 371-380.                                              | 0.6 | 6         |
| 36 | Description of the larvae of <i>Anabolia lombarda</i> Ris, 1897 and <i>Limnephilus sericeus</i> (Say, 1824), with additional notes on <i>Limnephilus flavospinosus</i> Stein, 1874 (Trichoptera: Limnephilidae). <i>Aquatic Insects</i> , 2012, 34, 93-105.                                                                    | 0.6 | 6         |

| #  | ARTICLE                                                                                                                                                                                                                                                                          | IF  | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Larval description of <i>Drusus bosnicus</i> Klapálek 1899 (Trichoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10<br>3957, 85.                                                                                                                                                      | 0.2 | 6         |
| 38 | Larval morphology of the Western Balkans endemic caddisflies <i>Drusus krusniki</i> Malicky 1981, <i>D. vernalis</i> Malicky 1989, and <i>D. vespertinus</i> & Marinkovič-Gospodnetič 1976 (Trichoptera,) Tj ETQq0 0.0 rgBT /Overlock 10                                         | 0.2 | 6         |
| 39 | The larva of <i>Rhyacophila palmeni</i> McLachlan 1879 (Trichoptera: Rhyacophilidae) from Greece and Kosovo with notes on ecology and zoogeography including a key to the known Greek <i>Rhyacophila</i> larvae. <i>Zootaxa</i> , 2018, 4514, 97-106.                            | 0.2 | 6         |
| 40 | Morphological and ecological features of <i>Drusus bosnicus</i> Group on the Balkan Peninsula with description of the larva of <i>Drusus klapaleki</i> Marinkovič-Gospodnetič, 1971 & Zoosymposia, 2011, 5, 244-254.                                                             | 0.3 | 6         |
| 41 | Hydraulic niche utilization by larvae of the three Drusinae clades (Insecta: Trichoptera). <i>Biologia (Poland)</i> , 2021, 76, 1465-1473.                                                                                                                                       | 0.8 | 6         |
| 42 | Functional feeding ecology in Central European species of subfamily Drusinae (Insecta: Trichoptera). <i>Lauterbornia</i> , 2007, 61, 3-8.                                                                                                                                        | 2.0 | 6         |
| 43 | The Larva of <i>Hydropsyche tabacaru</i> Botosaneanu, 1960 (Trichoptera: Hydropsychidae), Including a Re-description of the Female. <i>Aquatic Insects</i> , 2004, 26, 289-295.                                                                                                  | 0.6 | 5         |
| 44 | DNA-based association and description of the larval stage of <i>Apatania helvetica</i> Schmid 1954 (Trichoptera, Apataniidae) with notes on ecology and zoogeography. <i>Zootaxa</i> , 2015, 4020, 244-56.                                                                       | 0.2 | 5         |
| 45 | The larvae of the European <i>Helicopsyche</i> species (Trichoptera: Helicopsychidae). <i>Zootaxa</i> , 2017, 4277, 561-572.                                                                                                                                                     | 0.2 | 5         |
| 46 | The Larva of <i>Microptila minutissima</i> Ris, 1897 (Trichoptera: Hydroptilidae). <i>Aquatic Insects</i> , 2004, 26, 31-38.                                                                                                                                                     | 0.6 | 4         |
| 47 | Description of the larval stage of <i>Drusus mixtus</i> (Pictet, 1834) (Trichoptera: Limnephilidae: Drusinae) with notes on its ecology and zoogeography. <i>Limnologica</i> , 2011, 41, 249-255.                                                                                | 0.7 | 4         |
| 48 | Factors structuring macroinvertebrate communities in a headwater stream and its springs in the Upper Austrian Limestone Alps. <i>River Research and Applications</i> , 2012, 28, 637-646.                                                                                        | 0.7 | 4         |
| 49 | Species inventory, ecology, and seasonal distribution patterns of Culicidae (Insecta: Diptera) in the National Park Donau-Auen (Lower Austria). <i>Aquatic Insects</i> , 2014, 36, 63-77.                                                                                        | 0.6 | 4         |
| 50 | The larva of <i>Adicella syriaca</i> Ulmer 1907, including a key to the European larvae of <i>Adicella</i> McLachlan, 1877 (Trichoptera, Leptoceridae). <i>ZooKeys</i> , 2017, 711, 131-140.                                                                                     | 0.5 | 4         |
| 51 | Comparing head muscles among Drusinae clades (Insecta: Trichoptera) reveals high congruence despite strong contrasts in head shape. <i>Scientific Reports</i> , 2022, 12, 1047.                                                                                                  | 1.6 | 4         |
| 52 | A key to fifth instar larvae of <i>Halesus radiatus</i> Curtis 1834, <i>Halesus digitatus</i> Schrank 1781 and <i>Halesus tessellatus</i> Rambur 1842 (Trichoptera: Limnephilidae), based on Austrian material*. <i>Aquatic Insects</i> , 1997, 19, 65-73.                       | 0.6 | 3         |
| 53 | The Larva of <i>Beraea dira</i> McLachlan, 1875 (Trichoptera, Beraeidae). <i>Aquatic Insects</i> , 2002, 24, 213-217.                                                                                                                                                            | 0.6 | 3         |
| 54 | Dragonflies (Insecta: Odonata) as indicators of the ecological health of wetland ecosystems. <i>Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology</i> , 2005, 29, 422-425. | 0.1 | 3         |

| #  | ARTICLE                                                                                                                                                                                                                                                                                                                                                                                     | IF  | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | The larvae of <i>Allogamus antennatus</i> (McLachlan 1876), <i>Allogamus mendax</i> (McLachlan 1876) and <i>Allogamus pertuli</i> Malicky 1975 (Trichoptera: Limnephilidae) with notes on ecology and zoogeography. <i>Zootaxa</i> , 2012, 3351, 27.                                                                                                                                        | 0.2 | 3         |
| 56 | <strong>The larva of <i>Psilopteryx psorosa</i> (Kolenati 1860) (Trichoptera: Limnephilidae) with notes on ecology and zoogeography.</strong> <i>Zootaxa</i> , 2013, 3694, 579.                                                                                                                                                                                                             | 0.2 | 3         |
| 57 | The larvae of <i>Stenophylax mitis</i> McLachlan 1875 and <i>Allogamus hilaris</i> (McLachlan 1876a) (Trichoptera: Tj ETQq1 1 0.784314 rgBT /O                                                                                                                                                                                                                                              | 0.2 | 3         |
| 58 | The larva of <i>Athripsodes genei</i> (Rambur 1842) (Trichoptera, Leptoceridae). <i>Zootaxa</i> , 2014, 3869, 75-82.                                                                                                                                                                                                                                                                        | 0.2 | 3         |
| 59 | <strong>The larva of <i>Rhyacophila balcanica</i> Radovanovic 1953 (Trichoptera: Rhyacophilidae) with notes on ecology.</strong> <i>Zootaxa</i> , 2015, 4057, 444.                                                                                                                                                                                                                          | 0.2 | 3         |
| 60 | Which factors shape macrozoobenthic communities in tufa springs? Results from Austrian meteogene travertine-depositing sites. <i>Hydrobiologia</i> , 2017, 799, 293-307.                                                                                                                                                                                                                    | 1.0 | 3         |
| 61 | The larvae of <i>Rhyacophila rougemonti</i> McLachlan 1880, <i>Rhyacophila trifasciata</i> Mosely 1930, <i>Rhyacophila pallida</i> Mosely 1930, and <i>Rhyacophila tarda</i> Giudicelli 1968 (Trichoptera: Rhyacophilidae), including a discriminatory matrix to the <i>Rhyacophila</i> larvae with tetrafilament abdominal gills from Italy and Corsica. <i>Zootaxa</i> , 2018, 4526, 516. | 0.2 | 3         |
| 62 | <strong>Discriminatory matrix for the larvae of the European <i>Thremma</i> species (Trichoptera: Thremmatidae).</strong> <i>Zootaxa</i> , 2020, 4718, 451-469.                                                                                                                                                                                                                             | 0.2 | 3         |
| 63 | Hydraulic stress parameters of a cased caddis larva ( <i>Drusus biguttatus</i> ) using spatio-temporally filtered velocity measurements. <i>Hydrobiologia</i> , 2020, 847, 3437-3451.                                                                                                                                                                                                       | 1.0 | 3         |
| 64 | A new Drusinae species from the western Alps with comments on the subfamily and an updated key to filtering carnivore larvae of Drusinae species (Insecta: Trichoptera: Limnephilidae). <i>Zootaxa</i> , 2020, 4790, 491-504.                                                                                                                                                               | 0.2 | 3         |
| 65 | <strong>The larva of <i>Hydropsyche doehleri</i> Tobias 1972, based on Swiss material (Hydropsychidae, Trichoptera).</strong> <i>Zootaxa</i> , 2020, 4786, 535-545.                                                                                                                                                                                                                         | 0.2 | 3         |
| 66 | The larvae of <i>Sericostoma bergeri</i> Malicky, 1973 and <i>Sericostoma herakles</i> Malicky, 1999 (Trichoptera,) Tj ETQq0 0.0 rgBT /O                                                                                                                                                                                                                                                    | 0.5 | 3         |
| 67 | The larva of <i>Drusus dudor</i> Oláh, 2017, including an updated key to larval Drusinae Banks, 1916 (Insecta,) Tj ETQq1 1 0.784314 rgBT /O                                                                                                                                                                                                                                                 | 0.5 | 3         |
| 68 | The Larva and Pupa of <i>Ceraclea riparia</i> (Albarda, 1874) (Trichoptera: Leptoceridae). <i>Aquatic Insects</i> , 2004, 25, 259-267.                                                                                                                                                                                                                                                      | 0.6 | 2         |
| 69 | The larva of <i>Diplectrona atra</i> McLachlan, 1878 (Trichoptera: Hydropsychidae), based on central European material. <i>Aquatic Insects</i> , 2007, 29, 181-186.                                                                                                                                                                                                                         | 0.6 | 2         |
| 70 | The larva of <i>Oecetis tripunctata</i> (Fabricius, 1793) (Trichoptera, Leptoceridae). <i>ZooKeys</i> , 2014, 445, 117-126.                                                                                                                                                                                                                                                                 | 0.5 | 2         |
| 71 | Larval morphology and identification of <i>Rhyacophila meyeri</i> McLachlan 1879 (Trichoptera:) Tj ETQq1 1 0.784314 rgBT /O                                                                                                                                                                                                                                                                 | 0.2 | 2         |
| 72 | The larva of <i>Lepidostoma doehleri</i> Malicky 1976 (Trichoptera: Lepidostomatidae) with notes on ecology and a key to larvae for species of the genus in Greece. <i>Zootaxa</i> , 2016, 4189, 588.                                                                                                                                                                                       | 0.2 | 2         |

| #  | ARTICLE                                                                                                                                                                                                                                                                                                                                                                          | IF  | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | The larvae of <i>Silo chrisiammos</i> Malicky 1984 and <i>Lithax musaca</i> Malicky 1972 (Trichoptera: Goeridae), including a key to the Goeridae larvae of the Eastern and Hellenic western Balkan regions. <i>Zootaxa</i> , 2017, 4306, .                                                                                                                                      | 0.2 | 2         |
| 74 | The larva of <i>Schizopelex huettingeri</i> Malicky 1974 (Trichoptera: Sericostomatidae), including a preliminary key to the Sericostomatidae larvae of the Hellenic western Balkan region. <i>Zootaxa</i> , 2017, 4311, 271.                                                                                                                                                    | 0.2 | 2         |
| 75 | The larvae of <i>Rhyacophila tsurakiana</i> Malicky 1984, <i>Rhyacophila gudrunae</i> Malicky 1972, and <i>Rhyacophila biegelemeieri</i> Malicky 1984, including an update for the larval key to the Greek species of genus <i>Rhyacophila</i> Stephens 1836 (Rhyacophilidae, Trichoptera). <i>Zootaxa</i> , 2018, 4508, 85.                                                     | 0.2 | 2         |
| 76 | Identification and morphology of an apataniid caddisfly larva from the Levant: <i>Apatania cypria</i> Tjeder 1952. <i>Zootaxa</i> , 2018, 4382, 185.                                                                                                                                                                                                                             | 0.2 | 2         |
| 77 | Larva of <i>Halesus nurag</i> Malicky 1974 (Trichoptera: Limnephilidae) and diagnostic key for the limnephilid larvae of Sardinia. <i>Zootaxa</i> , 2018, 4425, 555.                                                                                                                                                                                                             | 0.2 | 2         |
| 78 | DNA-based association and description of the larval stage of <i>Apatania theischingerorum</i> Malicky 1981 (Trichoptera, Apataniidae), with notes on its ecology. <i>Zootaxa</i> , 2018, 4418, 161.                                                                                                                                                                              | 0.2 | 2         |
| 79 | Identification and morphology of a rhyacophilid caddisfly larva from Cyprus: <i>Rhyacophila aphrodite</i> Malicky 1975. <i>Zootaxa</i> , 2019, 4623, 563-570.                                                                                                                                                                                                                    | 0.2 | 2         |
| 80 | The larvae of <i>Athripsodes longispinosus longispinosus</i> (Martynov 1909), <i>Athripsodes longispinosus paleochora</i> (Malicky 1972), and <i>Athripsodes bilineatus aegeus</i> Malicky 1999 (Trichoptera: Leptoceridae), including a discriminatory matrix to the larvae of genus <i>Athripsodes</i> Billberg 1820 in Greece. <i>Zootaxa</i> , 2019, 4609, zootaxa.4609.3.5. | 0.2 | 2         |
| 81 | The larva of <i>Plectrocnemia renetta</i> Malicky 1975 (Trichoptera, Polycentropodidae), including a discriminatory matrix to the larvae of <i>Plectrocnemia</i> Stephens 1836 species of Greece. <i>Zootaxa</i> , 2019, 4568, 372.                                                                                                                                              | 0.2 | 2         |

82

| #  | ARTICLE                                                                                                                                                                                                                                                                   | IF  | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91 | <p><strong>The larva of <i>Rhyacophila hartigi</i> Malicky 1971, including a discriminatory matrix to the Italian <i>Rhyacophila</i> larvae with tufted multifilament gills (<i>Rhyacophilidae</i>, <i>Trichoptera</i>)</strong></p> <p>Zootaxa, 2020, 4731, 103-114.</p> | 0.2 | 1         |
| 92 | <p>Dynamic microhabitat shifts in space and time of caddisfly larvae (Insecta: Trichoptera) in a first-order calcareous mountain stream. <i>Biologia (Poland)</i>, 2021, 76, 2527-2541.</p>                                                                               | 0.8 | 1         |
| 93 | <p>Ecological integrity of river "floodplain systems" assessment by dragonfly surveys (Insecta: Odonata). , 2001, 17, 493.</p>                                                                                                                                            |     | 1         |
| 94 | <p>External and internal head anatomy of (Trichoptera, Limnephilidae). <i>Entomologica Austriaca</i>, 2021, 28, 119-131.</p>                                                                                                                                              | 1.0 | 1         |
| 95 | <p>The larvae of <i>Acrophylax zerberus</i> Brauer, 1867 and <i>Leptotaulius gracilis</i> Schmid, 1955 (Trichoptera: Limnephilidae) from two Austrian mountain brooks. <i>Aquatic Insects</i>, 1995, 17, 41-49.</p>                                                       | 0.6 | 0         |
| 96 | <p>The larva and pupa of <i>Apatania stylata stylata</i> Navás 1916, with an updated key to larvae of the European species of genus <i>Apatania</i> Kolenati 1848 (<i>Apataniidae</i>, <i>Trichoptera</i>). <i>Freshwater Science</i>, 2019, 38, 203-212.</p>             | 0.9 | 0         |
| 97 | <p>The larva of <i>Sericostoma galeatum</i> Rambur 1842 (Trichoptera: Sericostomatidae), based on French material. <i>Zootaxa</i>, 2021, 4991, 169-176.</p>                                                                                                               | 0.2 | 0         |
| 98 | <p>Identification and morphology of two polycentropodid caddisfly larvae from the Cevennes and the French and Italian Alps: <i>Plectrocnemia cevennensis</i> Coppa 2011 and <i>Plectrocnemia praestans</i> McLachlan 1884. <i>Zootaxa</i>, 2021, 4985, 269-276.</p>       | 0.2 | 0         |
| 99 | <p>Project overview: Intricate bodies in the boundary layer - bridging fluid mechanics, morphology and ecology in larval Drusinae (Insecta: Trichoptera). <i>Lauterbornia</i>, 2019, 86, 169-174.</p>                                                                     | 2.0 | 0         |