

# Kurt Kroenke

## List of PR Articles by Year in descending order

Source: [//exaly.com/author-pdf/2449159/publications.pdf](https://exaly.com/author-pdf/2449159/publications.pdf)

Version: 2025-02-01

300

PR articles

115,614

PR citations

1213

97

PR h-index

151

297

g-index

360

documents

127132

doc citations

1340

105

h-index

87222

citing authors

#	ARTICLE	IF	PR CITATIONS
1	Effectiveness of care models for chronic disease management: A scoping review of systematic reviews. <i>PM and R</i> , 2024, 16, 174-189.	2.0	19
2	Impact of pain and adverse health outcomes on long-term US testicular cancer survivors. <i>Journal of the National Cancer Institute</i> , 2024, 116, 455-467.	4.7	8
3	Varying definitions of long-term opioid therapy: examining prevalence, prescription patterns, and substance-related adverse outcomes. <i>Pain Medicine</i> , 2024, 25, 687-689.	2.1	0
4	Associations of opioid prescription dose and discontinuation with risk of substance-related morbidity in long-term opioid therapy. <i>Pain</i> , 2022, 163, e588-e595.	4.4	9
5	Prevalence and Predictors of Symptoms in Persons with Advanced Dementia Living in the Community. <i>Journal of Palliative Medicine</i> , 2022, 25, 1376-1385.	1.4	9
6	Standardized Versus Tailored Implementation of Measurement-Based Care for Depression in Community Mental Health Clinics. <i>Psychiatric Services</i> , 2022, 73, 1094-1101.	2.3	13
7	Agreement between older adult patient and caregiver proxy symptom reports. <i>Journal of Patient-Reported Outcomes</i> , 2022, 6, .	2.6	26
8	Acceptance and commitment therapy for patient fatigue interference and caregiver burden in advanced gastrointestinal cancer: Results of a pilot randomized trial. <i>Palliative Medicine</i> , 2022, 36, 1104-1117.	3.2	28
9	Screening for perinatal depression with the Patient Health Questionnaire depression scale (PHQ-9): A systematic review and meta-analysis. <i>General Hospital Psychiatry</i> , 2021, 68, 74-82.	2.7	112
10	Responsiveness of PROMIS and Patient Health Questionnaire (PHQ) Depression Scales in three clinical trials. <i>Health and Quality of Life Outcomes</i> , 2021, 19, .	3.0	43
11	70400 Collaborative Care for Opioid Dependence And Pain (CCODAP): A Pilot Randomized Control Trial of an Opioid Tapering Intervention. <i>Journal of Clinical and Translational Science</i> , 2021, 5, 38-39.	0.5	0
12	Use of Medications for Treating Anxiety or Depression among Testicular Cancer Survivors: A Multi-Institutional Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1129-1138.	1.2	6
13	Two Birds with One Stone: Joint Screening for Perinatal Depression and Anxiety. <i>Journal of Women's Health</i> , 2021, 30, 455-456.	2.2	4
14	Research approaches for evaluating opioid sparing in clinical trials of acute and chronic pain treatments: Initiative on Methods, Measurement, and Pain Assessment in Clinical Trials recommendations. <i>Pain</i> , 2021, 162, 2669-2681.	4.4	41
15	Somatic, Anxiety, and Depressive (SAD) Symptoms in Young Adult Latinx Immigrants: Prevalence and Predictors. <i>Journal of Immigrant and Minority Health</i> , 2021, 23, 956-964.	1.5	12
16	The Patient Mania Questionnaire (PMQ-9): a Brief Scale for Assessing and Monitoring Manic Symptoms. <i>Journal of General Internal Medicine</i> , 2021, 37, 1680-1687.	2.8	15
17	Design and methods of the Care Management for the Effective Use of Opioids (CAMEO) trial. <i>Contemporary Clinical Trials</i> , 2021, 106, 106456.	1.6	1
18	Diagnostic operating characteristics of PROMIS scales in screening for depression. <i>Journal of Psychosomatic Research</i> , 2021, 147, 110532.	2.2	25

#	ARTICLE	IF	PR CITATIONS
19	Composite measures of pain, anxiety, and depressive (PAD) symptoms: Construct and predictive validity. <i>General Hospital Psychiatry</i> , 2021, 72, 1-6.	2.7	7
20	Sleep Disturbance Predicts Less Improvement in Pain Outcomes: Secondary Analysis of the SPACE Randomized Clinical Trial. <i>Pain Medicine</i> , 2020, 21, 1162-1167.	2.1	18
21	Telecare management of pain and mood symptoms: Adherence, utility, and patient satisfaction. <i>Journal of Telemedicine and Telecare</i> , 2020, 26, 619-626.	4.4	7
22	COVID-19 Status Differentially Affects Olfaction: A Prospective Case-Control Study. <i>OTO Open</i> , 2020, 4, 2473974X2097017.	1.1	8
23	Disentangling trait versus state characteristics of the Pain Catastrophizing Scale and the PHQ-8 Depression Scale. <i>European Journal of Pain</i> , 2020, 24, 1624-1634.	3.2	9
24	Predictors of depression outcomes in adults with cancer: A 12-month longitudinal study. <i>Journal of Psychosomatic Research</i> , 2020, 136, 110169.	2.2	13
25	Minimally important differences and severity thresholds are estimated for the PROMIS depression scales from three randomized clinical trials. <i>Journal of Affective Disorders</i> , 2020, 266, 100-108.	4.8	98
26	Psychological Processes and Symptom Outcomes in Mindfulness-Based Stress Reduction for Cancer Survivors: A Pilot Study. <i>Mindfulness</i> , 2020, 11, 905-916.	2.6	4
27	Patients'™ Experiences with Telecare for Chronic Pain and Mood Symptoms: A Qualitative Study. <i>Pain Medicine</i> , 2020, 21, 2137-2145.	2.1	10
28	SymTrak-8 as a Brief Measure for Assessing Symptoms in Older Adults. <i>Journal of General Internal Medicine</i> , 2020, 36, 1197-1205.	2.8	3
29	Patient race and opioid misuse history influence provider risk perceptions for future opioid-related problems.. <i>American Psychologist</i> , 2020, 75, 784-795.	2.4	35
30	A Time Motion Study Evaluating the Impact of Geographic Cohorting of Hospitalists. <i>Journal of Hospital Medicine</i> , 2020, 15, 338-344.	1.4	17
31	Assessing depression improvement with the remission evaluation and mood inventory tool (REMIT). <i>General Hospital Psychiatry</i> , 2019, 60, 44-49.	2.7	6
32	Measurement invariance of the patient health questionnaire-9 (PHQ-9) depression screener in U.S. adults across sex, race/ethnicity, and education level: NHANES 2005-2016. <i>Depression and Anxiety</i> , 2019, 36, 813-823.	3.2	230
33	Challenges with Implementing the Centers for Disease Control and Prevention Opioid Guideline: A Consensus Panel Report. <i>Pain Medicine</i> , 2019, 20, 724-735.	2.1	188
34	Designing the relational team development intervention to improve management of mental health in primary care using iterative stakeholder engagement. <i>BMC Family Practice</i> , 2019, 20, .	3.1	3
35	PROMIS 4-item measures and numeric rating scales efficiently assess SPADE symptoms compared with legacy measures. <i>Journal of Clinical Epidemiology</i> , 2019, 115, 116-124.	3.7	43
36	Automated Self-management (ASM) vs. ASM-Enhanced Collaborative Care for Chronic Pain and Mood Symptoms: the CAMMPS Randomized Clinical Trial. <i>Journal of General Internal Medicine</i> , 2019, 34, 1806-1814.	2.8	38

#	ARTICLE	IF	PR CITATIONS
37	Reliability and Validity of SymTrak, a Multi-Domain Tool for Monitoring Symptoms of Older Adults with Multiple Chronic Conditions. <i>Journal of General Internal Medicine</i> , 2019, 34, 908-914.	2.8	9
38	Development and Feasibility of SymTrak, a Multi-domain Tool for Monitoring Symptoms of Older Adults in Primary Care. <i>Journal of General Internal Medicine</i> , 2019, 34, 915-922.	2.8	8
39	Effect of Collaborative Telerehabilitation on Functional Impairment and Pain Among Patients With Advanced-Stage Cancer. <i>JAMA Oncology</i> , 2019, 5, 644.	14.6	143
40	Pain Coping Skills Training for Patients Who Catastrophize About Pain Prior to Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 218-227.	3.4	88
41	Comparative Responsiveness and Minimally Important Difference of Common Anxiety Measures. <i>Medical Care</i> , 2019, 57, 890-897.	1.8	73
42	A randomized controlled trial testing a virtual perspective-taking intervention to reduce race and socioeconomic status disparities in pain care. <i>Pain</i> , 2019, 160, 2229-2240.	4.4	63
43	Implementing Measurement-Based Care in Behavioral Health. <i>JAMA Psychiatry</i> , 2019, 76, 324.	13.2	516
44	Comparative Responsiveness of the PROMIS Pain Interference Short Forms With Legacy Pain Measures: Results From Three Randomized Clinical Trials. <i>Journal of Pain</i> , 2019, 20, 664-675.	1.3	54
45	Comparative validity and responsiveness of PHQ-ADS and other composite anxiety-depression measures. <i>Journal of Affective Disorders</i> , 2019, 246, 437-443.	4.8	77
46	Core Outcome Measures for Chronic Musculoskeletal Pain Research: Recommendations from a Veterans Health Administration Work Group. <i>Pain Medicine</i> , 2019, 20, 1500-1508.	2.1	59
47	Effect of Opioid vs Nonopioid Medications on Pain-Related Function in Patients With Chronic Back Pain or Hip or Knee Osteoarthritis Pain. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 872.	17.1	856
48	Depression screening and management in primary care. <i>Family Practice</i> , 2018, 35, 1-3.	2.5	16
49	Incorporating PROMIS Symptom Measures into Primary Care Practice—a Randomized Clinical Trial. <i>Journal of General Internal Medicine</i> , 2018, 33, 1245-1252.	2.8	50
50	Association of Mental Health Conditions and Treatments With Long-term Opioid Analgesic Receipt Among Adolescents. <i>JAMA Pediatrics</i> , 2018, 172, 423.	8.9	51
51	Acceptability of a telecare intervention for persistent musculoskeletal pain. <i>Journal of Telemedicine and Telecare</i> , 2018, 24, 44-50.	4.4	10
52	Comprehensive vs. Assisted Management of Mood and Pain Symptoms (CAMMPS) trial: Study design and sample characteristics. <i>Contemporary Clinical Trials</i> , 2018, 64, 179-187.	1.6	27
53	The rationale, design, and methods of a randomized, controlled trial to evaluate the effectiveness of collaborative telecare in preserving function among patients with late stage cancer and hematologic conditions. <i>Contemporary Clinical Trials</i> , 2018, 64, 254-264.	1.6	24
54	Estimating minimally important differences for the PROMIS pain interference scales: results from 3 randomized clinical trials. <i>Pain</i> , 2018, 159, 775-782.	4.4	183

#	ARTICLE	IF	PR CITATIONS
55	Depression Screening Rates and Symptom Severity by Alcohol Use Among Primary Care Adult Patients. <i>Journal of the American Board of Family Medicine</i> , 2018, 31, 724-732.	1.3	9
56	Opioid use prior to knee arthroplasty in patients who catastrophize about their pain: preoperative data from a multisite randomized clinical trial. <i>Journal of Pain Research</i> , 2018, Volume 11, 1549-1557.	2.4	2
57	A qualitative study of patients'™ perceptions of the utility of patient-reported outcome measures of symptoms in primary care clinics. <i>Quality of Life Research</i> , 2018, 27, 3157-3166.	2.1	31
58	The Cancer Loneliness Scale and Cancer-related Negative Social Expectations Scale: development and validation. <i>Quality of Life Research</i> , 2017, 26, 1901-1913.	2.1	44
59	Incident and long-term opioid therapy among patients with psychiatric conditions and medications: a national study of commercial health care claims. <i>Pain</i> , 2017, 158, 140-148.	4.4	108
60	Depression as Measured by PHQ-9 Versus Clinical Diagnosis as an Independent Predictor of Long-Term Mortality in a Prospective Cohort of Medical Inpatients. <i>Psychosomatic Medicine</i> , 2017, 79, 273-282.	2.2	36
61	Design, recruitment outcomes, and sample characteristics of the Strategies for Prescribing Analgesics Comparative Effectiveness (SPACE) trial. <i>Contemporary Clinical Trials</i> , 2017, 62, 130-139.	1.6	22
62	Screening for Depression. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 745.	17.1	52
63	Comparing the Patient Health Questionnaire " 15 and the Somatic Symptom Scale " 8 as measures of somatic symptom burden. <i>Journal of Psychosomatic Research</i> , 2017, 101, 44-50.	2.2	51
64	Cancer-related loneliness mediates the relationships between social constraints and symptoms among cancer patients. <i>Journal of Behavioral Medicine</i> , 2017, 41, 243-252.	2.5	57
65	Variations in the management of fibromyalgia by physician specialty: rheumatology versus primary care. <i>Journal of Pragmatic and Observational Research</i> , 2016, , 11.	1.1	4
66	Comparative Responsiveness of the PROMIS Pain Interference Short Forms, Brief Pain Inventory, PEG, and SF-36 Bodily Pain Subscale. <i>Medical Care</i> , 2016, 54, 414-421.	1.8	104
67	The SPADE Symptom Cluster in Primary Care Patients With Chronic Pain. <i>Clinical Journal of Pain</i> , 2016, 32, 388-393.	2.4	61
68	Randomized controlled pilot trial of mindfulness-based stress reduction compared to psychoeducational support for persistently fatigued breast and colorectal cancer survivors. <i>Supportive Care in Cancer</i> , 2016, 24, 4085-4096.	2.4	98
69	The bidirectional relationship between sleep complaints and pain: Analysis of data from a randomized trial.. <i>Health Psychology</i> , 2016, 35, 41-49.	1.7	143
70	Cognitive and Situational Precipitants of Loneliness Among Patients With Cancer: A Qualitative Analysis. <i>Oncology Nursing Forum</i> , 2016, 43, 156-163.	1.2	39
71	Development and Validation of the Somatic Symptom Disorder" B Criteria Scale (SSD-12). <i>Psychosomatic Medicine</i> , 2016, 78, 5-12.	2.2	222
72	Patient Health Questionnaire Anxiety and Depression Scale: Initial Validation in Three Clinical Trials. <i>Psychosomatic Medicine</i> , 2016, 78, 716-727.	2.2	409

#	ARTICLE	IF	PR CITATIONS
73	Opioid Use as a Predictor of Health Care Use and Pain Outcomes: Analysis of Clinical Trial Data. <i>Pain Medicine</i> , 2016, 17, 1261-1268.	2.1	8
74	Prevalence, Risk Factors, and Correlates of Anxiety at 1 Year After Moderate to Severe Traumatic Brain Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 701-707.	2.0	59
75	Somatic symptoms deserve our attention.. <i>Families, Systems and Health</i> , 2016, 34, 330-333.	0.6	4
76	Long-term Evaluation of Opioid Treatment in Fibromyalgia. <i>Clinical Journal of Pain</i> , 2015, 31, 7-13.	2.4	68
77	Lower PHQ-9 cutpoint accurately diagnosed depression in people with long-term conditions attending the Accident and Emergency Department. <i>Journal of Affective Disorders</i> , 2015, 176, 155-163.	4.8	30
78	Evaluation of Stepped Care for Chronic Pain (ESCAPE) in Veterans of the Iraq and Afghanistan Conflicts. <i>JAMA Internal Medicine</i> , 2015, 175, 682.	10.8	115
79	Telemedicine Screening for Eye Disease. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 1666.	17.1	14
80	Pragmatic characteristics of patient-reported outcome measures are important for use in clinical practice. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 1085-1092.	3.7	96
81	Chronic pain and comorbid mental health conditions: independent associations of posttraumatic stress disorder and depression with pain, disability, and quality of life. <i>Journal of Behavioral Medicine</i> , 2015, 38, 535-543.	2.5	180
82	Randomized controlled pilot study of mindfulness-based stress reduction for persistently fatigued cancer survivors. <i>Psycho-Oncology</i> , 2015, 24, 885-893.	3.1	134
83	Cost effectiveness of telecare management for pain and depression in patients with cancer: results from a randomized trial. <i>General Hospital Psychiatry</i> , 2014, 36, 599-606.	2.7	44
84	Telecare Collaborative Management of Chronic Pain in Primary Care. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 240.	17.1	185
85	The Somatic Symptom Scale-8 (SSS-8). <i>JAMA Internal Medicine</i> , 2014, 174, 399.	10.8	633
86	Preferences, Experience, and Attitudes in the Management of Chronic Pain and Depression. <i>Clinical Journal of Pain</i> , 2014, 30, 766-774.	2.4	21
87	Methods for the design of vasomotor symptom trials. <i>Menopause</i> , 2014, 21, 45-58.	2.6	60
88	Operating Characteristics of PROMIS Four-Item Depression and Anxiety Scales in Primary Care Patients with Chronic Pain. <i>Pain Medicine</i> , 2014, 15, 1892-1901.	2.1	170
89	Validity of the Greek version of the PHQ 15-item Somatic Symptom Severity Scale in patients with chronic medical conditions and correlations with emergency department use and illness perceptions. <i>Comprehensive Psychiatry</i> , 2014, 55, 1950-1959.	4.3	25
90	Symptom Burden and Comorbidities Impact the Consistency of Responses on Patient-Reported Functional Outcomes. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 79-86.	2.0	15

#	ARTICLE	IF	PR CITATIONS
91	A Practical and Evidence-Based Approach to Common Symptoms. <i>Annals of Internal Medicine</i> , 2014, 161, 579.	10.4	120
92	Trends in Office-Based Mental Health Care Provided by Psychiatrists and Primary Care Physicians. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 247-253.	2.8	165
93	Association between anxiety, health-related quality of life and functional impairment in primary care patients with chronic pain. <i>General Hospital Psychiatry</i> , 2013, 35, 359-365.	2.7	168
94	Association between sense of coherence and health-related quality of life among primary care patients with chronic musculoskeletal pain. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 216.	3.0	29
95	Longitudinal Comparison of Three Depression Measures in Adult Cancer Patients. <i>Journal of Pain and Symptom Management</i> , 2013, 45, 71-82.	0.9	39
96	Stepped Care to Optimize Pain care Effectiveness (SCOPE) trial study design and sample characteristics. <i>Contemporary Clinical Trials</i> , 2013, 34, 270-281.	1.6	56
97	Endoscopic Ultrasound-Guided Celiac Plexus Neurolysis in Pancreatic Cancer: A Prospective Pilot Study of Safety Using 10% versus 20% Alcohol. <i>Diagnostic and Therapeutic Endoscopy</i> , 2013, 2013, 1-6.	0.5	32
98	Telephone-based cognitive-behavioural therapy and a structured exercise programme are effective for chronic widespread pain (fibromyalgia). <i>Evidence-Based Medicine</i> , 2013, 18, 23-24.	0.9	5
99	Longitudinal Observation of Treatment Patterns and Outcomes for Patients with Fibromyalgia: 12-Month Findings from the REFLECTIONS Study. <i>Pain Medicine</i> , 2013, 14, 1400-1415.	2.1	34
100	Anxiety but Not Social Stressors Predict 12-Month Depression and Pain Severity. <i>Clinical Journal of Pain</i> , 2013, 29, 95-101.	2.4	64
101	Maternal Somatic Symptoms, Psychosocial Correlates, and Subsequent Pediatric Emergency Department Use. <i>Pediatric Emergency Care</i> , 2013, 29, 170-174.	1.0	5
102	Longitudinal relationships between fatigue and depression in cancer patients with depression and/or pain. <i>Health Psychology</i> , 2013, 32, 1199-1208.	1.7	26
103	Enhancing the clinical utility of depression screening. <i>Cmaj</i> , 2012, 184, 281-282.	1.3	192
104	Predictors of Cancer-Related Pain Improvement Over Time. <i>Psychosomatic Medicine</i> , 2012, 74, 642-647.	2.2	42
105	A pragmatic 12-week, randomized trial of duloxetine versus generic selective serotonin-reuptake inhibitors in the treatment of adult outpatients in a moderate-to-severe depressive episode. <i>International Clinical Psychopharmacology</i> , 2012, 27, 17-26.	1.3	28
106	Burden of Illness and Treatment Patterns for Patients with Fibromyalgia. <i>Pain Medicine</i> , 2012, 13, 1366-1376.	2.1	56
107	Testing the PHQ-9 Interview and Observational Versions (PHQ-9 OV) for MDS 3.0. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 618-625.	2.4	114
108	The Relationship of Level of Positive Mental Health With Current Mental Disorders in Predicting Suicidal Behavior and Academic Impairment in College Students. <i>Journal of American College Health</i> , 2012, 60, 126-133.	2.7	362

#	ARTICLE	IF	PR CITATIONS
109	Depression Improvement Is Related to Social Role Functioning After Stroke. Archives of Physical Medicine and Rehabilitation, 2012, 93, 978-982.	2.0	26
110	Somatic symptoms in cancer patients trajectory over 12 months and impact on functional status and disability. Supportive Care in Cancer, 2012, 21, 765-773.	2.4	39
111	Impact of Depression on 12-Month Outcomes in Primary-Care Patients with Chronic Musculoskeletal Pain. Journal of Musculoskeletal Pain, 2012, 20, 8-17.	0.3	16
112	Do Somatic and Cognitive Symptoms of Traumatic Brain Injury Confound Depression Screening?. Archives of Physical Medicine and Rehabilitation, 2011, 92, 818-823.	2.0	79
113	Comparing fibromyalgia across different clinical settings: Is it apples and oranges, or oranges and tangerines?*. European Journal of Pain, 2011, 15, 887-888.	3.2	2
114	A Provisional Screening Instrument for Four Common Mental Disorders in Adult Primary Care Patients. Psychosomatics, 2011, 52, 48-55.	3.0	29
115	Reciprocal Relationship Between Pain and Depression: A 12-Month Longitudinal Analysis in Primary Care. Journal of Pain, 2011, 12, 964-973.	1.3	500
116	Cancer-Related Pain and Disability: A Longitudinal Study. Journal of Pain and Symptom Management, 2011, 42, 813-821.	0.9	25
117	Toward a more comprehensive assessment of depression remission: the Remission Evaluation and Mood Inventory Tool (REMIT). General Hospital Psychiatry, 2011, 33, 279-286.	2.7	16
118	Comparison of SF-36 vitality scale and Fatigue Symptom Inventory in assessing cancer-related fatigue. Supportive Care in Cancer, 2011, 19, 1255-1259.	2.4	78
119	PHQ-8 Days: a measurement option for DSM-5 Major Depressive Disorder (MDD) severity. Population Health Metrics, 2011, 9, .	2.3	66
120	Screening for major depression in cancer outpatients. Cancer, 2011, 117, 218-227.	4.1	164
121	PDI-4A: An Augmented Provisional Screening Instrument Assessing 5 Additional Common Anxiety-Related Diagnoses in Adult Primary Care Patients. Postgraduate Medicine, 2011, 123, 89-95.	2.8	8
122	Telecare Management of Pain and Depression in Patients With Cancer. Journal of Ambulatory Care Management, 2011, 34, 126-139.	0.9	27
123	Trauma Exposure and Posttraumatic Stress Disorder in Primary Care Patients. Journal of Clinical Psychiatry, 2011, 72, 304-312.	2.8	32
124	The association of depression and anxiety with health-related quality of life in cancer patients with depression and/or pain. Psycho-Oncology, 2010, 19, 734-741.	3.1	252
125	Comparative Responsiveness of Pain Outcome Measures Among Primary Care Patients With Musculoskeletal Pain. Medical Care, 2010, 48, 1007-1014.	1.8	148
126	Review: GPs accurately diagnose about 50% of patients with depression and accurately classify 81% of nondepressed patients. Annals of Internal Medicine, 2010, 152, JC4.	10.4	2

#	ARTICLE	IF	PR CITATIONS
127	The Association of Depression and Pain with Health-Related Quality of Life, Disability, and Health Care Use in Cancer Patients. <i>Journal of Pain and Symptom Management</i> , 2010, 40, 327-341.	0.9	226
128	Screening for suicidality in cancer patients using Item 9 of the nine-item patient health questionnaire; does the item score predict who requires further assessment?. <i>General Hospital Psychiatry</i> , 2010, 32, 218-220.	2.7	54
129	The Patient Health Questionnaire Somatic, Anxiety, and Depressive Symptom Scales: a systematic review. <i>General Hospital Psychiatry</i> , 2010, 32, 345-359.	2.7	3,567
130	Depression and comorbid panic in primary care patients. <i>Journal of Affective Disorders</i> , 2010, 123, 283-290.	4.8	9
131	Predictors of Pain Outcomes in Patients with Chronic Musculoskeletal Pain Co-morbid with Depression: Results from a Randomized Controlled Trial. <i>Pain Medicine</i> , 2010, 11, 482-491.	2.1	70
132	Sex Differences in Pain and Pain-Related Disability among Primary Care Patients with Chronic Musculoskeletal Pain. <i>Pain Medicine</i> , 2010, 11, 232-239.	2.1	138
133	The Adverse Effects of Comorbid Pain on Depression Outcomes in Primary Care Patients: Results from the Artist Trial. <i>Pain Medicine</i> , 2010, 11, 732-741.	2.1	61
134	Analgesic Prescribing for Patients Who Are Discharged from an Emergency Department. <i>Pain Medicine</i> , 2010, 11, 1072-1077.	2.1	55
135	Effect of Telecare Management on Pain and Depression in Patients With Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 163.	17.1	303
136	Somatic Symptoms in Patients With Cancer Experiencing Pain or Depression. <i>Archives of Internal Medicine</i> , 2010, 170, .	8.6	105
137	Self-Management Support and Communication from Nurse Care Managers Compared with Primary Care Physicians: A Focus Group Study of Patients with Chronic Musculoskeletal Pain. <i>Pain Management Nursing</i> , 2010, 11, 26-34.	1.4	58
138	Responsiveness of motor and nonmotor symptoms of Parkinson disease to dopaminergic therapy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 57-61.	4.0	58
139	The P4 Screener. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2010, , .	0.9	78
140	Efficacy of Treatment for Somatoform Disorders: A Review of Randomized Controlled Trials. <i>Focus (American Psychiatric Publishing)</i> , 2009, 7, 414-423.	1.1	4
141	Optimized Antidepressant Therapy and Pain Self-management in Primary Care Patients With Depression and Musculoskeletal Pain. <i>JAMA - Journal of the American Medical Association</i> , 2009, 301, 2099.	17.1	412
142	Psychosocial stress and anxiety in musculoskeletal pain patients with and without depression. <i>General Hospital Psychiatry</i> , 2009, 31, 116-122.	2.7	58
143	Pharmacotherapy of chronic pain: a synthesis of recommendations from systematic reviews. <i>General Hospital Psychiatry</i> , 2009, 31, 206-219.	2.7	265
144	The Indiana Cancer Pain and Depression (INCPAD) trial. <i>General Hospital Psychiatry</i> , 2009, 31, 240-253.	2.7	71

#	ARTICLE	IF	PR CITATIONS
145	The PHQ-8 as a measure of current depression in the general population. <i>Journal of Affective Disorders</i> , 2009, 114, 163-173.	4.8	4,471
146	Development and Initial Validation of the PEG, a Three-item Scale Assessing Pain Intensity and Interference. <i>Journal of General Internal Medicine</i> , 2009, 24, 733-738.	2.8	677
147	Barriers and Facilitators to Chronic Pain Self-Management: A Qualitative Study of Primary Care Patients with Comorbid Musculoskeletal Pain and Depression. <i>Pain Medicine</i> , 2009, 10, 1280-1290.	2.1	221
148	Associations between smoking cessation and anxiety and depression among U.S. adults. <i>Addictive Behaviors</i> , 2009, 34, 491-497.	3.3	111
149	Cancer-Related Fatigue and Its Associations With Depression and Anxiety: A Systematic Review. <i>Psychosomatics</i> , 2009, 50, 440-447.	3.0	295
150	An Ultra-Brief Screening Scale for Anxiety and Depression: The PHQ-4. <i>Psychosomatics</i> , 2009, 50, 613-621.	3.0	587
151	Pain and Depression in Gynecology Patients. <i>Psychosomatics</i> , 2009, 50, 270-276.	3.0	31
152	Cancer-Related Fatigue and Its Associations With Depression and Anxiety: A Systematic Review. <i>Psychosomatics</i> , 2009, 50, 440-447.	3.0	145
153	An Ultra-Brief Screening Scale for Anxiety and Depression: The PHQ-4. <i>Psychosomatics</i> , 2009, 50, 613-621.	3.0	2,552
154	Self-management practices among primary care patients with musculoskeletal pain and depression. <i>Journal of Behavioral Medicine</i> , 2008, 31, 301-307.	2.5	38
155	Trajectories of improvement for six depression-related outcomes. <i>General Hospital Psychiatry</i> , 2008, 30, 26-31.	2.7	30
156	The association of depression and anxiety with obesity and unhealthy behaviors among community-dwelling US adults. <i>General Hospital Psychiatry</i> , 2008, 30, 127-137.	2.7	481
157	Depression, anxiety and somatization in primary care: syndrome overlap and functional impairment. <i>General Hospital Psychiatry</i> , 2008, 30, 191-199.	2.7	614
158	Gastrointestinal symptoms in primary care: Prevalence and association with depression and anxiety. <i>Journal of Psychosomatic Research</i> , 2008, 64, 605-612.	2.2	151
159	A transdisciplinary training program for behavioral oncology and cancer control scientists. <i>Nursing Outlook</i> , 2008, 56, 123-131.	2.1	13
160	Impact of pain on the outcomes of depression treatment: Results from the RESPECT trial. <i>Pain</i> , 2008, 134, 209-215.	4.4	141
161	Depression and Anxiety in the United States: Findings From the 2006 Behavioral Risk Factor Surveillance System. <i>Psychiatric Services</i> , 2008, 59, 1383-1390.	2.3	356
162	Prevalence, Impact, and Prognosis of Multisomatoform Disorder in Primary Care: A 5-Year Follow-up Study. <i>Psychosomatic Medicine</i> , 2008, 70, 430-434.	2.2	113

#	ARTICLE	IF	PR CITATIONS
163	Association of Depression and Anxiety Alone and in Combination With Chronic Musculoskeletal Pain in Primary Care Patients. <i>Psychosomatic Medicine</i> , 2008, 70, 890-897.	2.2	485
164	RESPECT-Mil: Feasibility of a Systems-Level Collaborative Care Approach to Depression and Post-Traumatic Stress Disorder in Military Primary Care. <i>Military Medicine</i> , 2008, 173, 935-940.	1.0	127
165	Validity/Reliability of PHQ-9 and PHQ-2 Depression Scales Among Adults Living with HIV/AIDS in Western Kenya. <i>Journal of General Internal Medicine</i> , 2008, 24, 189-197.	2.8	425
166	Care Management of Poststroke Depression. <i>Stroke</i> , 2007, 38, 998-1003.	6.0	126
167	Effects of depression and pain severity on satisfaction in medical outpatients: Analysis of the Medical Outcomes Study. <i>Journal of Rehabilitation Research and Development</i> , 2007, 44, 143.	1.5	42
168	Anxiety Disorders in Primary Care: Prevalence, Impairment, Comorbidity, and Detection. <i>Annals of Internal Medicine</i> , 2007, 146, 317.	10.4	3,983
169	Pharmacologic Management of Painful Bladder Syndrome/Interstitial Cystitis. <i>Archives of Internal Medicine</i> , 2007, 167, 1922.	8.6	62
170	Outcome and Impact of Mental Disorders in Primary Care at 5 years. <i>Psychosomatic Medicine</i> , 2007, 69, 270-276.	2.2	75
171	Revising the Classification of Somatoform Disorders: Key Questions and Preliminary Recommendations. <i>Psychosomatics</i> , 2007, 48, 277-285.	3.0	153
172	Somatoform Disorders and Recent Diagnostic Controversies. <i>Psychiatric Clinics of North America</i> , 2007, 30, 593-619.	2.3	51
173	Triangulating Patient and Clinician Perspectives on Clinically Important Differences in Health-Related Quality of Life among Patients with Heart Disease. <i>Health Services Research</i> , 2007, 42, 2257-2274.	2.1	28
174	The association of depression and anxiety with medical symptom burden in patients with chronic medical illness. <i>General Hospital Psychiatry</i> , 2007, 29, 147-155.	2.7	841
175	Stepped Care for Affective Disorders and Musculoskeletal Pain (SCAMP) study. <i>General Hospital Psychiatry</i> , 2007, 29, 506-517.	2.7	82
176	Concordance between the PHQ-9 and the HSCL-20 in depressed primary care patients. <i>Journal of Affective Disorders</i> , 2007, 99, 139-145.	4.8	82
177	Efficacy of Treatment for Somatoform Disorders: A Review of Randomized Controlled Trials. <i>Psychosomatic Medicine</i> , 2007, 69, 881-888.	2.2	394
178	Validity of patient-reported health-related quality of life global ratings of change using structural equation modeling. <i>Quality of Life Research</i> , 2007, 16, 1193-1202.	2.1	27
179	Measuring Patient and Clinician Perspectives to Evaluate Change in Health-Related Quality of Life Among Patients with Chronic Obstructive Pulmonary Disease. <i>Journal of General Internal Medicine</i> , 2007, 22, 161-170.	2.8	38
180	An Exploratory Study of Primary Care Physician Decision Making Regarding Total Joint Arthroplasty. <i>Journal of General Internal Medicine</i> , 2007, 22, 74-79.	2.8	7

#	ARTICLE	IF	PR CITATIONS
181	Effectiveness of a 1-Year Resident Training Program in Clinical Research: A Controlled Before-and-After Study. <i>Journal of General Internal Medicine</i> , 2007, 23, 122-128.	2.8	55
182	Duloxetine in Practice-Based Clinical Settings. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2007, 09, 271-279.	0.9	4
183	Interpreting quality-of-life data: methods for community consensus in asthma. <i>Annals of Allergy, Asthma and Immunology</i> , 2006, 96, 826-833.	1.1	4
184	Symptoms, Syndromes, and the Value of Psychiatric Diagnostics in Patients Who Have Functional Somatic Disorders. <i>Medical Clinics of North America</i> , 2006, 90, 603-626.	3.4	95
185	Physician-estimated disease severity in patients with chronic heart or lung disease: a cross-sectional analysis. <i>Health and Quality of Life Outcomes</i> , 2006, 4, .	3.0	14
186	Physical symptom disorder: A simpler diagnostic category for somatization-spectrum conditions. <i>Journal of Psychosomatic Research</i> , 2006, 60, 335-339.	2.2	134
187	Management of chronic prostatitis/chronic pelvic pain syndrome: An evidence-based approach. <i>Urology</i> , 2006, 67, 881-888.	1.5	36
188	How Valid Are Family Proxy Assessments of Stroke Patients's Health-Related Quality of Life?. <i>Stroke</i> , 2006, 37, 2081-2085.	6.0	137
189	Racial and Ethnic Differences in the Relationship Between Depression Severity and Functional Status. <i>Psychiatric Services</i> , 2006, 57, 498-503.	2.3	58
190	Predictors of Incident Chronic Widespread Pain Among Veterans Following the First Gulf War. <i>Clinical Journal of Pain</i> , 2006, 22, 554-563.	2.4	34
191	Antidepressants and Cognitive-Behavioral Therapy for Symptom Syndromes. <i>CNS Spectrums</i> , 2006, 11, 212-222.	0.6	131
192	Using the patient health questionnaire-9 to measure depression among racially and ethnically diverse primary care patients. <i>Journal of General Internal Medicine</i> , 2006, 21, 547-552.	2.8	624
193	A comparison of traditional and Rasch cut points for assessing clinically important change in health-related quality of life among patients with asthma. <i>Quality of Life Research</i> , 2006, 15, 1639-1649.	2.1	15
194	Factors Associated with Drug Adherence and Blood Pressure Control in Patients with Hypertension. <i>Pharmacotherapy</i> , 2006, 26, 483-492.	2.9	127
195	Long term outcomes from the IMPACT randomised trial for depressed elderly patients in primary care. <i>BMJ: British Medical Journal</i> , 2006, 332, 259-263.	0.1	295
196	A Brief Measure for Assessing Generalized Anxiety Disorder. <i>Archives of Internal Medicine</i> , 2006, 166, 1092.	8.6	27,207
197	Venlafaxine Extended Release in the Short-Term Treatment of Depressed and Anxious Primary Care Patients With Multisomatoform Disorder. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 72-80.	2.8	75
198	Performance of the PHQ-9 as a Screening Tool for Depression After Stroke. <i>Stroke</i> , 2005, 36, 635-638.	6.0	345

#	ARTICLE	IF	PR CITATIONS
199	Treatment of Depression Improves Physical Functioning in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 367-373.	2.9	194
200	A Comparison of Clinically Important Differences in Health-Related Quality of Life for Patients with Chronic Lung Disease, Asthma, or Heart Disease. <i>Health Services Research</i> , 2005, 40, 577-592.	2.1	213
201	Nine-month predictors and outcomes of SSRI antidepressant continuation in primary care. <i>General Hospital Psychiatry</i> , 2005, 27, 229-236.	2.7	45
202	Access to communication technologies in a sample of cancer patients: an urban and rural survey. <i>BMC Cancer</i> , 2005, 5, .	3.1	9
203	Symptomatic severity of prime-MD diagnosed episodes of panic and generalized anxiety disorder in primary care. <i>Journal of General Internal Medicine</i> , 2005, 20, 623-628.	2.8	27
204	Somatoform Disorders: Time for a New Approach in DSM-V. <i>American Journal of Psychiatry</i> , 2005, 162, 847-855.	10.4	449
205	Detecting and monitoring depression with a two-item questionnaire (PHQ-2). <i>Journal of Psychosomatic Research</i> , 2005, 58, 163-171.	2.2	1,330
206	Physical symptoms as a predictor of health care use and mortality among older adults. <i>American Journal of Medicine</i> , 2005, 118, 301-306.	2.3	90
207	Impact of pain severity and location on health-related quality of life. <i>Rheumatology International</i> , 2005, 26, 567-572.	2.7	19
208	Going to Scale: Re-Engineering Systems for Primary Care Treatment of Depression. <i>Annals of Family Medicine</i> , 2004, 2, 301-304.	1.8	61
209	Test-Retest Reliability of the Mirowsky-Ross 2 Å— 2 Index of the Sense of Control. <i>Psychological Reports</i> , 2004, 94, 725-732.	2.3	17
210	Re-engineering systems for the treatment of depression in primary care: cluster randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2004, 329, 602.	0.1	252
211	The outcome of physical symptoms with treatment of depression. <i>Journal of General Internal Medicine</i> , 2004, 19, 813-818.	2.8	133
212	Comparative validity of three screening questionnaires for DSM-IV depressive disorders and physicians' diagnoses. <i>Journal of Affective Disorders</i> , 2004, 78, 131-140.	4.8	953
213	Measuring depression outcome with a brief self-report instrument: sensitivity to change of the Patient Health Questionnaire (PHQ-9). <i>Journal of Affective Disorders</i> , 2004, 81, 61-66.	4.8	1,417
214	Low yield of thyroid-stimulating hormone testing in elderly patients with depression. <i>General Hospital Psychiatry</i> , 2004, 26, 302-309.	2.7	28
215	Predicting reports of unmet expectations among rheumatology patients. <i>Arthritis and Rheumatism</i> , 2004, 51, 215-221.	6.0	25
216	Common comorbidity scales were similar in their ability to predict health care costs and mortality. <i>Journal of Clinical Epidemiology</i> , 2004, 57, 1040-1048.	3.7	316

#	ARTICLE	IF	PR CITATIONS
217	Clinically important differences in health status for patients with heart disease: an expert consensus panel report. <i>American Heart Journal</i> , 2004, 147, 615-622.	3.0	128
218	Anxiety and Depression in Patients With Pulmonary Hypertension. <i>Psychosomatic Medicine</i> , 2004, 66, 831-836.	2.2	204
219	Impact of Pain on Depression Treatment Response in Primary Care. <i>Psychosomatic Medicine</i> , 2004, 66, 17-22.	2.2	332
220	Monitoring Depression Treatment Outcomes With the Patient Health Questionnaire-9. <i>Medical Care</i> , 2004, 42, 1194-1201.	1.8	1,208
221	Suicidality as a Possible Side Effect of Antidepressant Treatment. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2004, 06, 79-86.	0.9	22
222	Differing symptoms of abused versus nonabused women in obstetric-gynecology settings. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 707-713.	2.4	44
223	Patients presenting with somatic complaints: epidemiology, psychiatric comorbidity and management. <i>International Journal of Methods in Psychiatric Research</i> , 2003, 12, 34-43.	2.3	534
224	Rheumatology patients' use of complementary therapies: Results from a one-year longitudinal study. <i>Arthritis and Rheumatism</i> , 2003, 49, 619-625.	6.0	58
225	Clinically important changes in health-related quality of life for patients with chronic obstructive pulmonary disease. <i>Journal of General Internal Medicine</i> , 2003, 18, 196-202.	2.8	115
226	Is the distal hyperplastic polyp a marker for proximal neoplasia?. <i>Journal of General Internal Medicine</i> , 2003, 18, 128-137.	2.8	40
227	Improving patient satisfaction with the transfer of care. <i>Journal of General Internal Medicine</i> , 2003, 18, 364-369.	2.8	24
228	Depression and Pain Comorbidity. <i>Archives of Internal Medicine</i> , 2003, 163, 2433.	8.6	3,050
229	Gender and Symptoms in Primary Care Practices. <i>Psychosomatics</i> , 2003, 44, 359-366.	3.0	26
230	Somatic Symptoms in Primary Care: Etiology and Outcome. <i>Psychosomatics</i> , 2003, 44, 471-478.	3.0	187
231	Clinically important differences in health-related quality of life for patients with asthma: an expert consensus panel report. <i>Annals of Allergy, Asthma and Immunology</i> , 2003, 91, 148-153.	1.1	32
232	Effect of Improving Depression Care on Pain and Functional Outcomes Among Older Adults With Arthritis. <i>JAMA - Journal of the American Medical Association</i> , 2003, 290, 2428.	17.1	547
233	9-11, Personal Stress, Mental Health, and Sense of Control Among Older Adults. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2003, 58, S146-S150.	2.8	35
234	Age, Aging, and the Sense of Control Among Older Adults: A Longitudinal Reconsideration. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2003, 58, S212-S220.	2.8	73

#	ARTICLE	IF	PR CITATIONS
235	Major Depression, Physical Illness, and Suicidal Ideation in Primary Care. <i>Psychosomatic Medicine</i> , 2003, 65, 501-505.	2.2	132
236	The Patient Health Questionnaire-2. <i>Medical Care</i> , 2003, 41, 1284-1292.	1.8	5,716
237	Predictors of Psychiatric Comorbidity in Medical Outpatients. <i>Psychosomatic Medicine</i> , 2003, 65, 764-770.	2.2	49
238	Identifying New Diseases and Their Causes: The Dilemma of Illnesses in Gulf War Veterans. <i>Military Medicine</i> , 2003, 168, 186-193.	1.0	8
239	A 75-Year-Old Man With Depression. <i>JAMA - Journal of the American Medical Association</i> , 2002, 287, 1568.	17.1	15
240	The Teacher and Learner Interactive Assessment System (TeLIAS): A New Tool to Assess Teaching Behaviors in the Ambulatory Setting. <i>Teaching and Learning in Medicine</i> , 2002, 14, 249-256.	2.2	14
241	The PHQ-15: Validity of a New Measure for Evaluating the Severity of Somatic Symptoms. <i>Psychosomatic Medicine</i> , 2002, 64, 258-266.	2.2	2,875
242	A Three-Component Model for Reengineering Systems for the Treatment of Depression in Primary Care. <i>Psychosomatics</i> , 2002, 43, 441-450.	3.0	118
243	Psychological Disorders and Distress in Older Primary Care Patients: A Comparison of Older and Younger Samples. <i>Psychosomatic Medicine</i> , 2002, 64, 635-643.	2.2	64
244	The PHQ-9: A New Depression Diagnostic and Severity Measure. <i>Psychiatric Annals</i> , 2002, 32, 509-515.	0.3	5,015
245	Validation and Utility of the Patient Health Questionnaire in Diagnosing Mental Disorders in 1003 General Hospital Spanish Inpatients. <i>Psychosomatic Medicine</i> , 2001, 63, 679-686.	2.2	563
246	The PHQ-9. <i>Journal of General Internal Medicine</i> , 2001, 16, 606-613.	2.8	39,394
247	Predictors of patient satisfaction. <i>Social Science and Medicine</i> , 2001, 52, 609-620.	4.3	711
248	Similar Effectiveness of Paroxetine, Fluoxetine, and Sertraline in Primary Care. <i>JAMA - Journal of the American Medical Association</i> , 2001, 286, 2947.	17.1	274
249	The Depression in Primary Care Tool Kit. <i>International Journal of Psychiatry in Medicine</i> , 2000, 30, 99-110.	1.4	10
250	Contributions of general internal medicine teaching units. <i>Journal of General Internal Medicine</i> , 2000, 15, 277-283.	2.8	10
251	Treatment of fibromyalgia with antidepressants. <i>Journal of General Internal Medicine</i> , 2000, 15, 659-666.	2.8	325
252	Validity and utility of the PRIME-MD Patient Health Questionnaire in assessment of 3000 obstetric-gynecologic patients: The PRIME-MD Patient Health Questionnaire Obstetrics-Gynecology Study. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 183, 759-769.	2.4	780

#	ARTICLE	IF	PR CITATIONS
253	Interventions to Improve Provider Diagnosis and Treatment of Mental Disorders in Primary Care: A Critical Review of the Literature. <i>Psychosomatics</i> , 2000, 41, 39-52.	3.0	160
254	Difficult Patient Encounters in the Ambulatory Clinic. <i>Archives of Internal Medicine</i> , 1999, 159, 1069.	8.6	294
255	Case-finding for depression in primary care: a randomized trial— Access the “Journal Club” discussion of this paper at <a href="http://www.elsevier.com/locate/ajmselect/">http://www.elsevier.com/locate/ajmselect/</a> . <i>American Journal of Medicine</i> , 1999, 106, 36-43.	2.3	200
256	Symptoms in hospitalized patients: outcome and satisfaction with care. <i>American Journal of Medicine</i> , 1999, 107, 425-431.	2.3	49
257	Use of Complementary Therapies for Arthritis among Patients of Rheumatologists. <i>Annals of Internal Medicine</i> , 1999, 131, 409.	10.4	358
258	A comparison of physicians’ and patients’ attitudes toward pharmaceutical industry gifts. <i>Journal of General Internal Medicine</i> , 1998, 13, 151-154.	2.8	175
259	Clinical Predictors of Mental Disorders Among Medical Outpatients: Validation of the “S4” Model. <i>Psychosomatics</i> , 1998, 39, 431-436.	3.0	28
260	A Symptom Checklist to Screen for Somatoform Disorders in Primary Care. <i>Psychosomatics</i> , 1998, 39, 263-272.	3.0	166
261	The value of screening for psychiatric disorders prior to upper endoscopy. <i>Journal of Psychosomatic Research</i> , 1998, 44, 279-287.	2.2	34
262	Multiple Organ Toxicity From Addition of Erythromycin to Long-term Lovastatin Therapy. <i>Southern Medical Journal</i> , 1998, 91, 202-205.	0.5	53
263	Chronic Medications in the Perioperative Period. <i>Southern Medical Journal</i> , 1998, 91, 358-364.	0.5	32
264	Identifying Patients With Depression in the Primary Care Setting. <i>Archives of Internal Medicine</i> , 1998, 158, 2469.	8.6	96
265	Gender Differences in the Reporting of Physical and Somatoform Symptoms. <i>Psychosomatic Medicine</i> , 1998, 60, 150-155.	2.2	484
266	Signs, Symptoms, and Ill-Defined Conditions in Persian Gulf War Veterans. <i>Psychosomatic Medicine</i> , 1998, 60, 663-668.	2.2	53
267	The Value of Screening for Psychiatric Disorders in Rheumatology Referrals. <i>Archives of Internal Medicine</i> , 1998, 158, 2357.	8.6	43
268	Symptoms in 18,495 Persian Gulf War Veterans. <i>Journal of Occupational and Environmental Medicine</i> , 1998, 40, 520-528.	1.4	94
269	Multisomatoform Disorder. <i>Archives of General Psychiatry</i> , 1997, 54, 352.	13.6	359
270	Patient Satisfaction and Quality of Care. <i>Military Medicine</i> , 1997, 162, 273-277.	1.0	69

#	ARTICLE	IF	PR CITATIONS
271	How Well Do Internists Diagnose Common Musculoskeletal Complaints?. Journal of Clinical Rheumatology, 1997, 3, 16-23.	1.3	3
272	Bedside Teaching. Southern Medical Journal, 1997, 90, 1069-1074.	0.5	41
273	Depressive and Anxiety Disorders in Patients Presenting With Physical Complaints. American Journal of Medicine, 1997, 103, 339-347.	2.3	270
274	Increasing the use of advance directives in medical outpatients. Journal of General Internal Medicine, 1997, 12, 412-415.	2.8	61
275	Gender, quality of life, and mental disorders in primary care: Results from the PRIME-MD 1000 study. American Journal of Medicine, 1996, 101, 526-533.	2.3	202
276	The difficult patient. Journal of General Internal Medicine, 1996, 11, 1-8.	2.8	361
277	When the physician leaves the patient. Journal of General Internal Medicine, 1995, 10, 206-210.	2.8	17
278	Health-Related Quality of Life in Primary Care Patients With Mental Disorders. JAMA - Journal of the American Medical Association, 1995, 274, 1511.	17.1	468
279	Gender differences in depression in primary care. American Journal of Obstetrics and Gynecology, 1995, 173, 654-659.	2.4	138
280	Mental Health Services in Army Primary Care: The Need for a Collaborative Health Care Agenda. Military Medicine, 1994, 159, 203-209.	1.0	15
281	One-year outcome for patients with a chief complaint of dizziness. Journal of General Internal Medicine, 1994, 9, 684-689.	2.8	27
282	A controlled trial of a seminar to improve medical student attitudes toward, knowledge about, and use of the medical literature. Journal of General Internal Medicine, 1994, 9, 436-439.	2.8	46
283	Psychiatric disorders and functional impairment in patients with persistent dizziness. Journal of General Internal Medicine, 1993, 8, 530-535.	2.8	66
284	Response Evidence-based vs emotion-based medical decision-making: Routine preoperative HIV testing vs universal precautions. Journal of Clinical Epidemiology, 1993, 46, 1233-1236.	3.7	5
285	Presentation Preoperative HIV testing: Is it less expensive than universal precautions?. Journal of Clinical Epidemiology, 1993, 46, 1219-1227.	3.7	18
286	Postoperative Complications After Thoracic and Major Abdominal Surgery in Patients With and Without Obstructive Lung Disease. Chest, 1993, 104, 1445-1451.	1.1	218
287	Symptoms in the Community. Archives of Internal Medicine, 1993, 153, 2474.	8.6	405
288	Causes of Persistent Dizziness. Annals of Internal Medicine, 1992, 117, 898-904.	10.4	238

#	ARTICLE	IF	PR CITATIONS
289	Chronic fatigue syndrome: Is it real?. Postgraduate Medicine, 1991, 89, 44-55.	2.8	12
290	Handouts: Making the Lecture Portable. Medical Teacher, 1991, 13, 199-203.	3.3	13
291	Attending rounds. Journal of General Internal Medicine, 1990, 5, 229-233.	2.8	36
292	Common symptoms in ambulatory care: Incidence, evaluation, therapy, and outcome. American Journal of Medicine, 1989, 86, 262-266.	2.3	893
293	Improving House Staff Ordering of Three Common Laboratory Tests. Medical Care, 1987, 25, 928-935.	1.8	33
294	Ambulatory care: Practice imperfect. American Journal of Medicine, 1986, 80, 339-342.	2.3	12
295	The admission urinalysis. Journal of General Internal Medicine, 1986, 1, 238-242.	2.8	30
296	Polypharmacy. Causes, consequences, and cure. American Journal of Medicine, 1985, 79, 149-152.	2.3	39
297	The case presentation. Stumbling blocks and stepping stones. American Journal of Medicine, 1985, 79, 605-608.	2.3	16
298	The lecture: Where it wavers. American Journal of Medicine, 1984, 77, 393-396.	2.3	23
299	Acute Renal Failure After Digital Subtraction Angiography. Southern Medical Journal, 1984, 77, 1346.	0.5	1
300	Eosinophilic Radiculomyeloencephalitis: An Angiostrongyliasis Outbreak in American Samoa Related to Ingestion of Achatina fulica Snails. American Journal of Tropical Medicine and Hygiene, 1982, 31, 1114-1122.	0.0	95