

# Rosario A Muñoz-Clares

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2449592/publications.pdf>

Version: 2024-02-01

55  
papers

1,000  
citations

361045

20  
h-index

476904

29  
g-index

55  
all docs

55  
docs citations

55  
times ranked

953  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Crystal Structure of A Ternary Complex of Betaine Aldehyde Dehydrogenase from <i>Pseudomonas aeruginosa</i> Provides New Insight into the Reaction Mechanism and Shows A Novel Binding Mode of the 2 <sup>â€²</sup> -Phosphate of NADP <sup>+</sup> and A Novel Cation Binding Site. <i>Journal of Molecular Biology</i> , 2009, 385, 542-557.	2.0	64
2	Purification and Properties of Betaine Aldehyde Dehydrogenase Extracted from Detached Leaves of <i>Amaranthus hypochondriacus</i> L. Subjected to Water Deficit. <i>Journal of Plant Physiology</i> , 1994, 143, 145-152.	1.6	56
3	Amino Acid Residues Critical for the Specificity for Betaine Aldehyde of the Plant ALDH10 Isoenzyme Involved in the Synthesis of Glycine Betaine. <i>Plant Physiology</i> , 2012, 158, 1570-1582.	2.3	45
4	Structural determinants of substrate specificity in aldehyde dehydrogenases. <i>Chemico-Biological Interactions</i> , 2013, 202, 51-61.	1.7	43
5	Kinetic and structural features of betaine aldehyde dehydrogenases: Mechanistic and regulatory implications. <i>Archives of Biochemistry and Biophysics</i> , 2010, 493, 71-81.	1.4	41
6	Steady-state kinetic mechanism of the NADP <sup>+</sup> - and NAD <sup>+</sup> -dependent reactions catalysed by betaine aldehyde dehydrogenase from <i>Pseudomonas aeruginosa</i> . <i>Biochemical Journal</i> , 2000, 352, 675-683.	1.7	39
7	Betaine-Aldehyde Dehydrogenase from Amaranth Leaves Efficiently Catalyzes the NAD-Dependent Oxidation of Dimethylsulfoniopropionaldehyde to Dimethylsulfoniopropionate. <i>Archives of Biochemistry and Biophysics</i> , 1997, 337, 81-88.	1.4	36
8	Physiological Implications of the Kinetics of Maize Leaf Phosphoenolpyruvate Carboxylase. <i>Plant Physiology</i> , 2000, 123, 149-160.	2.3	34
9	Monovalent cations requirements for the stability of betaine aldehyde dehydrogenase from <i>Pseudomonas aeruginosa</i> , porcine kidney and amaranth leaves. <i>Chemico-Biological Interactions</i> , 2003, 143-144, 139-148.	1.7	33
10	Betaine aldehyde dehydrogenase from <i>Pseudomonas aeruginosa</i> : cloning, over-expression in <i>Escherichia coli</i> , and regulation by choline and salt. <i>Archives of Microbiology</i> , 2006, 185, 14-22.	1.0	31
11	Trehalose-Mediated Inhibition of the Plasma Membrane H <sup>+</sup> -ATPase from <i>Kluyveromyces lactis</i> : Dependence on Viscosity and Temperature. <i>Journal of Bacteriology</i> , 2002, 184, 4384-4391.	1.0	30
12	Disulfiram irreversibly aggregates betaine aldehyde dehydrogenase. A potential target for antimicrobial agents against <i>Pseudomonas aeruginosa</i> . <i>Biochemical and Biophysical Research Communications</i> , 2006, 341, 408-415.	1.0	30
13	Kinetic evidence of the existence of a regulatory phosphoenolpyruvate binding site in maize leaf phosphoenolpyruvate carboxylase. <i>Archives of Biochemistry and Biophysics</i> , 1990, 276, 180-190.	1.4	29
14	Thermal inactivation of the plasma membrane H <sup>+</sup> -ATPase from <i>Kluyveromyces lactis</i> . Protection by trehalose. <i>BBA - Proteins and Proteomics</i> , 2001, 1544, 64-73.	2.1	29
15	Fumonisin B1, a sphingoid toxin, is a potent inhibitor of the plasma membrane H <sup>+</sup> -ATPase. <i>Planta</i> , 2005, 221, 589-596.	1.6	29
16	Re-examination of the roles of PEP and Mg <sup>2+</sup> in the reaction catalysed by the phosphorylated and non-phosphorylated forms of phosphoenolpyruvate carboxylase from leaves of <i>Zea mays</i> . <i>Biochemical Journal</i> , 1998, 332, 633-642.	1.7	27
17	Functional and structural analysis of catalase oxidized by singlet oxygen. <i>Biochimie</i> , 2005, 87, 205-214.	1.3	27
18	Aldehyde dehydrogenase diversity in bacteria of the <i>Pseudomonas</i> genus. <i>Chemico-Biological Interactions</i> , 2019, 304, 83-87.	1.7	26

#	ARTICLE	IF	CITATIONS
19	The disulfiram metabolites S-methyl-N,N-diethylthiocarbamoyl sulfoxide and S-methyl-N,N-diethylthiocarbamoyl sulfone irreversibly inactivate betaine aldehyde dehydrogenase from <i>Pseudomonas aeruginosa</i> , both in vitro and in situ, and arrest bacterial growth. <i>Biochimie</i> , 2011, 93, 286-295.	1.3	23
20	Inactivation of betaine aldehyde dehydrogenase from <i>Pseudomonas aeruginosa</i> and <i>Amaranthus hypochondriacus</i> L. leaves by disulfiram. <i>Chemico-Biological Interactions</i> , 2003, 143-144, 149-158.	1.7	20
21	Crystallographic evidence for active-site dynamics in the hydrolytic aldehyde dehydrogenases. Implications for the deacylation step of the catalyzed reaction. <i>Chemico-Biological Interactions</i> , 2011, 191, 137-146.	1.7	20
22	Modulation of the reactivity of the essential cysteine residue of betaine aldehyde dehydrogenase from <i>Pseudomonas aeruginosa</i> . <i>Biochemical Journal</i> , 2002, 361, 577-585.	1.7	19
23	Novel NADPHâ€cysteine covalent adduct found in the active site of an aldehyde dehydrogenase. <i>Biochemical Journal</i> , 2011, 439, 443-455.	1.7	19
24	Exploring the evolutionary route of the acquisition of betaine aldehyde dehydrogenase activity by plant ALDH10 enzymes: implications for the synthesis of the osmoprotectant glycine betaine. <i>BMC Plant Biology</i> , 2014, 14, 149.	1.6	19
25	Steady-state kinetic mechanism of the NADP <sup>+</sup> - and NAD <sup>+</sup> -dependent reactions catalysed by betaine aldehyde dehydrogenase from <i>Pseudomonas aeruginosa</i> . <i>Biochemical Journal</i> , 2000, 352, 675.	1.7	17
26	Site-directed mutagenesis and homology modeling indicate an important role of cysteine 439 in the stability of betaine aldehyde dehydrogenase from <i>Pseudomonas aeruginosa</i> . <i>Biochimie</i> , 2005, 87, 1056-1064.	1.3	15
27	Potassium and Ionic Strength Effects on the Conformational and Thermal Stability of Two Aldehyde Dehydrogenases Reveal Structural and Functional Roles of K <sup>+</sup> -Binding Sites. <i>PLoS ONE</i> , 2013, 8, e54899.	1.1	13
28	Substrate inhibition by betaine aldehyde of betaine aldehyde dehydrogenase from leaves of <i>Amaranthus hypochondriacus</i> L.. <i>BBA - Proteins and Proteomics</i> , 1997, 1341, 49-57.	2.1	12
29	Amino acid residues that affect the basicity of the catalytic glutamate of the hydrolytic aldehyde dehydrogenases. <i>Chemico-Biological Interactions</i> , 2015, 234, 45-58.	1.7	12
30	Residues that influence coenzyme preference in the aldehyde dehydrogenases. <i>Chemico-Biological Interactions</i> , 2015, 234, 59-74.	1.7	12
31	Short-term Regulation of Maize Leaf Phosphoenolpyruvate Carboxylase by Light. <i>Journal of Plant Physiology</i> , 1987, 128, 361-369.	1.6	11
32	Mechanisms of protection against irreversible oxidation of the catalytic cysteine of ALDH enzymes: Possible role of vicinal cysteines. <i>Chemico-Biological Interactions</i> , 2017, 276, 52-64.	1.7	11
33	Identification of the allosteric site for neutral amino acids in the maize C4 isozyme of phosphoenolpyruvate carboxylase: The critical role of Ser-100. <i>Journal of Biological Chemistry</i> , 2018, 293, 9945-9957.	1.6	11
34	Ligand-induced conformational changes of betaine aldehyde dehydrogenase from <i>Pseudomonas aeruginosa</i> and <i>Amaranthus hypochondriacus</i> L. leaves affecting the reactivity of the catalytic thiol. <i>Chemico-Biological Interactions</i> , 2003, 143-144, 129-137.	1.7	9
35	Complex, unusual conformational changes in kidney betaine aldehyde dehydrogenase suggested by chemical modification with disulfiram. <i>Archives of Biochemistry and Biophysics</i> , 2007, 468, 167-173.	1.4	9
36	Desensitization to glucose 6-phosphate of phosphoenolpyruvate carboxylase from maize leaves by pyridoxal 5â€2-phosphate. <i>BBA - Proteins and Proteomics</i> , 1997, 1337, 207-216.	2.1	8

#	ARTICLE	IF	CITATIONS
37	Modulation of the reactivity of the essential cysteine residue of betaine aldehyde dehydrogenase from <i>Pseudomonas aeruginosa</i> . <i>Biochemical Journal</i> , 2002, 361, 577.	1.7	8
38	Reversible, partial inactivation of plant betaine aldehyde dehydrogenase by betaine aldehyde: mechanism and possible physiological implications. <i>Biochemical Journal</i> , 2016, 473, 873-885.	1.7	8
39	The importance of assessing aldehyde substrate inhibition for the correct determination of kinetic parameters and mechanisms: the case of the ALDH enzymes. <i>Chemico-Biological Interactions</i> , 2019, 305, 86-97.	1.7	8
40	Tryptophan metabolism and its interaction with gluconeogenesis in mammals: Studies with the guinea pig, mongolian gerbil, and sheep. <i>Archives of Biochemistry and Biophysics</i> , 1981, 209, 713-717.	1.4	7
41	Kinetics of phosphoenolpyruvate carboxylase from <i>Zea mays</i> leaves at high concentration of substrates. <i>BBA - Proteins and Proteomics</i> , 2001, 1546, 242-252.	2.1	7
42	Potential monovalent cation-binding sites in aldehyde dehydrogenases. <i>Chemico-Biological Interactions</i> , 2013, 202, 41-50.	1.7	7
43	Phosphoenolpyruvate Carboxylase and Malic Enzyme in Leaves of two Populations of Maize Differing in Grain Yield. <i>Journal of Plant Physiology</i> , 1994, 143, 15-20.	1.6	5
44	Response of Phosphoenolpyruvate Carboxylase from Maize Leaves to Moderate Water Deficit. <i>Journal of Plant Physiology</i> , 1999, 155, 631-638.	1.6	5
45	Complexes of NADH with betaine aldehyde dehydrogenase from leaves of the plant <i>Amaranthus hypochondriacus</i> L.. <i>Chemico-Biological Interactions</i> , 2001, 130-132, 71-80.	1.7	5
46	Reaction of the catalytic cysteine of betaine aldehyde dehydrogenase from <i>Pseudomonas aeruginosa</i> with arsenite-BAL and phenylarsine oxide. <i>Chemico-Biological Interactions</i> , 2009, 178, 64-69.	1.7	5
47	Bona fide choline monooxygenases evolved in Amaranthaceae plants from oxygenases of unknown function: Evidence from phylogenetics, homology modeling and docking studies. <i>PLoS ONE</i> , 2018, 13, e0204711.	1.1	5
48	Structural and biochemical evidence of the glucose 6-phosphate-allosteric site of maize C4-phosphoenolpyruvate carboxylase: its importance in the overall enzyme kinetics. <i>Biochemical Journal</i> , 2020, 477, 2095-2114.	1.7	5
49	Effects of Glycerol on the Kinetic Properties of Betaine Aldehyde Dehydrogenase. <i>Advances in Experimental Medicine and Biology</i> , 1996, 414, 261-268.	0.8	4
50	Further Studies of the Short-term Regulation of Maize Leaf Phosphoenolpyruvate Carboxylase by Light. <i>Journal of Plant Physiology</i> , 1987, 129, 191-199.	1.6	3
51	Hysteretic Properties of Maize Leaf Phosphoenolpyruvate Carboxylase in Crude Desalted Extracts. Effects of Metabolites and Light. <i>Journal of Plant Physiology</i> , 1990, 136, 451-457.	1.6	3
52	Inactivation of betaine aldehyde dehydrogenase from amaranth leaves by pyridoxal 5'-phosphate. <i>Plant Science</i> , 1999, 143, 9-17.	1.7	3
53	The critical role of the aldehyde dehydrogenase PauC in spermine, spermidine, and diamino propane toxicity in <i>Pseudomonas aeruginosa</i> : Its possible use as a drug target. <i>FEBS Journal</i> , 2022, 289, 2685-2705.	2.2	2
54	A new method for the assay of tryptophan 2,3-dioxygenase. <i>FEBS Letters</i> , 1980, 117, 265-268.	1.3	1

#	ARTICLE	IF	CITATIONS
55	Multiple conformations in solution of the maize C4-phosphoenolpyruvate carboxylase isozyme. Heliyon, 2021, 7, e08464.	1.4	0