

# Takashi Wada

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2453501/publications.pdf>

Version: 2024-02-01

203  
papers

5,298  
citations

94381

37  
h-index

114418

63  
g-index

212  
all docs

212  
docs citations

212  
times ranked

5633  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Up-regulation of monocyte chemoattractant protein-1 in tubulointerstitial lesions of human diabetic nephropathy. <i>Kidney International</i> , 2000, 58, 1492-1499.   | 2.6 | 305       |
| 2  | Steroidal and non-steroidal mineralocorticoid receptor antagonists in cardiorenal medicine. <i>European Heart Journal</i> , 2021, 42, 152-161.  | 1.0 | 249       |
| 3  | Intervention of crescentic glomerulonephritis by antibodies to monocyte chemotactic and activating factor (MCAF/MCP-1). <i>FASEB Journal</i> , 1996, 10, 1418-1425.   | 0.2 | 192       |
| 4  | Effect of SGLT2 inhibitors on cardiovascular, renal and safety outcomes in patients with type 2 diabetes mellitus and chronic kidney disease: A systematic review and meta-analysis. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 1237-1250. | 2.2 | 190       |
| 5  | Gut microbiome-derived phenyl sulfate contributes to albuminuria in diabetic kidney disease. <i>Nature Communications</i> , 2019, 10, 1835.   | 5.8 | 173       |
| 6  | Gene Therapy via Blockade of Monocyte Chemoattractant Protein-1 for Renal Fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 940-948.   | 3.0 | 164       |
| 7  | A new Classification of Diabetic Nephropathy 2014: a report from Joint Committee on Diabetic Nephropathy. <i>Journal of Diabetes Investigation</i> , 2015, 6, 242-246.  | 1.1 | 157       |
| 8  | Trajectories of kidney function in diabetes: a clinicopathological update. <i>Nature Reviews Nephrology</i> , 2021, 17, 740-750.  | 4.1 | 131       |
| 9  | Clinical impact of albuminuria and glomerular filtration rate on renal and cardiovascular events, and all-cause mortality in Japanese patients with type 2 diabetes. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 613-620.               | 0.7 | 127       |
| 10 | Esaxerenone (CS-3150) in Patients with Type 2 Diabetes and Microalbuminuria (ESAX-DN). <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020, 15, 1715-1727.  | 2.2 | 123       |
| 11 | Long-Term Outcomes of Japanese Type 2 Diabetic Patients With Biopsy-Proven Diabetic Nephropathy. <i>Diabetes Care</i> , 2013, 36, 3655-3662.  | 4.3 | 122       |
| 12 | Adipose tissue-derived stem cells as a regenerative therapy for a mouse steatohepatitis-induced cirrhosis model. <i>Hepatology</i> , 2013, 58, 1133-1142.   | 3.6 | 96        |
| 13 | Urinary levels of chemokines (MCAF/MCP-1, IL-8) reflect distinct disease activities and phases of human IgA nephropathy. <i>Journal of Leukocyte Biology</i> , 1998, 63, 493-499.   | 1.5 | 91        |
| 14 | Nonproteinuric Versus Proteinuric Phenotypes in Diabetic Kidney Disease: A Propensity Score-Matched Analysis of a Nationwide, Biopsy-Based Cohort Study. <i>Diabetes Care</i> , 2019, 42, 891-902.  | 4.3 | 77        |
| 15 | The Impacts of Albuminuria and Low eGFR on the Risk of Cardiovascular Death, All-Cause Mortality, and Renal Events in Diabetic Patients: Meta-Analysis. <i>PLoS ONE</i> , 2013, 8, e71810.  | 1.1 | 73        |
| 16 | Effects of canagliflozin on anaemia in patients with type 2 diabetes and chronic kidney disease: a post-hoc analysis from the CREDENCE trial. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 903-914.  | 5.5 | 73        |
| 17 | A new classification of Diabetic Nephropathy 2014: a report from Joint Committee on Diabetic Nephropathy. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 1-5.  | 0.7 | 66        |
| 18 | Inhibition of CTGF ameliorates peritoneal fibrosis through suppression of fibroblast and myofibroblast accumulation and angiogenesis. <i>Scientific Reports</i> , 2017, 7, 5392.  | 1.6 | 63        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Nationwide multicentre kidney biopsy study of Japanese patients with type 2 diabetes. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 138-148.   | 0.4 | 62        |
| 20 | Combination of gemcitabine and anti-PD-1 antibody enhances the anticancer effect of M1 macrophages and the Th1 response in a murine model of pancreatic cancer liver metastasis. , 2020, 8, e001367.  |     | 62        |
| 21 | Inflammatory features of pancreatic cancer highlighted by monocytes/macrophages and CD4+ T cells with clinical impact. <i>Cancer Science</i> , 2015, 106, 672-686.  | 1.7 | 61        |
| 22 | JCS 2017 Guideline on Management of Vasculitis Syndrome—Digest Version. <i>Circulation Journal</i> , 2020, 84, 299-359.   | 0.7 | 59        |
| 23 | Kidney lesions in diabetic patients with normoalbuminuric renal insufficiency. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 305-312.   | 0.7 | 55        |
| 24 | Effect of Behavior Modification on Outcome in Early- to Moderate-Stage Chronic Kidney Disease: A Cluster-Randomized Trial. <i>PLoS ONE</i> , 2016, 11, e0151422.  | 1.1 | 54        |
| 25 | Lysophosphatidic acid signaling through its receptor initiates profibrotic epithelial cell fibroblast communication mediated by epithelial cell derived connective tissue growth factor. <i>Kidney International</i> , 2017, 91, 628-641.   | 2.6 | 52        |
| 26 | Immediate therapeutic efficacy of low-density lipoprotein apheresis for drug-resistant nephrotic syndrome: evidence from the short-term results from the POLARIS Study. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 379-386.    | 0.7 | 49        |
| 27 | Adipose tissue derived stromal stem cell therapy in murine C on A-derived hepatitis is dependent on myeloid lineage and CD4 <sup>+</sup> T cell suppression. <i>European Journal of Immunology</i> , 2013, 43, 2956-2968.                   | 1.6 | 48        |
| 28 | The CKD Outcomes and Practice Patterns Study (CKDopps): Rationale and Methods. <i>American Journal of Kidney Diseases</i> , 2016, 68, 402-413.  | 2.1 | 47        |
| 29 | 2017 Clinical practice guidelines of the Japan Research Committee of the Ministry of Health, Labour, and Welfare for Intractable Vasculitis for the management of ANCA-associated vasculitis. <i>Modern Rheumatology</i> , 2019, 29, 20-30. | 0.9 | 47        |
| 30 | Nonproteinuric diabetic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 573-581.  | 0.7 | 47        |
| 31 | Apararenone in patients with diabetic nephropathy: results of a randomized, double-blind, placebo-controlled phase 2 dose-response study and open-label extension study. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 120-130.   | 0.7 | 47        |
| 32 | Prevalence of anemia in patients with chronic kidney disease in Japan: A nationwide, cross-sectional cohort study using data from the Japan Chronic Kidney Disease Database (J-CKD-DB). <i>PLoS ONE</i> , 2020, 15, e0236132.               | 1.1 | 46        |
| 33 | Phase I clinical study of liver regenerative therapy for cirrhosis by intrahepatic arterial infusion of freshly isolated autologous adipose tissue-derived stromal/stem (regenerative) cell. <i>Regenerative Therapy</i> , 2017, 6, 52-64.  | 1.4 | 45        |
| 34 | The relationship between eGFR slope and subsequent risk of vascular outcomes and all-cause mortality in type 2 diabetes: the ADVANCE-ON study. <i>Diabetologia</i> , 2019, 62, 1988-1997.   | 2.9 | 44        |
| 35 | Kidney Outcomes Associated With SGLT2 Inhibitors Versus Other Glucose-Lowering Drugs in Real-world Clinical Practice: The Japan Chronic Kidney Disease Database. <i>Diabetes Care</i> , 2021, 44, 2542-2551.                                | 4.3 | 42        |
| 36 | A Prospective Observational Survey on the Long-Term Effect of LDL Apheresis on Drug-Resistant Nephrotic Syndrome. <i>Nephron Extra</i> , 2015, 5, 58-66.  | 1.1 | 41        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | A New Anti-Inflammatory Compound, FR167653, Ameliorates Crescentic Glomerulonephritis in Wistar-Kyoto Rats. <i>Journal of the American Society of Nephrology: JASN</i> , 2000, 11, 1534-1541.  | 3.0 | 41        |
| 38 | Association of PAX2 and Other Gene Mutations with the Clinical Manifestations of Renal Coloboma Syndrome. <i>PLoS ONE</i> , 2015, 10, e0142843.  | 1.1 | 40        |
| 39 | Impairment of the carnitine/organic cation transporter 1 $\alpha$ –ergothioneine axis is mediated by intestinal transporter dysfunction in chronic kidney disease. <i>Kidney International</i> , 2017, 92, 1356-1369.  | 2.6 | 39        |
| 40 | Uric acid-lowering and renoprotective effects of topiroxostat, a selective xanthine oxidoreductase inhibitor, in patients with diabetic nephropathy and hyperuricemia: a randomized, double-blind, placebo-controlled, parallel-group study (UPWARD study). <i>Clinical and Experimental Nephrology</i> , 2018, 22, 860-870. | 0.7 | 39        |
| 41 | Involvement of bone-marrow-derived cells in kidney fibrosis. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 8-13.   | 0.7 | 38        |
| 42 | Clinical impact of albuminuria in diabetic nephropathy. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 96-101.  | 0.7 | 38        |
| 43 | Clinical significance of urinary liver-type fatty acid-binding protein as a predictor of ESRD and CVD in patients with CKD. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 195-203.   | 0.7 | 37        |
| 44 | J-CKD-DB: a nationwide multicentre electronic health record-based chronic kidney disease database in Japan. <i>Scientific Reports</i> , 2020, 10, 7351.  | 1.6 | 37        |
| 45 | Revisiting inflammation in diabetic nephropathy: the role of the Nlrp3 inflammasome in glomerular resident cells. <i>Kidney International</i> , 2015, 87, 12-14.   | 2.6 | 34        |
| 46 | Retinopathy progression and the risk of end-stage kidney disease: results from a longitudinal Japanese cohort of 232 patients with type 2 diabetes and biopsy-proven diabetic kidney disease. <i>BMJ Open Diabetes Research and Care</i> , 2019, 7, e000726.   | 1.2 | 34        |
| 47 | Incidence of remission and relapse of proteinuria, end-stage kidney disease, mortality, and major outcomes in primary nephrotic syndrome: the Japan Nephrotic Syndrome Cohort Study (JNSCS). <i>Clinical and Experimental Nephrology</i> , 2020, 24, 526-540.  | 0.7 | 33        |
| 48 | Effects of canagliflozin versus finerenone on cardiorenal outcomes: exploratory <i>post hoc</i> analyses from FIDELIO-DKD compared to reported CREDENCE results. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 1261-1269.   | 0.4 | 32        |
| 49 | Conditions, pathogenesis, and progression of diabetic kidney disease and early decliner in Japan. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000902.   | 1.2 | 31        |
| 50 | Intestinal Bacterial Translocation Contributes to Diabetic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2022, 33, 1105-1119.   | 3.0 | 31        |
| 51 | Risk Factors Associated with Relapse in Japanese Patients with Microscopic Polyangiitis. <i>Journal of Rheumatology</i> , 2012, 39, 545-551.   | 1.0 | 28        |
| 52 | Clinicopathological analysis of biopsy-proven diabetic nephropathy based on the Japanese classification of diabetic nephropathy. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 570-582.  | 0.7 | 28        |
| 53 | Estimated glomerular filtration rate decline and risk of end-stage renal disease in type 2 diabetes. <i>PLoS ONE</i> , 2018, 13, e0201535.   | 1.1 | 28        |
| 54 | Nodular lesions and mesangiolyis in diabetic nephropathy. <i>Clinical and Experimental Nephrology</i> , 2013, 17, 3-9.   | 0.7 | 27        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Renal pathology of ANCA-related vasculitis: proposal for standardization of pathological diagnosis in Japan. <i>Clinical and Experimental Nephrology</i> , 2008, 12, 277-291.  | 0.7 | 25        |
| 56 | Treatment and impact of dyslipidemia in diabetic nephropathy. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 201-205.   | 0.7 | 25        |
| 57 | Relationship between Serum Uric Acid Levels and Chronic Kidney Disease in a Japanese Cohort with Normal or Mildly Reduced Kidney Function. <i>PLoS ONE</i> , 2015, 10, e0137449.   | 1.1 | 24        |
| 58 | Evaluation of renal oxygen saturation using photoacoustic imaging for the early prediction of chronic renal function in a model of ischemia-induced acute kidney injury. <i>PLoS ONE</i> , 2018, 13, e0206461.                 | 1.1 | 24        |
| 59 | A new pathological scoring system by the Japanese classification to predict renal outcome in diabetic nephropathy. <i>PLoS ONE</i> , 2018, 13, e0190923.   | 1.1 | 24        |
| 60 | Guidelines for clinical evaluation of chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 1446-1475.   | 0.7 | 23        |
| 61 | Diabetic Nephropathy: A Comparison of the Clinical and Pathological Features between the CKD Risk Classification and the Classification of Diabetic Nephropathy 2014 in Japan. <i>Internal Medicine</i> , 2018, 57, 3345-3350. | 0.3 | 23        |
| 62 | The involvement of autotaxin in renal interstitial fibrosis through regulation of fibroblast functions and induction of vascular leakage. <i>Scientific Reports</i> , 2019, 9, 7414.   | 1.6 | 23        |
| 63 | Steroid Pulse Therapy in Lupus Cystitis. <i>Internal Medicine</i> , 1996, 35, 155-158.   | 0.3 | 22        |
| 64 | Design and methods of a strategic outcome study for chronic kidney disease: Frontier of Renal Outcome Modifications in Japan. <i>Clinical and Experimental Nephrology</i> , 2010, 14, 144-151.                                 | 0.7 | 22        |
| 65 | Autoantibodies to erythropoietin receptor in patients with immune-mediated diseases: relationship to anaemia with erythroid hypoplasia. <i>British Journal of Haematology</i> , 2013, 160, 244-250.                            | 1.2 | 22        |
| 66 | Clinicopathological predictors for progression of chronic kidney disease in nephrosclerosis: a biopsy-based cohort study. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1182-1188.                                    | 0.4 | 22        |
| 67 | Regional variations in immunosuppressive therapy in patients with primary nephrotic syndrome: the Japan nephrotic syndrome cohort study. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 1266-1280.                    | 0.7 | 21        |
| 68 | Clinical practice guideline for drug-induced kidney injury in Japan 2016: digest version. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 827-831.   | 0.7 | 20        |
| 69 | Risk factors associated with relapse or infectious complications in Japanese patients with microscopic polyangiitis. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 703-711.  | 0.7 | 20        |
| 70 | Clinico-pathological features of kidney disease in diabetic cases. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 1046-1051.  | 0.7 | 20        |
| 71 | Age differences in the relationships between risk factors and loss of kidney function: a general population cohort study. <i>BMC Nephrology</i> , 2020, 21, 477.   | 0.8 | 20        |
| 72 | Significance of the Gut Microbiota in Acute Kidney Injury. <i>Toxins</i> , 2021, 13, 369.  | 1.5 | 20        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Reduction in Chronic Allograft Nephropathy by Inhibition of p38 Mitogen-Activated Protein Kinase. <i>American Journal of Nephrology</i> , 2006, 26, 319-325.  | 1.4 | 19        |
| 74 | Lung cancer in connective tissue disease-associated interstitial lung disease: clinical features and impact on outcomes. <i>Journal of Thoracic Disease</i> , 2018, 10, 799-807.  | 0.6 | 19        |
| 75 | Adherence to the Kidney Disease: Improving Global Outcomes CKD Guideline in Nephrology Practice Across Countries. <i>Kidney International Reports</i> , 2021, 6, 437-448.   | 0.4 | 19        |
| 76 | Efficacy and safety of esaxerenone (CS-3150) in Japanese patients with type 2 diabetes and macroalbuminuria: a multicenter, single-arm, open-label phase III study. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 1070-1078.                              | 0.7 | 19        |
| 77 | Adipose tissue-derived stem cells prevent fibrosis in murine steatohepatitis by suppressing IL-17-mediated inflammation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 1432-1440.   | 1.4 | 18        |
| 78 | Value of adding the renal pathological score to the kidney failure risk equation in advanced diabetic nephropathy. <i>PLoS ONE</i> , 2018, 13, e0190930.  | 1.1 | 18        |
| 79 | Risk Factors for Relapse of Antineutrophil Cytoplasmic Antibody-associated Vasculitis in Japan: A Nationwide, Prospective Cohort Study. <i>Journal of Rheumatology</i> , 2018, 45, 521-528.   | 1.0 | 17        |
| 80 | Development of novel diagnostic system for pancreatic cancer, including early stages, measuring <i>scp</i> mRNA of whole blood cells. <i>Cancer Science</i> , 2019, 110, 1364-1388.   | 1.7 | 17        |
| 81 | Renal complications in coronavirus disease 2019: a systematic review. <i>Inflammation and Regeneration</i> , 2020, 40, 31.  | 1.5 | 17        |
| 82 | Prevalences of hyperuricemia and electrolyte abnormalities in patients with chronic kidney disease in Japan: A nationwide, cross-sectional cohort study using data from the Japan Chronic Kidney Disease Database (J-CKD-DB). <i>PLoS ONE</i> , 2020, 15, e0240402. | 1.1 | 17        |
| 83 | Three cases of pneumatosis intestinalis presenting in autoimmune diseases. <i>Modern Rheumatology</i> , 2012, 22, 610-615.  | 0.9 | 16        |
| 84 | Clinical features of cystatin A expression in patients with pancreatic ductal adenocarcinoma. <i>Cancer Science</i> , 2017, 108, 2122-2129.   | 1.7 | 16        |
| 85 | Clinicopathological features of fast eGFR decliners among patients with diabetic nephropathy. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001157.  | 1.2 | 16        |
| 86 | Anti-proliferative and anti-migratory properties of coffee diterpenes kahweol acetate and cafestol in human renal cancer cells. <i>Scientific Reports</i> , 2021, 11, 675.  | 1.6 | 16        |
| 87 | Protective effect of <i>scpd</i> -alanine against acute kidney injury. <i>American Journal of Physiology - Renal Physiology</i> , 2022, 322, F667-F679.   | 1.3 | 15        |
| 88 | Effect of Autoantibodies to Erythropoietin Receptor in Systemic Lupus Erythematosus with Biopsy-proven Lupus Nephritis. <i>Journal of Rheumatology</i> , 2016, 43, 1328-1334.   | 1.0 | 14        |
| 89 | Decline in estimated glomerular filtration rate is associated with risk of end-stage renal disease in type 2 diabetes with macroalbuminuria: an observational study from JDNCS. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 377-387.                    | 0.7 | 14        |
| 90 | Nationwide multicenter kidney biopsy study of Japanese patients with hypertensive nephrosclerosis. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 629-637.   | 0.7 | 14        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Treatment-related damage in elderly-onset ANCA-associated vasculitis: safety outcome analysis of two nationwide prospective cohort studies. <i>Arthritis Research and Therapy</i> , 2020, 22, 236.  | 1.6 | 14        |
| 92  | Serum hemoglobin concentration and risk of renal function decline in early stages of diabetic kidney disease: a nationwide, biopsy-based cohort study. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 489-497.  | 0.4 | 14        |
| 93  | Pro-inflammatory/Th1 gene expression shift in high glucose stimulated mesangial cells and tubular epithelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2014, 443, 969-974.  | 1.0 | 13        |
| 94  | Hepaticoplasty prevents cholangitis after pancreaticoduodenectomy in patients with small bile ducts. <i>International Journal of Surgery</i> , 2016, 35, 7-12.  | 1.1 | 12        |
| 95  | Messenger RNA expression profile of sleep-related genes in peripheral blood cells in patients with chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 218-225.   | 0.7 | 12        |
| 96  | Thrombosis Prediction Based on Reference Ranges of Coagulation-Related Markers in Different Stages of Pregnancy. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2017, 23, 844-850.   | 0.7 | 12        |
| 97  | A case of secondary IgA nephropathy accompanied by psoriasis treated with secukinumab. <i>CEN Case Reports</i> , 2019, 8, 200-204.  | 0.5 | 12        |
| 98  | Higher serum levels of autotaxin and phosphatidylserine-specific phospholipase A 1 in patients with lupus nephritis. <i>International Journal of Rheumatic Diseases</i> , 2021, 24, 231-239.  | 0.9 | 12        |
| 99  | Clinical trial of autologous adipose tissue-derived regenerative (stem) cells therapy for exploration of its safety and efficacy. <i>Regenerative Therapy</i> , 2021, 18, 97-101.   | 1.4 | 12        |
| 100 | Clinicopathologic features of glomerular lesions associated with hepatitis C virus infection in Japan. <i>Clinical and Experimental Nephrology</i> , 1997, 1, 216-224.  | 0.7 | 11        |
| 101 | Serum tau protein as a marker of disease activity in enterohemorrhagic <i>Escherichia coli</i> O111-induced hemolytic uremic syndrome. <i>Neurochemistry International</i> , 2015, 85-86, 24-30.  | 1.9 | 11        |
| 102 | Peripheral Blood Plasmacytosis in Severe Fever with Thrombocytopenia Syndrome. <i>Japanese Journal of Infectious Diseases</i> , 2017, 70, 470-471.  | 0.5 | 11        |
| 103 | Clinical and Pathological Significance of Autoantibodies to Erythropoietin Receptor in Type 2 Diabetic Patients With CKD. <i>Kidney International Reports</i> , 2018, 3, 133-141.   | 0.4 | 11        |
| 104 | Distinct chemotherapy-associated anti-cancer immunity by myeloid cells inhibition in murine pancreatic cancer models. <i>Cancer Science</i> , 2019, 110, 903-912.   | 1.7 | 11        |
| 105 | Renal, cardiovascular and safety outcomes of canagliflozin in patients with type 2 diabetes and nephropathy in East and South-East Asian countries: Results from the Canagliflozin and Renal Events in Diabetes with Established Nephropathy Clinical Evaluation Trial. <i>Journal of Diabetes Investigation</i> , 2022, 13, 54-64. | 1.1 | 11        |
| 106 | A new classification of Diabetic Nephropathy 2014: a report from Joint Committee on Diabetic Nephropathy. <i>Diabetology International</i> , 2014, 5, 207-211.  | 0.7 | 10        |
| 107 | Immune Condition of Colorectal Cancer Patients Featured by Serum Chemokines and Gene Expressions of CD4+ Cells in Blood. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2018, 2018, 1-9.  | 0.8 | 10        |
| 108 | Impact of kidney function and urinary protein excretion on intima-media thickness in Japanese patients with type 2 diabetes. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 909-917.   | 0.7 | 9         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | T Helper 2 Cytokine Signaling in Bone Marrow-Derived Fibroblasts. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 2896-2898.   | 3.0 | 9         |
| 110 | Prognostic value of proteinuria and glomerular filtration rate on Taiwanese patients with diabetes mellitus and advanced chronic kidney disease: a single center experience. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 307-315.   | 0.7 | 9         |
| 111 | Pathogenicity Characterization of Prevalent-Type <i>Streptococcus dysgalactiae</i> subsp. <i>equisimilis</i> Strains. <i>Frontiers in Microbiology</i> , 2020, 11, 97.  | 1.5 | 9         |
| 112 | D-Serine inhibits the attachment and biofilm formation of methicillin-resistant <i>Staphylococcus aureus</i> . <i>Biochemical and Biophysical Research Communications</i> , 2021, 537, 50-56.   | 1.0 | 9         |
| 113 | Cysteinylated Albumin as a Potential Biomarker for the Progression of Kidney Disease in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2021, 44, e115-e117.  | 4.3 | 9         |
| 114 | Reduction in the magnitude of serum potassium elevation in combination therapy with esaxerenone (CS-150) and sodium-glucose cotransporter 2 inhibitor in patients with diabetic kidney disease: Subanalysis of two phase III studies. <i>Journal of Diabetes Investigation</i> , 2022, 13, 1190-1202. | 1.1 | 9         |
| 115 | Japan Diabetic Nephropathy Cohort Study: study design, methods, and implementation. <i>Clinical and Experimental Nephrology</i> , 2013, 17, 819-826.  | 0.7 | 8         |
| 116 | The CD45 <sup>+</sup> fraction in murine adipose tissue derived stromal cells harbors immune-inhibitory inflammatory cells. <i>European Journal of Immunology</i> , 2017, 47, 2163-2174.  | 1.6 | 8         |
| 117 | A prospective clinical trial of the second-look procedure for transoral surgery in patients with T1 and T2 laryngeal, oropharyngeal, and hypopharyngeal cancer. <i>Cancer Medicine</i> , 2019, 8, 7197-7206.  | 1.3 | 8         |
| 118 | Erythropoietin signal protected human umbilical vein endothelial cells from high glucose-induced injury. <i>Nephrology</i> , 2019, 24, 767-774.   | 0.7 | 8         |
| 119 | Association of renal arteriosclerosis and hypertension with renal and cardiovascular outcomes in Japanese type 2 diabetes patients with diabetic nephropathy. <i>Journal of Diabetes Investigation</i> , 2019, 10, 1041-1049.   | 1.1 | 8         |
| 120 | Collagen adhesion gene is associated with bloodstream infections caused by methicillin-resistant <i>Staphylococcus aureus</i> . <i>International Journal of Infectious Diseases</i> , 2020, 91, 22-31.  | 1.5 | 8         |
| 121 | Trehalose ameliorates peritoneal fibrosis by promoting Snail degradation and inhibiting mesothelial-to-mesenchymal transition in mesothelial cells. <i>Scientific Reports</i> , 2020, 10, 14292.  | 1.6 | 8         |
| 122 | Comparison of Circulating Biomarkers in Predicting Diabetic Kidney Disease Progression With Autoantibodies to Erythropoietin Receptor. <i>Kidney International Reports</i> , 2021, 6, 284-295.  | 0.4 | 8         |
| 123 | The relationship between the modified National Institute of Health activity and chronicity scoring system, and the long-term prognosis for lupus nephritis: A retrospective single-center study. <i>Lupus</i> , 2021, 30, 1739-1746.  | 0.8 | 8         |
| 124 | A nationwide prospective cohort study of patients with advanced chronic kidney disease in Japan: The Reach-J CKD cohort study. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 309-317.   | 0.7 | 8         |
| 125 | Association between the recurrence period of acute kidney injury and mortality: a single-centre retrospective observational study in Japan. <i>BMJ Open</i> , 2019, 9, e023259.   | 0.8 | 7         |
| 126 | Biological characteristics of gene expression features in pancreatic cancer cells induced by proton and X-ray irradiation. <i>International Journal of Radiation Biology</i> , 2019, 95, 571-579.   | 1.0 | 7         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Relationship between anti-erythropoietin receptor autoantibodies and responsiveness to erythropoiesis-stimulating agents in patients on hemodialysis: a multi-center cross-sectional study. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 88-95.  | 0.7 | 7         |
| 128 | Identification of candidate PAX2-regulated genes implicated in human kidney development. <i>Scientific Reports</i> , 2021, 11, 9123.  | 1.6 | 7         |
| 129 | Combined changes in albuminuria and kidney function and subsequent risk for kidney failure in type 2 diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002311.   | 1.2 | 7         |
| 130 | Prediabetes is associated with proteinuria development but not with glomerular filtration rate decline: A longitudinal observational study. <i>Diabetic Medicine</i> , 2021, 38, e14607.  | 1.2 | 7         |
| 131 | Nation-wide survey of the treatment trend of microscopic polyangiitis and granulomatosis with polyangiitis in Japan using the Japanese Ministry of Health, Labour and Welfare Database. <i>Modern Rheumatology</i> , 2022, 32, 915-922.   | 0.9 | 7         |
| 132 | Rationale and design of oBServational clinical Research In chronic kidney disease patients with renal anemia: renal proGnosis in patients with Hyporesponsive anemia To Erythropoiesis-stimulating agents, darbepoetiN alfa (BRIGHTEN Trial). <i>Clinical and Experimental Nephrology</i> , 2018, 22, 78-84.          | 0.7 | 6         |
| 133 | Optimal Serum Ferritin Levels for Iron Deficiency Anemia during Oral Iron Therapy (OIT) in Japanese Hemodialysis Patients with Minor Inflammation and Benefit of Intravenous Iron Therapy for OIT-Nonresponders. <i>Nutrients</i> , 2018, 10, 428.  | 1.7 | 6         |
| 134 | Association between Unhealthy Dietary Habits and Proteinuria Onset in a Japanese General Population: A Retrospective Cohort Study. <i>Nutrients</i> , 2020, 12, 2511.   | 1.7 | 6         |
| 135 | Better remission rates in elderly Japanese patients with primary membranous nephropathy in nationwide real-world practice: The Japan Nephrotic Syndrome Cohort Study (JNSCS). <i>Clinical and Experimental Nephrology</i> , 2020, 24, 893-909.  | 0.7 | 6         |
| 136 | The incidence of newly diagnosed secondary cancer; sub-analysis the prospective study of the second-look procedure for transoral surgery in patients with T1 and T2 head and neck cancer. <i>International Journal of Clinical Oncology</i> , 2021, 26, 59-65.  | 1.0 | 6         |
| 137 | Restorative effect of adipose tissue-derived stem cells on impaired hepatocytes through Notch signaling in non-alcoholic steatohepatitis mice. <i>Stem Cell Research</i> , 2021, 54, 102425.  | 0.3 | 6         |
| 138 | Renal prognoses by different target hemoglobin levels achieved by epoetin beta pegol dosing to chronic kidney disease patients with hyporesponsive anemia to erythropoiesis-stimulating agent: a multicenter open-label randomized controlled study. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 456-466. | 0.7 | 6         |
| 139 | Regenerative Therapy for Liver Cirrhosis Based on Intrahepatic Arterial Infusion of Autologous Subcutaneous Adipose Tissue-Derived Regenerative (Stem) Cells: Protocol for a Confirmatory Multicenter Uncontrolled Clinical Trial. <i>JMIR Research Protocols</i> , 2020, 9, e17904.                                  | 0.5 | 6         |
| 140 | Soluble receptor for advanced glycation end products protects from ischemia- and reperfusion-induced acute kidney injury. <i>Biology Open</i> , 2022, 11, .   | 0.6 | 6         |
| 141 | Long-term effectiveness of a primary care practice facilitation program for chronic kidney disease management: an extended follow-up of a cluster-randomized FROM-J study. <i>Nephrology Dialysis Transplantation</i> , 2023, 38, 158-166.  | 0.4 | 6         |
| 142 | Clinical findings on ANCA-associated renal vasculitis from the Japan RPGN registry obtained via a questionnaire survey. <i>Clinical and Experimental Nephrology</i> , 2013, 17, 646-649.  | 0.7 | 5         |
| 143 | Inhibition of NLRP3 inflammasome as a therapeutic intervention in crystal-induced nephropathy. <i>Kidney International</i> , 2016, 90, 466-468.   | 2.6 | 5         |
| 144 | An autopsy case of vertebrobasilar dolichoectasia under hemodialysis due to autosomal dominant polycystic kidney disease. <i>CEN Case Reports</i> , 2016, 5, 51-55.   | 0.5 | 5         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Association of apoptosis inhibitor of macrophage (AIM) expression with urinary protein and kidney dysfunction. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 35-42.   | 0.7 | 5         |
| 146 | Bloodstream infection caused by <i>Mycobacterium chelonae</i> . <i>Pediatrics International</i> , 2018, 60, 599-600.  | 0.2 | 5         |
| 147 | The increased frequency of methicillin-resistant <i>Staphylococcus aureus</i> with low MIC of beta-lactam antibiotics isolated from hospitalized patients. <i>Journal of Infection and Chemotherapy</i> , 2020, 26, 604-610.  | 0.8 | 5         |
| 148 | Effects of LDL apheresis on proteinuria in patients with diabetes mellitus, severe proteinuria, and dyslipidemia. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 1-8.  | 0.7 | 5         |
| 149 | Gender difference in the association of dietary intake of antioxidant vitamins with kidney function in middle-aged and elderly Japanese. <i>Journal of Nutritional Science</i> , 2021, 10, e2.  | 0.7 | 5         |
| 150 | Carnitine/organic cation transporter 1 precipitates the progression of interstitial fibrosis through oxidative stress in diabetic nephropathy in mice. <i>Scientific Reports</i> , 2021, 11, 9093.  | 1.6 | 5         |
| 151 | Comparison of annual eGFR decline among primary kidney diseases in patients with CKD G3b-5: results from a REACH-J CKD cohort study. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 902-910.   | 0.7 | 5         |
| 152 | Cyclin-dependent kinase 4-related tubular epithelial cell proliferation is regulated by Paired box gene 2 in kidney ischemia-reperfusion injury. <i>Kidney International</i> , 2022, 102, 45-57.  | 2.6 | 5         |
| 153 | Drainage Tubeless (DRESS) Bypass Surgery as the Best Palliative Care for Unresectable Thoracic Esophageal Cancer with and without Esophago-Respiratory Fistula. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2019, 25, 82-86.                                   | 0.3 | 4         |
| 154 | Reliability of indocyanine green retention and clearance rates at 15 minutes calculated by dye-dilution cardiac output flowmetry in comparison to blood sampling in patients undergoing hepatic resection. <i>Indian Journal of Gastroenterology</i> , 2019, 38, 441-449. | 0.7 | 4         |
| 155 | Propagermanium administration for patients with type 2 diabetes and nephropathy: A randomized pilot trial. <i>Endocrinology, Diabetes and Metabolism</i> , 2020, 3, e00159.   | 1.0 | 4         |
| 156 | Polyarteritis nodosa with perirenal hematoma due to the rupture of a renal artery aneurysm. <i>CEN Case Reports</i> , 2021, 10, 244-249.  | 0.5 | 4         |
| 157 | Initial responsiveness to darbepoetin alfa and its contributing factors in non-dialysis chronic kidney disease patients in Japan. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 110-119.  | 0.7 | 4         |
| 158 | Eight-year longitudinal study of whole blood gene expression profiles in individuals undergoing long-term medical follow-up. <i>Scientific Reports</i> , 2021, 11, 16564.   | 1.6 | 4         |
| 159 | Impact of the relationship between hemoglobin levels and renal interstitial fibrosis on long-term outcomes in type 2 diabetes with biopsy-proven diabetic nephropathy. <i>BMC Nephrology</i> , 2021, 22, 319.   | 0.8 | 4         |
| 160 | Î±1-Acid Glycoprotein Attenuates Adriamycin-Induced Nephropathy via CD163 Expressing Macrophage Induction. <i>Kidney360</i> , 2020, 1, 343-353.   | 0.9 | 4         |
| 161 | Biopsy-proven CKD etiology and outcomes: the Chronic Kidney Disease Japan Cohort (CKD-JAC) study. <i>Nephrology Dialysis Transplantation</i> , 2023, 38, 384-395.   | 0.4 | 4         |
| 162 | A case of neurosarcoidosis with necrotizing granuloma expressing angiotensin-converting enzyme. <i>Modern Rheumatology</i> , 2010, 20, 506-510.   | 0.9 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Microangiopathic antiphospholipid antibody syndrome due to anti- $\epsilon$ -phosphatidylserine/prothrombin complex IgM antibody. <i>Pediatrics International</i> , 2017, 59, 378-380.  | 0.2 | 3         |
| 164 | Age-dependent survival in rapidly progressive glomerulonephritis: A nationwide questionnaire survey from children to the elderly. <i>PLoS ONE</i> , 2020, 15, e0236017.   | 1.1 | 3         |
| 165 | Usefulness of Drain Lipase to Predict Postoperative Pancreatic Fistula After Distal Pancreatectomy. <i>Indian Journal of Surgery</i> , 2020, 82, 841-847.   | 0.2 | 3         |
| 166 | Relationships between kidney dysfunction and left ventricular diastolic dysfunction: a hospital-based retrospective study. <i>Journal of Nephrology</i> , 2021, 34, 773-780.  | 0.9 | 3         |
| 167 | Favorable therapeutic efficacy of low-density lipoprotein apheresis for nephrotic syndrome with impaired renal function. <i>Therapeutic Apheresis and Dialysis</i> , 2022, 26, 220-228.   | 0.4 | 3         |
| 168 | A case of minimal change disease after the administration of anti receptor activator of nuclear factor kappa B ligand (RANKL) monoclonal antibody: a case report. <i>BMC Nephrology</i> , 2020, 21, 416.  | 0.8 | 3         |
| 169 | The first step in creating national Chronic Kidney Disease (CKD) guidelines – a questionnaire. <i>Biochemia Medica</i> , 2019, 29, 441-470.   | 1.2 | 3         |
| 170 | Time to remission of proteinuria and incidence of relapse in patients with steroid-sensitive minimal change disease and focal segmental glomerulosclerosis: the Japan Nephrotic Syndrome Cohort Study. <i>Journal of Nephrology</i> , 2022, 35, 1135-1144.        | 0.9 | 3         |
| 171 | Septic Pulmonary Embolism Caused by Internal Shunt Infection. <i>Therapeutic Apheresis and Dialysis</i> , 2015, 19, 524-525.  | 0.4 | 2         |
| 172 | Calciophylaxis induced by warfarin therapy in a patient with anti-phospholipid antibody syndrome associated with systemic lupus erythematosus. <i>CEN Case Reports</i> , 2015, 4, 169-173.  | 0.5 | 2         |
| 173 | Successful treatment of rituximab- and steroid-resistant nephrotic syndrome with leukocytapheresis. <i>Journal of Clinical Apheresis</i> , 2018, 33, 409-411.   | 0.7 | 2         |
| 174 | Amplified Association Between Blood Pressure and Albuminuria in Overweight Patients With Biopsy-Proven Hypertensive Nephrosclerosis. <i>American Journal of Hypertension</i> , 2019, 32, 486-491.   | 1.0 | 2         |
| 175 | Anti-fibrotic potential of erythropoietin signaling on bone marrow derived fibrotic cell. <i>BMC Nephrology</i> , 2021, 22, 203.  | 0.8 | 2         |
| 176 | Two-year longitudinal trajectory patterns of albuminuria and subsequent rates of end-stage kidney disease and all-cause death: a nationwide cohort study of biopsy-proven diabetic kidney disease. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002241. | 1.2 | 2         |
| 177 | Rare toxin A-negative and toxin B-positive strain of <i>Clostridioides difficile</i> from Japan lacking a complete <i>tcdA</i> gene. <i>Journal of Infection and Chemotherapy</i> , 2022, 28, 651-656.  | 0.8 | 2         |
| 178 | Characterization of adipose tissue-derived stromal cells of mice with nonalcoholic fatty liver disease and their use for liver repair. <i>Regenerative Therapy</i> , 2021, 18, 497-507.   | 1.4 | 2         |
| 179 | Association between coefficients of variation of the R-R intervals on electrocardiograms and post-challenge hyperglycemia in patients with newly diagnosed type 2 diabetes. <i>Journal of Diabetes Investigation</i> , 2011, 2, 324-327.                          | 1.1 | 1         |
| 180 | Involvement of p38MAPK in Impaired Neutrophil Bactericidal Activity of Hemodialysis Patients. <i>Therapeutic Apheresis and Dialysis</i> , 2018, 22, 345-354.  | 0.4 | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Rationale and study design of a clinical trial to assess the effects of LDL apheresis on proteinuria in diabetic patients with severe proteinuria and dyslipidemia. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 591-596.    | 0.7 | 1         |
| 182 | Occult Hepatitis B Virus Infection With Increased Virus DNA Levels in a Chronic Hemodialysis Patient. <i>Therapeutic Apheresis and Dialysis</i> , 2018, 22, 91-92.  | 0.4 | 1         |
| 183 | Novel Hyaluronate Lyase Involved in Pathogenicity of <i>Streptococcus dysgalactiae</i> subsp. <i>equisimilis</i> . <i>Frontiers in Microbiology</i> , 2020, 11, 552418.   | 1.5 | 1         |
| 184 | Relationship between autoantibodies to erythropoietin receptor and renal outcome in patients with anti-neutrophil cytoplasmic antibody-associated vasculitis. <i>Biomarkers</i> , 2020, 25, 194-200.                                    | 0.9 | 1         |
| 185 | Classification of Imbalanced Data Represented as Binary Features. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 7825.   | 1.3 | 1         |
| 186 | The role of fibrocytes in progressive renal fibrosis. <i>Inflammation and Regeneration</i> , 2007, 27, 494-498.   | 1.5 | 1         |
| 187 | Primary Hepatic MALT Lymphoma Difficult to Diagnose Preoperatively. <i>Japanese Journal of Gastroenterological Surgery</i> , 2018, 51, 613-621.   | 0.0 | 1         |
| 188 | The Japanese Registries of Diabetic Nephropathy/Diabetic Kidney Disease. , 2021, , 15-29.   |     | 1         |
| 189 | Rationale, Design and Baseline Characteristics of the Effect of Canagliflozin in Type 2 Diabetic Patients with Microalbuminuria in Japanese Population ( <sc>CANPIONE</sc> ) study. <i>Diabetes, Obesity and Metabolism</i> , 2022, , . | 2.2 | 1         |
| 190 | Analysis of molecular mechanisms of IgA nephropathy in ?-1,4-galactosyltransferase-I-deficient mice. <i>Nephrology</i> , 2006, 11, A68-A68.   | 0.7 | 0         |
| 191 | A case of a patient with afebrile convulsions diagnosed as having renal coloboma syndrome with <i>PAX2</i> gene mutation. <i>Japanese Journal of Pediatric Nephrology</i> , 2015, 28, 158-163.  | 0.0 | 0         |
| 192 | 18. Recent Progresses in Diabetic Nephropathy. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2016, 105, 1870-1876.  | 0.0 | 0         |
| 193 | Relationship between handgrip strength and albuminuria in community-dwelling elderly Japanese subjects: the Shika Study. <i>Biomarkers</i> , 2020, 25, 587-593.   | 0.9 | 0         |
| 194 | Physical functioning in patients with chronic kidney disease stage G3bâ€5 in Japan: The reachâ€CKD cohort study. <i>Nephrology</i> , 2021, 26, 981-987.   | 0.7 | 0         |
| 195 | A Case of Repeated Necrotizing Lymphadenitis with <i>MEFV</i> Gene Mutations. <i>Internal Medicine</i> , 2022, , .  | 0.3 | 0         |
| 196 | Effective therapeutic strategies of oral vitamin D3 and intravenous maxacalcitol on secondary hyperparathyroidism in chronic hemodialysis patients: a prospective trial. <i>Nihon Toseki Igakkai Zasshi</i> , 2004, 37, 223-229.        | 0.2 | 0         |
| 197 | Fibrocyte: New participant in the pathogenesis of renal fibrosis. <i>Inflammation and Regeneration</i> , 2008, 28, 20-26.   | 1.5 | 0         |
| 198 | The switch from insulin to vildagliptin in hemodialysis patients with diabetes. <i>Nihon Toseki Igakkai Zasshi</i> , 2014, 47, 539-545.   | 0.2 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | 2. Incretin Based Treatments and SGLT2 in Patients with Diabetic Kidney Disease. The Journal of the Japanese Society of Internal Medicine, 2018, 107, 841-847.  | 0.0 | 0         |
| 200 | III. Similarity and Difference of Diabetic Nephropathy and Diabetic Kidney Disease. The Journal of the Japanese Society of Internal Medicine, 2019, 108, 681-687.   | 0.0 | 0         |
| 201 | II. Pathology of Diabetic Kidney Disease. The Journal of the Japanese Society of Internal Medicine, 2019, 108, 907-915.   | 0.0 | 0         |
| 202 | Structural changes in albumin are a possible mechanism for fluctuation of cefazolin and ibuprofen plasma protein binding in rats with carcinogen-induced osteosarcoma. Anticancer Research, 2015, 35, 2063-9. | 0.5 | 0         |
| 203 | 2. Clinical Pathophysiology and Treatment in Patients with Diabetic Kidney Disease and Nephrosclerosis. The Journal of the Japanese Society of Internal Medicine, 2021, 110, 505-510.                         | 0.0 | 0         |