

Hidetaka Hamasaki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2454136/publications.pdf>

Version: 2024-02-01

93
papers

972
citations

430442

18
h-index

500791

28
g-index

94
all docs

94
docs citations

94
times ranked

1719
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of Glucagon With Obesity, Glycemic Control and Renal Function in Adults With Type 2 Diabetes Mellitus. <i>Canadian Journal of Diabetes</i> , 2021, 45, 249-254.	0.4	4
2	Urinary liverâ€¦type fatty acidâ€¦binding protein is a predictor of mortality in individuals with type 2 diabetes. <i>Diabetic Medicine</i> , 2021, 38, e14527.	1.2	4
3	Effects of Low-Intensity Resistance Exercise with Slow Movement and Tonic Force Generation on Short-Term Glycemic Variability in Healthy Subjects: A Randomized Controlled Study. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 1536.	1.3	0
4	What can hand grip strength tell us about type 2 diabetes?: mortality, morbidities and risk of diabetes. <i>Expert Review of Endocrinology and Metabolism</i> , 2021, 16, 237-250.	1.2	9
5	Daily Physical Activity and Sleep Measured by Wearable Activity Trackers during the Coronavirus Disease 2019 Pandemic: A Lesson for Preventing Physical Inactivity during Future Pandemics. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 9956.	1.3	2
6	Effects of Diaphragmatic Breathing on Health: A Narrative Review. <i>Medicines (Basel, Switzerland)</i> , 2020, 7, 65.	0.7	38
7	Validity of Visceral Fat Area Measurement by Bioelectrical Impedance Analysis in Japanese Obese Individuals. <i>Current Diabetes Reviews</i> , 2020, 16, 515-519.	0.6	6
8	Dog ownership: is it beneficial for physical activity, cardiovascular disease, and diabetes?. <i>AIMS Medical Science</i> , 2020, 7, 311-327.	0.2	1
9	Perspectives on Interval Exercise Interventions for Non-Alcoholic Fatty Liver Disease. <i>Medicines (Basel, Switzerland)</i> , 2019, 6, 83.	0.7	11
10	Association of handgrip strength with B-type natriuretic peptide levels and cardiovascular events in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2019, 45, 209-211.	1.4	5
11	The association between handgrip strength and sleep duration in Japanese patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2019, 45, 306-307.	1.4	3
12	Risk factors for patients with diabetes who have abnormal toe-brachial index and normal ankle-brachial index. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2019, 127, 326-330.	0.6	0
13	Mitochondrial Diabetes Treated With a Sodium-Glucose Co-Transporter 2 Inhibitor. <i>Journal of Endocrinology and Metabolism</i> , 2019, 9, 203-204.	0.1	0
14	Streptococcal Infection Can Be the Trigger for Thyroid Storm. <i>Journal of Clinical Medicine Research</i> , 2019, 11, 383-384.	0.6	4
15	Insulin-induced skin complication in an anti-insulin antibody positive patient with type 2 diabetes. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2018, 12, 829-830.	1.8	1
16	Exercise Therapy for Patients With Type 2 Diabetes: A Narrative Review. <i>Journal of Clinical Medicine Research</i> , 2018, 10, 365-369.	0.6	28
17	Exercise and glucagon-like peptide-1: Does exercise potentiate the effect of treatment?. <i>World Journal of Diabetes</i> , 2018, 9, 138-140.	1.3	10
18	Steroid-Induced Hyperglycemia Successfully Treated With Once-Weekly Dulaglutide in an Old Patient With Type 2 Diabetes. <i>Journal of Endocrinology and Metabolism</i> , 2018, 8, 10-12.	0.1	1

#	ARTICLE	IF	CITATIONS
19	Interval Exercise Therapy for Type 2 Diabetes. <i>Current Diabetes Reviews</i> , 2018, 14, 129-137.	0.6	19
20	Effects of glucose-lowering agents on cardiorespiratory fitness. <i>World Journal of Diabetes</i> , 2018, 9, 230-238.	1.3	5
21	Habit of Bathing or Showering Is Beneficially Associated With Body Weight and Abdominal Circumference in Patients With Type 2 Diabetes. <i>Journal of Clinical Medicine Research</i> , 2018, 10, 728-731.	0.6	1
22	Improved Glycemic Control due to Reduction in Glucagon Levels by the Administration of Once-Weekly Dulaglutide in a Non-Obese Patient With Type 2 Diabetes. <i>Journal of Endocrinology and Metabolism</i> , 2018, 8, 6-9.	0.1	0
23	Comparison Between Two Methods of Bioelectrical Impedance Analyses for Measuring Abdominal Visceral Fat Tissue. <i>Journal of Endocrinology and Metabolism</i> , 2018, 8, 76-78.	0.1	2
24	Efficacy of anagliptin as compared to linagliptin on metabolic parameters over 2 years of drug consumption: A retrospective cohort study. <i>World Journal of Diabetes</i> , 2018, 9, 165-171.	1.3	3
25	Exercise and gut microbiota: clinical implications for the feasibility of Tai Chi. <i>Journal of Integrative Medicine</i> , 2017, 15, 270-281.	1.4	25
26	Association of handgrip strength with hospitalization, cardiovascular events, and mortality in Japanese patients with type 2 diabetes. <i>Scientific Reports</i> , 2017, 7, 7041.	1.6	65
27	Short sleep duration is associated with B-type natriuretic peptide levels and predicts the death of Japanese patients with type 2 diabetes. <i>Sleep Medicine</i> , 2017, 36, 1-5.	0.8	4
28	Hospitalization with hypoglycemia in patients without diabetes mellitus. <i>Medicine (United States)</i> , 2017, 96, e7271.	0.4	25
29	The association between hand grip strength and non-exercise activity thermogenesis in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2017, 43, 284-286.	1.4	1
30	Diabetic Neuropathy Evaluated by a Novel Device: Sural Nerve Conduction Is Associated with Glycemic Control and Ankleâ€“Brachial Pressure Index in Japanese Patients with Diabetes. <i>Frontiers in Endocrinology</i> , 2017, 8, 203.	1.5	14
31	Lower Extremity Skeletal Muscle Mass, but Not Upper Extremity Skeletal Muscle Mass, Is Inversely Associated with Hospitalization in Patients with Type 2 Diabetes. <i>Journal of Diabetes Research</i> , 2017, 1-5.	1.0	8
32	Physical Activity and Obesity in Adults. , 2017, , .		3
33	Effects of Six Kinds of Sodium-Glucose Cotransporter 2 Inhibitors on Metabolic Parameters, and Summarized Effect and Its Correlations With Baseline Data. <i>Journal of Clinical Medicine Research</i> , 2017, 9, 605-612.	0.6	20
34	Nuts for Physical Health and Fitness: A Review. <i>AIMS Medical Science</i> , 2017, 4, 441-455.	0.2	4
35	Abdominal Abscess due to Perforation of the Terminal Ileum Caused by a Fish Bone Treated by the Conservative Treatment Using Antibiotics. <i>Journal of Medical Cases</i> , 2017, 8, 361-364.	0.4	1
36	Data Collection and the Questionnaires for the Effective Use of Biobank for Metabolic Disorders. <i>Journal of Endocrinology and Metabolism</i> , 2017, 7, 1-4.	0.1	1

#	ARTICLE	IF	CITATIONS
37	Understanding of Dose-Response of Metformin by Using Continuous Glucose Monitoring. <i>Journal of Endocrinology and Metabolism</i> , 2017, 7, 72-74.	0.1	0
38	Association of Serum Zn/Cu Ratio With Handgrip Strength and Hospitalization in Japanese Patients With Type 2 Diabetes. <i>Journal of Endocrinology and Metabolism</i> , 2017, 7, 199-200.	0.1	0
39	Daily physical activity and type 2 diabetes: A review. <i>World Journal of Diabetes</i> , 2016, 7, 243.	1.3	139
40	Sodium-Glucose Cotransporter 2 Inhibitors: Possible Anti-Atherosclerotic Effects Beyond Glucose Lowering. <i>Journal of Clinical Medicine Research</i> , 2016, 8, 10-14.	0.6	25
41	Serum Zn/Cu Ratio Is Associated with Renal Function, Glycemic Control, and Metabolic Parameters in Japanese Patients with and without Type 2 Diabetes: A Cross-sectional Study. <i>Frontiers in Endocrinology</i> , 2016, 7, 147.	1.5	28
42	Martial Arts and Metabolic Diseases. <i>Sports</i> , 2016, 4, 28.	0.7	6
43	The Effects of Exercise on Natriuretic Peptides in Individuals without Heart Failure. <i>Sports</i> , 2016, 4, 32.	0.7	24
44	Nonexercise Activity Thermogenesis is Significantly Lower in Type 2 Diabetic Patients With Mental Disorders Than in Those Without Mental Disorders. <i>Medicine (United States)</i> , 2016, 95, e2517.	0.4	4
45	The effect of mental disorders on glycemic control of patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, S156.	1.1	0
46	The impact of PNPLA3 and JAZF1 on hepatocellular carcinoma in non-viral hepatitis patients with type 2 diabetes mellitus. <i>Journal of Gastroenterology</i> , 2016, 51, 370-379.	2.3	41
47	Clinical, Endocrinological and Immunological Characteristics of Japanese Patients With Autoimmune Polyglandular Syndrome Type 3a. <i>Journal of Endocrinology and Metabolism</i> , 2016, 6, 46-51.	0.1	1
48	Effects of Sodium-Glucose Cotransporter 2 Inhibitors on Metabolic Parameters in Patients With Type 2 Diabetes: A Chart-Based Analysis. <i>Journal of Clinical Medicine Research</i> , 2016, 8, 237-243.	0.6	30
49	Functional Foods for Type 2 Diabetes. <i>AIMS Medical Science</i> , 2016, 3, 278-297.	0.2	2
50	The Influences of Withdrawal and Daily Dose Reduction of Pioglitazone on Metabolic Parameters in Patients With Type 2 Diabetes: A Retrospective Longitudinal Observational Study. <i>Journal of Clinical Medicine Research</i> , 2016, 8, 585-590.	0.6	2
51	Plasma B-Type Natriuretic Peptide Levels May Increase Because of Fat Mass Loss by Metformin or Sodium-Glucose Transporter 2 Inhibitors Treatment. <i>Journal of Endocrinology and Metabolism</i> , 2016, 6, 12-17.	0.1	0
52	Acute Multiple Arteriovenous Thromboses in a Patient with Diabetic Ketoacidosis. <i>Internal Medicine</i> , 2015, 54, 2025-2028.	0.3	4
53	Hospitalization for Hypoglycemia in Japanese Diabetic Patients. <i>Medicine (United States)</i> , 2015, 94, e1029.	0.4	18
54	Causative anti-diabetic drugs and the underlying clinical factors for hypoglycemia in patients with diabetes. <i>World Journal of Diabetes</i> , 2015, 6, 30.	1.3	27

#	ARTICLE	IF	CITATIONS
55	Daily Physical Activity Assessed by a Triaxial Accelerometer Is Beneficially Associated with Waist Circumference, Serum Triglycerides, and Insulin Resistance in Japanese Patients with Prediabetes or Untreated Early Type 2 Diabetes. <i>Journal of Diabetes Research</i> , 2015, 2015, 1-6.	1.0	28
56	Effects of Intake of Fish or Fish Oils on the Development of Diabetes. <i>Journal of Clinical Medicine Research</i> , 2015, 7, 8-12.	0.6	16
57	Effects of Dietary Fat Intake on HDL Metabolism. <i>Journal of Clinical Medicine Research</i> , 2015, 7, 145-149.	0.6	41
58	Higher daily energy expenditure by locomotive activities is favorably associated with cardiac autonomic nervous function and arterial stiffness. <i>International Journal of Cardiology</i> , 2015, 194, 70-71.	0.8	1
59	Periaortitis induced by metformin. <i>Diabetes and Metabolism</i> , 2015, 41, 344-345.	1.4	3
60	The association between daily physical activity and plasma B-type natriuretic peptide in patients with glucose intolerance: a cross-sectional study. <i>BMJ Open</i> , 2015, 5, e006276-e006276.	0.8	21
61	A possible difference in the mechanism for postprandial hypoglycemia associated with dumping syndrome between patients with and without type 2 diabetes. <i>Obesity Research and Clinical Practice</i> , 2015, 9, 622-624.	0.8	2
62	Associations of Low-Intensity Resistance Training with Body Composition and Lipid Profile in Obese Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2015, 10, e0132959.	1.1	18
63	Effects of 6-Month Sitagliptin Treatment on Metabolic Parameters in Diabetic Patients Taking Oral Glucocorticoids: A Retrospective Cohort Study. <i>Journal of Clinical Medicine Research</i> , 2015, 7, 479-484.	0.6	6
64	Associations between lower extremity muscle mass and metabolic parameters related to obesity in Japanese obese patients with type 2 diabetes. <i>PeerJ</i> , 2015, 3, e942.	0.9	15
65	A Natural Fermented Food as a Possible Cause of Syndrome of Inappropriate Secretion of Antidiuretic Hormone. <i>Journal of Endocrinology and Metabolism</i> , 2015, 5, 340-341.	0.1	0
66	Anti-atherosclerotic effects of konjac. <i>Functional Foods in Health and Disease</i> , 2015, 5, 136.	0.3	2
67	Thyroid Gland Volume Is Significantly Smaller in Patients With Psychiatric Disorders Than in Those Without Psychiatric Disorders. <i>primary care companion for CNS disorders, The</i> , 2015, 17, .	0.2	0
68	Development of diabetes in a familial amyotrophic lateral sclerosis patient carrying the I113T SOD1 mutation. <i>Case Report. Neuroendocrinology Letters</i> , 2015, 36, 414-6.	0.2	3
69	Switching from insulin glargine to insulin degludec reduced HbA1c, daily insulin doses and anti-insulin antibody in anti-insulin antibody-positive subjects with type 1 diabetes. <i>Diabetes and Metabolism</i> , 2014, 40, 481-482.	1.4	3
70	An absence of atherosclerosis progression in a type 2 diabetic patient with multiple atherosclerotic risk factors, complicated with liver cirrhosis. <i>International Journal of Cardiology</i> , 2014, 172, e253-e254.	0.8	0
71	Pulmonary congestion due to hypothyroidism and nephrotic syndrome induced by cold agglutinins. <i>Annals of Hematology</i> , 2014, 93, 717-718.	0.8	1
72	Physical Activity and Exercise. <i>Diabetes Technology and Therapeutics</i> , 2014, 16, S-92-S-99.	2.4	1

#	ARTICLE	IF	CITATIONS
73	The validity of the non-exercise activity thermogenesis questionnaire evaluated by objectively measured daily physical activity by the triaxial accelerometer. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2014, 6, 27.	0.7	11
74	Effects of Carbohydrate and Dietary Fiber Intake, Glycemic Index and Glycemic Load on HDL Metabolism in Asian Populations. <i>Journal of Clinical Medicine Research</i> , 2014, 6, 321-6.	0.6	17
75	Effects of Soy Protein and Isoflavones Intake on HDL Metabolism in Asian Populations. <i>Journal of Endocrinology and Metabolism</i> , 2014, , .	0.1	1
76	Effects of Alcohol Consumption on HDL Metabolism in Asian Populations. <i>Journal of Endocrinology and Metabolism</i> , 2014, , .	0.1	0
77	Significant Differences in Effects of Sitagliptin Treatment on Body Weight and Lipid Metabolism Between Obese and Non-Obese Patients With Type 2 Diabetes. <i>Journal of Endocrinology and Metabolism</i> , 2014, 4, 136-142.	0.1	1
78	Correlations of non-exercise activity thermogenesis to metabolic parameters in Japanese patients with type 2 diabetes. <i>Diabetology and Metabolic Syndrome</i> , 2013, 5, 26.	1.2	30
79	The development of angioedema in a patient with type 2 diabetes due to a novel dipeptidyl peptidase-IV inhibitor, anagliptin. <i>International Journal of Cardiology</i> , 2013, 168, e106.	0.8	14
80	Severe angioedema induced by angiotensin II receptor blocker. <i>International Journal of Cardiology</i> , 2013, 168, e15-e16.	0.8	3
81	Non-exercise activity thermogenesis is associated with markers for diabetic microangiopathy in Japanese female patients with type 2 diabetes. <i>International Journal of Cardiology</i> , 2013, 168, 4836-4837.	0.8	7
82	A crosstalk between macroangiopathy and microangiopathy in type 2 diabetes. <i>International Journal of Cardiology</i> , 2013, 168, 550-551.	0.8	4
83	Comment on: Tsiakou et al. Arterial Stiffness Is Inversely Related to Plasma Adiponectin Levels in Young Normotensive Patients With Type 1 Diabetes. <i>Diabetes Care</i> 2013;36:734-736. <i>Diabetes Care</i> , 2013, 36, e186-e186.	4.3	0
84	Comparison of Glycemic Variability by Using Insulin Glargine and Insulin Degludec in Japanese Patients With Type 1 Diabetes, Monitored by Continuous Glucose Monitoring: A Preliminary Report. <i>Journal of Endocrinology and Metabolism</i> , 2013, , .	0.1	2
85	Pseudopseudohypoparathyroidism With a Novel Mutation in the GNAS Gene Showing Thin Bones of Extremities and Ossification of Enteses. <i>Journal of Endocrinology and Metabolism</i> , 2013, , .	0.1	0
86	A Case of Insulin-Dependent Diabetes Associated With Enteroviral Infections. <i>Diabetes Care</i> , 2012, 35, e25-e25.	4.3	0
87	A patient with Gravesâ€™ disease showing only psychiatric symptoms and negativity for both TSH receptor autoantibody and thyroid stimulating antibody. <i>Thyroid Research</i> , 2012, 5, 19.	0.7	6
88	Effects of 6-Month Sitagliptin Treatment on Glucose and Lipid Metabolism, Blood Pressure, Body Weight and Renal Function in Type 2 Diabetic Patients: A Chart-Based Analysis. <i>Journal of Clinical Medicine Research</i> , 2012, 4, 251-8.	0.6	17
89	Hyperinsulinemia and insulin resistance in a patient with type 2 diabetes complicated with myelofibrosis. <i>World Journal of Diabetes</i> , 2012, 3, 156.	1.3	0
90	Switching to three pre-meal injections of insulin glulisine from the basal-bolus insulin therapy improves glycemic control in a patient with type 2 diabetes who had anti-insulin antibody. <i>International Journal of Diabetes in Developing Countries</i> , 2011, 31, 240-240.	0.3	0

#	ARTICLE	IF	CITATIONS
91	Diabetic Ketosis Caused by the Insulin Analog Aspartate-Induced Anti-Insulin Antibody: Successful Treatment With the Newest Insulin Analog Glulisine. <i>Diabetes Care</i> , 2011, 34, e108-e108.	4.3	16
92	Points requiring attention in primary-care settings in the treatment of patients with acute drug intoxication. <i>An Official Journal of the Japan Primary Care Association</i> , 2011, 34, 115-123.	0.1	0
93	Effects of Resistance Training on Autonomic Nervous Function in Older Individuals. , 0, , .		0