

Anders Grubb

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2454503/publications.pdf>

Version: 2024-02-01

194
papers

15,499
citations

17440

63
h-index

18130

120
g-index

202
all docs

202
docs citations

202
times ranked

11229
citing authors

#	ARTICLE	IF	CITATIONS
1	Performance of creatinine-based equations to estimate glomerular filtration rate with a methodology adapted to the context of drug dosage adjustment. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 2118-2127.	2.4	24
2	Cystatin C-based equations for estimating glomerular filtration rate do not require race or sex coefficients. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2022, 82, 162-166.	1.2	10
3	The Modified CKiD Study Estimated GFR Equations for Children and Young Adults Under 25 Years of Age: Performance in a European Multicenter Cohort. <i>American Journal of Kidney Diseases</i> , 2022, 80, 807-810.	1.9	12
4	Large difference but high correlation between creatinine and cystatin C estimated glomerular filtration rate in Mesoamerican sugarcane cutters. <i>Occupational and Environmental Medicine</i> , 2022, 79, 497-502.	2.8	3
5	Development and Validation of a Modified Full Age Spectrum Creatinine-Based Equation to Estimate Glomerular Filtration Rate. <i>Annals of Internal Medicine</i> , 2021, 174, 183-191.	3.9	157
6	Markers of renal function at admission and mortality in hip fracture patients - a single center prospective observational study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021, 81, 201-207.	1.2	7
7	Proteins linked to atherosclerosis and cell proliferation are associated with the shrunken pore syndrome in heart failure patients. <i>Proteomics - Clinical Applications</i> , 2021, 15, e2000089.	1.6	11
8	Glomerular filtration and shrunken pore syndrome in children and adults. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, 110, 2503-2508.	1.5	9
9	MO071 PROTEINS LINKED TO ATHEROSCLEROSIS AND CELL PROLIFERATION ARE ASSOCIATED WITH SHRUNKEN PORE SYNDROME IN HEART FAILURE PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, .	0.7	0
10	MO131 THE SHRUNKEN PORE SYNDROME IS ASSOCIATED WITH POOR PROGNOSIS AND LOWER QUALITY OF LIFE IN HEART FAILURE PATIENTS- THE HARVEST-MALMÅ- STUDY. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, .	0.7	0
11	Multiple-Biomarker Panel Estimated GFR Is Not Optimal or Cost-Effective. <i>American Journal of Kidney Diseases</i> , 2021, 77, 823.	1.9	1
12	Potential relationship between eGFR \times cystatin C / eGFR \times creatinine ratio and glomerular basement membrane thickness in diabetic kidney disease. <i>Physiological Reports</i> , 2021, 9, e14939.	1.7	15
13	The Shrunken pore syndrome is associated with poor prognosis and lower quality of life in heart failure patients: the HARVEST-Malmå study. <i>ESC Heart Failure</i> , 2021, 8, 3577-3586.	3.1	13
14	New Creatinine- and Cystatin C-Based Equations to Estimate GFR without Race. <i>New England Journal of Medicine</i> , 2021, 385, 1737-1749.	27.0	1,236
15	Cystatin C Plays a Sex-Dependent Detrimental Role in Experimental Autoimmune Encephalomyelitis. <i>Cell Reports</i> , 2020, 33, 108236.	6.4	15
16	Structural Characterization of Covalently Stabilized Human Cystatin C Oligomers. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5860.	4.1	3
17	Prospects for improved glomerular filtration rate estimation based on creatinine results from a transnational multicentre study. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 674-683.	2.9	11
18	Shrunken pore syndrome and mortality: a cohort study of patients with measured GFR and known comorbidities. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020, 80, 412-422.	1.2	40

#	ARTICLE	IF	CITATIONS
19	Shrunken pore syndrome - a common kidney disorder with high mortality. Diagnosis, prevalence, pathophysiology and treatment options. <i>Clinical Biochemistry</i> , 2020, 83, 12-20.	1.9	42
20	A novel method for creatinine adjustment makes the revised Lundâ€“MalmÃ¶ GFR estimating equation applicable in children. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020, 80, 456-463.	1.2	25
21	Performance of Indexed and Nonindexed Estimated GFR. <i>American Journal of Kidney Diseases</i> , 2020, 76, 446-449.	1.9	19
22	The domain swapping of human cystatin C induced by synchrotron radiation. <i>Scientific Reports</i> , 2019, 9, 8548.	3.3	13
23	CKD: A Call for an Age-Adapted Definition. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 1785-1805.	6.1	198
24	Shrunken Pore Syndrome Is Associated With Increased Levels of Atherosclerosis-Promoting Proteins. <i>Kidney International Reports</i> , 2019, 4, 67-79.	0.8	43
25	The mortality increase in cardiac surgery patients associated with shrunken pore syndrome correlates with the eGFR_{cystatin C}/eGFR_{creatinine}-ratio. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2019, 79, 167-173.	1.2	30
26	Validation of standardized creatinine and cystatin C GFR estimating equations in a large multicentre European cohort of children. <i>Pediatric Nephrology</i> , 2019, 34, 1087-1098.	1.7	45
27	Synthesis and SAR Studies of Antibacterial Peptidyl Derivatives Based upon the Binding Site of Human Cystatin C. <i>Protein and Peptide Letters</i> , 2019, 26, 423-434.	0.9	0
28	The first step in creating national Chronic Kidney Disease (CKD) guidelines â€“ a questionnaire. <i>Biochemia Medica</i> , 2019, 29, 441-470.	2.7	3
29	The Impact of the Glomerular Filtration Rate on the Human Plasma Proteome. <i>Proteomics - Clinical Applications</i> , 2018, 12, e1700067.	1.6	37
30	Comparison of glomerular filtration rate estimating equations derived from creatinine and cystatin C: validation in the Age, Gene/Environment Susceptibility-Reykjavik elderly cohort. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1380-1388.	0.7	37
31	Cyclic trimer of human cystatin C, an amyloidogenic protein - molecular dynamics and experimental studies. <i>Journal of Applied Physics</i> , 2018, 123, 174701.	2.5	3
32	GFR estimation based on standardized creatinine and cystatin C: a European multicenter analysis in older adults. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 422-435.	2.3	34
33	Accuracy of GFR estimating equations in a large Swedish cohort: implications for radiologists in daily routine and research. <i>Acta Radiologica</i> , 2017, 58, 367-375.	1.1	7
34	Cystatin C peptidomimetic derivative with antimicrobial properties as a potential compound against wound infections. <i>Bioorganic and Medicinal Chemistry</i> , 2017, 25, 1431-1439.	3.0	7
35	Inhibition of lipopolysaccharide-induced osteoclast formation and bone resorption in vitro and in vivo by cysteine proteinase inhibitors. <i>Journal of Leukocyte Biology</i> , 2017, 101, 1233-1243.	3.3	28
36	Accuracy diagrams: a novel way to illustrate uncertainty of estimated GFR. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017, 77, 199-204.	1.2	8

#	ARTICLE	IF	CITATIONS
37	Estimating glomerular filtration rate (GFR) in children. The average between a cystatin C- and a creatinine-based equation improves estimation of GFR in both children and adults and enables diagnosing Shrunken Pore Syndrome. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017, 77, 338-344.	1.2	32
38	Overall conformation of covalently stabilized domain-swapped dimer of human cystatin C in solution. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2017, 411, 136-140.	1.4	1
39	Measured glomerular filtration rate does not improve prediction of mortality by cystatin C and creatinine. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 663-670.	0.7	16
40	Accurate eGFR reporting for children without anthropometric data. <i>Clinica Chimica Acta</i> , 2017, 474, 38-43.	1.1	14
41	Cystatin C deficiency suppresses tumor growth in a breast cancer model through decreased proliferation of tumor cells. <i>Oncotarget</i> , 2017, 8, 73793-73809.	1.8	22
42	Cystatin C is Indispensable for Evaluation of Kidney Disease. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , 2017, 28, 268-276.	0.7	26
43	Shrunken Pore Syndrome is associated with a sharp rise in mortality in patients undergoing elective coronary artery bypass grafting. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2016, 76, 74-81.	1.2	53
44	The shrunken pore syndrome is associated with declined right ventricular systolic function in a heart failure population – the HARVEST study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2016, 76, 568-574.	1.2	34
45	Estimating GFR prior to contrast medium examinations – what the radiologist needs to know!. <i>European Radiology</i> , 2016, 26, 425-435.	4.5	5
46	Reduction in glomerular pore size is not restricted to pregnant women. Evidence for a new syndrome: “Shrunken pore syndrome”™. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2015, 75, 333-340.	1.2	85
47	Accuracy of GFR estimating equations combining standardized cystatin C and creatinine assays: a cross-sectional study in Sweden. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, 403-14.	2.3	75
48	Performance of GFR Estimating Equations Stratified by Measured or Estimated GFR: Implications for Interpretation. <i>American Journal of Kidney Diseases</i> , 2015, 66, 1107-1108.	1.9	13
49	Fertility Defects in Mice Expressing the L68Q Variant of Human Cystatin C. <i>Journal of Biological Chemistry</i> , 2014, 289, 7718-7729.	3.4	18
50	Two new types of assays to determine protein concentrations in biological fluids using mass spectrometry of intact proteins with cystatin C in spinal fluid as an example. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2014, 74, 546-554.	1.2	5
51	The revised Lund-Malmö GFR estimating equation outperforms MDRD and CKD-EPI across GFR, age and BMI intervals in a large Swedish population. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014, 52, 815-24.	2.3	144
52	Generation of a New Cystatin C-Based Estimating Equation for Glomerular Filtration Rate by Use of 7 Assays Standardized to the International Calibrator. <i>Clinical Chemistry</i> , 2014, 60, 974-986.	3.2	248
53	Measuring GFR: A Systematic Review. <i>American Journal of Kidney Diseases</i> , 2014, 64, 411-424.	1.9	391
54	Cysteine proteinase inhibitors regulate human and mouse osteoclastogenesis by interfering with RANK signaling. <i>FASEB Journal</i> , 2013, 27, 2687-2701.	0.5	32

#	ARTICLE	IF	CITATIONS
55	Pre-analytical factors influencing the stability of cerebrospinal fluid proteins. <i>Journal of Neuroscience Methods</i> , 2013, 215, 234-240.	2.5	47
56	Stabilization, Characterization, and Selective Removal of Cystatin C Amyloid Oligomers. <i>Journal of Biological Chemistry</i> , 2013, 288, 16438-16450.	3.4	20
57	Cathepsin B Degrades Amyloid- β^2 in Mice Expressing Wild-type Human Amyloid Precursor Protein. <i>Journal of Biological Chemistry</i> , 2012, 287, 39834-39841.	3.4	93
58	Interaction of serum amyloid A with human cystatin C – identification of binding sites. <i>Journal of Molecular Recognition</i> , 2012, 25, 513-524.	2.1	15
59	Improved estimation of glomerular filtration rate (GFR) by comparison of eGFR _{cystatin C} and eGFR _{creatinine} . <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2012, 72, 73-77.	1.2	75
60	Quantification of cystatin C by time-resolved fluorometry-based immunoassays. <i>Journal of Immunological Methods</i> , 2012, 378, 56-61.	1.4	2
61	High throughput testing of drug library substances and monoclonal antibodies for capacity to reduce formation of cystatin C dimers to identify candidates for treatment of hereditary cystatin C amyloid angiopathy. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 676-682.	1.2	8
62	Cystatin C, a marker for successful aging and glomerular filtration rate, is not influenced by inflammation. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 145-149.	1.2	72
63	Cystatin C influences the autoimmune but not inflammatory response to cartilage type II collagen leading to chronic arthritis development. <i>Arthritis Research and Therapy</i> , 2011, 13, R54.	3.5	16
64	Cystatin C as a Biomarker in Kidney Disease. , 2011, , 291-312.		6
65	Cystatin C- and creatinine-based GFR-prediction equations for children and adults. <i>Clinical Biochemistry</i> , 2011, 44, 501-502.	1.9	3
66	The CKD-EPI and MDRD equations to estimate GFR. Validation in the Swedish Lund-Malmö Study cohort. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 129-138.	1.2	45
67	Revised equations for estimating glomerular filtration rate based on the Lund-Malmö Study cohort. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 232-239.	1.2	157
68	Crystal structure of human cystatin β C stabilized against amyloid formation. <i>FEBS Journal</i> , 2010, 277, 1726-1737.	4.7	73
69	Dry-Reagent Double-Monoclonal Assay for Cystatin C. <i>Clinical Chemistry</i> , 2010, 56, 1424-1431.	3.2	8
70	First certified reference material for cystatin C in human serum ERM-DA471/IFCC. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 1619-1621.	2.3	312
71	A new tool for predicting the probability of chronic kidney disease from a specific value of estimated GFR. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2010, 70, 327-333.	1.2	7
72	Cystatin C Rescues Degenerating Neurons in a Cystatin B-Knockout Mouse Model of Progressive Myoclonus Epilepsy. <i>American Journal of Pathology</i> , 2010, 177, 2256-2267.	3.8	51

#	ARTICLE	IF	CITATIONS
73	Non-invasive estimation of glomerular filtration rate (GFR). The Lund model: Simultaneous use of cystatin C- and creatinine-based GFR-prediction equations, clinical data and an internal quality check. Scandinavian Journal of Clinical and Laboratory Investigation, 2010, 70, 65-70.	1.2	87
74	Performance evaluation of a turbidimetric cystatin C assay on different high-throughput platforms. Scandinavian Journal of Clinical and Laboratory Investigation, 2010, 70, 347-353.	1.2	22
75	Induction of Autophagy by Cystatin C: A Mechanism That Protects Murine Primary Cortical Neurons and Neuronal Cell Lines. PLoS ONE, 2010, 5, e9819.	2.5	104
76	Cystatin C Deficiency Promotes Epidermal Dysplasia in K14-HPV16 Transgenic Mice. PLoS ONE, 2010, 5, e13973.	2.5	24
77	Production of Cystatin C Wild Type and Stabilized Mutants. Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine, 2010, 20, 166-70.	0.7	0
78	Natriuretic peptides as indicators of cardiac remodeling in hypertensive patients. Blood Pressure, 2009, 18, 196-203.	1.5	3
79	DEMONSTRATION OF SEPARATE RECEPTORS FOR HUMAN IgA AND IgG IN GROUP A STREPTOCOCCI TYPE. Acta Pathologica Et Microbiologica Scandinavica Section C, Immunology, 2009, 88C, 77-82.	0.0	12
80	Human renal function maturation: a quantitative description using weight and postmenstrual age. Pediatric Nephrology, 2009, 24, 67-76.	1.7	406
81	Variability in diagnostic accuracy can be estimated using simple population weighting. Journal of Clinical Epidemiology, 2009, 62, 54-57.	5.0	11
82	Validation of a new plasma cystatin C-based formula and the Modification of Diet in Renal Disease creatinine-based formula for determination of glomerular filtration rate. Scandinavian Journal of Urology and Nephrology, 2009, 43, 242-249.	1.4	14
83	Different equations to combine creatinine and cystatin C to predict GFR. Arithmetic mean of existing equations performs as well as complex combinations. Scandinavian Journal of Clinical and Laboratory Investigation, 2009, 69, 619-627.	1.2	41
84	The Dispersion of Water Proton Spin-Lattice Relaxation Rates in Aqueous Human Protein HC (α) Tj ETQqO 0 0 rgBT /Overlock 10 T	0.9	1
85	Governing the monomer-dimer ratio of human cystatin c by single amino acid substitution in the hinge region.. Acta Biochimica Polonica, 2009, 56, .	0.5	30
86	Governing the monomer-dimer ratio of human cystatin c by single amino acid substitution in the hinge region. Acta Biochimica Polonica, 2009, 56, 455-63.	0.5	13
87	Cystatin C-Cathepsin B Axis Regulates Amyloid Beta Levels and Associated Neuronal Deficits in an Animal Model of Alzheimer's Disease. Neuron, 2008, 60, 247-257.	8.1	196
88	Elevated infection parameters and infection symptoms predict an acute coronary event. Therapeutic Advances in Cardiovascular Disease, 2008, 2, 419-424.	2.1	19
89	The Lundâ€MalmÃ¶ creatinineâ€based glomerular filtration rate prediction equation for adults also performs well in children. Scandinavian Journal of Clinical and Laboratory Investigation, 2008, 68, 568-576.	1.2	36
90	Different elimination patterns of ¹²⁵ I-trace protein, ¹²⁵ I-microglobulin and cystatin C in haemodialysis, haemodiafiltration and haemofiltration. Scandinavian Journal of Clinical and Laboratory Investigation, 2008, 68, 685-691.	1.2	29

#	ARTICLE	IF	CITATIONS
91	Fibrillogenic Oligomers of Human Cystatin C Are Formed by Propagated Domain Swapping. <i>Journal of Biological Chemistry</i> , 2007, 282, 18318-18326.	3.4	112
92	Cystatin C modulates cerebral β -amyloidosis. <i>Nature Genetics</i> , 2007, 39, 1437-1439.	21.4	151
93	Cystatin C binds serum amyloid A, downregulating its cytokine-generating properties. <i>Journal of Rheumatology</i> , 2007, 34, 1293-301.	2.0	21
94	Checking the conformational stability of cystatin C and its L68Q variant by molecular dynamics studies: Why is the L68Q variant amyloidogenic?. <i>Journal of Structural Biology</i> , 2006, 154, 68-78.	2.8	26
95	The Role of Cystatin C in Cerebral Amyloid Angiopathy and Stroke: Cell Biology and Animal Models. <i>Brain Pathology</i> , 2006, 16, 60-70.	4.1	92
96	Lowered levels of serum albumin and HDL cholesterol in children with a recent mild infection. <i>Annals of Medicine</i> , 2006, 38, 154-160.	3.8	14
97	Notable Steps in Obtaining Improved Estimates for Glomerular Filtration Rate. <i>Clinical Chemistry</i> , 2006, 52, 169-170.	3.2	4
98	Errors in the Assessment of Estimated Glomerular Filtration Rate: Reply. <i>Clinical Chemistry</i> , 2006, 52, 154-155.	3.2	2
99	Cathepsin S Controls Angiogenesis and Tumor Growth via Matrix-derived Angiogenic Factors. <i>Journal of Biological Chemistry</i> , 2006, 281, 6020-6029.	3.4	229
100	Cystatin C as a marker of GFR history, indications, and future research. <i>Clinical Biochemistry</i> , 2005, 38, 1-8.	1.9	606
101	Cystatin C modulates neurodegeneration and neurogenesis following status epilepticus in mouse. <i>Neurobiology of Disease</i> , 2005, 20, 241-253.	4.4	59
102	In Search of Selective Inhibitors of Cysteine Protease, Cathepsin K. <i>International Journal of Peptide Research and Therapeutics</i> , 2005, 11, 203-209.	1.9	2
103	3D domain-swapped human cystatin C with amyloidlike intermolecular β -sheets. <i>Proteins: Structure, Function and Bioinformatics</i> , 2005, 61, 570-578.	2.6	93
104	Lack of the Cysteine Protease Inhibitor Cystatin C Promotes Atherosclerosis in Apolipoprotein E Deficient Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 2151-2156.	2.4	103
105	Absence of the protease inhibitor cystatin C in inflammatory cells results in larger plaque area in plaque regression of apoE-deficient mice. <i>Atherosclerosis</i> , 2005, 180, 45-53.	0.8	35
106	Simple Cystatin C-Based Prediction Equations for Glomerular Filtration Rate Compared with the Modification of Diet in Renal Disease Prediction Equation for Adults and the Schwartz and the Counahan-Barratt Prediction Equations for Children. <i>Clinical Chemistry</i> , 2005, 51, 1420-1431.	3.2	413
107	Cystatin C Deficiency Increases Elastic Lamina Degradation and Aortic Dilatation in Apolipoprotein E Null Mice. <i>Circulation Research</i> , 2005, 96, 368-375.	4.5	144
108	Elevated Plasma Levels of Nt-proBNP in Patients With Type 2 Diabetes Without Overt Cardiovascular Disease. <i>Diabetes Care</i> , 2004, 27, 1929-1935.	8.6	95

#	ARTICLE	IF	CITATIONS
109	Cysteine proteases in Langerhans cells limits presentation of cartilage derived type II collagen for autoreactive T cells. <i>International Immunology</i> , 2004, 16, 717-726.	4.0	12
110	Prevention of Domain Swapping Inhibits Dimerization and Amyloid Fibril Formation of Cystatin C. <i>Journal of Biological Chemistry</i> , 2004, 279, 24236-24245.	3.4	102
111	Osteoclastogenesis is decreased by cysteine proteinase inhibitors. <i>Bone</i> , 2004, 34, 412-424.	2.9	46
112	Domain Swapping in N-truncated Human Cystatin C. <i>Journal of Molecular Biology</i> , 2004, 341, 151-160.	4.2	71
113	Calculation of glomerular filtration rate expressed in mL/min from plasma cystatin C values in mg/L. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2004, 64, 25-30.	1.2	342
114	New antimicrobial cystatin C-based peptide active against gram-positive bacterial pathogens, including methicillin-resistant <i>Staphylococcus aureus</i> and multiresistant coagulase-negative staphylococci. <i>Apmis</i> , 2003, 111, 1004-1010.	2.0	23
115	Serum cystatin C reflects glomerular endotheliosis in normal, hypertensive and pre-eclamptic pregnancies. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003, 110, 825-830.	2.3	65
116	The Protease Inhibitor Cystatin C Is Differentially Expressed among Dendritic Cell Populations, but Does Not Control Antigen Presentation. <i>Journal of Immunology</i> , 2003, 171, 5003-5011.	0.8	74
117	Serum Cystatin C Is a More Sensitive and More Accurate Marker of Glomerular Filtration Rate than Enzymatic Measurements of Creatinine in Renal Transplantation. <i>Nephron Physiology</i> , 2003, 94, p19-p27.	1.2	67
118	Glomerular filtration rate dependence of sieving of albumin and some neutral proteins in rat kidneys. <i>American Journal of Physiology - Renal Physiology</i> , 2003, 284, F1226-F1234.	2.7	118
119	Azapeptides Structurally Based upon Inhibitory Sites of Cystatins as Potent and Selective Inhibitors of Cysteine Proteases. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 4202-4211.	6.4	43
120	The cerebral hemorrhage-producing cystatin C variant (L68Q) in extracellular fluids. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2001, 8, 1-10.	3.0	58
121	Urine excretion of protein HC in proteinuric glomerular diseases correlates to urine IgG but not to albuminuria. <i>Kidney International</i> , 2001, 60, 1904-1909.	5.2	44
122	Human cystatin C, an amyloidogenic protein, dimerizes through three-dimensional domain swapping. <i>Nature Structural Biology</i> , 2001, 8, 316-320.	9.7	353
123	Low-Level Cadmium Exposure and Osteoporosis. <i>Journal of Bone and Mineral Research</i> , 2000, 15, 1579-1586.	2.8	226
124	Hereditary cystatin C amyloid angiopathy. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2000, 7, 70-79.	3.0	82
125	Low level exposure to cadmium and early kidney damage: the OSCAR study. <i>Occupational and Environmental Medicine</i> , 2000, 57, 668-672.	2.8	313
126	FGF-2-Responsive Neural Stem Cell Proliferation Requires CCg, a Novel Autocrine/Paracrine Cofactor. <i>Neuron</i> , 2000, 28, 385-397.	8.1	295

#	ARTICLE	IF	CITATIONS
127	Synthesis and antibacterial properties of peptidyl derivatives and cyclopeptides structurally based upon the inhibitory centre of human cystatin C: Dissociation of antiproteolytic and antibacterial effects. <i>Apmis</i> , 2000, 108, 473-481.	2.0	1
128	Synthesis and antibacterial properties of peptidyl derivatives and cyclopeptides structurally based upon the inhibitory centre of human cystatin C. Dissociation of antiproteolytic and antibacterial effects. <i>Note. Apmis</i> , 2000, 108, 473-481.	2.0	18
129	Rheumatoid Arthritis – A Gene Transfer Disease. <i>Experimental and Clinical Immunogenetics</i> , 1999, 16, 1-7.	1.2	11
130	Expression of a selenomethionyl derivative and preliminary crystallographic studies of human cystatin C. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 1999, 55, 1939-1942.	2.5	28
131	Biomarkers of nephrotoxicity in children environmentally exposed to lead in Poland. <i>Journal of Environmental Medicine</i> , 1999, 1, 33-38.	0.2	8
132	Cystatin C deficiency in human atherosclerosis and aortic aneurysms. <i>Journal of Clinical Investigation</i> , 1999, 104, 1191-1197.	8.2	397
133	First international reference preparation for individual proteins in urine. <i>Clinical Biochemistry</i> , 1998, 31, 467-474.	1.9	9
134	Affinity screening for weak monoclonal antibodies. <i>Journal of Immunological Methods</i> , 1998, 220, 19-24.	1.4	12
135	Proteinuria selectivity index based upon α_2 -macroglobulin or IgM is superior to the IgG based index in differentiating glomerular diseases. <i>Kidney International</i> , 1998, 54, 2098-2105.	5.2	42
136	Structural Basis for Different Inhibitory Specificities of Human Cystatins C and D. <i>Biochemistry</i> , 1998, 37, 4071-4079.	2.5	62
137	The Increase of Plasma Homocysteine Concentrations with Age Is Partly due to the Deterioration of Renal Function as Determined by Plasma Cystatin C. <i>Clinical Chemistry and Laboratory Medicine</i> , 1998, 36, 175-178.	2.3	133
138	Cystatin F Is a Glycosylated Human Low Molecular Weight Cysteine Proteinase Inhibitor. <i>Journal of Biological Chemistry</i> , 1998, 273, 24797-24804.	3.4	133
139	Renal impairment after hip or knee arthroplasty: Urinary excretion of protein markers studied in 59 patients. <i>Acta Orthopaedica</i> , 1997, 68, 34-40.	1.4	20
140	Cystatin E is a Novel Human Cysteine Proteinase Inhibitor with Structural Resemblance to Family 2 Cystatins. <i>Journal of Biological Chemistry</i> , 1997, 272, 10853-10858.	3.4	140
141	Apolipoprotein-E Genotyping in Alzheimer's Disease and Frontotemporal Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 1997, 8, 240-243.	1.5	56
142	Long-term Stability of Albumin, Protein HC, Immunoglobulin G, β_2 - and β_2 -chain-immunoreactivity, Orosomuroid and α_1 -antitrypsin in Urine Stored at -20°C . <i>Scandinavian Journal of Urology and Nephrology</i> , 1997, 31, 67-71.	1.4	61
143	Albumin Adducts in Plasma From Workers Exposed to Toluene Diisocyanate. <i>Analyst</i> , 1997, 122, 151-154.	3.5	41
144	Massive glycation of protein HC, a low molecular weight lipocalin, in non-diabetic individuals. <i>FEBS Letters</i> , 1997, 416, 276-280.	2.8	2

#	ARTICLE	IF	CITATIONS
145	No Effect of Diclofenac on the Pharmacokinetics of Cloxacillin. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1997, 81, 26-30.	0.0	8
146	Lead Binding to α -Aminolevulinic Acid Dehydratase (ALAD) in Human Erythrocytes. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1997, 81, 153-158.	0.0	155
147	Mouse and rat cystatin C: <i>Escherichia coli</i> production, characterization and tissue distribution. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 1996, 114, 303-311.	1.6	58
148	Application of liquid chromatography-inductively coupled plasma mass spectrometry to the study of protein-bound lead in human erythrocytes. <i>Journal of Analytical Atomic Spectrometry</i> , 1996, 11, 735-738.	3.0	37
149	Cisplatin pharmacokinetics and pharmacodynamics in patients with squamous-cell carcinoma of the head/neck or esophagus. <i>Cancer Chemotherapy and Pharmacology</i> , 1996, 39, 25-33.	2.3	29
150	Spectroscopic characterization by photodiode array detection of human urinary and amniotic protein HC subpopulations fractionated by anion-exchange and size-exclusion high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1996, 719, 149-157.	3.7	11
151	Renal handling of radiolabelled human cystatin C in the rat. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1996, 56, 409-414.	1.2	413
152	Measurement of oxygen consumption and heat production in plasma from uremic patients on chronic dialysis treatment. <i>Thermochimica Acta</i> , 1995, 251, 173-176.	2.7	1
153	Serum cystatin C measured by automated immunoassay: A more sensitive marker of changes in GFR than serum creatinine. <i>Kidney International</i> , 1995, 47, 312-318.	5.2	540
154	Structural Basis for the Biological Specificity of Cystatin C. <i>Journal of Biological Chemistry</i> , 1995, 270, 5115-5121.	3.4	109
155	Cloning and sequencing of a cDNA encoding rat d-dopachrome tautomerase. <i>FEBS Letters</i> , 1995, 373, 203-206.	2.8	52
156	DNA sequences specific for Caucasian G3m(b) and (g) allotypes: allotyping at the genomic level. <i>Immunogenetics</i> , 1994, 39, 187-193.	2.4	83
157	Interaction between streptococcal protein Arp and different molecular forms of human immunoglobulin A. <i>Molecular Immunology</i> , 1994, 31, 393-400.	2.2	10
158	A sequence variation in the human cystatin D gene resulting in an amino acid (Cys/Arg) polymorphism at the protein level. <i>Human Genetics</i> , 1993, 90, 668-9.	3.8	17
159	An Ala/Thr variation in the coding region of the human cystatin C gene (CST3) detected as a SstII polymorphism. <i>Human Genetics</i> , 1993, 92, 206-7.	3.8	22
160	A Rapid Enzyme-Linked Immunosorbent Assay for Serum Amyloid a Using Sequence-Specific Antibodies. <i>Annals of Clinical Biochemistry</i> , 1993, 30, 278-286.	1.6	15
161	Recent developments in the chemistry and biology of cystatins. , 1993, , 243-246.		1
162	Demonstration of sequence variations in the promoter region of the human cystatin C gene. <i>Biological Chemistry Hoppe-Seyler</i> , 1992, 373, 471-476.	1.4	6

#	ARTICLE	IF	CITATIONS
163	Cystatin C Based Peptidyl Diazomethanes as Cysteine Proteinase Inhibitors: Influence of the Peptidyl Chain Length. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 1992, 6, 113-123.	0.5	49
164	Hereditary cystatin C amyloid angiopathy: identification of the disease-causing mutation and specific diagnosis by polymerase chain reaction based analysis. <i>Human Genetics</i> , 1992, 89, 377-80.	3.8	71
165	A novel mutation in the β -protein coding region of the amyloid β -protein precursor (APP) gene. <i>Human Genetics</i> , 1992, 89, 580-2.	3.8	26
166	Human cystatin C, a cysteine proteinase inhibitor, inhibits bone resorption in vitro stimulated by parathyroid hormone and parathyroid hormone-related peptide of malignancy. <i>Journal of Bone and Mineral Research</i> , 1992, 7, 433-440.	2.8	79
167	HC α IgA antibodies of different specificities are normally present in serum: quantitation by ELISA and relationship to the major Ig classes. <i>Apmis</i> , 1990, 98, 249-254.	2.0	0
168	Identification of Cystatin C, a Cysteine Proteinase Inhibitor, as a Major Secretory Product of Human Alveolar Macrophages <i>In Vitro</i> . <i>The American Review of Respiratory Disease</i> , 1990, 141, 698-705.	2.9	84
169	Bacterial growth blocked by a synthetic peptide based on the structure of a human proteinase inhibitor. <i>Nature</i> , 1989, 337, 385-386.	27.8	213
170	Isolation and characterization of a tumor necrosis factor binding protein from urine. <i>European Journal of Haematology</i> , 1989, 42, 270-275.	2.2	234
171	Efficient production of native, biologically active human cystatin C by <i>Escherichia coli</i> . <i>FEBS Letters</i> , 1988, 236, 14-18.	2.8	168
172	Safer proteinase treatment of sciatica A biochemical preview of chymopapain inhibitors. <i>Acta Orthopaedica</i> , 1988, 59, 63-65.	1.4	8
173	Identification of retinol as one of the protein HC chromophores. <i>Biochemical and Biophysical Research Communications</i> , 1988, 155, 1424-1429.	2.1	21
174	Effects of Plasmapheresis on the Plasma Concentration of Proteins Used to Monitor the Disease Process in Multiple Myeloma. <i>Acta Medica Scandinavica</i> , 1988, 223, 263-267.	0.0	1
175	A tumor necrosis factor binding protein is present in human biological fluids. <i>European Journal of Haematology</i> , 1988, 41, 414-419.	2.2	106
176	Molecular cloning and sequence analysis of cDNA coding for the precursor of the human cysteine proteinase inhibitor cystatin C. <i>FEBS Letters</i> , 1987, 216, 229-233.	2.8	164
177	THE PREVALENCE OF RENAL AMYLOIDOSIS OF THE AA-TYPE IN A SERIES OF 1,158 CONSECUTIVE AUTOPSIES. <i>Acta Pathologica, Microbiologica, Et Immunologica Scandinavica Section A, Pathology</i> , 1987, 95A, 297-302.	0.3	4
178	DEMONSTRATION AND CLASSIFICATION OF AMYLOIDOSIS IN NEEDLE BIOPSIES OF THE KIDNEYS, WITH SPECIAL REFERENCE TO AMYLOIDOSIS OF THE AA-TYPE. <i>Acta Pathologica, Microbiologica, Et Immunologica Scandinavica Section A, Pathology</i> , 1987, 95A, 357-363.	0.3	5
179	Production of an amino acid sequence-specific antiserum against human amyloid A (AA) and serum amyloid A (SAA) protein. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1987, 47, 619-626.	1.2	9
180	The blood serum concentration of cystatin C (13 C-trace) as a measure of the glomerular filtration rate. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1985, 45, 97-101.	1.2	308

#	ARTICLE	IF	CITATIONS
181	A sensitive and rapid enzyme-linked immunosorbent assay using monoclonal antibodies for simultaneous quantitation of free and IgA-complexed protein HC. <i>Journal of Immunological Methods</i> , 1985, 82, 101-110.	1.4	19
182	Serum Concentration of Cystatin C, Factor D and \hat{I}^2 Microglobulin as a Measure of Glomerular Filtration Rate. <i>Acta Medica Scandinavica</i> , 1985, 218, 499-503.	0.0	244
183	Feasibility of Extracorporeal On-Line Large-Scale Plasma Adsorptions on Protein A-Sepharose Columns in Cancer Patients. <i>Artificial Organs</i> , 1984, 8, 72-81.	1.9	16
184	The disulphide bridges of human cystatin C (\hat{I}^3 -trace) and chicken cystatin. <i>FEBS Letters</i> , 1984, 170, 370-374.	2.8	51
185	The place of human \hat{I}^3 -trace (cystatin C) amongst the cysteine proteinase inhibitors. <i>Biochemical and Biophysical Research Communications</i> , 1984, 120, 631-636.	2.1	282
186	Abnormal Metabolism of \hat{I}^3 -Trace Alkaline Microprotein. <i>New England Journal of Medicine</i> , 1984, 311, 1547-1549.	27.0	147
187	Human gamma-trace, a basic microprotein: amino acid sequence and presence in the adenohypophysis.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982, 79, 3024-3027.	7.1	294
188	Isolation and Some Properties of an IgG Fc-Binding Protein from Group A Streptococci Type 15. <i>International Archives of Allergy and Immunology</i> , 1982, 67, 369-376.	2.1	69
189	Production of protein HC by human fetal liver explants. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1978, 542, 506-514.	2.4	40
190	Non-Secretory or Low-Secretory Myeloma with Intracellular Kappa Chains. <i>Acta Medica Scandinavica</i> , 1978, 204, 445-451.	0.0	26
191	The amino-terminal sequence of human protein HC. <i>FEBS Letters</i> , 1976, 70, 239-240.	2.8	14
192	Preparation of electroendosmosis-free agarose gel and exemplification of its use in crossed immunoelectrophoresis. <i>Analytical Biochemistry</i> , 1973, 55, 582-592.	2.4	24
193	Quantitative determination of the distribution of the specific antibodies of antisera subjected to gel electrophoresis. <i>Immunochemistry</i> , 1972, 9, 635-645.	1.2	3
194	Intracellular Distribution of Lipase in Comparison to Trypsinogen, Amylase and Immediately Measureable Trypsin Inhibitor(s) in the Rat Pancreas. <i>Acta Physiologica Scandinavica</i> , 1969, 75, 139-148.	2.2	23