

Vicente Andrs

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2454655/vicente-andres-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

169
papers

7,482
citations

47
h-index

82
g-index

182
ext. papers

8,792
ext. citations

7.1
avg, IF

5.95
L-index

#	Paper	IF	Citations
169	Isolation of Mouse Aortic RNA for Transcriptomics.. <i>Methods in Molecular Biology</i> , 2022 , 2419, 611-627	1.4	
168	Bone marrow activation in response to metabolic syndrome and early atherosclerosis.. <i>European Heart Journal</i> , 2022 ,	9.5	2
167	Cardiovascular Progerin Suppression and Lamin A Restoration Rescue Hutchinson-Gilford Progeria Syndrome. <i>Circulation</i> , 2021 , 144, 1777-1794	16.7	2
166	The progeria research foundation 10 international scientific workshop; researching possibilities, ExTENDING lives - webinar version scientific summary. <i>Aging</i> , 2021 , 13, 9143-9151	5.6	1
165	Rolipram Prevents the Formation of Abdominal Aortic Aneurysm (AAA) in Mice: PDE4B as a Target in AAA. <i>Antioxidants</i> , 2021 , 10,	7.1	1
164	Telomerase as a Therapeutic Target in Cardiovascular Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021 , 41, 1047-1061	9.4	8
163	Molecular and Cellular Mechanisms Driving Cardiovascular Disease in Hutchinson-Gilford Progeria Syndrome: Lessons Learned from Animal Models. <i>Cells</i> , 2021 , 10,	7.9	1
162	Triglycerides and Residual Atherosclerotic Risk. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 3031-3041	15.1	17
161	Isoprenylcysteine Carboxylmethyltransferase-Based Therapy for Hutchinson-Gilford Progeria Syndrome. <i>ACS Central Science</i> , 2021 , 7, 1300-1310	16.8	5
160	Progression of Early Subclinical Atherosclerosis (PESA) Study: JACC Focus Seminar 7/8. <i>Journal of the American College of Cardiology</i> , 2021 , 78, 156-179	15.1	7
159	miR-146a is a pivotal regulator of neutrophil extracellular trap formation promoting thrombosis. <i>Haematologica</i> , 2021 , 106, 1636-1646	6.6	15
158	Paclitaxel mitigates structural alterations and cardiac conduction system defects in a mouse model of Hutchinson-Gilford progeria syndrome. <i>Cardiovascular Research</i> , 2021 ,	9.9	3
157	Genomic instability in the naturally and prematurely aged myocardium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	3
156	Targeting Tyrosine Hydroxylase for Abdominal Aortic Aneurysm: Impact on Inflammation, Oxidative Stress, and Vascular Remodeling. <i>Hypertension</i> , 2021 , 78, 681-692	8.5	3
155	Vascular Smooth Muscle Cell-Specific Progerin Expression Provokes Contractile Impairment in a Mouse Model of Hutchinson-Gilford Progeria Syndrome that Is Ameliorated by Nitrite Treatment. <i>Cells</i> , 2020 , 9,	7.9	11
154	Endothelial MT1-MMP targeting limits intussusceptive angiogenesis and colitis via TSP1/nitric oxide axis. <i>EMBO Molecular Medicine</i> , 2020 , 12, e10862	12	21
153	Non-coding RNAs: update on mechanisms and therapeutic targets from the ESC Working Groups of Myocardial Function and Cellular Biology of the Heart. <i>Cardiovascular Research</i> , 2020 , 116, 1805-1819	9.9	18

152	Biological Versus Chronological Aging: JACC Focus Seminar. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 919-930	15.1	87
151	Short-Term Progression of Multiterritorial Subclinical Atherosclerosis. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 1617-1627	15.1	23
150	Machine Learning Improves Cardiovascular Risk Definition for Young, Asymptomatic Individuals. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 1674-1685	15.1	14
149	Premature Vascular Aging with Features of Plaque Vulnerability in an Atheroprone Mouse Model of Hutchinson-Gilford Progeria Syndrome with Deficiency. <i>Cells</i> , 2020 , 9,	7.9	2
148	The pharmaceutical solvent N-methyl-2-pyrrolidone (NMP) attenuates inflammation through Krp̄pel-like factor 2 activation to reduce atherogenesis. <i>Scientific Reports</i> , 2020 , 10, 11636	4.9	9
147	Identification of common cardiometabolic alterations and deregulated pathways in mouse and pig models of aging. <i>Aging Cell</i> , 2020 , 19, e13203	9.9	6
146	Deletion or Inhibition of NOD1 Favors Plaque Stability and Attenuates Atherothrombosis in Advanced Atherogenesis. <i>Cells</i> , 2020 , 9,	7.9	5
145	Disruption of the CCL1-CCR8 axis inhibits vascular Treg recruitment and function and promotes atherosclerosis in mice. <i>Journal of Molecular and Cellular Cardiology</i> , 2019 , 132, 154-163	5.8	18
144	Progerin accelerates atherosclerosis by inducing endoplasmic reticulum stress in vascular smooth muscle cells. <i>EMBO Molecular Medicine</i> , 2019 , 11,	12	47
143	Generation and characterization of a novel knockin minipig model of Hutchinson-Gilford progeria syndrome. <i>Cell Discovery</i> , 2019 , 5, 16	22.3	27
142	Vascular smooth muscle cell-specific progerin expression in a mouse model of Hutchinson-Gilford progeria syndrome promotes arterial stiffness: Therapeutic effect of dietary nitrite. <i>Aging Cell</i> , 2019 , 18, e12936	9.9	25
141	Vascular smooth muscle cell loss underpins the accelerated atherosclerosis in Hutchinson-Gilford progeria syndrome. <i>Nucleus</i> , 2019 , 10, 28-34	3.9	8
140	Lamin A/C deficiency in CD4 T-cells enhances regulatory T-cells and prevents inflammatory bowel disease. <i>Journal of Pathology</i> , 2019 , 249, 509-522	9.4	8
139	Remodeling of Bone Marrow Hematopoietic Stem Cell Niches Promotes Myeloid Cell Expansion during Premature or Physiological Aging. <i>Cell Stem Cell</i> , 2019 , 25, 407-418.e6	18	114
138	Endothelial NOD1 directs myeloid cell recruitment in atherosclerosis through VCAM-1. <i>FASEB Journal</i> , 2019 , 33, 3912-3921	0.9	14
137	Vascular Smooth Muscle-Specific Progerin Expression Accelerates Atherosclerosis and Death in a Mouse Model of Hutchinson-Gilford Progeria Syndrome. <i>Circulation</i> , 2018 , 138, 266-282	16.7	61
136	MT4-MMP deficiency increases patrolling monocyte recruitment to early lesions and accelerates atherosclerosis. <i>Nature Communications</i> , 2018 , 9, 910	17.4	21
135	Defective p27 phosphorylation at serine 10 affects vascular reactivity and increases abdominal aortic aneurysm development via Cox-2 activation. <i>Journal of Molecular and Cellular Cardiology</i> , 2018 , 116, 5-15	5.8	2

134	Lamin A/C augments Th1 differentiation and response against vaccinia virus and Leishmania major. <i>Cell Death and Disease</i> , 2018 , 9, 9	9.8	18
133	Mechanisms of vascular aging: What can we learn from Hutchinson-Gilford progeria syndrome?. <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2018 , 30, 120-132	1.4	3
132	Aging in the Cardiovascular System: Lessons from Hutchinson-Gilford Progeria Syndrome. <i>Annual Review of Physiology</i> , 2018 , 80, 27-48	23.1	46
131	Telomere Length as Cardiovascular Aging Biomarker: JACC Review Topic of the Week. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 805-813	15.1	53
130	Electrocardiographic Abnormalities in Patients With Hutchinson-Gilford Progeria Syndrome. <i>JAMA Cardiology</i> , 2018 , 3, 1024-1025	16.2	5
129	Mechanisms of vascular aging: What can we learn from Hutchinson-Gilford progeria syndrome?. <i>Clinica E Investigaci3n En Arteriosclerosis (English Edition)</i> , 2018 , 30, 120-132	0.3	1
128	miR-146a deficiency in hematopoietic cells is not involved in the development of atherosclerosis. <i>PLoS ONE</i> , 2018 , 13, e0198932	3.7	12
127	Matrix metalloproteinase-10 deficiency delays atherosclerosis progression and plaque calcification. <i>Atherosclerosis</i> , 2018 , 278, 124-134	3.1	20
126	The microRNA-29/PGC1 β regulatory axis is critical for metabolic control of cardiac function. <i>PLoS Biology</i> , 2018 , 16, e2006247	9.7	22
125	Clonal hematopoiesis associated with TET2 deficiency accelerates atherosclerosis development in mice. <i>Science</i> , 2017 , 355, 842-847	33.3	602
124	A-type lamins and cardiovascular disease in premature aging syndromes. <i>Current Opinion in Cell Biology</i> , 2017 , 46, 17-25	9	30
123	Novel phosphate-activated macrophages prevent ectopic calcification by increasing extracellular ATP and pyrophosphate. <i>PLoS ONE</i> , 2017 , 12, e0174998	3.7	21
122	Nestin(+) cells direct inflammatory cell migration in atherosclerosis. <i>Nature Communications</i> , 2016 , 7, 12706	17.4	17
121	Cardiac electrical defects in progeroid mice and Hutchinson-Gilford progeria syndrome patients with nuclear lamina alterations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E7250-E7259	11.5	34
120	Short Telomere Load, Telomere Length, and Subclinical Atherosclerosis: The PESA Study. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 2467-76	15.1	44
119	A Novel Systems-Biology Algorithm for the Analysis of Coordinated Protein Responses Using Quantitative Proteomics. <i>Molecular and Cellular Proteomics</i> , 2016 , 15, 1740-60	7.6	48
118	Proteomics Research in Cardiovascular Medicine and Biomarker Discovery. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 2819-2830	15.1	34
117	Alternatively activated macrophages exhibit an anticalcifying activity dependent on extracellular ATP/pyrophosphate metabolism. <i>American Journal of Physiology - Cell Physiology</i> , 2016 , 310, C788-99	5.4	20

116	Endothelial Jag1-RBPJ signalling promotes inflammatory leucocyte recruitment and atherosclerosis. <i>Cardiovascular Research</i> , 2016 , 112, 568-580	9.9	38
115	Ink4/Arf locus restores glucose tolerance and insulin sensitivity by reducing hepatic steatosis and inflammation in mice with impaired IRS2-dependent signalling. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2015 , 1852, 1729-42	6.9	7
114	Loss of p27 phosphorylation at Ser10 accelerates early atherogenesis by promoting leukocyte recruitment via RhoA/ROCK. <i>Journal of Molecular and Cellular Cardiology</i> , 2015 , 84, 84-94	5.8	8
113	Impact of estrogens on atherosclerosis and bone in the apolipoprotein E-deficient mouse model. <i>Menopause</i> , 2015 , 22, 428-36	2.5	8
112	In Vitro Macrophage Phagocytosis Assay. <i>Methods in Molecular Biology</i> , 2015 , 1339, 235-46	1.4	9
111	Oil Red O and Hematoxylin and Eosin Staining for Quantification of Atherosclerosis Burden in Mouse Aorta and Aortic Root. <i>Methods in Molecular Biology</i> , 2015 , 1339, 85-99	1.4	55
110	Targeting Esecretases protect against angiotensin II-induced cardiac hypertrophy. <i>Journal of Hypertension</i> , 2015 , 33, 843-50; discussion 850	1.9	5
109	ApoA-I/HDL-C levels are inversely associated with abdominal aortic aneurysm progression. <i>Thrombosis and Haemostasis</i> , 2015 , 113, 1335-46	7	35
108	Isolation of Mouse Primary Aortic Endothelial Cells by Selection with Specific Antibodies. <i>Methods in Molecular Biology</i> , 2015 , 1339, 111-7	1.4	6
107	Age-dependent defective TGF-beta1 signaling in patients undergoing coronary artery bypass grafting. <i>Journal of Cardiothoracic Surgery</i> , 2014 , 9, 24	1.6	6
106	High-resolution imaging of intravascular atherogenic inflammation in live mice. <i>Circulation Research</i> , 2014 , 114, 770-9	15.7	59
105	Genetic variants in CCNB1 associated with differential gene transcription and risk of coronary in-stent restenosis. <i>Circulation: Cardiovascular Genetics</i> , 2014 , 7, 59-70		5
104	Vitamin D puts the brakes on angiotensin II-induced oxidative stress and vascular smooth muscle cell senescence. <i>Atherosclerosis</i> , 2014 , 236, 444-7	3.1	11
103	Nuclear envelope lamin-A couples actin dynamics with immunological synapse architecture and T cell activation. <i>Science Signaling</i> , 2014 , 7, ra37	8.8	52
102	Pollin deficiency increases resistance to oxidative damage and delays liver aging. <i>PLoS ONE</i> , 2014 , 9, e93074	4.7	6
101	Sorting nexin 6 enhances lamin a synthesis and incorporation into the nuclear envelope. <i>PLoS ONE</i> , 2014 , 9, e115571	3.7	4
100	Snake venomomics of Lachesis muta rhombeata and genus-wide antivenomics assessment of the paraspecific immunoreactivity of two antivenoms evidence the high compositional and immunological conservation across Lachesis. <i>Journal of Proteomics</i> , 2013 , 89, 112-23	3.9	47
99	Identification of mitochondrial dysfunction in Hutchinson-Gilford progeria syndrome through use of stable isotope labeling with amino acids in cell culture. <i>Journal of Proteomics</i> , 2013 , 91, 466-77	3.9	79

98	Defective extracellular pyrophosphate metabolism promotes vascular calcification in a mouse model of Hutchinson-Gilford progeria syndrome that is ameliorated on pyrophosphate treatment. <i>Circulation</i> , 2013 , 127, 2442-51	16.7	149
97	Embryological-origin-dependent differences in homeobox expression in adult aorta: role in regional phenotypic variability and regulation of NF- κ B activity. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 1248-56	9.4	47
96	Role of platelets as mediators that link inflammation and thrombosis in atherosclerosis. <i>Platelets</i> , 2013 , 24, 255-62	3.6	75
95	Increased dosage of Ink4/Arf protects against glucose intolerance and insulin resistance associated with aging. <i>Aging Cell</i> , 2013 , 12, 102-11	9.9	26
94	Role of c-MYC in tumor-associated macrophages and cancer progression. <i>Oncotarget</i> , 2013 , 4, e22984	7.84	18
93	Inactivation of nuclear factor- κ B inhibits vascular smooth muscle cell proliferation and neointima formation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 1036-45	9.4	9
92	A major role for RCAN1 in atherosclerosis progression. <i>EMBO Molecular Medicine</i> , 2013 , 5, 1901-17	12	30
91	Aryl hydrocarbon receptor contributes to the MEK/ERK-dependent maintenance of the immature state of human dendritic cells. <i>Blood</i> , 2013 , 121, e108-17	2.2	29
90	PI3K p110 α deletion attenuates murine atherosclerosis by reducing macrophage proliferation but not polarization or apoptosis in lesions. <i>PLoS ONE</i> , 2013 , 8, e72674	3.7	16
89	Animal models of atherosclerosis. <i>Progress in Molecular Biology and Translational Science</i> , 2012 , 105, 1-23	4	34
88	Increased gene dosage of the Ink4/Arf locus does not attenuate atherosclerosis development in hypercholesterolaemic mice. <i>Atherosclerosis</i> , 2012 , 221, 98-105	3.1	12
87	The promoter activity of human Mfn2 depends on Sp1 in vascular smooth muscle cells. <i>Cardiovascular Research</i> , 2012 , 94, 38-47	9.9	22
86	Macrophage proliferation and apoptosis in atherosclerosis. <i>Current Opinion in Lipidology</i> , 2012 , 23, 429-38	4	56
85	Limus is not limus--a proposal to adjust terminology in the context of drug-eluting stents. <i>Journal of Cardiovascular Pharmacology</i> , 2012 , 59, 485-6	3.1	1
84	In vivo inhibition of c-MYC in myeloid cells impairs tumor-associated macrophage maturation and pro-tumoral activities. <i>PLoS ONE</i> , 2012 , 7, e45399	3.7	39
83	Modulating the Proliferative Response to Treat Restenosis After Vascular Injury 2012 , 227-248		1
82	Synthesis, transport and incorporation into the nuclear envelope of A-type lamins and inner nuclear membrane proteins. <i>Biochemical Society Transactions</i> , 2011 , 39, 1758-63	5.1	8
81	A glimpse on the phenomenon of macrophage polarization during atherosclerosis. <i>Immunobiology</i> , 2011 , 216, 1172-6	3.4	59

80	A-type lamins and Hutchinson-Gilford progeria syndrome: pathogenesis and therapy. <i>Frontiers in Bioscience - Scholar</i> , 2011 , 3, 1133-46	2.4	30
79	Hutchinson-Gilford progeria syndrome cardiovascular disease and oxidative stress. <i>Frontiers in Bioscience - Scholar</i> , 2011 , S3, 1285-1297	2.4	1
78	A-type lamins and Hutchinson-Gilford progeria syndrome pathogenesis and therapy. <i>Frontiers in Bioscience - Scholar</i> , 2011 , S3, 1133-1146	2.4	
77	Splicing-directed therapy in a new mouse model of human accelerated aging. <i>Science Translational Medicine</i> , 2011 , 3, 106ra107	17.5	240
76	Deficient p27 phosphorylation at serine 10 increases macrophage foam cell formation and aggravates atherosclerosis through a proliferation-independent mechanism. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 2455-63	9.4	17
75	Insulin receptor substrate-1 expression is increased in circulating leukocytes of patients with acute coronary syndrome. <i>ISRN Cardiology</i> , 2011 , 2011, 740585		3
74	Hutchinson-Gilford progeria syndrome, cardiovascular disease and oxidative stress. <i>Frontiers in Bioscience - Scholar</i> , 2011 , 3, 1285-97	2.4	21
73	Tumor suppressor p27(Kip1) undergoes endolysosomal degradation through its interaction with sorting nexin 6. <i>FASEB Journal</i> , 2010 , 24, 2998-3009	0.9	27
72	ERK1/2 MAP kinases promote cell cycle entry by rapid, kinase-independent disruption of retinoblastoma-lamin A complexes. <i>Journal of Cell Biology</i> , 2010 , 191, 967-79	7.3	62
71	Control of cell proliferation in atherosclerosis: insights from animal models and human studies. <i>Cardiovascular Research</i> , 2010 , 86, 254-64	9.9	78
70	p19(ARF) deficiency reduces macrophage and vascular smooth muscle cell apoptosis and aggravates atherosclerosis. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 2258-68	15.1	73
69	Pathophysiology of the proatherothrombotic state in the metabolic syndrome. <i>Frontiers in Bioscience - Scholar</i> , 2010 , 2, 194-208	2.4	17
68	Atherosclerosis development in apolipoprotein E-null mice deficient for CD69. <i>Cardiovascular Research</i> , 2009 , 81, 197-205	9.9	8
67	Role of A-type lamins in signaling, transcription, and chromatin organization. <i>Journal of Cell Biology</i> , 2009 , 187, 945-57	7.3	217
66	Molecular mechanisms of atherosclerosis in metabolic syndrome: role of reduced IRS2-dependent signaling. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008 , 28, 2187-94	9.4	40
65	Fast regulation of AP-1 activity through interaction of lamin A/C, ERK1/2, and c-Fos at the nuclear envelope. <i>Journal of Cell Biology</i> , 2008 , 183, 653-66	7.3	136
64	Murine models to investigate the influence of diabetic metabolism on the development of atherosclerosis and restenosis. <i>Frontiers in Bioscience - Landmark</i> , 2007 , 12, 4439-55	2.8	18
63	Complement regulation in murine and human hypercholesterolemia and role in the control of macrophage and smooth muscle cell proliferation. <i>Cardiovascular Research</i> , 2007 , 76, 340-50	9.9	24

62	Role of the CDKN1A/p21, CDKN1C/p57, and CDKN2A/p16 genes in the risk of atherosclerosis and myocardial infarction. <i>Cell Cycle</i> , 2007 , 6, 620-5	4.7	25
61	Increased p53 gene dosage reduces neointimal thickening induced by mechanical injury but has no effect on native atherosclerosis. <i>Cardiovascular Research</i> , 2007 , 75, 803-12	9.9	35
60	Telomere dysfunction in hypertension. <i>Journal of Hypertension</i> , 2007 , 25, 2185-92	1.9	46
59	Classic and novel roles of p53: prospects for anticancer therapy. <i>Trends in Molecular Medicine</i> , 2007 , 13, 192-9	11.5	106
58	Plasma insulin levels predict the development of atherosclerosis when IRS2 deficiency is combined with severe hypercholesterolemia in apolipoprotein E-null mice. <i>Frontiers in Bioscience - Landmark</i> , 2007 , 12, 2291-8	2.8	17
57	Atheroma development in apolipoprotein E-null mice is not regulated by phosphorylation of p27(Kip1) on threonine 187. <i>Journal of Cellular Biochemistry</i> , 2006 , 97, 735-43	4.7	8
56	Potential role of proliferation signal inhibitors on atherosclerosis in renal transplant patients. <i>Nephrology Dialysis Transplantation</i> , 2006 , 21 Suppl 3, iii14-7	4.3	22
55	Telomere biology and cardiovascular disease. <i>Circulation Research</i> , 2006 , 99, 1167-80	15.7	191
54	A mechanism of AP-1 suppression through interaction of c-Fos with lamin A/C. <i>Genes and Development</i> , 2006 , 20, 307-20	12.6	163
53	Cytostatic gene therapy for occlusive vascular disease. <i>Expert Opinion on Therapeutic Patents</i> , 2006 , 16, 507-522	6.8	
52	Atheroma development in apolipoprotein E-null mice is not affected by partial inactivation of PTEN. <i>Frontiers in Bioscience - Landmark</i> , 2006 , 11, 2739-45	2.8	4
51	Aging, telomeres, and atherosclerosis. <i>Cardiovascular Research</i> , 2005 , 66, 213-21	9.9	75
50	Transcriptional profiling of early onset diet-induced atherosclerosis in apolipoprotein E-deficient mice. <i>Frontiers in Bioscience - Landmark</i> , 2005 , 10, 1932-45	2.8	3
49	Short telomeres protect from diet-induced atherosclerosis in apolipoprotein E-null mice. <i>FASEB Journal</i> , 2004 , 18, 418-20	0.9	63
48	Unexpected proatherogenic properties of p21: beyond cell cycle control?. <i>Circulation</i> , 2004 , 110, 3749-52	6.7	9
47	Telomeres and cardiovascular disease: does size matter?. <i>Circulation Research</i> , 2004 , 94, 575-84	15.7	165
46	Control of vascular cell proliferation and migration by cyclin-dependent kinase signalling: new perspectives and therapeutic potential. <i>Cardiovascular Research</i> , 2004 , 63, 11-21	9.9	69
45	A single-nucleotide polymorphism in the human p27kip1 gene (-838C>A) affects basal promoter activity and the risk of myocardial infarction. <i>BMC Biology</i> , 2004 , 2, 5	7.3	14

44	Role of E2F and ERK1/2 in STI571-mediated smooth muscle cell growth arrest and cyclin A transcriptional repression. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 317, 972-9	3.4	12
43	Rapamycin attenuates atherosclerosis induced by dietary cholesterol in apolipoprotein-deficient mice through a p27 Kip1 -independent pathway. <i>Atherosclerosis</i> , 2004 , 172, 31-8	3.1	82
42	Selective inactivation of p27(Kip1) in hematopoietic progenitor cells increases neointimal macrophage proliferation and accelerates atherosclerosis. <i>Blood</i> , 2004 , 103, 158-61	2.2	50
41	Atherogenic role of the type EIIA fibronectin domain. <i>Blood</i> , 2004 , 104, 3-4	2.2	1
40	Drug targeting of estrogen receptor signaling in the cardiovascular system: preclinical and clinical studies. <i>Current Medicinal Chemistry Cardiovascular and Hematological Agents</i> , 2004 , 2, 107-22		4
39	Cyclin-dependent protein kinases as therapeutic targets in cardiovascular disease. <i>Expert Opinion on Therapeutic Patents</i> , 2003 , 13, 579-588	6.8	2
38	Distinct regulation of mitogen-activated protein kinases and p27Kip1 in smooth muscle cells from different vascular beds. A potential role in establishing regional phenotypic variance. <i>Journal of Biological Chemistry</i> , 2003 , 278, 4482-90	5.4	38
37	Optic nerve alterations in apolipoprotein E deficient mice. <i>European Journal of Ophthalmology</i> , 2003 , 13, 560-5	1.9	6
36	Inhibiting cyclin-dependent kinase/cyclin activity for the treatment of cancer and cardiovascular disease. <i>Current Pharmaceutical Biotechnology</i> , 2003 , 4, 21-37	2.6	9
35	Role of the growth suppressor p27Kip1 during vascular remodeling. <i>Current Vascular Pharmacology</i> , 2003 , 1, 99-106	3.3	16
34	Antiproliferative strategies for the treatment of vascular proliferative disease. <i>Current Vascular Pharmacology</i> , 2003 , 1, 85-98	3.3	27
33	Coordinate control of proliferation and migration by the p27Kip1/cyclin-dependent kinase/retinoblastoma pathway in vascular smooth muscle cells and fibroblasts. <i>Circulation Research</i> , 2003 , 92, 402-10	15.7	52
32	Increased early atherogenesis in young versus old hypercholesterolemic rabbits by a mechanism independent of arterial cell proliferation. <i>FEBS Letters</i> , 2002 , 522, 99-103	3.8	14
31	Inhibition of the cyclin D1/E2F pathway by PCA-4230, a potent repressor of cellular proliferation. <i>British Journal of Pharmacology</i> , 2001 , 132, 1597-605	8.6	7
30	The growth suppressor p27(Kip1) protects against diet-induced atherosclerosis. <i>FASEB Journal</i> , 2001 , 15, 1989-95	0.9	74
29	Role of Sp1 in the induction of p27 gene expression in vascular smooth muscle cells in vitro and after balloon angioplasty. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001 , 21, 342-7	9.4	24
28	Overexpression of p27(Kip1) by doxycycline-regulated adenoviral vectors inhibits endothelial cell proliferation and migration and impairs angiogenesis. <i>FASEB Journal</i> , 2001 , 15, 1877-85	0.9	81
27	Age-dependent increase in c-fos activity and cyclin A expression in vascular smooth muscle cells. A potential link between aging, smooth muscle cell proliferation and atherosclerosis. <i>Cardiovascular Research</i> , 2000 , 45, 1026-34	9.9	38

26	Inhibition of cellular proliferation by drug targeting of cyclin-dependent kinases. <i>Current Pharmaceutical Biotechnology</i> , 2000 , 1, 107-16	2.6	6
25	Control of vascular smooth muscle cell growth by cyclin-dependent kinase inhibitory proteins and its implication in cardiovascular disease. <i>Frontiers in Bioscience - Landmark</i> , 2000 , 5, D619-28	2.8	20
24	Vascular smooth muscle cell growth arrest on blockade of thrombospondin-1 requires p21(Cip1/WAF1). <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1999 , 277, H1100-6	5.2	6
23	Antibody blockade of thrombospondin accelerates reendothelialization and reduces neointima formation in balloon-injured rat carotid artery. <i>Circulation</i> , 1999 , 100, 849-54	16.7	86
22	Nitric oxide-induced downregulation of Cdk2 activity and cyclin A gene transcription in vascular smooth muscle cells. <i>Circulation</i> , 1998 , 97, 2066-72	16.7	78
21	Control of vascular smooth muscle cell growth and its implication in atherosclerosis and restenosis (review). <i>International Journal of Molecular Medicine</i> , 1998 , 2, 81-9	4.4	31
20	Differential regulation of the retinoblastoma family of proteins during cell proliferation and differentiation. <i>Biochemical Journal</i> , 1998 , 333 (Pt 3), 645-54	3.8	71
19	Control of vascular smooth muscle and endothelial cell proliferation and its implication in cardiovascular disease. <i>Frontiers in Bioscience - Landmark</i> , 1998 , 3, d269-87	2.8	15
18	Role of c-fos and E2F in the induction of cyclin A transcription and vascular smooth muscle cell proliferation. <i>Journal of Clinical Investigation</i> , 1998 , 101, 940-8	15.9	58
17	Histopathology of in-stent restenosis in patients with peripheral artery disease. <i>Circulation</i> , 1997 , 95, 1998-2002	16.7	196
16	Temporally and Spatially Coordinated Expression of Cell Cycle Regulatory Factors After Angioplasty. <i>Circulation Research</i> , 1997 , 80, 418-426	15.7	94
15	Embryonic expression of the Gax homeodomain protein in cardiac, smooth, and skeletal muscle. <i>Circulation Research</i> , 1997 , 80, 452-62	15.7	28
14	Downregulation of cyclin-dependent kinase 2 activity and cyclin A promoter activity in vascular smooth muscle cells by p27(KIP1), an inhibitor of neointima formation in the rat carotid artery. <i>Journal of Clinical Investigation</i> , 1997 , 99, 2334-41	15.9	153
13	Myofibril-bound muscle phosphofructokinase is less sensitive to inhibition by ATP than the free enzyme, but retains its sensitivity to stimulation by bisphosphorylated hexoses. <i>International Journal of Biochemistry and Cell Biology</i> , 1996 , 28, 1179-84	5.6	6
12	Myogenin expression, cell cycle withdrawal, and phenotypic differentiation are temporally separable events that precede cell fusion upon myogenesis. <i>Journal of Cell Biology</i> , 1996 , 132, 657-66	7.3	494
11	Determination of the consensus binding site for MEF2 expressed in muscle and brain reveals tissue-specific sequence constraints. <i>Journal of Biological Chemistry</i> , 1995 , 270, 23246-9	5.4	88
10	Regulation of Gax homeobox gene transcription by a combination of positive factors including myocyte-specific enhancer factor 2. <i>Molecular and Cellular Biology</i> , 1995 , 15, 4272-81	4.8	34
9	MyoD-induced expression of p21 inhibits cyclin-dependent kinase activity upon myocyte terminal differentiation. <i>Molecular and Cellular Biology</i> , 1995 , 15, 3823-9	4.8	356

8	A new bipartite DNA-binding domain: cooperative interaction between the cut repeat and homeo domain of the cut homeo proteins. <i>Genes and Development</i> , 1994 , 8, 245-57	12.6	89
7	hMEF2C gene encodes skeletal muscle- and brain-specific transcription factors. <i>Molecular and Cellular Biology</i> , 1993 , 13, 2564-77	4.8	212
6	Identification of guanine and adenine nucleotides as activators of glucose-1,6-bisphosphatase activity from rat skeletal muscle. <i>Archives of Biochemistry and Biophysics</i> , 1991 , 291, 121-5	4.1	1
5	Effect of denervation on the distribution and developmental transition of phosphoglycerate mutase and creatine phosphokinase isozymes in rat muscles of different fiber-type composition. <i>Differentiation</i> , 1990 , 43, 98-103	3.5	11
4	Regulation of muscle phosphofructokinase by physiological concentrations of bisphosphorylated hexoses: effect of alkalization. <i>Biochemical and Biophysical Research Communications</i> , 1990 , 172, 328-344	3.4	28
3	Distribution and developmental transition of phosphoglycerate mutase and creatine phosphokinase isozymes in rat muscles of different fiber-type composition. <i>Differentiation</i> , 1989 , 41, 72-7	3.5	12
2	Allosteric inhibition of Dictyostelium discoideum fructose-1,6-bisphosphatase by fructose 2,6-bisphosphate. <i>FEBS Letters</i> , 1988 , 241, 51-4	3.8	1
1	Activation of muscle phosphofructokinase by alpha-glucose 1,6-bisphosphate and fructose 2,6-bisphosphate is differently affected by other allosteric effectors and by pH. <i>Biochemical and Biophysical Research Communications</i> , 1988 , 157, 664-9	3.4	11