

Javier Garjon

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2455153/javier-garjon-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

18
papers

138
citations

7
h-index

11
g-index

23
ext. papers

201
ext. citations

3.2
avg, IF

2.56
L-index

#	Paper	IF	Citations
18	Association between benzodiazepine use and development of dementia. <i>Medicina Clínica</i> , 2021 , 156, 107-111	1	1
17	First-line combination therapy versus first-line monotherapy for primary hypertension. <i>The Cochrane Library</i> , 2020 , 2, CD010316	5.2	4
16	Alcohol intake reduction for controlling hypertension. <i>The Cochrane Library</i> , 2020 , 9, CD010022	5.2	2
15	Blood pressure targets for the treatment of people with hypertension and cardiovascular disease. <i>The Cochrane Library</i> , 2020 , 9, CD010315	5.2	7
14	Telmisartan-induced sprue-like enteropathy: a case report. <i>European Journal of Hospital Pharmacy</i> , 2020 , 27, 49-51	1.6	3
13	Use of methylphenidate and risk for valvular heart disease: A case-control study nested in the BIFAP cohort. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 288-295	2.6	2
12	When authors lie, readers cry and editors sigh. <i>BMJ Evidence-Based Medicine</i> , 2018 , 23, 92-95	2.7	3
11	Blood pressure targets for the treatment of people with hypertension and cardiovascular disease. <i>The Cochrane Library</i> , 2018 , 7, CD010315	5.2	16
10	Assessing variability in compliance with recommendations given by the International Diabetes Federation (IDF) for patients with type 2 diabetes in primary care using electronic records. The APNA study. <i>Primary Care Diabetes</i> , 2018 , 12, 34-44	2.4	4
9	First-line combination therapy versus first-line monotherapy for primary hypertension. <i>The Cochrane Library</i> , 2017 , 1, CD010316	5.2	13
8	Mitos y realidades de los nuevos anticoagulantes orales en fibrilaci3n auricular. <i>FMC Formacion Medica Continuada En Atencion Primaria</i> , 2017 , 24, 1-4	0	1
7	Use of oral antidiabetic agents and risk of community-acquired pneumonia: a nested case-control study. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 2034-2044	3.8	27
6	Blood pressure targets for the treatment of people with hypertension and cardiovascular disease. <i>The Cochrane Library</i> , 2017 , 10, CD010315	5.2	11
5	Validation and incidence of community-acquired pneumonia in patients with type 2 diabetes in the BIFAP database. <i>Epidemiology and Infection</i> , 2017 , 145, 3056-3064	4.3	7
4	The reliability of clinical trials. The risky way towards drug deregulation. <i>Medicina Clínica</i> , 2016 , 147, 554-557	0	0
3	Blood pressure targets for the treatment of patients with hypertension and cardiovascular disease 2013 ,		3
2	Adoption of new drugs by physicians: a survival analysis. <i>BMC Health Services Research</i> , 2012 , 12, 56	2.9	24

1 Alcohol intake reduction for controlling hypertension. *The Cochrane Library*, **2012**,

5.2 2