

Vibeke Andersen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2455430/vibeke-andersen-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

16,191
citations

43
h-index

127
g-index

172
ext. papers

19,471
ext. citations

7.1
avg. IF

5.5
L-index

#	Paper	IF	Citations
154	Host-microbe interactions have shaped the genetic architecture of inflammatory bowel disease. <i>Nature</i> , 2012 , 491, 119-24	50.4	3239
153	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , 2013 , 45, 984-94	36.3	1628
152	Vedolizumab as induction and maintenance therapy for ulcerative colitis. <i>New England Journal of Medicine</i> , 2013 , 369, 699-710	59.2	1465
151	Vedolizumab as induction and maintenance therapy for Crohn's disease. <i>New England Journal of Medicine</i> , 2013 , 369, 711-21	59.2	1328
150	Association analyses identify 38 susceptibility loci for inflammatory bowel disease and highlight shared genetic risk across populations. <i>Nature Genetics</i> , 2015 , 47, 979-986	36.3	1278
149	Meta-analysis identifies 29 additional ulcerative colitis risk loci, increasing the number of confirmed associations to 47. <i>Nature Genetics</i> , 2011 , 43, 246-52	36.3	1028
148	Analysis of immune-related loci identifies 48 new susceptibility variants for multiple sclerosis. <i>Nature Genetics</i> , 2013 , 45, 1353-60	36.3	934
147	Inherited determinants of Crohn's disease and ulcerative colitis phenotypes: a genetic association study. <i>Lancet, The</i> , 2016 , 387, 156-67	40	449
146	Fine-mapping inflammatory bowel disease loci to single-variant resolution. <i>Nature</i> , 2017 , 547, 173-178	50.4	311
145	Dense genotyping of immune-related disease regions identifies nine new risk loci for primary sclerosing cholangitis. <i>Nature Genetics</i> , 2013 , 45, 670-5	36.3	267
144	East-West gradient in the incidence of inflammatory bowel disease in Europe: the ECCO-EpiCom inception cohort. <i>Gut</i> , 2014 , 63, 588-97	19.2	246
143	Class II HLA interactions modulate genetic risk for multiple sclerosis. <i>Nature Genetics</i> , 2015 , 47, 1107-1113	36.3	215
142	High-density mapping of the MHC identifies a shared role for HLA-DRB1*01:03 in inflammatory bowel diseases and heterozygous advantage in ulcerative colitis. <i>Nature Genetics</i> , 2015 , 47, 172-9	36.3	201
141	Association between variants of PRDM1 and NDP52 and Crohn's disease, based on exome sequencing and functional studies. <i>Gastroenterology</i> , 2013 , 145, 339-47	13.3	125
140	Familial risk of inflammatory bowel disease: a population-based cohort study 1977-2011. <i>American Journal of Gastroenterology</i> , 2015 , 110, 564-71	0.7	100
139	Associations between functional polymorphisms in the NFB signaling pathway and response to anti-TNF treatment in Danish patients with inflammatory bowel disease. <i>Pharmacogenomics Journal</i> , 2014 , 14, 526-34	3.5	98
138	IBD risk loci are enriched in multigenic regulatory modules encompassing putative causative genes. <i>Nature Communications</i> , 2018 , 9, 2427	17.4	95

137	Natural disease course of Crohn's disease during the first 5 years after diagnosis in a European population-based inception cohort: an Epi-IBD study. <i>Gut</i> , 2019 , 68, 423-433	19.2	95
136	Neutrophil Extracellular Traps in Ulcerative Colitis: A Proteome Analysis of Intestinal Biopsies. <i>Inflammatory Bowel Diseases</i> , 2015 , 21, 2052-67	4.5	88
135	Diet and risk of inflammatory bowel disease. <i>Digestive and Liver Disease</i> , 2012 , 44, 185-94	3.3	88
134	Polymorphisms in the xenobiotic transporter Multidrug Resistance 1 (MDR1) and interaction with meat intake in relation to risk of colorectal cancer in a Danish prospective case-cohort study. <i>BMC Cancer</i> , 2009 , 9, 407	4.8	82
133	Association of Genetic Variants in NUDT15 With Thiopurine-Induced Myelosuppression in Patients With Inflammatory Bowel Disease. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 773-783	27.4	75
132	Polymorphisms in the inflammatory pathway genes TLR2, TLR4, TLR9, LY96, NFKBIA, NFKB1, TNFA, TNFRSF1A, IL6R, IL10, IL23R, PTPN22, and PPARG are associated with susceptibility of inflammatory bowel disease in a Danish cohort. <i>PLoS ONE</i> , 2014 , 9, e98815	3.7	75
131	Estimation and partitioning of (co)heritability of inflammatory bowel disease from GWAS and immunochip data. <i>Human Molecular Genetics</i> , 2014 , 23, 4710-20	5.6	73
130	Ferric carboxymaltose prevents recurrence of anemia in patients with inflammatory bowel disease. <i>Clinical Gastroenterology and Hepatology</i> , 2013 , 11, 269-77	6.9	72
129	Biomarkers in inflammatory bowel diseases: current status and proteomics identification strategies. <i>World Journal of Gastroenterology</i> , 2014 , 20, 3231-44	5.6	72
128	Polymorphisms in NF- κ B, PXR, LXR, PPAR α and risk of inflammatory bowel disease. <i>World Journal of Gastroenterology</i> , 2011 , 17, 197-206	5.6	71
127	Initial disease course and treatment in an inflammatory bowel disease inception cohort in Europe: the ECCO-EpiCom cohort. <i>Inflammatory Bowel Diseases</i> , 2014 , 20, 36-46	4.5	65
126	Polymorphisms in NF κ B, PXR, LXR and risk of colorectal cancer in a prospective study of Danes. <i>BMC Cancer</i> , 2010 , 10, 484	4.8	62
125	Systematic review: genetic biomarkers associated with anti-TNF treatment response in inflammatory bowel diseases. <i>Alimentary Pharmacology and Therapeutics</i> , 2016 , 44, 554-67	6.1	62
124	Environmental factors in a population-based inception cohort of inflammatory bowel disease patients in Europe--an ECCO-EpiCom study. <i>Journal of Crohns and Colitis</i> , 2014 , 8, 607-16	1.5	58
123	Natural Disease Course of Ulcerative Colitis During the First Five Years of Follow-up in a European Population-based Inception Cohort-An Epi-IBD Study. <i>Journal of Crohns and Colitis</i> , 2019 , 13, 198-208	1.5	57
122	Dairy Products, Dietary Calcium, and Risk of Inflammatory Bowel Disease: Results From a European Prospective Cohort Investigation. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 1403-11	4.5	55
121	Spontaneous reports on drug-induced pancreatitis in Denmark from 1968 to 1999. <i>European Journal of Clinical Pharmacology</i> , 2001 , 57, 517-21	2.8	50
120	Fibre intake and the development of inflammatory bowel disease: A European prospective multi-centre cohort study (EPIC-IBD). <i>Journal of Crohns and Colitis</i> , 2018 , 12, 129-136	1.5	48

119	Heritability in inflammatory bowel disease: from the first twin study to genome-wide association studies. <i>Inflammatory Bowel Diseases</i> , 2015 , 21, 1428-34	4.5	48
118	Systematic review and meta-analysis: pharmacogenetics of anti-TNF treatment response in rheumatoid arthritis. <i>Pharmacogenomics Journal</i> , 2017 , 17, 403-411	3.5	46
117	Interactions between diet, lifestyle and IL10, IL1B, and PTGS2/COX-2 gene polymorphisms in relation to risk of colorectal cancer in a prospective Danish case-cohort study. <i>PLoS ONE</i> , 2013 , 8, e78366	3.7	45
116	Genetic Factors Interact With Tobacco Smoke to Modify Risk for Inflammatory Bowel Disease in Humans and Mice. <i>Gastroenterology</i> , 2017 , 153, 550-565	13.3	43
115	Anti-TNF treatment response in rheumatoid arthritis patients is associated with genetic variation in the NLRP3-inflammasome. <i>PLoS ONE</i> , 2014 , 9, e100361	3.7	43
114	The polymorphism rs3024505 proximal to IL-10 is associated with risk of ulcerative colitis and Crohns disease in a Danish case-control study. <i>BMC Medical Genetics</i> , 2010 , 11, 82	2.1	43
113	Human intestinal P-glycoprotein activity estimated by the model substrate digoxin. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2007 , 67, 123-34	2	43
112	Polymorphisms in the Toll-Like Receptor and the IL-23/IL-17 Pathways Were Associated with Susceptibility to Inflammatory Bowel Disease in a Danish Cohort. <i>PLoS ONE</i> , 2015 , 10, e0145302	3.7	43
111	Costs and resource utilization for diagnosis and treatment during the initial year in a European inflammatory bowel disease inception cohort: an ECCO-EpiCom Study. <i>Inflammatory Bowel Diseases</i> , 2015 , 21, 121-31	4.5	42
110	Comparative analysis of inflamed and non-inflamed colon biopsies reveals strong proteomic inflammation profile in patients with ulcerative colitis. <i>BMC Gastroenterology</i> , 2012 , 12, 76	3	42
109	Intestinal first pass metabolism of midazolam in liver cirrhosis --effect of grapefruit juice. <i>British Journal of Clinical Pharmacology</i> , 2002 , 54, 120-4	3.8	42
108	Efficacy and safety of faecal microbiota transplantation in patients with psoriatic arthritis: protocol for a 6-month, double-blind, randomised, placebo-controlled trial. <i>BMJ Open</i> , 2018 , 8, e019231	3	41
107	Insights into the genetic epidemiology of Crohn's and rare diseases in the Ashkenazi Jewish population. <i>PLoS Genetics</i> , 2018 , 14, e1007329	6	41
106	Expression and Localization of miR-21 and miR-126 in Mucosal Tissue from Patients with Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2017 , 23, 739-752	4.5	38
105	Health-related quality of life improves during one year of medical and surgical treatment in a European population-based inception cohort of patients with inflammatory bowel disease--an ECCO-EpiCom study. <i>Journal of Crohns and Colitis</i> , 2014 , 8, 1030-42	1.5	36
104	Polymorphisms in the NFkB, TNF-alpha, IL-1beta, and IL-18 pathways are associated with response to anti-TNF therapy in Danish patients with inflammatory bowel disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2019 , 49, 890-903	6.1	35
103	Proteome Analysis of Rheumatoid Arthritis Gut Mucosa. <i>Journal of Proteome Research</i> , 2017 , 16, 346-354	5.6	33
102	Interaction between interleukin-10 (IL-10) polymorphisms and dietary fibre in relation to risk of colorectal cancer in a Danish case-cohort study. <i>BMC Cancer</i> , 2012 , 12, 183	4.8	33

101	Health-care costs of inflammatory bowel disease in a pan-European, community-based, inception cohort during 5 years of follow-up: a population-based study. <i>The Lancet Gastroenterology and Hepatology</i> , 2020 , 5, 454-464	18.8	31
100	Genetically determined high activities of the TNF-alpha, IL23/IL17, and NFkB pathways were associated with increased risk of ankylosing spondylitis. <i>BMC Medical Genetics</i> , 2018 , 19, 165	2.1	31
99	Novel understanding of ABC transporters ABCB1/MDR/P-glycoprotein, ABCC2/MRP2, and ABCG2/BCRP in colorectal pathophysiology. <i>World Journal of Gastroenterology</i> , 2015 , 21, 11862-76	5.6	30
98	Systematic review: diet-gene interactions and the risk of colorectal cancer. <i>Alimentary Pharmacology and Therapeutics</i> , 2013 , 37, 383-91	6.1	29
97	Prediagnostic Serum Vitamin D Levels and the Risk of Crohn's Disease and Ulcerative Colitis in European Populations: A Nested Case-Control Study. <i>Inflammatory Bowel Diseases</i> , 2018 , 24, 633-640	4.5	28
96	Low ABCB1 gene expression is an early event in colorectal carcinogenesis. <i>PLoS ONE</i> , 2013 , 8, e72119	3.7	28
95	Construction and validation of a web-based epidemiological database for inflammatory bowel diseases in Europe An EpiCom study. <i>Journal of Crohns and Colitis</i> , 2011 , 5, 342-9	1.5	28
94	Genetically determined high activity of IL-12 and IL-18 in ulcerative colitis and TLR5 in Crohns disease were associated with non-response to anti-TNF therapy. <i>Pharmacogenomics Journal</i> , 2018 , 18, 87-97	3.5	27
93	Associations between functional polymorphisms and response to biological treatment in Danish patients with psoriasis. <i>Pharmacogenomics Journal</i> , 2018 , 18, 494-500	3.5	27
92	High ABCC2 and low ABCG2 gene expression are early events in the colorectal adenoma-carcinoma sequence. <i>PLoS ONE</i> , 2015 , 10, e0119255	3.7	27
91	Intestinal PTGS2 mRNA levels, PTGS2 gene polymorphisms, and colorectal carcinogenesis. <i>PLoS ONE</i> , 2014 , 9, e105254	3.7	27
90	Comparing the proteome of snap frozen, RNAlater preserved, and formalin-fixed paraffin-embedded human tissue samples. <i>EuPA Open Proteomics</i> , 2016 , 10, 9-18	0.1	26
89	Genetic Variations in Pattern Recognition Receptor Loci Are Associated with Anti-TNF Response in Patients with Rheumatoid Arthritis. <i>PLoS ONE</i> , 2015 , 10, e0139781	3.7	26
88	Cyclooxygenase-2, multidrug resistance 1, and breast cancer resistance protein gene polymorphisms and inflammatory bowel disease in the Danish population. <i>Scandinavian Journal of Gastroenterology</i> , 2009 , 44, 65-73	2.4	25
87	Caesarean Delivery and Risk of Chronic Inflammatory Diseases (Inflammatory Bowel Disease, Rheumatoid Arthritis, Coeliac Disease, and Diabetes Mellitus): A Population Based Registry Study of 2,699,479 Births in Denmark During 1973-2016. <i>Clinical Epidemiology</i> , 2020 , 12, 287-293	5.9	24
86	Mutations in CARD15 and smoking confer susceptibility to Crohn's disease in the Danish population. <i>Scandinavian Journal of Gastroenterology</i> , 2007 , 42, 1445-51	2.4	24
85	Optimizing the Identification of Citrullinated Peptides by Mass Spectrometry: Utilizing the Inability of Trypsin to Cleave after Citrullinated Amino Acids. <i>Journal of Proteomics and Bioinformatics</i> , 2013 , 6,	2.1	24
84	Risk of multiple myeloma is associated with polymorphisms within telomerase genes and telomere length. <i>International Journal of Cancer</i> , 2015 , 136, E351-8	7.5	23

83	Meat and fiber intake and interaction with pattern recognition receptors (TLR1, TLR2, TLR4, and TLR10) in relation to colorectal cancer in a Danish prospective, case-cohort study. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 465-479	7	23
82	Systematic review: interactions between aspirin, and other nonsteroidal anti-inflammatory drugs, and polymorphisms in relation to colorectal cancer. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 40, 147-59	6.1	23
81	Genetic polymorphisms associated with psoriasis and development of psoriatic arthritis in patients with psoriasis. <i>PLoS ONE</i> , 2018 , 13, e0192010	3.7	23
80	Polymorphisms in NFKB1 and TLR4 and interaction with dietary and life style factors in relation to colorectal cancer in a Danish prospective case-cohort study. <i>PLoS ONE</i> , 2015 , 10, e0116394	3.7	22
79	Confirmation of an IRAK3 polymorphism as a genetic marker predicting response to anti-TNF treatment in rheumatoid arthritis. <i>Pharmacogenomics Journal</i> , 2018 , 18, 81-86	3.5	21
78	Vitamin D deficiency in a European inflammatory bowel disease inception cohort: an Epi-IBD study. <i>European Journal of Gastroenterology and Hepatology</i> , 2018 , 30, 1297-1303	2.2	21
77	A Cost-Effective High-Throughput Plasma and Serum Proteomics Workflow Enables Mapping of the Molecular Impact of Total Pancreatectomy with Islet Autotransplantation. <i>Journal of Proteome Research</i> , 2018 , 17, 1983-1992	5.6	20
76	Proteome stability analysis of snap frozen, RNAlater preserved, and formalin-fixed paraffin-embedded human colon mucosal biopsies. <i>Data in Brief</i> , 2016 , 6, 942-7	1.2	20
75	Potential Impact of Diet on Treatment Effect from Anti-TNF Drugs in Inflammatory Bowel Disease. <i>Nutrients</i> , 2017 , 9,	6.7	20
74	Randomized, placebo controlled trial of withdrawal of slow-acting antirheumatic drugs and of observer bias in rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 1996 , 25, 194-9	1.9	19
73	Occurrence of Anaemia in the First Year of Inflammatory Bowel Disease in a European Population-based Inception Cohort-An ECCO-EpiCom Study. <i>Journal of Crohns and Colitis</i> , 2017 , 11, 1213-1222 ¹⁸	1.5	18
72	Dietary Polyphenols in the Aetiology of Crohn's Disease and Ulcerative Colitis-A Multicenter European Prospective Cohort Study (EPIC). <i>Inflammatory Bowel Diseases</i> , 2017 , 23, 2072-2082	4.5	18
71	Cyclooxygenase-2 (COX-2) polymorphisms and risk of inflammatory bowel disease in a Scottish and Danish case-control study. <i>Inflammatory Bowel Diseases</i> , 2011 , 17, 937-46	4.5	18
70	Colorectal cancer in patients with inflammatory bowel disease: can we predict risk?. <i>World Journal of Gastroenterology</i> , 2012 , 18, 4091-4	5.6	18
69	The volume of the liver in patients correlates to body weight and alcohol consumption. <i>Alcohol and Alcoholism</i> , 2000 , 35, 531-2	3.5	17
68	A Proposal for a Study on Treatment Selection and Lifestyle Recommendations in Chronic Inflammatory Diseases: A Danish Multidisciplinary Collaboration on Prognostic Factors and Personalised Medicine. <i>Nutrients</i> , 2017 , 9,	6.7	16
67	High-quality and -quantity DNA extraction from frozen archival blood clots for genotyping of single-nucleotide polymorphisms. <i>Genetic Testing and Molecular Biomarkers</i> , 2013 , 17, 501-3	1.6	16
66	Heme oxygenase-1 polymorphism is not associated with risk of colorectal cancer: a Danish prospective study. <i>European Journal of Gastroenterology and Hepatology</i> , 2011 , 23, 282-5	2.2	15

65	Health care and patients' education in a European inflammatory bowel disease inception cohort: an ECCO-EpiCom study. <i>Journal of Crohns and Colitis</i> , 2014 , 8, 811-8	1.5	14
64	Interactions between meat intake and genetic variation in relation to colorectal cancer. <i>Genes and Nutrition</i> , 2015 , 10, 448	4.3	14
63	ABCC2 transporter gene polymorphisms, diet and risk of colorectal cancer: a Danish prospective cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2012 , 47, 572-4	2.4	14
62	Polymorphisms in ATP-binding cassette transporter genes and interaction with diet and life style factors in relation to colorectal cancer in a Danish prospective case-cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2015 , 50, 1469-81	2.4	13
61	The multidrug resistance 1 (MDR1) gene polymorphism G-rs3789243-A is not associated with disease susceptibility in Norwegian patients with colorectal adenoma and colorectal cancer; a case control study. <i>BMC Medical Genetics</i> , 2009 , 10, 18	2.1	12
60	Genetic variants and multiple myeloma risk: IMMENSE validation of the best reported associations--an extensive replication of the associations from the candidate gene era. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 670-4	4	11
59	Transport of the alpha-amino-mono-carboxylic acid L-alanine by the beta-alanine carrier of the rabbit ileum. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1987 , 902, 145-8	3.8	11
58	Disease course of inflammatory bowel disease unclassified in a European population-based inception cohort: An Epi-IBD study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 996-1003	4	11
57	Impact of red and processed meat and fibre intake on treatment outcomes among patients with chronic inflammatory diseases: protocol for a prospective cohort study of prognostic factors and personalised medicine. <i>BMJ Open</i> , 2018 , 8, e018166	3	11
56	Type 2 diabetes-related variants influence the risk of developing multiple myeloma: results from the IMMENSE consortium. <i>Endocrine-Related Cancer</i> , 2015 , 22, 545-59	5.7	10
55	Replication study of ulcerative colitis risk loci in a Lithuanian-Latvian case-control sample. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 2349-55	4.5	10
54	Genetic variants of glutathione S-transferases mu, theta, and pi display no susceptibility to inflammatory bowel disease in the Danish population. <i>Scandinavian Journal of Gastroenterology</i> , 2010 , 45, 1068-75	2.4	10
53	Urea synthesis in patients with chronic pancreatitis: relation to glucagon secretion and dietary protein intake. <i>Clinical Nutrition</i> , 2001 , 20, 493-501	5.9	10
52	Intake of Red and Processed Meat, Use of Non-Steroid Anti-Inflammatory Drugs, Genetic Variants and Risk of Colorectal Cancer: A Prospective Study of the Danish "Diet, Cancer and Health" Cohort. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	9
51	Hospital Admissions, Biological Therapy, and Surgery in Familial and Sporadic Cases of Inflammatory Bowel Disease: A Population-Based Cohort Study 1977-2011. <i>Inflammatory Bowel Diseases</i> , 2015 , 21, 2825-32	4.5	9
50	No association between HMOX1 and risk of colorectal cancer and no interaction with diet and lifestyle factors in a prospective Danish case-cohort study. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 1375-84	6.3	8
49	Safety and efficacy of faecal microbiota transplantation for active peripheral psoriatic arthritis: an exploratory randomised placebo-controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1158-1167	2.4	8
48	Infectious gastroenteritis and the need for strict contact precaution procedures in adults presenting to the emergency department: a Danish register-based study. <i>Journal of Hospital Infection</i> , 2018 , 98, 391-397	6.9	8

47	NFKB2 polymorphisms associate with the risk of developing rheumatoid arthritis and response to TNF inhibitors: Results from the REPAIR consortium. <i>Scientific Reports</i> , 2020 , 10, 4316	4.9	7
46	Differential risk of ulcerative colitis and Crohn's disease among boys and girls after cesarean delivery. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, E8-E10	4.5	7
45	On the transfer of serum proteins to the rat intestinal juice. <i>Scandinavian Journal of Gastroenterology</i> , 1994 , 29, 430-6	2.4	7
44	Genetic polymorphisms in genes of class switch recombination and multiple myeloma risk and survival: an IMMENSE study. <i>Leukemia and Lymphoma</i> , 2019 , 60, 1803-1811	1.9	7
43	Polymorphisms at phase I-metabolizing enzyme and hormone receptor loci influence the response to anti-TNF therapy in rheumatoid arthritis patients. <i>Pharmacogenomics Journal</i> , 2019 , 19, 83-96	3.5	7
42	Degradation of the extracellular matrix is part of the pathology of ulcerative colitis. <i>Molecular Omics</i> , 2019 , 15, 67-76	4.4	6
41	Identification of miRSNPs associated with the risk of multiple myeloma. <i>International Journal of Cancer</i> , 2017 , 140, 526-534	7.5	6
40	Assessment of heterogeneity between European Populations: a Baltic and Danish replication case-control study of SNPs from a recent European ulcerative colitis genome wide association study. <i>BMC Medical Genetics</i> , 2011 , 12, 139	2.1	6
39	Antipyrine, oxazepam, and indocyanine green clearance in patients with chronic pancreatitis and healthy subjects. <i>Scandinavian Journal of Gastroenterology</i> , 1999 , 34, 813-7	2.4	6
38	Liver volume, portal vein flow, and clearance of indocyanine green and antipyrine in hyperthyroidism before and after antithyroid treatment. <i>Scandinavian Journal of Gastroenterology</i> , 1999 , 34, 618-22	2.4	6
37	Impact of red meat, processed meat and fibre intake on risk of late-onset chronic inflammatory diseases: prospective cohort study on lifestyle factors using the Danish 'Diet, Cancer and Health' cohort (PROCID-DCH):. <i>BMJ Open</i> , 2019 , 9, e024555	3	5
36	Clinical features and genetic risk of demyelination following anti-TNF treatment. <i>Journal of Crohns and Colitis</i> , 2020 ,	1.5	5
35	The occurrence of aminopeptidase N and desquamated cell proteins in intestinal perfusate of the rat. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1988 , 967, 43-8	4	5
34	Identification of Disease-associated Traits and Clonotypes in the T Cell Receptor Repertoire of Monozygotic Twins Affected by Inflammatory Bowel Diseases. <i>Journal of Crohns and Colitis</i> , 2020 , 14, 778-790	1.5	5
33	The use of 5-aminosalicylate for patients with Crohn's disease in a prospective European inception cohort with 5 years follow-up - an Epi-IBD study. <i>United European Gastroenterology Journal</i> , 2020 , 8, 949-960	5.3	5
32	Biomarkers of Whole-Grain and Cereal-Fiber Intake in Human Studies: A Systematic Review of the Available Evidence and Perspectives. <i>Nutrients</i> , 2019 , 11,	6.7	5
31	Associations between common polymorphisms in CYP2R1 and GC, Vitamin D intake and risk of colorectal cancer in a prospective case-cohort study in Danes. <i>PLoS ONE</i> , 2020 , 15, e0228635	3.7	4
30	Administration of Protein Kinase D1 Induces a Protective Effect on Lipopolysaccharide-Induced Intestinal Inflammation in a Co-Culture Model of Intestinal Epithelial Caco-2 Cells and RAW264.7 Macrophage Cells. <i>International Journal of Inflammation</i> , 2017 , 2017, 9273640	6.4	4

29	Common polymorphisms in the microsomal epoxide hydrolase and N-acetyltransferase 2 genes in association with inflammatory bowel disease in the Danish population. <i>European Journal of Gastroenterology and Hepatology</i> , 2011 , 23, 269-74	2.2	4
28	Identification and quantification of serum proteins secreted into the normal human jejunum. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1990 , 50, 857-64	2	4
27	Danish cohort of monozygotic inflammatory bowel disease twins: Clinical characteristics and inflammatory activity. <i>World Journal of Gastroenterology</i> , 2016 , 22, 5050-9	5.6	4
26	Precision Nutrition in Chronic Inflammation. <i>Frontiers in Immunology</i> , 2020 , 11, 587895	8.4	4
25	Risk factors for contagious gastroenteritis in adult patients with diarrhoea in the emergency department - a prospective observational multicentre study. <i>BMC Infectious Diseases</i> , 2019 , 19, 133	4	4
24	Effectiveness of anti-tumour necrosis factor- α therapy in Danish patients with inflammatory bowel diseases. <i>Danish Medical Journal</i> , 2015 , 62,	3.8	4
23	No Interaction between Polymorphisms Related to Vitamin A Metabolism and Vitamin A Intake in Relation to Colorectal Cancer in a Prospective Danish Cohort. <i>Nutrients</i> , 2019 , 11,	6.7	3
22	Postprandial factor VII activation does not increase plasma concentrations of prothrombin fragment 1+2 in patients with morbid obesity. <i>Thrombosis Research</i> , 2020 , 196, 260-267	8.2	3
21	Proteomics dataset: The colon mucosa from inflammatory bowel disease patients, gastrointestinal asymptomatic rheumatoid arthritis patients, and controls. <i>Data in Brief</i> , 2017 , 15, 511-516	1.2	2
20	Translational Potential of Metabolomics on Animal Models of Inflammatory Bowel Disease-A Systematic Critical Review. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
19	Prediagnostic Serum Vitamin D Levels and Risk of Inflammatory Bowel Disease: A Pan-European, Nested Case-control Study. <i>Gastroenterology</i> , 2017 , 152, S59	13.3	2
18	Degradation of the extracellular matrix is part of the pathology of ulcerative colitis		2
17	Intake of dietary fibre, red and processed meat and risk of late-onset Chronic Inflammatory Diseases: A prospective Danish study on the "diet, cancer and health" cohort. <i>International Journal of Medical Sciences</i> , 2020 , 17, 2487-2495	3.7	2
16	Genetically determined telomere length and multiple myeloma risk and outcome. <i>Blood Cancer Journal</i> , 2021 , 11, 74	7	2
15	Positive Predictive Value of Diagnostic Codes for Inflammatory Bowel Disease in the Danish National Patient Registry Among Individuals 50+ Years, Using Patient Records as Reference Standard. <i>Clinical Epidemiology</i> , 2021 , 13, 335-344	5.9	2
14	OP15 Cost analysis in a prospective European population-based inception cohort: is there a cost-saving effect of biological therapy?. <i>Journal of Crohns and Colitis</i> , 2019 , 13, S009-S010	1.5	1
13	Exposure to the Danish Mandatory Vitamin D Fortification Policy in Prenatal Life and the Risk of Developing Coeliac Disease-The Importance of Season: A Semi Ecological Study. <i>Nutrients</i> , 2020 , 12,	6.7	1
12	Dietary Red Meat Adversely Affects Disease Severity in a Pig Model of DSS-Induced Colitis Despite Reduction in Colonic Pro-Inflammatory Gene Expression. <i>Nutrients</i> , 2020 , 12,	6.7	1

11	In vitro studies of theophylline-induced changes in Na, K and Cl transport in hen (<i>Gallus domesticus</i>) colon suggesting bidirectional, basolateral NaK ₂ Cl cotransport. <i>Comparative Biochemistry and Physiology A, Comparative Physiology</i> , 1990 , 96, 187-93		1
10	Validation of GWAS-Identified Variants for Anti-TNF Drug Response in Rheumatoid Arthritis: A Meta-Analysis of Two Large Cohorts. <i>Frontiers in Immunology</i> , 2021 , 12, 672255	8.4	1
9	Associations between participation in, intensity of, and time spent on leisure time physical activity and risk of inflammatory bowel disease among older adults (PA-IBD): a prospective cohort study. <i>BMC Public Health</i> , 2021 , 21, 634	4.1	1
8	Common gene variants within 3'-untranslated regions as modulators of multiple myeloma risk and survival. <i>International Journal of Cancer</i> , 2021 , 148, 1887-1894	7.5	1
7	Chronic Inflammatory Diseases - Diabetes Mellitus, Rheumatoid Arthritis, Coeliac Disease, Crohn's Disease, and Ulcerative Colitis Among the Offspring of Affected Parents: A Danish Population-Based Registry Study. <i>Clinical Epidemiology</i> , 2021 , 13, 13-20	5.9	1
6	Severe impaired deambulation in a patient with vitamin D and mineral deficiency due to exocrine pancreatic insufficiency. <i>JOP: Journal of the Pancreas</i> , 2011 , 12, 482-4	1.2	1
5	How to increase value and reduce waste in research: initial experiences of applying Lean thinking and visual management in research leadership. <i>BMJ Open</i> , 2022 , 12, e058179	3	1
4	P780 Medical treatment and surgery in patients with elderly-onset inflammatory bowel disease: 3-year follow-up of Epi-IBD 2010-2011 cohorts. <i>Journal of Crohns and Colitis</i> , 2019 , 13, S510-S511	1.5	
3	Smoking, cyclo-oxygenase-2 (COX-2) gene polymorphisms and risk of Inflammatory Bowel Disease in a Scottish and a Danish case-control study. <i>Inflammatory Bowel Diseases</i> , 2009 , 15, S29	4.5	
2	Gene polymorphisms in Interleukin 1, Interleukin 10, and heme oxygenase-1 are not associated with risk of Inflammatory Bowel Disease in the Danish population: A case-control study. <i>Inflammatory Bowel Diseases</i> , 2009 , 15, S30	4.5	
1	High-fat meals do not affect thrombin formation and fibrin clot lysis in individuals with obesity during intentional weight loss.. <i>Nutrition Research</i> , 2021 , 97, 1-10	4	