Xiangyu Peng

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2455450/xiangyu-peng-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

16 1,709 19 19 h-index g-index citations papers 2,336 4.1 19 3.7 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|----|--|------|-----------|
| 19 | Phase 2 randomized, double-blind study of IL-17 targeting with secukinumab in atopic dermatitis. Journal of Allergy and Clinical Immunology, 2021 , 147, 394-397 | 11.5 | 21 |
| 18 | Frontal fibrosing alopecia shows robust T helper 1 and Janus kinase 3 skewing. <i>British Journal of Dermatology</i> , 2020 , 183, 1083-1093 | 4 | 14 |
| 17 | Oral Janus kinase/SYK inhibition (ASN002) suppresses inflammation and improves epidermal barrier markers in patients with atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 144, 1011-1024 | 11.5 | 54 |
| 16 | Age-specific changes in the molecular phenotype of patients with moderate-to-severe atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 144, 144-156 | 11.5 | 46 |
| 15 | GBR 830, an anti-OX40, improves skin gene signatures and clinical scores in patients with atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 144, 482-493.e7 | 11.5 | 77 |
| 14 | Ichthyosis molecular fingerprinting shows profound T17 skewing and a unique barrier genomic signature. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 143, 604-618 | 11.5 | 37 |
| 13 | Major Differences in Expression of Inflammatory Pathways in Skin from Different Body Sites of Healthy Individuals. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 2228-2232.e10 | 4.3 | 9 |
| 12 | Atopic dermatitis in African American patients is T2/T22-skewed with T1/T17 attenuation. <i>Annals of Allergy, Asthma and Immunology</i> , 2019 , 122, 99-110.e6 | 3.2 | 72 |
| 11 | Dupilumab progressively improves systemic and cutaneous abnormalities in patients with atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 143, 155-172 | 11.5 | 246 |
| 10 | Atopic dermatitis in Chinese patients shows T2/T17 skewing with psoriasiform features. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 142, 1013-1017 | 11.5 | 37 |
| 9 | Molecular signatures order the potency of topically applied anti-inflammatory drugs in patients with atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 140, 1032-1042.e13 | 11.5 | 38 |
| 8 | Patch testing of food allergens promotes Th17 and Th2 responses with increased IL-33: a pilot study. <i>Experimental Dermatology</i> , 2017 , 26, 272-275 | 4 | 9 |
| 7 | An IL-17-dominant immune profile is shared across the major orphan forms of ichthyosis. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 152-165 | 11.5 | 81 |
| 6 | Early-onset pediatric atopic dermatitis is T2 but also T17 polarized in skin. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 138, 1639-1651 | 11.5 | 203 |
| 5 | RNA sequencing atopic dermatitis transcriptome profiling provides insights into novel disease mechanisms with potential therapeutic implications. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 135, 1218-27 | 11.5 | 154 |
| 4 | The Asian atopic dermatitis phenotype combines features of atopic dermatitis and psoriasis with increased TH17 polarization. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 136, 1254-64 | 11.5 | 308 |
| 3 | Alopecia areata profiling shows TH1, TH2, and IL-23 cytokine activation without parallel TH17/TH22 skewing. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 136, 1277-87 | 11.5 | 132 |

LIST OF PUBLICATIONS

Identification of novel immune and barrier genes in atopic dermatitis by means of laser capture microdissection. *Journal of Allergy and Clinical Immunology*, **2015**, 135, 153-63

11.5 127

Patients with atopic dermatitis have attenuated and distinct contact hypersensitivity responses to common allergens in skin. *Journal of Allergy and Clinical Immunology*, **2015**, 135, 712-20

11.5 44