

Zhi-gang She

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2457084/publications.pdf>

Version: 2024-02-01

188
papers

6,737
citations

50170

46
h-index

98622

67
g-index

193
all docs

193
docs citations

193
times ranked

4035
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Potent Antifouling Resorcylic Acid Lactones from the Gorgonian-Derived Fungus <i>Cochliobolus lunatus</i> . <i>Journal of Natural Products</i> , 2011, 74, 629-633. | 1.5 | 162 |
| 2 | Cytotoxic Norsesquiterpene Peroxides from the Endophytic Fungus <i>Talaromyces flavus</i> Isolated from the Mangrove Plant <i>Sonneratia apetala</i> . <i>Journal of Natural Products</i> , 2011, 74, 1230-1235. | 1.5 | 136 |
| 3 | Chemistry and weak antimicrobial activities of phomopsisins produced by mangrove endophytic fungus <i>Phomopsis</i> sp. ZSU-H76. <i>Phytochemistry</i> , 2008, 69, 1604-1608. | 1.4 | 131 |
| 4 | Bioactive Hydroanthraquinones and Anthraquinone Dimers from a Soft Coral-Derived <i>Alternaria</i> sp. Fungus. <i>Journal of Natural Products</i> , 2012, 75, 189-197. | 1.5 | 125 |
| 5 | Asperterpenoid A, a New Sesterterpenoid as an Inhibitor of <i>Mycobacterium tuberculosis</i> Protein Tyrosine Phosphatase B from the Culture of <i>Aspergillus</i> sp. 16-5c. <i>Organic Letters</i> , 2013, 15, 721-723. | 2.4 | 121 |
| 6 | Antibacterial Bisabolane-Type Sesquiterpenoids from the Sponge-Derived Fungus <i>Aspergillus</i> sp.. <i>Marine Drugs</i> , 2012, 10, 234-241. | 2.2 | 114 |
| 7 | Azaphilones and <i>p</i> -Terphenyls from the Mangrove Endophytic Fungus <i>Penicillium chermesinum</i> (ZH4-E2) Isolated from the South China Sea. <i>Journal of Natural Products</i> , 2011, 74, 997-1002. | 1.5 | 103 |
| 8 | SZ685C, a marine anthraquinone, is a potent inducer of apoptosis with anticancer activity by suppression of the Akt/FOXO pathway. <i>British Journal of Pharmacology</i> , 2010, 159, 689-697. | 2.7 | 102 |
| 9 | Lactones from a brown alga endophytic fungus (No. ZZ36) from the South China Sea and their antimicrobial activities. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 4205-4208. | 1.0 | 99 |
| 10 | Bioactive Indole Alkaloids and Phenyl Ether Derivatives from a Marine-Derived <i>Aspergillus</i> sp. Fungus. <i>Journal of Natural Products</i> , 2013, 76, 547-553. | 1.5 | 97 |
| 11 | Asperterpenoids A and B, Two Sesterterpenoids from a Mangrove Endophytic Fungus <i>Aspergillus terreus</i> H010. <i>Organic Letters</i> , 2016, 18, 1406-1409. | 2.4 | 93 |
| 12 | Isocoumarins and benzofurans from the mangrove endophytic fungus <i>Talaromyces amestolkiae</i> possess β -glucosidase inhibitory and antibacterial activities. <i>RSC Advances</i> , 2016, 6, 26412-26420. | 1.7 | 92 |
| 13 | Cyclic Peptides from an Endophytic Fungus Obtained from a Mangrove Leaf (<i>Kandelia candel</i>). <i>Journal of Natural Products</i> , 2007, 70, 1696-1699. | 1.5 | 91 |
| 14 | Three Metabolites from the Mangrove Endophytic Fungus <i>Sporothrix</i> sp. (#4335) from the South China Sea. <i>Journal of Organic Chemistry</i> , 2009, 74, 1093-1098. | 1.7 | 91 |
| 15 | Asperterpenoids A and B, New Sesterterpenoids Isolated from a Mangrove Endophytic Fungus <i>Aspergillus</i> sp. 085242. <i>Organic Letters</i> , 2013, 15, 2522-2525. | 2.4 | 91 |
| 16 | The Bioactive Metabolites of the Mangrove Endophytic Fungus <i>Talaromyces</i> sp. ZH-154 Isolated from <i>Kandelia candel</i> (L.) Druce. <i>Planta Medica</i> , 2010, 76, 185-189. | 0.7 | 88 |
| 17 | Polyketides with β -Glucosidase Inhibitory Activity from a Mangrove Endophytic Fungus, <i>Penicillium</i> sp. HN29-3B1. <i>Journal of Natural Products</i> , 2015, 78, 1816-1822. | 1.5 | 88 |
| 18 | Three Bianthraquinone Derivatives from the Mangrove Endophytic Fungus <i>Alternaria</i> sp. ZJ9-6B from the South China Sea. <i>Marine Drugs</i> , 2011, 9, 832-843. | 2.2 | 86 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Anthracenedione Derivatives as Anticancer Agents Isolated from Secondary Metabolites of the Mangrove Endophytic Fungi. <i>Marine Drugs</i> , 2010, 8, 1469-1481. | 2.2 | 83 |
| 20 | Five Sesquiterpenoids from a Marine-Derived Fungus <i>Aspergillus</i> sp. Isolated from a Gorgonian <i>Dichotella gemmacea</i> . <i>Marine Drugs</i> , 2010, 8, 941-949. | 2.2 | 81 |
| 21 | Cytotoxic and Antibacterial Preussomerins from the Mangrove Endophytic Fungus <i>Lasiodiplodia theobromae</i> ZJ-HQ1. <i>Journal of Natural Products</i> , 2016, 79, 2397-2402. | 1.5 | 79 |
| 22 | Penicinoline, a new pyrrolyl 4-quinolinone alkaloid with an unprecedented ring system from an endophytic fungus <i>Penicillium</i> sp.. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 3284-3286. | 1.0 | 75 |
| 23 | Diaporisoindoles A-C: Three Isoprenylisoindole Alkaloid Derivatives from the Mangrove Endophytic Fungus <i>Diaporthe</i> sp. SYSU-HQ3. <i>Organic Letters</i> , 2017, 19, 5621-5624. | 2.4 | 75 |
| 24 | New bisabolane sesquiterpenoids from a marine-derived fungus <i>Aspergillus</i> sp. isolated from the sponge <i>Xestospongia testudinaria</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 1326-1329. | 1.0 | 74 |
| 25 | Diaporindenones A-D: Four Unusual 2,3-Dihydro-1-H-indene Analogues with Anti-inflammatory Activities from the Mangrove Endophytic Fungus <i>Diaporthe</i> sp. SYSU-HQ3. <i>Journal of Organic Chemistry</i> , 2018, 83, 11804-11813. | 1.7 | 74 |
| 26 | Antibacterial Anthraquinone Derivatives from a Sea Anemone-Derived Fungus <i>Nigrospora</i> sp.. <i>Journal of Natural Products</i> , 2012, 75, 935-941. | 1.5 | 73 |
| 27 | Secondary metabolites from mangrove-associated fungi: source, chemistry and bioactivities. <i>Natural Product Reports</i> , 2022, 39, 560-595. | 5.2 | 72 |
| 28 | Peniphenones A-D from the Mangrove Fungus <i>Penicillium dipodomycicola</i> HN4-3A as Inhibitors of <i>Mycobacterium tuberculosis</i> Phosphatase MptpB. <i>Journal of Natural Products</i> , 2014, 77, 800-806. | 1.5 | 71 |
| 29 | Benzofuran Derivatives from the Mangrove Endophytic Fungus <i>Xylaria</i> sp. (#2508). <i>Journal of Natural Products</i> , 2008, 71, 1251-1253. | 1.5 | 68 |
| 30 | Anti-inflammatory meroterpenoids from the mangrove endophytic fungus <i>Talaromyces amestolkiae</i> YX1. <i>Phytochemistry</i> , 2018, 146, 8-15. | 1.4 | 63 |
| 31 | <i>Aspergilones</i> A and B, two benzylazaphilones with an unprecedented carbon skeleton from the gorgonian-derived fungus <i>Aspergillus</i> sp.. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 690-693. | 1.0 | 62 |
| 32 | Isolation, structure elucidation, and mutagenicity of four alternariol derivatives produced by the mangrove endophytic fungus No. 2240. <i>Chemistry of Natural Compounds</i> , 2008, 44, 296-300. | 0.2 | 61 |
| 33 | Anthracenedione derivative 1403P-3 induces apoptosis in KB and KBv200 cells via reactive oxygen species-independent mitochondrial pathway and death receptor pathway. <i>Cancer Biology and Therapy</i> , 2007, 6, 1409-1417. | 1.5 | 60 |
| 34 | Penochalasin K, a new unusual chaetoglobosin from the mangrove endophytic fungus <i>Penicillium chrysogenum</i> V11 and its effective semi-synthesis. <i>Fä-toterapÄ-Äç</i> , 2017, 123, 23-28. | 1.1 | 59 |
| 35 | ¹ H and ¹³ C NMR assignments for two anthraquinones and two xanthenes from the mangrove fungus (ZSUH-36). <i>Magnetic Resonance in Chemistry</i> , 2007, 45, 434-438. | 1.1 | 58 |
| 36 | Polyketides with Immunosuppressive Activities from Mangrove Endophytic Fungus <i>Penicillium</i> sp. ZJ-SY2. <i>Marine Drugs</i> , 2016, 14, 217. | 2.2 | 58 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | ¹ H and ¹³ C NMR signal assignments of Paecilin A and B, two new chromone derivatives from mangrove endophytic fungus <i>Paecilomyces</i> sp. (tree 1-7). <i>Magnetic Resonance in Chemistry</i> , 2007, 45, 777-780. | 1.1 | 57 |
| 38 | Polyketides from the Mangrove-Derived Endophytic Fungus <i>Nectria</i> sp. HN001 and Their \pm -Glucosidase Inhibitory Activity. <i>Marine Drugs</i> , 2016, 14, 86. | 2.2 | 57 |
| 39 | Peniisocoumarins A-J: Isocoumarins from <i>Penicillium commune</i> QOF-3, an Endophytic Fungus of the Mangrove Plant <i>Kandelia candel</i> . <i>Journal of Natural Products</i> , 2018, 81, 1376-1383. | 1.5 | 53 |
| 40 | Asymmetric 3D Hole-Transporting Materials Based on Triphenylethylene for Perovskite Solar Cells. <i>Chemistry of Materials</i> , 2019, 31, 5431-5441. | 3.2 | 53 |
| 41 | ¹ H and ¹³ C NMR assignments for five anthraquinones from the mangrove endophytic fungus <i>Halorosellinia</i> sp. (No. 1403). <i>Magnetic Resonance in Chemistry</i> , 2007, 45, 1006-1009. | 1.1 | 51 |
| 42 | Review of bioactive compounds from fungi in the South China Sea. <i>Botanica Marina</i> , 2008, 51, 179-190. | 0.6 | 51 |
| 43 | Dichloroisocoumarins with Potential Anti-Inflammatory Activity from the Mangrove Endophytic Fungus <i>Ascomycota</i> sp. CYSK-4. <i>Marine Drugs</i> , 2018, 16, 54. | 2.2 | 51 |
| 44 | A new xanthone derivative from the co-culture broth of two marine fungi (strain No. E33 and K38). <i>Chemistry of Natural Compounds</i> , 2011, 47, 382-384. | 0.2 | 50 |
| 45 | Alkaloids from the mangrove endophytic fungus <i>Diaporthe phaseolorum</i> SKS019. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 803-807. | 1.0 | 49 |
| 46 | Bioactive Steroid Derivatives and Butyrolactone Derivatives from a Gorgonian-Derived <i>Aspergillus</i> sp. <i>Fungus. Chemistry and Biodiversity</i> , 2015, 12, 1398-1406. | 1.0 | 48 |
| 47 | Structure elucidation of two new xanthone derivatives from the marine fungus <i>Penicillium</i> sp. (ZZF 32#) from the South China Sea. <i>Magnetic Resonance in Chemistry</i> , 2008, 46, 1066-1069. | 1.1 | 47 |
| 48 | Eurothiocin A and B, Sulfur-Containing Benzofurans from a Soft Coral-Derived Fungus <i>Eurotium rubrum</i> SH-823. <i>Marine Drugs</i> , 2014, 12, 3669-3680. | 2.2 | 47 |
| 49 | New Antimicrobial Cyclopentenones from <i>Nigrospora sphaerica</i> ZMT05, a Fungus Derived from <i>Oxya chinensis</i> Thunber. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 5368-5372. | 2.4 | 46 |
| 50 | Paeciloxanthone, a new cytotoxic xanthone from the marine mangrove fungus <i>Paecilomyces</i> sp. (Tree1-7). <i>Journal of Asian Natural Products Research</i> , 2008, 10, 133-137. | 0.7 | 43 |
| 51 | The metabolites of mangrove endophytic fungus Zh6-B1 from the South China Sea. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 3326-3328. | 1.0 | 43 |
| 52 | Dihydroisocoumarin derivatives with antifouling activities from a gorgonian-derived <i>Eurotium</i> sp. fungus. <i>Tetrahedron</i> , 2014, 70, 9132-9138. | 1.0 | 43 |
| 53 | Ascomylactams C, Cytotoxic 12- or 13-Membered-Ring Macrocyclic Alkaloids Isolated from the Mangrove Endophytic Fungus <i>Didymella</i> sp. CYSK-4, and Structure Revisions of Phomapyrrolidones A and C. <i>Journal of Natural Products</i> , 2019, 82, 1752-1758. | 1.5 | 43 |
| 54 | Pimarane diterpenes from the fungus <i>Epicoccum</i> sp. HS-1 associated with <i>Apostichopus japonicus</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 3017-3019. | 1.0 | 42 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Metabolites from the Mangrove Endophytic Fungus <i>Phomopsis</i> sp. (#zsu-H76). <i>European Journal of Organic Chemistry</i> , 2010, 2010, 3692-3695. | 1.2 | 41 |
| 56 | A new furanocoumarin from the mangrove endophytic fungus <i>Penicillium</i> sp. (ZH16). <i>Natural Product Research</i> , 2012, 26, 1291-1295. | 1.0 | 41 |
| 57 | Two New Derivatives of Griseofulvin from the Mangrove Endophytic Fungus <i>Nigrospora</i> sp. (Strain No. 1403) from <i>Kandelia candel</i> (L.) Druce. <i>Planta Medica</i> , 2011, 77, 1735-1738. | 0.7 | 40 |
| 58 | Structure and Absolute Configuration of Fumiquinazoline L, an Alkaloid from a Gorgonian-Derived <i>Scopulariopsis</i> sp. <i>Fungus. Journal of Natural Products</i> , 2013, 76, 779-782. | 1.5 | 40 |
| 59 | Anti-Mycobacterial Activity of Marine Fungus-Derived 4-Deoxybostrycin and Nigrosporin. <i>Molecules</i> , 2013, 18, 1728-1740. | 1.7 | 39 |
| 60 | Anti-inflammatory polyketides from the mangrove-derived fungus <i>Ascomycota</i> sp. SK2YWS-L. <i>Tetrahedron</i> , 2018, 74, 746-751. | 1.0 | 39 |
| 61 | 3-Arylisoindolinone and sesquiterpene derivatives from the mangrove endophytic fungi <i>Aspergillus versicolor</i> SYSU-SKS025. <i>Antonie van Leeuwenhoek</i> , 2018, 124, 177-181. | 1.1 | 39 |
| 62 | Ophiobolin-Type Sesterterpenoids from the Mangrove Endophytic Fungus <i>Aspergillus</i> sp. ZJ-68. <i>Journal of Natural Products</i> , 2019, 82, 2268-2278. | 1.5 | 39 |
| 63 | ($\hat{\sim}$)- and (+)-Asperginulin A, a Pair of Indole Diketopiperazine Alkaloid Dimers with a 6/5/4/5/6 Pentacyclic Skeleton from the Mangrove Endophytic Fungus <i>Aspergillus</i> sp. SK-28. <i>Organic Letters</i> , 2019, 21, 9633-9636. | 2.4 | 39 |
| 64 | Structural and Biological Properties of Vermistatin and Two New Vermistatin Derivatives Isolated from the Marine Mangrove Endophytic Fungus <i>Guignardia</i> sp. No. 4382. <i>Helvetica Chimica Acta</i> , 2007, 90, 1925-1931. | 1.0 | 38 |
| 65 | Lasiodiplactone A, a novel lactone from the mangrove endophytic fungus <i>Lasiodiplodia theobromae</i> ZJ-HQ1. <i>Organic and Biomolecular Chemistry</i> , 2017, 15, 6338-6341. | 1.5 | 37 |
| 66 | Three Dimeric Naphtho- $\hat{1}^3$ -Pyrone from the Mangrove Endophytic Fungus <i>Aspergillus tubingensis</i> isolated from <i>Pongamia pinnata</i> . <i>Planta Medica</i> , 2010, 76, 1888-1891. | 0.7 | 36 |
| 67 | Cytotoxic Naphtho- $\hat{1}^3$ -Pyrone from the Mangrove Endophytic Fungus <i>Aspergillus tubingensis</i> (GX115E). <i>Helvetica Chimica Acta</i> , 2011, 94, 1732-1740. | 1.0 | 35 |
| 68 | New Dimeric Members of the Phomoxanthone Family: Phomolactonexanthones A, B and Deacetylphomoxanthone C Isolated from the Fungus <i>Phomopsis</i> sp.. <i>Marine Drugs</i> , 2013, 11, 4961-4972. | 2.2 | 35 |
| 69 | Tetraphenylbutadiene-Based Symmetric 3D Hole-Transporting Materials for Perovskite Solar Cells: A Trade-off between Charge Mobility and Film Morphology. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 21088-21099. | 4.0 | 35 |
| 70 | Isolation, structure elucidation, crystal structure, and biological activity of a marine natural alkaloid, viridicatol. <i>Chemistry of Natural Compounds</i> , 2011, 47, 322-325. | 0.2 | 34 |
| 71 | A New Anti-acetylcholinesterase $\hat{1}^3$ -Pyrone Meroterpene, Arigsugacin I, from Mangrove Endophytic Fungus <i>Penicillium</i> sp. sk5GW1L of <i>Kandelia candel</i> . <i>Planta Medica</i> , 2013, 79, 1572-1575. | 0.7 | 34 |
| 72 | Depsidones from <i>Talaromyces stipitatus</i> SK-4, an endophytic fungus of the mangrove plant <i>Acanthus ilicifolius</i> . <i>Phytochemistry Letters</i> , 2017, 20, 196-199. | 0.6 | 34 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | A new δ^5 -pyrone from the mangrove endophytic fungus <i>Phomopsis</i> sp. HNY29-2B. <i>Natural Product Research</i> , 2017, 31, 124-130. | 1.0 | 34 |
| 74 | Bioactive polyketides from the mangrove endophytic fungi <i>Phoma</i> sp. SYSU-SK-7. <i>F₁-totalrap₁</i> , 2019, 139, 104369. | 1.1 | 34 |
| 75 | Vermistatin Derivatives with β -Glucosidase Inhibitory Activity from the Mangrove Endophytic Fungus <i>Penicillium</i> sp. HN29-3B1. <i>Planta Medica</i> , 2014, 80, 912-917. | 0.7 | 33 |
| 76 | Bioactive δ^5 -pyrone meroterpenoids from mangrove endophytic fungus <i>Penicillium</i> sp.. <i>Natural Product Research</i> , 2016, 30, 2805-2812. | 1.0 | 33 |
| 77 | Sclerotiorin inhibits protein kinase G from <i>Mycobacterium tuberculosis</i> and impairs mycobacterial growth in macrophages. <i>Tuberculosis</i> , 2017, 103, 37-43. | 0.8 | 32 |
| 78 | A Marine Anthraquinone SZ-685C Overrides Adriamycin-Resistance in Breast Cancer Cells through Suppressing Akt Signaling. <i>Marine Drugs</i> , 2012, 10, 694-711. | 2.2 | 31 |
| 79 | Studies on the Synthesis of Derivatives of Marine-Derived Bostrycin and Their Structure-Activity Relationship against Tumor Cells. <i>Marine Drugs</i> , 2012, 10, 932-952. | 2.2 | 31 |
| 80 | β -Resorcylic acid derivatives with β -glucosidase inhibitory activity from <i>Lasiodiplodia</i> sp. ZJ-HQ1, an endophytic fungus in the medicinal plant <i>Acanthus ilicifolius</i> . <i>Phytochemistry Letters</i> , 2015, 13, 141-146. | 0.6 | 31 |
| 81 | Altenusin derivatives from mangrove endophytic fungus <i>Alternaria</i> sp. SK6YW3L. <i>RSC Advances</i> , 2016, 6, 72127-72132. | 1.7 | 31 |
| 82 | Acetylcholinesterase Inhibitory Meroterpenoid from a Mangrove Endophytic Fungus <i>Aspergillus</i> sp. 16-5c. <i>Molecules</i> , 2017, 22, 727. | 1.7 | 31 |
| 83 | A new anti-inflammatory meroterpenoid from the fungus <i>Aspergillus terreus</i> H010. <i>Natural Product Research</i> , 2018, 32, 2652-2656. | 1.0 | 31 |
| 84 | Chemistry and cytotoxic activities of polyketides produced by the mangrove endophytic fungus <i>Phomopsis</i> SP. ZSU-H76. <i>Chemistry of Natural Compounds</i> , 2009, 45, 625-628. | 0.2 | 30 |
| 85 | Alterporriol-Type Dimers from the Mangrove Endophytic Fungus, <i>Alternaria</i> sp. (SK11), and Their MptpB Inhibitions. <i>Marine Drugs</i> , 2014, 12, 2953-2969. | 2.2 | 30 |
| 86 | New depsidones and isoindolinones from the mangrove endophytic fungus <i>Meyerozyma guilliermondii</i> (HZ-Y ₂) isolated from the South China Sea. <i>Beilstein Journal of Organic Chemistry</i> , 2015, 11, 1187-1193. | 1.3 | 30 |
| 87 | Identification of anti-inflammatory polyketides from the coral-derived fungus <i>Penicillium sclerotiorin</i> : In vitro approaches and molecular-modeling. <i>Bioorganic Chemistry</i> , 2019, 88, 102973. | 2.0 | 30 |
| 88 | Bioactive Metabolites from Mangrove Endophytic Fungus <i>Aspergillus</i> sp. 16-5B. <i>Marine Drugs</i> , 2015, 13, 3091-3102. | 2.2 | 29 |
| 89 | Cytotoxic Bromine- and Iodine-Containing Cytochalasins Produced by the Mangrove Endophytic Fungus <i>Phomopsis</i> sp. QYM-13 Using the OSMAC Approach. <i>Journal of Natural Products</i> , 2022, 85, 1229-1238. | 1.5 | 29 |
| 90 | New Lactone and Xanthone Derivatives Produced by a Mangrove Endophytic Fungus <i>Phoma</i> sp. SK3RW1M from the South China Sea. <i>Helvetica Chimica Acta</i> , 2010, 93, 1369-1374. | 1.0 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Asperlones A and B, Dinaphthalenone Derivatives from a Mangrove Endophytic Fungus <i>Aspergillus</i> sp. 16-5C. <i>Marine Drugs</i> , 2015, 13, 366-378. | 2.2 | 28 |
| 92 | Talaramide A, an unusual alkaloid from the mangrove endophytic fungus <i>Talaromyces</i> sp. (HZ-YX1) as an inhibitor of mycobacterial PknG. <i>New Journal of Chemistry</i> , 2017, 41, 4273-4276. | 1.4 | 28 |
| 93 | Identification and Antifungal Activity of Compounds from the Mangrove Endophytic Fungus <i>Aspergillus clavatus</i> R7. <i>Marine Drugs</i> , 2017, 15, 259. | 2.2 | 28 |
| 94 | Structure elucidation and NMR assignments for two xanthone derivatives from a mangrove endophytic fungus (No. ZH19). <i>Magnetic Resonance in Chemistry</i> , 2010, 48, 80-82. | 1.1 | 27 |
| 95 | A new anthraquinone derivative from the marine endophytic fungus <i>Fusarium</i> sp. (No. b77). <i>Natural Product Research</i> , 2010, 24, 81-85. | 1.0 | 27 |
| 96 | New furoisocoumarins and isocoumarins from the mangrove endophytic fungus <i>Aspergillus</i> sp. 085242. <i>Beilstein Journal of Organic Chemistry</i> , 2016, 12, 2077-2085. | 1.3 | 27 |
| 97 | Î±-Glucosidase Inhibitors: Diphenyl Ethers and Phenolic Bisabolane Sesquiterpenoids from the Mangrove Endophytic Fungus <i>Aspergillus flavus</i> QQSG-3. <i>Marine Drugs</i> , 2018, 16, 307. | 2.2 | 27 |
| 98 | ¹ H and ¹³ C NMR assignments for 6â€œdemethylvermistatin and two penicillide derivatives from the mangrove fungus <i>Guignardia</i> sp. (No. 4382) from the South China Sea. <i>Magnetic Resonance in Chemistry</i> , 2008, 46, 693-696. | 1.1 | 26 |
| 99 | A new isobenzofuranone from the mangrove endophytic fungus <i>Penicillium</i> sp. (ZH58). <i>Natural Product Research</i> , 2013, 27, 1902-1905. | 1.0 | 26 |
| 100 | Naphthoquinone Derivatives with Anti-Inflammatory Activity from Mangrove-Derived Endophytic Fungus <i>Talaromyces</i> sp. SK-S009. <i>Molecules</i> , 2020, 25, 576. | 1.7 | 26 |
| 101 | Structural and spectral assignments of six anthraquinone derivatives from the mangrove fungus (ZSUH-36). <i>Magnetic Resonance in Chemistry</i> , 2008, 46, 886-889. | 1.1 | 25 |
| 102 | A new naphtho-Î³-pyrone from mangrove endophytic fungus ZSU-H26. <i>Chemistry of Natural Compounds</i> , 2010, 46, 15-18. | 0.2 | 25 |
| 103 | Two new paeciloxocins from a mangrove endophytic fungus <i>Paecilomyces</i> sp.. <i>Russian Chemical Bulletin</i> , 2010, 59, 1656-1659. | 0.4 | 25 |
| 104 | Anticancer Effect and Structure-Activity Analysis of Marine Products Isolated from Metabolites of Mangrove Fungi in the South China Sea. <i>Marine Drugs</i> , 2010, 8, 1094-1105. | 2.2 | 25 |
| 105 | Bioactive Isopimarane Diterpenes from the Fungus, <i>Epicoccum</i> sp. HS-1, Associated with <i>Apostichopus japonicus</i> . <i>Marine Drugs</i> , 2015, 13, 1124-1132. | 2.2 | 25 |
| 106 | Antioxidative Polyketones from the Mangrove-Derived Fungus <i>Ascomycota</i> sp. SK2YWS-L. <i>Scientific Reports</i> , 2016, 6, 36609. | 1.6 | 25 |
| 107 | Two new bioactive steroids from a mangrove-derived fungus <i>Aspergillus</i> sp.. <i>Steroids</i> , 2018, 140, 32-38. | 0.8 | 25 |
| 108 | Cytotoxic isocoumarin derivatives from the mangrove endophytic fungus <i>Aspergillus</i> sp. HN15-5D. <i>Archives of Pharmacal Research</i> , 2019, 42, 326-331. | 2.7 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | ¹ H and ¹³ C NMR assignments for two oxaphenalenones bacillosporin C and D from the mangrove endophytic fungus SBE-14. <i>Magnetic Resonance in Chemistry</i> , 2007, 45, 439-441. | 1.1 | 23 |
| 110 | Adsorption and desorption characteristics of polyphenols from <i>Eucommia ulmoides</i> Oliv. leaves with macroporous resin and its inhibitory effect on α -amylase and α -glucosidase. <i>Annals of Translational Medicine</i> , 2020, 8, 1004-1004. | 0.7 | 23 |
| 111 | A new isochroman derivative from the marine fungus <i>Phomopsis</i> sp. (No. ZH-111). <i>Chemistry of Natural Compounds</i> , 2011, 47, 13-16. | 0.2 | 22 |
| 112 | A New Xanthone O-Glycoside from the Mangrove Endophytic Fungus <i>Phomopsis</i> sp.. <i>Chemistry of Natural Compounds</i> , 2013, 49, 27-30. | 0.2 | 22 |
| 113 | The Marine Metabolite SZ-685C Induces Apoptosis in Primary Human Nonfunctioning Pituitary Adenoma Cells by Inhibition of the Akt Pathway in Vitro. <i>Marine Drugs</i> , 2015, 13, 1569-1580. | 2.2 | 22 |
| 114 | Genome Mining of Marine-Derived <i>Streptomyces</i> sp. SCSIO 40010 Leads to Cytotoxic New Polycyclic Tetramate Macrolactams. <i>Marine Drugs</i> , 2019, 17, 663. | 2.2 | 22 |
| 115 | Structure elucidation and NMR assignments for three anthraquinone derivatives from the marine fungus <i>Fusarium</i> sp. (No. ZH-210). <i>Magnetic Resonance in Chemistry</i> , 2009, 47, 362-365. | 1.1 | 21 |
| 116 | New pyranonaphthazarin and 2-naphthoic acid derivatives from the mangrove endophytic fungus <i>Leptosphaerulina</i> sp. SKS032. <i>Phytochemistry Letters</i> , 2017, 20, 214-217. | 0.6 | 21 |
| 117 | (+)- and (−)-Ascomlactone A: a pair of novel dimeric polyketides from a mangrove endophytic fungus <i>Ascomycota</i> sp. SK2YWS-L. <i>Organic and Biomolecular Chemistry</i> , 2017, 15, 10276-10280. | 1.5 | 21 |
| 118 | Anti-inflammatory activities of alkaloids from the mangrove endophytic fungus <i>Phomopsis</i> sp. SYSUQYP-23. <i>Bioorganic Chemistry</i> , 2020, 97, 103712. | 2.0 | 21 |
| 119 | Two Metabolites with DNA Binding Affinity from the Mangrove Fungus <i>Xylaria</i> sp. (#2508) from the South China Sea Coast. <i>Chinese Journal of Chemistry</i> , 2009, 27, 365-368. | 2.6 | 20 |
| 120 | A new diimide derivative from the co-culture broth of two mangrove fungi (strain no. E33 and K38). <i>Journal of Asian Natural Products Research</i> , 2010, 12, 809-813. | 0.7 | 20 |
| 121 | A New Polysubstituted Benzaldehyde from the co-culture broth of Two Marine Fungi (Strains Nos. E33) Tj ETQq1 1 0.784314 rgBT /Ov | 0.2 | 20 |
| 122 | A New Anthraquinone Derivative from a Gorgonian-Derived Fungus <i>Aspergillus</i> sp.. <i>Chemistry of Natural Compounds</i> , 2014, 50, 617-620. | 0.2 | 20 |
| 123 | The Purification, Characterization, and Biological Activity of New Polyketides from Mangrove-Derived Endophytic Fungus <i>Epicoccum nigrum</i> SCNU-F0002. <i>Marine Drugs</i> , 2019, 17, 414. | 2.2 | 20 |
| 124 | Four New Isocoumarins and a New Natural Tryptamine with Antifungal Activities from a Mangrove Endophytic Fungus <i>Botryosphaeria ramosa</i> L29. <i>Marine Drugs</i> , 2019, 17, 88. | 2.2 | 20 |
| 125 | Metabolites with Anti-Inflammatory Activity from the Mangrove Endophytic Fungus <i>Diaporthe</i> sp. QYM12. <i>Marine Drugs</i> , 2021, 19, 56. | 2.2 | 20 |
| 126 | A new isocoumarin from mangrove endophytic fungus (No. dz17) on the South China Sea coast. <i>Chemistry of Natural Compounds</i> , 2007, 43, 655-658. | 0.2 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | 1 H and 13 C NMR assignments of three nitrogen containing compounds from the mangrove endophytic fungus (ZZF08). <i>Magnetic Resonance in Chemistry</i> , 2008, 46, 501-505. | 1.1 | 19 |
| 128 | A Copper Coordination Compound Produced by a Marine Fungus <i>Fusarium</i> sp. ZZF51 with Biosorption of Cu(II) Ions. <i>Chinese Journal of Chemistry</i> , 2008, 26, 516-521. | 2.6 | 19 |
| 129 | Xylantraquinone, a new anthraquinone from the fungus <i>Xylaria</i> sp. 2508 from the South China Sea. <i>Natural Product Research</i> , 2014, 28, 111-114. | 1.0 | 18 |
| 130 | Chroman-4-one and pyrano[4,3-b]chromenone derivatives from the mangrove endophytic fungus <i>Diaporthe phaseolorum</i> SKS019. <i>RSC Advances</i> , 2017, 7, 20128-20134. | 1.7 | 18 |
| 131 | Five nitro-phenyl compounds from the South China Sea mangrove fungus. <i>Journal of Asian Natural Products Research</i> , 2007, 9, 643-648. | 0.7 | 17 |
| 132 | A new xanthone derivative from mangrove endophytic fungus No. ZSU-H16. <i>Chemistry of Natural Compounds</i> , 2010, 46, 348-351. | 0.2 | 17 |
| 133 | Ethyl-naphthoquinone derivatives as inhibitors of indoleamine-2, 3-dioxygenase from the mangrove endophytic fungus <i>Neofusicoccum australe</i> SYSU-SKS024. <i>Fä-toterapÄ-Äç</i> , 2018, 125, 281-285. | 1.1 | 17 |
| 134 | Secondary Metabolites with Î±-Glucosidase Inhibitory Activity from the Mangrove Fungus <i>Mycosphaerella</i> sp. SYSU-DZG01. <i>Marine Drugs</i> , 2019, 17, 483. | 2.2 | 17 |
| 135 | Two New Meroterpenes from the Mangrove Endophytic Fungus <i>Aspergillus</i> sp. 085241B. <i>Helvetica Chimica Acta</i> , 2011, 94, 1875-1880. | 1.0 | 16 |
| 136 | A new isoflavone from the mangrove endophytic fungus <i>Fusarium</i> sp. (ZZF60). <i>Natural Product Research</i> , 2012, 26, 11-15. | 1.0 | 16 |
| 137 | A new xanthone derivative from the marine fungus <i>Phomopsis</i> sp. (No. SK7RN3G1). <i>Chemistry of Natural Compounds</i> , 2013, 49, 246-248. | 0.2 | 16 |
| 138 | Anthraquinone G503 Induces Apoptosis in Gastric Cancer Cells through the Mitochondrial Pathway. <i>PLoS ONE</i> , 2014, 9, e108286. | 1.1 | 16 |
| 139 | Four new aromatic allenic ethers from the fungus <i>Xylaria</i> sp. No. 2508. <i>Natural Product Research</i> , 2008, 22, 612-617. | 1.0 | 15 |
| 140 | A new isoprenyl phenyl ether compound from mangrove fungus. <i>Chemistry of Natural Compounds</i> , 2007, 43, 377-380. | 0.2 | 14 |
| 141 | A new indene derivative from the marine fungus <i>Phomopsis</i> sp. (No. GX7-4A). <i>Chemistry of Natural Compounds</i> , 2010, 46, 230-232. | 0.2 | 14 |
| 142 | Azaphilones isolated from an alga-derived fungus <i>Penicillium</i> sp. ZJ-27. <i>Phytochemistry Letters</i> , 2016, 18, 180-186. | 0.6 | 14 |
| 143 | ¹ H and ¹³ C NMR assignments of two new diaryl ethers phomopsides A and B from the mangrove endophytic fungus (ZZF08). <i>Magnetic Resonance in Chemistry</i> , 2008, 46, 761-764. | 1.1 | 13 |
| 144 | Structure elucidation of three diphenyl ether derivatives from the mangrove endophytic fungus SBE14 from the South China Sea. <i>Magnetic Resonance in Chemistry</i> , 2009, 47, 453-455. | 1.1 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | A New Polyketide from the Mangrove Endophytic Fungus <i>Penicillium</i> sp. sk14JW2P. <i>Helvetica Chimica Acta</i> , 2014, 97, 664-668. | 1.0 | 13 |
| 146 | Three New Chromone Derivatives Produced by <i>Phomopsis</i> sp. HNY292B from <i>Acanthus ilicifolius</i> Linn.. <i>Chinese Journal of Chemistry</i> , 2017, 35, 1889-1893. | 2.6 | 13 |
| 147 | New Benzofuranoids and Phenylpropanoids from the Mangrove Endophytic Fungus, <i>Aspergillus</i> sp. ZJ-68. <i>Marine Drugs</i> , 2019, 17, 478. | 2.2 | 13 |
| 148 | Two new metabolites from the mangrove endophytic fungus no. 2106. <i>Journal of Asian Natural Products Research</i> , 2008, 10, 622-626. | 0.7 | 12 |
| 149 | Chemical constituents from the mangrove endophytic fungus <i>Sporothrix</i> sp.. <i>Chemistry of Natural Compounds</i> , 2013, 49, 137-140. | 0.2 | 12 |
| 150 | A new biphenyl derivative from an unidentified marine fungus E33. <i>Chemistry of Natural Compounds</i> , 2008, 44, 163-165. | 0.2 | 11 |
| 151 | Identification of mangrove endophytic fungus 1403 (<i>Fusarium proliferatum</i>) based on morphological and molecular evidence. <i>Journal of Forestry Research</i> , 2008, 19, 219-224. | 1.7 | 11 |
| 152 | A new griseofulvin derivative from the mangrove endophytic fungus <i>Sporothrix</i> SP.. <i>Chemistry of Natural Compounds</i> , 2010, 46, 363-365. | 0.2 | 11 |
| 153 | Synthesis and Antitumor Activities of Derivatives of the Marine Mangrove Fungal Metabolite Deoxybostrycin. <i>Marine Drugs</i> , 2012, 10, 2715-2728. | 2.2 | 11 |
| 154 | A New Coumarin Produced by Mixed Fermentation of Two Marine Fungi. <i>Chemistry of Natural Compounds</i> , 2015, 51, 239-241. | 0.2 | 11 |
| 155 | A Marine Alkaloid, Ascomylactam A, Suppresses Lung Tumorigenesis via Inducing Cell Cycle G1/S Arrest through ROS/Akt/Rb Pathway. <i>Marine Drugs</i> , 2020, 18, 494. | 2.2 | 10 |
| 156 | Three new isocoumarin derivatives from the mangrove endophytic fungus <i>Penicillium</i> sp. YYSJ-3. <i>Chinese Journal of Natural Medicines</i> , 2020, 18, 256-260. | 0.7 | 10 |
| 157 | Benzopyran Derivatives and an Aliphatic Compound from a Mangrove Endophytic Fungus <i>Penicillium citrinum</i> QJF22. <i>Chemistry and Biodiversity</i> , 2020, 17, e2000192. | 1.0 | 10 |
| 158 | A new compound: Xyloketal H from mangrove fungus <i>Xylaria</i> sp. from the South China Sea coast. <i>Chemistry of Natural Compounds</i> , 2008, 44, 3-5. | 0.2 | 9 |
| 159 | Structure elucidation and NMR assignments for two amide alkaloids from a Mangrove endophytic Fungus (No. ZZF22). <i>Magnetic Resonance in Chemistry</i> , 2009, 47, 92-95. | 1.1 | 9 |
| 160 | Microsphaeropsis A, a new sesquiterpenoid isolated from the mangrove endophytic fungus (No.) Tj ETQq000rgBT/Overlock 10 Tf 50 | 1.0 | 9 |
| 161 | Peniazaphilones A-I, Produced by Co-culturing of Mangrove Endophytic Fungi, <i>Penicillium sclerotiorum</i> THSH4 and <i>Penicillium sclerotiorum</i> ZJHJ18. <i>Chinese Journal of Chemistry</i> , 2021, 39, 3404-3412. | 2.6 | 9 |
| 162 | Metabolites With Cytotoxic Activities From the Mangrove Endophytic Fungus <i>Fusarium</i> sp. 2ST2. <i>Frontiers in Chemistry</i> , 2022, 10, 842405. | 1.8 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | A new dihydroisocoumarin with an isoprenyl group from the endophytic fungus <i>Cephalosporium</i> sp.. <i>Chemistry of Natural Compounds</i> , 2010, 46, 340-342. | 0.2 | 8 |
| 164 | A new xanthone derivative from the marine fungus <i>Phomopsis</i> sp. (No. SK7RN3G1). <i>Chemistry of Natural Compounds</i> , 2013, 49, 31-33. | 0.2 | 8 |
| 165 | Metabolites with anti-inflammatory and β -glucosidase inhibitory activities from the mangrove endophytic fungus <i>Phoma</i> sp. SYSU-SK-7. <i>Tetrahedron Letters</i> , 2020, 61, 152578. | 0.7 | 8 |
| 166 | Secondary Metabolites with β -Glucosidase Inhibitory Activity from Mangrove Endophytic Fungus <i>Talaromyces</i> sp. CY-3. <i>Marine Drugs</i> , 2021, 19, 492. | 2.2 | 8 |
| 167 | Azaphilone derivatives with anti-inflammatory activity from the mangrove endophytic fungus <i>Penicillium sclerotiorum</i> ZJHJ-18. <i>Bioorganic Chemistry</i> , 2022, 122, 105721. | 2.0 | 8 |
| 168 | A new hTopo I isomerase inhibitor produced by a mangrove endophytic fungus no. 2240. <i>Journal of Asian Natural Products Research</i> , 2008, 10, 607-610. | 0.7 | 7 |
| 169 | Structural elucidation and NMR assignments of four aromatic lactones from a mangrove endophytic fungus (No. CX4â€B). <i>Magnetic Resonance in Chemistry</i> , 2010, 48, 496-499. | 1.1 | 7 |
| 170 | Total Synthesis, Absolute Configuration, and Biological Activity of Xyloallenoide A. <i>Helvetica Chimica Acta</i> , 2012, 95, 973-982. | 1.0 | 7 |
| 171 | A modified QuEChERS method coupled with high resolution LC-Q-TOF-mass spectrometry for the extraction, identification and quantification of isoflavones in soybeans. <i>Analytical Methods</i> , 2016, 8, 2259-2266. | 1.3 | 7 |
| 172 | Bioactive sesquiterpene derivatives from mangrove endophytic fungus <i>Phomopsis</i> sp. SYSU-QYP-23: Structures and nitric oxide inhibitory activities. <i>Bioorganic Chemistry</i> , 2021, 107, 104530. | 2.0 | 7 |
| 173 | Furobenzotropolones A, B and 3-Hydroxyepicoccone B with Antioxidative Activity from Mangrove Endophytic Fungus <i>Epicoccum nigrum</i> MLY-3. <i>Marine Drugs</i> , 2021, 19, 395. | 2.2 | 7 |
| 174 | Two Antimicrobial Heterodimeric Tetrahydroxanthones with a 7,7â€Linkage from Mangrove Endophytic Fungus <i>Aspergillus flavus</i> QQYZ. <i>Molecules</i> , 2022, 27, 2691. | 1.7 | 7 |
| 175 | Secondary Metabolites from the Mangrove Endophytic Fungus <i>Penicillium</i> sp. (SBE-8). <i>Natural Product Communications</i> , 2009, 4, 1934578X0900401. | 0.2 | 6 |
| 176 | Two new benzaldehyde derivatives from mangrove endophytic fungus (No. ZZF 32). <i>Chemistry of Natural Compounds</i> , 2009, 45, 779-781. | 0.2 | 6 |
| 177 | Diaporisindole E inhibits RANKL-induced osteoclastogenesis via suppression of PI3K/AKT and MAPK signal pathways. <i>Phytomedicine</i> , 2020, 75, 153234. | 2.3 | 6 |
| 178 | 1,4-Dihydroxy-2-methoxy-7-methylanthracene-9,10-dione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o3737-o3738. | 0.2 | 5 |
| 179 | A New Isochroman Derivative from the Marine Fungus <i>Phomopsis</i> sp. (No. Gx-4). <i>Chemistry of Natural Compounds</i> , 2014, 50, 424-426. | 0.2 | 5 |
| 180 | New global insights on the regulation of the biphasic life cycle and virulence via ClpP-dependent proteolysis in <i>Legionella pneumophila</i> . <i>Molecular and Cellular Proteomics</i> , 2022, , 100233. | 2.5 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Isoflavones from the Mangrove Endophytic Fungus <i>Fusarium</i> sp. (ZZF41). Natural Product Communications, 2010, 5, 1934578X1000501. | 0.2 | 4 |
| 182 | Secondary Metabolites Isolated from the Fungus <i>Aspergillus</i> sp. Derived from Gorgonian <i>Carijoa</i> sp. Chemistry of Natural Compounds, 2016, 52, 478-479. | 0.2 | 4 |
| 183 | An Economical High-Throughput Assay for Screening Glycosyltransferase Inhibitors**. ChemBioChem, 2021, 22, 1391-1395. | 1.3 | 3 |
| 184 | Pyrone Derivatives from a Mangrove Endophytic Fungus <i>Phomopsis</i> ... <i>asparagi</i> LSLYZ87. Chemistry and Biodiversity, 2022, 19, . | 1.0 | 3 |
| 185 | Asymmetric Synthesis of 2-Methoxy-2-methylchroman-7-ol in Solid State β -Cyclodextrin Complexes. Chinese Journal of Chemistry, 2008, 26, 741-744. | 2.6 | 2 |
| 186 | Nitrogen-Containing Compounds From Mangrove-Derived Fungus <i>Aspergillus</i> sp. 87. Natural Product Communications, 2020, 15, 1934578X2091531. | 0.2 | 2 |
| 187 | A new anthraquinone from mangrove endophytic fungus <i>Aspergillus</i> sp. 16-5C. Natural Product Research, 2023, 37, 1271-1276. | 1.0 | 2 |
| 188 | The Oxidation Cascade of a Rare Multifunctional P450 Enzyme Involved in Asperterpenoid A Biosynthesis. Frontiers in Chemistry, 2021, 9, 785431. | 1.8 | 2 |