

Michel G Malaise

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2457865/publications.pdf>

Version: 2024-02-01

20
papers

709
citations

1040056

9
h-index

752698

20
g-index

20
all docs

20
docs citations

20
times ranked

999
citing authors

#	ARTICLE	IF	CITATIONS
1	Insights on Molecular Mechanisms of Chondrocytes Death in Osteoarthritis. International Journal of Molecular Sciences, 2016, 17, 2146.	4.1	232
2	Assessment of disease activity in rheumatoid arthritis with (18)F-FDG PET. Journal of Nuclear Medicine, 2004, 45, 956-64.	5.0	173
3	18F-FDG PET imaging of rheumatoid knee synovitis correlates with dynamic magnetic resonance and sonographic assessments as well as with the serum level of metalloproteinase-3. European Journal of Nuclear Medicine and Molecular Imaging, 2006, 33, 275-280.	6.4	131
4	15-Deoxy- \hat{I}^n -12, 14-prostaglandin J2 acts cooperatively with prednisolone to reduce TGF- \hat{I}^2 -induced pro-fibrotic pathways in human osteoarthritis fibroblasts. Biochemical Pharmacology, 2019, 165, 66-78.	4.4	27
5	18F- FDG PET/CT joint assessment of early therapeutic response in rheumatoid arthritis patients treated with rituximab. European Journal of Hybrid Imaging, 2018, 2, 6.	1.5	22
6	Selective glucocorticoid receptor modulator compound A, in contrast to prednisolone, does not induce leptin or the leptin receptor in human osteoarthritis synovial fibroblasts. Rheumatology, 2015, 54, 1087-1092.	1.9	17
7	Modulation of $\hat{I}\pm\hat{V}^26$ integrin in osteoarthritis-related synovitis and the interaction with VTN(381 \hat{a} €“397) Tj ETQq1_1_0.784314 rgBT 17	7.7	17
8	Biomarkers of inflammation and innate immunity in atrophic nonunion fracture. Journal of Translational Medicine, 2016, 14, 258.	4.4	15
9	Serum IGFBP-2 in systemic sclerosis as a prognostic factor of lung dysfunction. Scientific Reports, 2021, 11, 10882.	3.3	12
10	CEMIP (KIAA1199) regulates inflammation, hyperplasia and fibrosis in osteoarthritis synovial membrane. Cellular and Molecular Life Sciences, 2022, 79, 260.	5.4	11
11	Validation of a new method by nano-liquid chromatography on chip tandem mass spectrometry for combined quantitation of C3f and the V65 vitronectin fragment as biomarkers of diagnosis and severity of osteoarthritis. Talanta, 2017, 169, 170-180.	5.5	10
12	Glycosylation deficiency of lipopolysaccharide-binding protein and corticosteroid-binding globulin associated with activity and response to treatment for rheumatoid arthritis. Journal of Translational Medicine, 2020, 18, 8.	4.4	9
13	PET Imaging of Arthritis. PET Clinics, 2006, 1, 131-139.	3.0	8
14	Toward diagnostic relevance of the $\hat{I}\pm\hat{V}^25$, $\hat{I}\pm\hat{V}^23$, and $\hat{I}\pm\hat{V}^26$ integrins in OA: expression within human cartilage and spinal osteophytes. Bone Research, 2020, 8, 35.	11.4	7
15	Inflammatory profile of induced sputum composition in systemic sclerosis and comparison with healthy volunteers. Scientific Reports, 2021, 11, 10679.	3.3	6
16	Up to 5-year retention of abatacept in Belgian patients with moderate-to-severe rheumatoid arthritis: a sub-analysis of the international, observational ACTION study. Rheumatology International, 2020, 40, 1409-1421.	3.0	3
17	A Cross-Sectional and Longitudinal Study to Define Alarmins and A-SAA Variants as Companion Markers in Early Rheumatoid Arthritis. Frontiers in Immunology, 2021, 12, 638814.	4.8	3
18	Dissociation between 2-[18F]fluoro-2-deoxy-D-glucose positron emission computed tomography, ultrasound and clinical assessments in patients with non-severe rheumatoid arthritis, including remission. BMC Rheumatology, 2021, 5, 31.	1.6	3

#	ARTICLE	IF	CITATIONS
19	Sarcoidosis. <i>BioDrugs</i> , 1997, 7, 441-447.	4.6	2
20	High detection rate of osteoporosis with screening of a general hospitalized population: a 6-year study in 6406 patients in a university hospital setting. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 90.	1.9	1